1965

1965

PART - V

JAN TO DECEMBER

Registered No. BG. 202.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, JANUARY 14, 1965 (PUSHYA 24, SAKA ERA 1886) | No. 2

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 9th December 1964.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | Livestock | Fodder | Water Supply | Remarks |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | |
| | | | | | **1. Bangalore District.** | | | |
| | | | | | Good | | | |
| | | | | | **2. Kolar District** | | | |
| Do | 3.5 | | | | Fair except in Bangarpet tq. where it was reported that the dry crops were poor. | Good except for the prevalence of 'Anthrax' at one village of Malur taluk. | do | |
| | | | | | **3. Tumkur District.** | | | |
| | | | | | Good | | | ... (3) |
| | | | | | **4. Mysore District.** | | | |
| | | | | | Good | | | |
| | | | | | **5. Mandya District.** | | | |
| Do | | | | | Good | | | |
| | | | | | **6. Hassan District** | | | |
| | | | | | Good | | | ... (6) |

| No. of rainy days in the week | Rainfall in Millimeters: During the week — Actual | Rainfall in Millimeters: During the week — Normal | Rainfall in Millimeters: Since the beginning of the season — Actual | Rainfall in Millimeters: Since the beginning of the season — Normal | Condition of: | Condition of: Livestock | Condition of: Water Supply | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

**7. Chickmagalur District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Good except for prevalance of "Epizootic Aphtha" at one village of Koppa taluk. | do | | | |

**8. Shimoga District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | | do | | Good | | | | |

**9. Chitradurga District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Do | do | | do | | Good | | do | | |

**10. Bellary District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | do | N.A. | Fair except in Siruguppa taluk where it was reported that the Paddy crop was affected by pest. | Good except for the prevalence of cattle disease in two villages of Siruguppa tq. | | do | ... (10) |

**11. Bijapur District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | Fair except in Bijapur tq. where it was reported that the Rabi crops were affected by pest. | Good | Available ... | Sufficient | ... (11) |

**12. Belgaum District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Do | | N.A. | Nil | N.A. | Fair except in Ramdurg Tq. where Jowar and Bajra crops were affected by pest. | Good | | | |

**13. Dharwar District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | do | N.A. | Fair | | Good | | do | ... (13) |

**14. North Kanara District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | do | N.A | Fair | | Good except for the prevalance of cattle disease at one village of Haliyal taluk. | | do | ... (14) |

**15. Gulbarga District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Do | Do | N.A. | | | | Good | | | ... (15) |

**16. Raichur District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Good | | | ... (16) |

**17. Bidar District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Good | | | ... (17) |

**18. South Kanara District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Good | | | ... (18) |

**19. Coorg District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Do | do | do | do | do | do | Good | do | do | ... (19) |

REMARKS:— (1) Refers to 8 Taluks. (2) Refers to 7 Taluks. (3) Refers to 8 Taluks. (4) Refers to 6 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 3 Taluks. (7) Refers to 6 Taluks. (8) Refers to 5 Taluks. (9) Refers to 6 Taluks. (10) Refers to 6 Taluks.
(11) Refers to 9 Taluks. (12) Refers to 6 Taluks. (13) Refers to 8 Taluks. (14) Refers to 6 Taluks. (15) Refers to 6 Taluks.
(16) Refers to 6 Taluks. (17) Refers to 3 Taluks. (18) Refers to 5 Taluks. (19) Refers to 2 Taluks.

M. GANGARUDRAIAH, For *Direc*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 9th December 1964.

Note.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural operations.
(f) ,, Water supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall
(b) Nil.
(c) Crops were fair
(d) Harvesting of Ragi was in progress in Nelamangala and Ramanagaram taluks.
(e) Progress was fair in Nelamangala taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair except in Gudibanda taluk where Ragi, Jola, G. nut and Pady crops were not fair.
(d) Harvesting of G.nut in Gudibanda taluk, Paddy, Ragi and G. nut in Mulbagal, Sidlaghatta, Bangarpet taluks Paddy and Sugarcane in Gowribidanur taluk. Paddy and Ragi in Srinivasapur, paddy in Kolar taluk was in progress.
(e) Progress was fair in 7 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for he prevalance of "Anthrax" at one Village of Kolar taluk.

3 Tumkur District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Dry Crops in Chiknaikanahalli, Sira taluks, Paddy, G.nut in Pavagada taluk, Ragi in Tumkur, Tiptur, taluks, G. nut and Horsegram in Madhugiri taluk, Ragi and Paddy in Turuvekere taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

4 Mandya District.—

(a) No rainfall.
(b) Transplantation of Sugarcane was in progress in Maddur Tq.
(c) Crops were fair.
(d) Harvesting of Sugarcane and Paddy in Maddur Tq. Sugarbane, Paddy and Ragi in Pandavapura and Srirangapatna taluks, Ragi in K.R. Pet taluk, was in progress.
(e) Progress was fair in Maddur taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

5 Mysore District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in T. Narasipur, Kollegal, H.D. Kote taluks, was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Ragi, Paddy and Sugarcane in Hassan taluk Ragi, and Paddy in Arsikere taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfal.
(b) Sowing and Transplantation of wheat, Grams and Sugarcane in Kadur taluk was in progress.
(c) Crops were fair.
(d) Harvesting of Paddy in Mudigere, Koppa taluks Minors Millets, Ragi, Jola and Paddy in Kadur taluk, Ragi Jola in Tarikere taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalance of "Epizootic Aphtha" at one village of Koppa taluk.

8 Shimoga District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of paddy and Ragi in Bhadravathi taluk, Paddy in Shimoga, Thirthahalli and Shikaripur taluks Paddy and Jola in Honnali taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No rainfall.
(b) Sowing of paddy was in progress in Molakalmur and Hosadurga taluk.
(c) Crops were fair.
(d) Harvesting of Jola Sajje, Navane G. nut and Paddy in Molakalmur, Jagalur, Challakere taluks. Ragi, Jola, Bajra and Navane in Chitardurga and Harihar taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—

(a) No rainfall.
(b) Nil
(c) Crops were fair.
(d) Harvesting of Mungari Crops in Sandur, Harpanahalli, Hospet and Kudligi taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

11 Bijapur District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair except in Bijapur taluk where crops were affected by pest.
(d) Harvesting of Kharif Crops in Muddebihal, Mudhol, Bagewadi Bilgi and Jamkhandi taluks was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair except in some parts of Ramdurg and Sampgaon taluks where Jowar and Bajra Crors were affected by pest.
(d) Harvesting of paddy in Khanapur taluks, Sugarcane in Gokak taluk, G.nut and Chillies in Hukkeri taluk, Paddy and Jowar in Belgaum, Sampgaon taluks, Jowar in Ramdurg and Paragad taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall.
(b) Nil
(c) Crops were fair except in Navalgund taluk where Jowar was affected by Grass Hoppers.
(d) Harwesting of Jowar in Naragund, Haveri, Shirahatti taluks, Paddy in Hanagal taluk, Jowar, G.Nut in Navalgund, Kundgol, Hubli taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 Kanara District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Mundgod, Siddapur, Yellapur, and Kumta taluks was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalance of cattle disease at one village of Yellapur taluk.

15 Gulbarga District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G. Nut in Chincholi taluk Paddy, G.nut in Sedam taluk was in progress.
(e) Progress was fair in 2 taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No Rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G. Nut in Manvi taluk, Kharif Paddy in Gangawathi taluk Kharif crops in Kushtagi, Sindhanur and Raichur taluks was nearing completion.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G. nut in Humnabad taluk was in progress.
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—

(a) No rainfall.
(b) Nill.
(c) Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Nil.
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

M. GANGARUDRAIAH,
For *Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Dated 2nd January 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDING SATURDAY, THE 26TH DECEMBER 1964.

**No. VS. 52/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1962 and 1963 were 16 attacks with 1 death and Nil attacks with Nil death respectively.

2. A total of 6 attacks with nil deaths from smallpox was reported from the entire State, *viz.*, from the taluks of Bangarpet, and Ron (Dharwar) *as against* 16 attacks with 5 deaths reported during the corresponding week of the previous year.

3. A total of 43 attacks with 7 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Mundargi and Gadag in Dharwar districts during the week *as against* 382 attacks with 109 deaths reported during the corresponding week of the last year.

4. A total of Nil attacks with Nil deaths from K. F. Disease was reported from Shimoga district, *as against* Nil attacks with Nil deaths reported during the corresponding week of the previous year.

5. The State remained free from Yellow fever, relapsing fever, Infectious Hepatities and Influenza, in epidemic form, *as against* Nil attacks with Nil deaths during the corresponding week of the previous year.

6. The total mortality for Bangalore Corporation amounted to 145 (44 in Hospitals) for the week, *as against* 263 (98 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.0 (5.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14·8 (7·9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Smallpox, 1 due to Other Fevers, 16 due to Dysentery and Diarrhœa, 8 due to Consumption and 119 due to all other causes *as against* 6 due to other fevers 17 due to Dysentery and Diarrhoea and 240 due to all other causes reported during the corresponding week of the previous year.

7. The total mortality for Mysore City amounted to 38 (17 in hospitals) for the week, giving a calculated death rate of 7.7 (4.2 excluding hospital deaths) per mille of population. Classified according to causes of deaths, 3 were due to other fevers, 2 due to Dysentery and Diarrhoea, 3 due to Consumption and 30 due to all other causes.

8. The total mortality for K. G. F, City amounted to 2 (nil in hospitals) for the week *as against* 14 (6 in hospitals) during the corresponding week of the previous year giving a calculated death rate of 0.7 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.0 (2.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to all other causes, *as against* 14 due to all other causes only reported during the corresponding week of the previous year.

9. The total mortality for Belgaum City amounted to 11 (nil in hospitals) for the the week *as against* 3 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4·2 (nil excluding hospital deaths) per mille of population (mid-year estimated *as against* 1.2 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 19 due to all other causes, *as against* 1 due to consumption and 2 due to all other cause reported during the corresponding week of the previous year.

10. The total mortality for Mangalore City amounted to 14 (nil in hospitals) for the week *as against* 6 (5 in hospitals) during the corresponding week of the previous year given a calculated death rate of 4.8 (nil exluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.1 (0·3. excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Consumption and 13 due to all other causes, *as against* 1 due to consumption and 5 due to all other causes reported during the corresponding week of the previous year.

198 ....., For *Director*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG. 302.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY JANUARY 21, 1965 (MAGHA 1, SAKA ERA 1886) | No. 3

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV.—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 16th December 1964.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | Livestock | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

| | | | | |
|---|---|---|---|---|
| | | Good | Sufficient | (1) |

2. Kolar District

| | | | | |
|---|---|---|---|---|
| 5.4 | Fair except in Bangarpet tq. where it was reported that dry crops were poor. | Good | | |

3. Tumkur District.

| | | | | |
|---|---|---|---|---|
| | | Good | | |

4. Mysore District.

| | | | | |
|---|---|---|---|---|
| | | Good | | |

5. Mandya District

| | | | | |
|---|---|---|---|---|
| | | Good | | |

6. Hassan District

| | | | | |
|---|---|---|---|---|
| De | do | Good | | (5) |

| No. of rainy days in the week. | Rainfall in Millimeters: During the week — Actual | During the week — Normal | Since the beginning of the season — Actual | Since the beginning of the season — Normal | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3—12—1964) | | | |
| | | | | | 7. Chickmagalur District. | | | |
| | | | | | Good | | | |
| | | | | | 8. Shimoga District. | | | |
| | | | | | Good | | | |
| | | | | | 9. Chitradurga District. | | | |
| Do | do | | | | Good | | | |
| | | | | | 10. Bellary District. | | | |
| Nil | Nil | do | N.A. | Fair except in some parts of Sirugoppa taluk where it was reported that the dry crops were affected by pest. | Good | | | ... (9) |
| | | | | | 11. Bijapur District. | | | |
| N.A. | Nil | N.A. | Fair | | Good | Available | Sufficient | |
| | | | | | 12. Belgaum District. | | | |
| | | | | | Good | | | |
| | | | | | 13. Dharwar District. | | | |
| do | N.A. | Fair | | | Good | | | ... (12) |
| | | | | | 14. North Kanara District. | | | |
| | | | | | Good | | | |
| | | | | | 15. Gulbarga District. | | | |
| Do | Do | N.A. | | | Good | | | |
| | | | | | 16. Raichur District. | | | |
| | | | | | Good | | | ... (15) |
| | | | | | 17. Bidar District. | | | |
| N.A. | | | | | Good | | | ... (16) |
| | | | | | 18. South Kanara District. | | | |
| N.A. | | | | | Good | | | ... (17) |
| | | | | | 19. Coorg District. | | | |
| Do. | do | do | do | do | do | Good | do | do | ... (18) |

Remarks.— (1) Refers to 8 Taluks, (2) Refers to 8 Taluks. (3) Refers to 9 Taluks (4) Refers to 7 Taluks. (5) Refers to 9 Taluks, (6) Refers to 6 Taluks (7) Refers to 6 Taluks. (8) Refers to 7 Taluks. (9) Refers to 8 Taluks. (10) Refers to 7 Taluks; (11) Refers to 6 Taluks (12 Refers to 12 Taluks, (13 Refers to 8 Taluks. (14) Refers to 8 Taluks, (15) Refers to 6 Taluks, (16) Refers to 9 Taluks. (17) Refers to 5 Taluks. (18) Refers to 9 Taluks.

M. MAHADEVAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 16th December 1964.

NOTE.—(a) Denotes:—Rainfall.

(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural operations.
(f) ,, Water supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil
(c) Crops were fair.
(d) Harvesting of Ragi, G. Nut and Jola in Doddballapur taluk, Ragi in Anekal, Magadi, Nelamangala, Ramanagaram taluks, Paddy in Hosakote taluk was in progress.
(e) Progress was fair in most of the taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Sowing of Paddy in Bagepalli, Gowribidanur taluks, was in progress
(c) Crops were fair.
(d) Harvesting of Ragi, Paddy and G. nut in Mulbagal taluk, Paddy and G. nut in Chintamani taluk, G.nut in Gudibanda taluk, Paddy and Sugarcane in Gowribidanur taluk. Ragi, Same & Sajje in Bagepalli taluk, Paddy in Srinivasapur taluk, Ragi and paddy in Malur taluk was in progress.
(e) Progress was fair in most of the taluks.
(f) Sufficient.
(g) Available.
(h) Generall healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Ragi in Gubbi, Tiptur, Tumkur, Chiknayakanahalli taluk; G.nut and Horsegram in Madhugiri taluk, Dry Crops in Sira and Chiknayakanahally taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Nil
(c) Crops were fair.
(d) Harvesting of Paddy in H. D. Kote, Nanjangud, Kollegal, T. Narasipur taluks, Paddy and G. nut in Mysore taluk, Paddy and Sugarcane in Yellandur taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Sugarcane, Paddy and Ragi in Pandavapura, Srirangapatna, Malavalli, Maddur taluks, Ragi in Nagamangala, Tq was in progress.
(e) Progress was fair in Maddur taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Belur taluk, Ragi, Paddy and Sugarcane in Hassan taluk, Paddy Coffee and Cardamom in Manjarabad taluk, was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfal during the week.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy, Ragi, Jola in Tarikere taluk, Paddy in Mudigere, Koppa and Sringeri taluks Minor Millets, Paddy and Ragi in Kadur taluk, was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

9 Chitradurga District.—

(a) No rainfall during the week.
(b) Sowing of paddy in Molakalmuru, Hosadurga taluks was in progress.
(c) Crops were fair.
(d) Harvesting of Navane, Jola, Ragi and Paddy in Harihar taluk, G. nut Paddy and other Millets in Challakere, Chitradurga, Jagalur taluks. Paddy in Molakalmuru taluk, was in progress.
(e) Progress was fair in most of the taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

8 Shimoga District.—

(a) No rainfall during the week.
(b) Nil
(c) Crops were fair
(d) Harvesting of Ragi Paddy in Honnali, Shikaripur taluks. Paddy in Shimoga taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District —

(a) No rainfall during the week.
(b) Nil.
(c) Crops were fair except in some parts of Sirguppa taluk, where Paddy crops was affected by pest.
(d) Harvesting of Mungari Crops in Kudligi, Harpanahalli, Sandur taluks, Paddy and Sugarcane in Sirugupa taluk. was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available
(h) Good except for the prevalence of "Cattle Disease" at 8 villages of Sirguppa taluk.

11 Bijapur District —

(a) No rainfall during the week.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Kharif Crops in Muddhol, Jamkhandi, Badami and Sindgi taluks, was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of paddy and Jowar in Belgaum taluk. G nut in Athani taluk Jowar and G nut in Raibagh taluk, Jowar in Prasgad Taluk, Paddy in Khanapur taluk, G.nut, Cottlies and Paddy in Hukkeri taluk was in progress.
(e) ... ...
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of paddy in Hangal, Dharwar, Kalghatgi taluks, Jowar in Haveri, Navalgund, Ron, Hubli, Gadag, Kundgol, Naregund taluks, was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Mundgod,, Yellapur, Siddapur and Kumta taluks was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G. Nut in Chincholi taluk, G.nut and Khasiff Jowar in Shorapur taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No Rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Kharif Paddy in Gangawathi and Kushtagi, taluks was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G. nut in Humnabad taluk was in progress.
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Virajpet taluk was in progress.
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

M. MAHADEVAAIH,
For *Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Dated 11th January 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDING SATURDAY, THE 2ND JANUARY 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 7 attacks with nil death and Nil attacks with Nil deaths respectively.

2. The State remained free from smallpox during the wee under report. Comparative figures during the week of th previous year are 6 attacks with nil deaths.

3. A total of 3 attacks with 1 death from Cholera was reported for the entire State *viz.*, from the taluks of Honnali (Shimoga District) during the week *as against* 228 attacks with 34 deaths reported during the corresponding week of the last year.

4. A total of 2 attacks with Nil deaths from K. F. Disease was reported from Shimoga district, *as against* Nil attacks with Nil deaths reported during the corresponding week of the previous year.

5. The State remained free from Yellow fever, Relapsing fever, Infectious Hepatities and Influenza, in epidemic form, *as against* Nil attacks with Nil deaths during the corresponding week of the previous year.

6. The total mortality for Bangalore Corporation amounted to 160 (73 in Hospitals) for the week, *as against* 304 (89 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.8 (4.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 16'9 (12'0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 10 due to Dysentery and Diarrhœa, 10 due to Consumption and 138 due to all other causes, *as against* 10 due to other fevers, 20 due to Dysentery and Diarrhoea and 274 due to all other causes reported during the corresponding week of the previous year.

7. The total mortality for Mysore City amounted to 71 (48 in hospitals) for the week *as against* 26 (6 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.4 (4.7 exoluding hospital deaths) per mille of population (mid-year estimated), *as against* 5.3 (1.8 exoluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid, 12 due to other fevers, 2 due to Dysentery and Diarrhoea, 1 due to Consumption and 55 due to all other causes as against 7 due to other fevers, 3 due to Dysentery and Diarrhoea, 1 due to consumption and 15 due to all other causes, reported during the corresponding week of the previous year.

The reports for K.G.F. City has not been received.

8. The total mortality for Belgaum City amounted to 9 (nil in hospitals) for the week *as against* 28 (8 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 3'4 (nil excluding hospital deaths) per mille of population (mid-year estimated *as against* 7.8 (4.7 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 1 due to consumption and 7 due to all other causes, *as against* 1 due to other fevers, 1 due to Dysentery and Diarrhoea, 1 due to consumption and 17 due to all other causes reported during the corresponding week of the previous year.

9. The total mortality for Mangalore City amounted to 31 (14 in hospitals) for the week *as against* 7 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.7 (5.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 31 were due to all other causes, only *as against* 7 due to all other causes only reported during the corresponding week of the previous year.

P203 ..... For *Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 11th December 1964.

Statement showing the Wholesale Prices of various commodities for the week ending 11th December 1964 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | No Stock | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice— I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 95 | 00 |
| " | ... | II Sort | " | 60 | 00 |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 250 to 280 | 00 |
| " | ... | Husked | " | 250 to 275 | 00 |
| Copra | ... | | 100 kg. | 185 to 195 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 82 | 50 |
| | | II Class | 10 kg | 80 | 80 |
| Cashew Nuts | ... | | 100 kg. | 90 | 00 |
| Cardamoms | ... | Mysore | 10 kg. | 190 to 280 | 00 |
| " | ... | Coorg | 10 kg. | 190 to 260 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | 140 to 170 | 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 20 to 35 | 00 |
| " | ... | Husked Old | 50 kg | 800 to 848 | 00 |
| " | ... | " New | 50 kg. | 200 to 270 | 00 |
| Chillies | ... | Kumpta | ... | | |
| " | ... | Local | 10 kg. | 20 to 24 | 00 |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES. | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 28 | 50 |
| Cotton Seeds | ... | | " 64 kg. | 16 to 18 | 50 |
| Horsegram | ... | | " 98·07 kg. | 60 to 74 | 00 |

184— sc. 40 ....., *Dy. Commr.*

Dated 18th December 1964.

Statement showing the Wholesale Prices of various commodities for the week ending 18th December 1964 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | No Stock | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice—I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 95 | 00 |
| " | ... | II Sort | " | 60 | 00 |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 250 to 280 | 00 |
| " | ... | Husked | " | 250 to 275 | 00 |
| Copra | ... | | 100 kg. | 185 to 195 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 82 | 50 |
| " | ... | II Class | " | 80 | 80 |
| Cashew Nuts | ... | ... | 100 kg. | 90 | 00 |
| Cardamoms | | Mysore | 10 kg. | 190 to 280 | 00 |
| " | | Coorg | " | 190 to 280 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | 140 to 170 | 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 20 to 35 | 00 |
| " | ... | Husked Old | 50 kg. | 800 to 848 | 00 |
| " | ... | " New | " | 200 to 270 | 00 |
| Chillies | ... | Kumpta | | | |
| " | ... | Local | 10 kg. | 20 to 24 | 00 |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES. | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | ... | ... | Bag of 69.92 kg. | 28 | 50 |
| Cotton Seeds | ... | ... | " 64 kg. | 16 to 18 | 50 |
| Horsegram | ... | ... | " 98·07 kg. | 60 to 74 | 00 |

190—sc 40 *Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, JANUARY 28, 1965 ( MAGHA 8, SAKA ERA 1886 ) | No. 4

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

## Weekly Weather and Crop Report for the Week ending Wednesday, the 23rd December 1964.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | Livestock | | | Remarks |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

| | | | |
|---|---|---|---|
| | Good except for the prevalence of cattle disease at 4 villages of Doddaballapur tq. | Available | |

2. Kolar District

| | | | |
|---|---|---|---|
| | Good | | ... (2) |

3. Tumkur District.

| | | | |
|---|---|---|---|
| | Good | | |

4. Mysore District

| | | | |
|---|---|---|---|
| | Good | | |

5. Mandya District

| | | | |
|---|---|---|---|
| | Good | | |

6. Hassan District

| | | | |
|---|---|---|---|
| | Good | | |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

7. Chickmagalur District

Good ... (6)

8. Shimoga District.

Good

9. Chitradurga District

Good

10. Bellary District.

N.A. do N.A. Fair except in some parts of Siruguppa taluk where it was reported that the paddy crop was affected by pest. Good

11. Bijapur District.

Good

12. Belgaum District.

Good

13. Dharwar District.

Good

14. North Kanara District.

Good

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

N.A. Good

18. South Kanara District

N.A. Good

19. Coorg District.

Not received

Remarks— (1) Refers to 8 Taluks, (2) Refers to 10 Taluks, (3) Refers to 10 Taluks, (4) Refers to 6 Taluks. (5) Refers to 5 Taluks. (6) Refers to 6 Taluks. (7) Refers to 6 Taluks, (8) Refers to 8 Taluks, (9) Refers to 6 Taluks. (10) Refers to 6 Taluks (11) Refers to 8 Taluks, (12) Refers to 11 Taluks, (13) Refers to 5 Taluks. (14) Refers to 4 Taluks. (15) Refers to 4 Taluks. (16) Refers to 1 Taluk. (17) Refers to 4 Taluk.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 23rd December 1964.

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural operations.
(f) ,, Water supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) No rainfall.
(b) Nil
(c) Crops were fair.
(d) Harvesting of Punaji Paddy in Hoskote, Nelamangala, Ramanagaram taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—
(a) No rainfall.
(b) Transplantation of Paddy in Bagepalli, Bangarpet, Siddlaghatta taluks, was in progress.
(c) Crops were fair.
(d) Harvesting of Paddy and G. nut in Mulbagal Gudibanda taluks, Paddy in Malur, Chintamani, Srinivasapur taluks, paddy and Sugarcane in Gowribidanur taluk Ragi, Paddy, Same, Sajje in Bagepalli, Bangarpet, Sidlaghatta taluks was in progress.
(e) Progress was fair in 7 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—
(a) No rainfall.
(b) Transplantation of Paddy in Pavagada, Madhugiri and Tumkur Taluks was in progress.
(c) Crops were fair.
(d) Harvesting of Paddy, G.nut, Horsegram and Minor Millets in Pavagada taluk, Ragi in Tiptur, and Tumkur taluks. G.nut Horsegram in Madhugiri taluk paddy in Gubbi, Taluk Ragi, Jola, Paddy, and Minor Millets in Kadur taluk Paddy and Sugarcane in Kunigal Taluk, Paddy in Turuvekere taluk Dry Crops in Sira Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

4 Mysore District.—
(a) No rainfall
(b) Trainsplantation of Paddy and Ragi in Yelandur Taluk was progress.
(c) Crops were fair.
(d) Harvesting of Sugarcane and Paddy in Yellandur taluk, Paddy in Periyapatna T. Narasipur, Kollegal: Nanjangud, Mysore Chamarajanagar and Hunsur Taluks was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) No rainfall.
(b) Transplantation of Sugarcane was in progress in Maddur taluk.
(c) Crops were fair.
(d) Harvesting of Ragi in Nagamangala taluk, Sugarcane and Paddy in Srirangapatna and Maddur taluks Sugarcane, Paddy and Horsegrame in Malavalli Tqs. was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—
(a) No rainfall,
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna taluk, Paddy in Alur taluk, Paddy and Coffee in Manjarabad taluk, was in progress
(e) Sufficient.
(f) .....
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—
(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Sringeri taluk, Paddy and Areca in Koppa taluk, Paddy, Ragi and Jola in Tarikere taluk, Paddy Coffee, Cardamom in Mudigere taluk, was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—
(a) No rainfall.
(b) Nil.
(c) Crops are fair.
(d) Harvesting of Paddy in Shimoga, Tirthahalli, Shikaripur taluks. Paddy and Sugarcane in Bhadravathi taluk, Ragi, and Paddy in Honnali taluk, was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) No rainfall.
(b) Sowing and Transplantation of paddy in Molakalmuru, Tq. Sowing of Paddy in Hosadurga taluk were in progress.
(c) Crops were fair.
(d) Harvesting of Paddy in Molakalmuru taluk, G. nut. Paddy and other Millets in Challakere taluk, Ragi and Navane, in Chitradurga and Jagalur taluk, was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—
(a) No rainfall.
(b) Nil,
(c) Crops are fair.
(d) Harvesting of Mungari Crops and G. nut in Kudligi, Harpanahalli, Sandur, Hospet and Hadagalli taluks, was in progress.
(e) Progress was fair in Kudligi taluk,
(f) Sufficient.
(g) Available
(h) Generally Healthy.

11 Bijapur District.—
(a) No rainfall.
(b) Nil,
(c) Crops were fair.
(d) Harvesting of Kharif, Jowar and G. nut was nearing completion in Jamkhandi and Mudhol taluks.
(e) Progress was fair in Jamkhandi taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—
(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Jowar and G.nut in Chikodi, Raibagh, Athani Ramdurg taluks, paddy in Khanapur Tqs was in progress.
(e) Progress was fair in 4 taluks,
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 Dharwar District.—
(a) No rainfall.
(b) Nil
(c) Crops were fair, except in Navalgund taluk, where Jowar Crop was affected by grass-Hoppers
(d) Harwesting of Kharif Jowar in Naragund, Shirahatti, Byadgi Gadag taluk, G.nut, Ron taluk, Jowar, Paddy and G.nut in Hubli taluks, was in progress.
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Sugarcane in Kumta taluk. Paddy in Yellapur, Siddapur and Mundgod taluk, was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G. Nut in Chincholi taluk, was in progress.
(e) Progress was fair in Chincholi taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District,—

(a) No Rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Tur and Paddy in Manvi taluk, Kharif crops in Kushtagi taluks was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) .....
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District,—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Udipi taluk.
(g) Available.
(h) Generally Healthy.

19 Coorg District,—

Return not received.

M. GANGARUDRAIAH,
For *Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Notification dated 15th January 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDING SATURDAY, 9th JANUARY 1965.

No. **VS 2/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil death and nil attack with nil death respectively.

The State remained free from Small-pox during the week as in the previous week, *as against* 18 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 29 attacks with 9 deaths from Cholera was reported for the entire State *viz.*, from the Taluks of Honnali (Shimoga), Haveri (Dharwar), Kanakapura (Bangalore) during the week *as against* 9 attacks with nil death reported during the corresponding week of the last year.

A total of 2 attacks with 1 death from K.F. Disease was reported from Shimoga district *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 308 (118 in hospitals) for the week *as against* 230 (90 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.9 (10.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 25.6 (20.6 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 3 were due to other fevers, 22 due to Dysentery and Diarrhoea, 13 due to consumption and 270 due to all other causes, *as against* 8 due to other fevers, 19 due to Dysentery and Diarrhoea, and 203 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 78 (50 in hospitals for the week), giving a calculated death rate of 15.8 (5.7 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 1 was due to Typhoid, 5 were due to other fevers, 3 due to Dysentery and Diarrhoea, 5 due to Consumption and 64 due to all other causes.

The total mortality for K. G. F. City amounted to 10 (nil in hospitals) for the week *as against* 15 (3 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 3.4 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.3 (4.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Dysentery and Diarrhoea, 9 due to all other causes *as against* 1 due to other fevers, 2 due to Dysentery and Diarrhoea and 12 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 41 (23 in hospital) for the week *as against* 12 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 8.8 (6.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.7 nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due Dysentery and Diarrhoea, 1 due to consumption 37 due to all other causes, *as against* 12 due to all causes only reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 16 (6 in hospitals) for the week *as against* 7 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.5 (3.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to all other fevers, 2 due to consumption and 13 due to all other causes, *as against* 7 due to all other causes only reported during the corresponding week of the previous year.

209 ....., *Dy. D. P. H.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, FEBRUARY 4, 1965 (MAGHA 15, SAKA ERA 1886) | No. 5

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

## Weekly Weather and Crop Report for the Week ending Wednesday, the 30th December 1964.

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | Water Supply | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

**(From 3—12—1964)**

**1. Bangalore District.**

Good

**2. Kolar District**

Good

**3. Tumkur District.**

Good

**4. Mysore District.**

Good

**5. Mandya District.**

Good

**6. Hassan District.**

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

7. Chickmagalur District.

Good

8. Shimoga District.

Good

9. Chitradurga District

Good

10. Bellary District.

| | | | | |
|---|---|---|---|---|
| N.A. | Nil | N.A. | Fair except in Sirugappa taluk where it was reported that the paddy crop was affected by pest. | Good |

11. Bijapur District.

| | | | | |
|---|---|---|---|---|
| N.A. | 5.4 | N.A. | Fair except in some parts of Bijapur and Muddebihal tqs. where it was reported that the Jowar and cotton crops were affected by pest and unfavourable weather respectively. | Good |

12. Belgaum District.

Good

3. Dharwar District.

Good

14. North Kanara District.

Fair Cattle disease was prevailing in two villages of Yellapur tq.

15. Gulbarga District.

| | | | |
|---|---|---|---|
| N.A. | Fair except in Afzalpur tq. where it was reported that Jowar crop was affected by cloudy weather | Good | |

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

Report Not received

REMARKS:— (1) Refers to 6 Taluks. (2) Refers to 10 Taluks. (3) Refers to 9 Taluks. (4) Refers to 7 Taluks. (5) Refers to 5 Taluks. (6) Refers to 6 Taluks. (7) Refers to 6 Taluks. (8) Refers to 8 Taluks. (9) Refers to 6 Taluks. (10) Refers to 6 Taluks; (11) Refers to 9 Taluks; (12) Refers to 10 Taluks. (13) Refers to 5 Taluks; (14) Refers to 9 Taluks. (15) Refers to 6 Taluks. (16) Refers to 2 Taluks. (17) Refers to 6 Taluks.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending the 30th December 1964.

NOTE.—(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operations.
(f) " Water supply.
(g) " Fodder and Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—
(a) Light showers in Nelamangala and Anekal taluks.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Kanakapura, Hoskote, Ramanagaram, Anekal and Nelamangala taluks, G.nut and minor millets in Doddaballapur taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—
(a) Slight rainfall in Siddlaghatta, Chintamani, Mulbagal and Kolar Taluks.
(b) Transplantation of Paddy in Gowribidanur and Bangarpet taluks, was in progress.
(c) Crops were fair.
(d) Harvesting of Paddy in Kolar, Chintamani, Malur, Srinivasapur taluks, G. nut and Paddy in Mulbagal taluk, Paddy and Sugarcane in Gowribidanur taluk, Ragi, Paddy, Same, and Sajje in Bagepalli, Bangarpet taluks, G.nut, paddy, Ragi and Sugarcane in Sidlaghatta and Gudibanda Taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—
(a) Light showers in Turuvekere and Tiptur Taluks.
(b) Transplantation of Paddy in Tumkur, Madhugiri, Pavagada Taluks was in progress.
(c) Crops were fair.
(d) Harvesting of Paddy and Horsegram in Tumkur, Madhugiri, Pavagada taluks, paddy in Gubbi, Tumkur taluks. Paddy and Sugarcane in Kunigal Taluk, Ragi in Tiptur Taluk, dry Crops in Sira Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

4 Mysore District.—
(a) Slight rainfall in Kollegal, Chamarajanagar, H. D. Kote and Periyapatna Taluks.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in H. D. Kote, T. Narasipur, Nanjangud and Hunsur taluks, Paddy, Horsegram and other pulses in Chamarajanagar Taluk was in progress.
(e) .....
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Ragi in Nagamangala taluk, Sugarcane, Paddy and Ragi in Pandavapura taluk, Sugarcane, Paddy and Horsegram in Malavalli taluk, Sugarcane and Paddy in Srirangapatna and Maddur Tqs. was in progress.
(e) Progress was fair in Maddur and Malavalli taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—
(a) Slight rainfall in Manjarabad and Belur taluks,
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Hassan, Manjarabad taluks, Sugarcane in Channarayapatna taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—
(a) Light showers in Sringeri and Koppa Taluks.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Ragi, Jola, Paddy in Kadur Taluk, Paddy in Sringeri taluk, Ragi, Paddy, Jola in Tarikere taluk, Paddy, Coffee and Cardamom in Mudigere and Chickmagalur taluks was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—
(a) No rainfall.
(b) Nil.
(c) Crops are fair.
(d) Harvesting of Horsegram in Honnali taluk, Sugarcane in Channagiri and Bhadravathi taluks, Areca and Paddy in Tirthahalli taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) Light showers in Challakere Taluk.
(b) Sowing of paddy in Molakalmuru, Hosadurga taluks was in progress.
(c) Crops were fair except in Hosadurga Taluk was Tur was affected by Pest.
(d) Harvesting of Paddy in Challakere taluk. Sugarcane in Hiriyur taluk, G. nut, Cotton and Paddy in Challakere taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—
(a) No rainfall.
(b) Nil.
(c) Crops were fair except in Siruguppa Taluk where Paddy Crop was affected by pest.
(d) Harvesting of Jowar in Kudligi taluk, Paddy and Sugarcaen in Siruguppa taluk, Cotton in Sandur taluk. Paddy, G.nut, Jowar and Sugarcane in Hospet taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—
(a) Slight rainfall in Jamkhandi and Bijapur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—
(a) Light showers in Parasgad, Belgaum, Athani, Chikodi and Ramdurg Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Ragi and Jowar in Belgaum and Parsgod taluks, Sugarcane and Jowar in Hukkeri taluk, G.nut and Jowar in Athani Taluk, Jowar and Bajra in Ramdurg Taluk, paddy and Jowar in Sampagaon Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—
(a) Slight rainfall in Kundgol, Gadag, Nargund, Byadgi, Hubli and Haveri Taluks,
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Jowar and Paddy in Byadgi taluk, Jowar in Kundgol, Haveri taluks, Paddy in Kalghatgi taluk, Paddy, G.nut and Jowar in Hubli taluks was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District.—

(a) Light showers in Mundgod Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Yellapur, Siddapur taluks, Sugarcane in Mundgod taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of Cattle disease at 2 villages of Yallapur Taluk.

15 Gulbarga District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair except in Afzalpur Taluk where Jowar crop was affected by cloudly weather.
(d) Harvesting of G. Nut and Paddy in Sedam, Afzalpur taluks, G.nut and Jowar in Shorapur Taluk, Bajra and G.nut in Chincholi taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No Rainfall.
(b) Nil.
(c) Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—

(a) No rainfall.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of G.nut and Sugarcane in Humnabad taluk was in progress
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—

(a) Slight Rainfall in most of the taluks.
(b) Nil.
(c) Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy

19 Coorg District.—

Not received.

M. GANGARUDRAIAH,
For *Director of Statistics.*

---

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 24th December 1964.

**Statement showing the Wholesale Prices of various commodities for the week ending 24th December 1964 at Mangalore.**

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Maskathi | 100 kg. | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice— I Sort | ... Maskathi | " | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moora of 89·14 kg. | ... |
| Cane Jaggery | ... I Sort | 100 kg. | 95 00 |
| " | ... II Sort | " | 60 00 |
| Cocoanuts | ... Unhusked | 1,000 Nuts | 250 to 380 00 |
| " | ... Husked | " | 250 to 275 00 |
| Copra | ... | 100 kg. | 185 to 195 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 32 50 |
| | II Class | 10 kg | 30 80 |
| Cashew Nuts | ... | 100 kg. | 90 00 |
| Cardamoms | ... Mysore | 10 kg. | 190 to 280 00 |
| " | ... Coorg | 10 kg. | 190 to 280 00 |
| Malabar Black Pepper | ... ... | 50 kg. | 140 to 170 00 |
| Tobacco | ... Chewing | 100 kg. | 400 to 610 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | 20 to 35 00 |
| " | ... Husked Old | 50 kg. | 800 to 848 00 |
| " | ... " New | 50 kg. | 200 to 270 00 |
| Chillies | ... Kumpta | ... | ... |
| " | ... Local | 10 kg. | 20 to 24 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES, | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD, | | | |
| Groundnut Oil Cake | ... | Bag of 69·92 kg. | 28 50 |
| Cotton Seeds | ... | " 64 kg. | 16 to 18 50 |
| Horsegram | ... | " 98·07 kg. | 60 to 74 00 |

196—80. 40

....., *Dy. Commr.*

Dated 31st December 1964.

**Statement showing the Wholesale Prices of various commodities for the week ending 31st December 1964 at Mangalore.**

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Maskathi | 100 kg. | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice—I Sort | ... Maskathi | " | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moora of 89·14 kg. | ... |
| Cane Jaggery | ... I Sort | 100 kg. | 95 00 |
| " | ... II Sort | " | 60 00 |
| Cocoanuts | ... Unhusked | 1,000 Nuts | 250 to 380 00 |
| " | ... Husked | " | 250 to 275 00 |
| Copra | ... | 100 kg. | 185 to 195 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 32 50 |
| " | ... II Class | " | 30 80 |
| Cashew Nuts | ... | 100 kg. | 90 00 |
| Cardamoms | ... Mysore | 10 kg. | 190 to 280 00 |
| " | ... Coorg | " | 190 to 280 00 |
| Malabar Black Pepper | ... ... | 50 kg. | 140 to 170 00 |
| Tobacco | ... Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | 20 to 35 00 |
| " | ... Husked Old | 50 kg. | 800 to 848 00 |
| " | ... " New | " | 200 to 270 00 |
| Chillies | ... Kumpta | ... | ... |
| " | ... Local | 10 kg. | 20 to 24 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES, | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD, | | | |
| Groundnut Oil Cake | ... | Bag of 69.92 kg. | 28 50 |
| Cotton Seeds | ... | " 64 kg. | 16 to 18 50 |
| Horsegram | ... | " 98·07 kg. | 60 to 74 00 |

201—80 40

....., *Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, FEBRUARY 11, 1965 (MAGHA 22, SAKA ERA 1886) | No. 6

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

## Weekly Weather and Crop Report for the Week ending Wednesday, the 6th January 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

**(From 3—12—1964**

1. **Bangalore District.**

Good ... (1)

2. **Kolar District**

Good

3. **Tumkur District**

Good except for the prevalence of 'Black Quarter'' at one village of Tiptur taluk ... do

4. **Mysore District.**

Good

5. **Mandya District.**

Good

6. **Hassan District**

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3—12—1964) | | | | |
| | | | | | 7. Chickmagalur District. | | | | |
| Nil | 8.6 | | | | | Good | | Available | |
| | | | | | 8. Shimoga District. | | | | |
| | | | | | Good | | | | |
| | | | | | 9. Chitradurga District | | | | |
| Nil | 3.5 | | | | Good | | | | |
| | | | | | 10. Bellary District. | | | | |
| | | | | | ... Good | | | | |
| | | | | | 11. Bijapur District. | | | | |
| N.A. | 1.5 | N.A. | | | Fair except in Muddebihal sq. where it was reported that the cotton crop was affected by unfavourable weather | Good | | | |
| | | | | | 12. Belgaum District. | | | | |
| N.A. | 2.6 | N.A. | | | Fair | Good | | | |
| | | | | | 13. Dharwar District | | | | |
| Nil | 0.5 | | | | Good | | | | |
| | | | | | 14. North Kanara District | | | | |
| Nil | 1.5 | N.A. | | | ... Good | | | | |
| | | | | | 15. Gulbarga District | | | | |
| | | | | | ... Good | | | | |
| | | | | | 16. Raichur District | | | | |
| | | | | | Fair except in Yelburga taluk where it was reported that the cotton crop was not fair. | Good | | | |
| | | | | | 17. Bidar District | | | | |
| | | | | | Good | | | | |
| | | | | | 18. South Kanara District | | | | |
| | | | | | Good | | | | |
| | | | | | 19. Coorg District. | | | | |
| " | " | " | " | " | 0 | Good | do | do | ... (17) |

Remarks:— (1) Refers to 9 Taluks. (2) Refers to 7 Taluks. (3) Refers to 9 Taluks. (4) Refers to 5 Taluks. (5) Refers to 4 Taluks.
(6) Refers to 6 Taluks. (7) Refers to 4 Taluks. (8) Refers to 9 Taluks. (9) Refers to 6 Taluks. (10) Refers to 7 Taluks.
(11) Refers to 6 Taluks. (12) Refers to 11 Taluks. (13) Refers to 6 Taluks. (14) Refers to 5 Taluks. (15) Refers to 8 Taluks.
(16) Refers to 8 Taluks. (17) Refers to 1 Taluk.

M. GANGARUDRAIAH, For Director.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday the 6th January 1965.

NOTE.—(a) Denotes:—Rainfall.

(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operations.
(f) " Water supply.
(g) " Fodder and pasture.
(h) " Condition of Cattle.

Bangalore District.—

(a) Nil.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Nelamangala, Channapatna, Bangalore North, Anekal, Kanakapura, Hoskote and Ramanagaram taluks, was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

Kolar District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Mulbagal, Sidlaghatta, Gowribidanur taluks, were in progress
(c) Fair except in Gudibanda taluk, where it was reported that the standing crops Ragi, Jola, G.nut and Paddy were not fair.
(d) Harvesting of G nut, Paddy, Ragi in Gudibanda taluk, Paddy in Malur taluk, Paddy and G. nut in Mulbagal Tq. Chillies, Sugarcane and G. nut in Sidlaghatta Tq. Paddy and Sugarcane in Gowribidanur taluk, was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Tumkur District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Madhugiri and Pavagada Taluks were in progress.
(c) Crops were fair.
(d) Harvesting of Paddy in Turuvekere, Paddy, Horsegram and G nut in Madhugiri taluk, Ragi in Tiptur taluk, G. nut, Paddy, Thogari, Horsegram in Pavagada taluk, Paddy in Gubbi and Tumkur taluks, G. nut in Sira taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of "Black Quarter" at one village of Tiptur taluk.

Mysore District.—

(a) Nil.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Nanjangud, Kollegal, Heggadadevanakote and Hunsur taluks, was in progress.
(e) Progress was fair in most of the taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Mandya District.—

(a) Nil.
(b) Transplantation of Sugarcane in Maddur Tq. was in progress.
(c) Crops were fair.
(d) Harvesting of Sugarcane, Paddy, Ragi in Pandavapura taluk, Sugarcane and Paddy in Maddur and Melavalli taluks, Ragi in Nagamangala taluk, Paddy in Srirangapatna taluk, was in progress.
(e) Progress was fair in most of the taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

Hassan District.—

(a) Nil.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Horsegram, Paddy, Ragi, Jola in Arsikere Tq., Paddy and Sugarcane in Hassan taluk, Paddy in Belur Tq., Coffee and Paddy in Manjarabad Tq. was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) Nil
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Jola, Ragi, Paddy, Corriander in Kadur Taluk, Areca, Coffee in Koppa taluk, Sugarcane in Mudigere taluk, Paddy in Sringeri taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) Nil.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Paddy in Shimoga taluk, Areca and Paddy in Tirthahalli taluk, Sugarcane and Cotton in Chandragiri Tq., Sugarcane in Bhadravathi taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No rainfall during the week except in Hosadurga and Holalkere Taluks where there was light showers.
(b) Sowing of Paddy in Molakalmuru taluk, was in progress.
(c) Crops were fair.
(d) Harvesting of Navane, Ragi Jowar Paddy in Haribar taluk, Sugarcane, Sajje, Ragi Navane in Hiriyur taluk Bilijola and Cotton in Challakere Tq., Kharif Crops in Chitradurga Tq., Paddy in Hosadurga and Molakalmuru taluks was in progress
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy and Tur in Kudligi taluk, Paddy and Sugarcane in Siruguppa taluk, Mungari Jola in Hadagalli taluk Paddy, G.nut and Sugarcane in Hospet taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

11 Bijapur District.—

(a) Nil.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Kharif crops in Jamkhandi, Badami, and Mudhol Taluks Kharif Jowar and Bajra in Bilgi Taluk was in progress
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—

(a) Nil.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Kharif Jowar and G. nut in Athani taluk, Jowar and Sugarcane in Hukkeri taluk, Kharif Jowar in Ramdurg and Parasgad taluks, Jowar, Wheat, Sajje in Gokak taluk, was in progress
(e) Progress was fair in 6 taluks.
(f) Sufficient
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall. Light showers in Hirekerur taluk.
(b) Nil.
(c) Standing crops were fair, except Rabi Jowar is affected by green hoppers in Nargund Taluk.
(d) Harvesting of Tur in Kundgol taluk. Jowar in Hirekerur taluks, Paddy, G.nut and Jowar in Hubli taluk, Paddy and Jowar in Gadag taluk, Groundnuts in Gadag Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District.—

(a) Nil.
(b) Sowing and Transplantation of Paddy, in Supa taluk was in progress,
(c) Standing crops were fair,
(d) Harvesting of Paddy in Yellapur, Siddapur and Supa taluks, Sugarcane in Honnawar taluk was in progress,
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except in one village of Yellapur taluk, where Cattle disease was prevailing.

15 Gulbarga District,—

(a) No rainfall. Light showers in Afzalpur Taluk,
(b) Nil.
(c) Standing crops were fair, Rabi crops has been damaged due to cloudy weather and by rain in Afzalpur taluk.
(d) Harvesting of G. Nut, Kharif Jowar and Tur in Shorapur taluk, Groundnut in Afzalpur taluk was in progress.
(e) Progress was fair in 9 taluks.
(f) Sufficient
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) Nil.
(b) Nil.
(c) Standing crops were fair,
(d) Harvesting of Jowar, Bajra, Kushmi in Sindhnoor Taluk, was in progress
(e) Progress was fair in 4 taluks,
(f) Sufficient.
(g) Available., except in Sindhanur tq., where scarcity for fodder was felt
(h) Generally Healthy, except Cattle disease in Sindhanur taluk.

17 Bidar District.—

(a) Light showers occurred in some parts.
(b) Sowing and Transplantation was in progress.
(c) Standing crops were fair
(d) Harvesting of Groundnut in Humnabad taluk was in progress.
(e) Progress was fair in 3 taluks
(f) Sufficient,
(g) Available,
(h) Generally healthy.

18 South Kanara District.—

(a) Nil.
(b) Nil.
(c) Standing crops were fair,
(d) Harvesting II Crop Paddy in Mangalore taluk, Patla Paddy in Bantwal taluk, was in progress.
(e) Progress was fair.
(f) Sufficient except in Bantwal taluk.
(g) Available
(h) Generally Healthy

19 Coorg District,—

Not received.

M. GANGARUDRAIAH,
For *Director of Statistics.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, FEBRUARY 18, 1965 ( MAGHA 29, SAKA ERA 1886 ) | No. 7

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

## Weekly Weather and Crop Report for the Week ending Wednesday, the 13th January 1665.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Good

2. Kolar District

Good except for the prevalence of "Anthrax" at one village of Malur taluk. do

3. Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District

Good

6 Hassan District.

Good

7. Chickmagalur District.

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (FROM 3—12—1964. | | | | |
| | | | | | 8. Shimoga District. | | | | |
| | | | | | Good | | | | |
| | | | | | 9. Chitradurga District. | | | | |
| | | | | | Good | | | | |
| | | | | | 10. Bellary District. | | | | |
| | | | | | ... Good | | | | |
| | | | | | 11. Bijapur District. | | | | |
| ,, | N.A. | | | | Fair except in some parts of Bijapur tq. where it was reported that the Ragi, Jowar and Cotton crops were affected due to pest. | Good except for the prevalence of "Epizootic Aphtha" at one village of Jamkhandi tq. | | ... | (16) |
| | | | | | 12. Belgaum District. | | | | |
| | | | | | Good | | | | |
| | | | | | 13. Dharwar District. | | | | |
| Nil | Nil | N.A. | 3.3 | N.A. | Fair except in some parts of Naragund tq, where it was reported that the wheat crop was affected by unfavourable weather. | Good | | | |
| | | | | | 14. North Kanara District. | | | | |
| ,, | 0.7 | N.A. | 1.4 | N.A | Fair | ... Good | Available | ... | (18) |
| | | | | | 15. Gulbarga District. | | | | |
| | | | | | ... Good | | | | |
| | | | | | 16. Raichur District | | | | |
| | | | | | Good | | | | |
| | | | | | 17. Bidar District | | | | |
| | | | | | Good | | | | |
| | | | | | 18 South Kanara District | | | | |
| ,, | 37.0 | ,, | | | Good | | | | |
| | | | | | 19. Coorg District. | | | | |
| | | | | | Report not Received. | | | ... | (18) |

REMARKS – (1) Refers to 7 Taluks. (2) Refers to 8 Taluks. (3) Refers to 9 Taluks. (4) Refers to 6 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 6 Taluks. (7) Refers to 2 Taluks. (8) Refers to 7 Taluks. (9) Refers to 5 Taluks. (10) Refers to 6 Taluks.
(11) Refers to 6 Taluks (12) Refers to 11 Taluks. (13) Refers to 6 Taluks. (14) Refers to 3 Taluks. (15) Refers to 4 Taluks
(16) Refers to 1 Taluk. (17) Refers to 5 Taluks.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday the 13th January 1965

NOTE —(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operation
(f) ,, Water supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rain fall.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Horsegram and Avare in Doddaballapur Taluk, Ragi Paddy in Hoskote Taluk, Paddy in Ramanagaram, Kanakapura and Anekal Taluks was nearning completion.
(e) Progress was fair in 5 taluks
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rain fall.
(b) Sowing Transplantation of Paddy in Bagepalli, Sidlaghatta, Gowribidanur and Chintamani Taluks, were in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy, Avare, Tur in Bangarpet Taluk Paddy in Malur, Sidlaghatta Taluk and Chintamani Taluks, G nut Ragi and Paddy in Gudibanda Taluk, II crop paddy in Bangarpet. Srinivasapura Taluks, paddy and Sugarcane in Gowribidanur Taluk was in progress.
(e) Progress was fair in 7 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of Anthrax at one village of Malur Taluk.

3 Tumkur District.—

(a) No rain fall.
(b) Transplantation of Vaisaki Paddy Pavagada and Madhugiri Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of G. nut in Sira Taluk, Paddy in Tumkur, Turuvekere, Taluks, minor millets in Pavagada Taluk, sugarcane in Gubbi, Kunigal Taluks G.nut paddy, horsegram in Madhugiri Taluk, paddy, jowar in Tiptur Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) No rain fall.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Kollegal, T. Narasipur, Hunsur, Nanjangud, Periyapatna Taluks, paddy G. nut in Mysore Taluk paddy Sugarcane in Yelandur Taluk, was in progress.
(e) Progress was fair in 2 taluks,
(f) Sufficient.
(g) Available.
(h) Generally healthy

5 Mandya District.—

(a) No rain fall.
(b) Transplantation of Sugarcane in Maddur and Srirangapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Paddy, in Maddur, Malavalli and Srirangapatna Taluks was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rain fall.
(b) Nil,
(c) Standing crops were fair.
(d) Harvesting of Sugarcane, Horsegram in Channarayapatna Taluk Ragi, paddy, jowar, and hoarsegram in Arsikere Taluk, Coffee, Paddy in Manjarabad Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rain fall.
(b) Transplantation of Sugarcane in some parts of Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paidy. Sugarcane in Sringeri taluk Paddy Coffee and Cardamum in Mudigere Taluk, Coffee in Koppa Taluk, Ragi, Jola, paddy in Kadur Taluk, was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rain fall.
(b) Nil.
(c) Standing Crops were fair
(d) Harvesting Sugarcane in Bhadravathi Taluk Paddy in Shimoga Taluk was in progress where as Paddy. Avare in Tirthahalli Taluk was completed.
(e) Progress was fair in Bhadravathi taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No Rain fall,
(b) Sowing of Paddy in Molakalmuru Taluk was in progress.
(c) Standing Crops were fair except in Hosadurga Taluk where Tur Crop was affected by insects.
(d) Harvesting of Paddy, Tur in Hosadurga Taluk, Paddy in Molakalmuru Taluk, Sugarcane, Horsegram in Hiriyur taluk. was in progress where as Groundnut minor millets in Challekere Taluk, Navane, Jola, Ragi, Paddy was completed in Haribara Taluk.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—

(a) No Rain fall.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy, Tur in Kudligi Taluk, Paddy Sugarcane in Hospet Taluk, Sugarcane in Sirugappa Taluk, was in progress, minor millets. G.nut in Kudligi Taluk. Dry Crops in Mallapur Taluk. Where as Paddy in Sirugappa Taluk was completed.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) No Rainfall
(b) Nil.
(c) Standing crops were fair except Bijapur Taluk where Jowar and cotton was affected pest-
(d) Harvesting of Kharif crops was completed in Jamkhandi, and Mudhol Taluks.
(e) Progress was fair in 2 taluks
(f) Sufficient.
(g) Available.
(h) Goods except for the prevalance of Epizotic Aptha at one village of Jamakhandi Taluk.

12 Belgaum District.—

(a) No Rainfall.
(b) Nil.
(c) Standing crops were fair except in some parts of Navalgund taluk where Rabi Jowar was affected by grass hoppers.
(d) Harvesting of Kharif Jowar in Ratbagh Parsgad taluks. Jowar Tobacco and Chillies in Chikkodi taluk, Jowar and Sugar. in Hukkeri taluk, was in progress, whereas Kjwar in Belgaum taluk, G nut in Athani taluk wa completed.
(e) Progress was fair in Hukkeri taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall.
(b) Nil
(c) Standing crops were fair, except in some parts of Navalgund taluk where Rabi Jowar is affected by grass hoppers in Nargund Taluk.

(d) Harvesting Paddy K. Jowar in Hubli taluk, Greengram and G.nut in Gadag Taluk Tur, Moong in Ron Taluk, Kharif crops in Haveri taluk was in progress. whereas K.Jowar in Naalgund Hirekerur, Nargund, Sirahatti taluks was nearing completion.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District.—

(a) No Rainfall except Light showers in Haliyal taluk.
(b) Sowing of Rabi Paddy in Supa taluk was in progress,
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Kumta and Mundgod taluks was in progress whereas Kharif Paddy in Siddapur and Supa taluks was nearing completion.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—

(a) No rainfall.
(b) Nil.
(c) Standing crops were fair,
(d) Harvesting of the Chincholi taluk was nearing completion.
(e) Progress was fair in 4 taluks,
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No Rainfall.
(b) Nil.
(c) Standing crops were fair,
(d) Harvesting of Tur in Kushtagi was in progress. Harvesting of Kharif crop was completed.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of Cattle disease in Sindhanur taluk.

17 Bidar District.—

(a) No Rainfall.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Grounut in Humnabad taluk was in progress.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

18 South Kanara District —

(a) No Rainfall.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks
(f) Sufficient
(g) Available.
(h) Generally Healthy

19 Coorg District.—

Not received

M. GANGARUDRAIAH,
For *Director.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Dated 23rd January 1965.

**NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDING SATURDAY, 16TH JANUARY 1965.**

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 8 attacks with 3 death and nil attacks with nil deaths respectively.

2. A total of 15 attacks with nil deaths from Smallpox was reported from the entire State *viz.*, from the taluks of Ron (Dharwar District) *as against* 75 attacks with 13 deaths reported during the corresponding week of the Previous year.

3. A total of 35 attacks with 8 deaths from Cholera was reported for the entire State *viz.*, from taluk of Kanakapura and from the town of Kanakapura (Bangalore) during the week *as against* 2 attacks with one death reported during the corresponding week of the last year.

4. A total of 1 attack with nil deaths from K.F. Disease was reported from Shimoga District, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

5. The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

6. The total mortality for Bangalore Corporation amounted to 328 (110 in Hospitals) for the week, *as against* 312 (135 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.8 (11.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 17.1 (15.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 26 were due to Dysentery and Diarrhoea, 7 due to Consumption and 295 due to all other causes, *as against* 10 due to other fevers, 20 due to Dysentery and Diarrhoea and 282 due to all other causes reported during the corresponding week of the previous year.

7. The total mortality for Mysore City amounted to 75 (8 in hospitals) for the week *as against* 42 (2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.1 (13.5 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 8.5 (8.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 25 ware due to other fevers, 4 due to Dysentery and Diarrhoea, 4 due to Consumption and 42 due to all other causes *as against* 7 due to other fevers, 3 due to Dysentery and Diarrhoea and 32 due to all other causes reported during the corresponding week of the previous year.

8. The total mortality for K.G.F. City amounted to 10(nil in hospitals) for the week *as against* 25(9 in hospitals)during the corresponding week of the previous year, giving a calculated death rate of 3.2 (nil exclu ing hospital deaths) per mille of population (mid year estimated) *as against* 8.6 (5.5 excluding hospital deaths) for the corresponding week of last year.Classified according to causes of deaths 1 was due at Dysentery and Diarrhoea and 9 due to all other causetos *as gainst* 1 due to Dysentery and Diarrhoea and 24 due all other causes reported durfng the corres to ponding week of the previous year.

9. The total mortality for Belgaum City amounted to 24 (3 in hospitals) for the week *as against* 12 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.8 (6.9 excluding hospital deaths) per mille of population (mid-year estimated *as against* 4.6 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid, 3 due to Consumption and 20 due to all other causes, *as against* 1 due to Malaria and 11 due to all other causes reported during the corresponding week of the previous year.

10. The total mortality for Mangalore City amounted to 17 (6 in hospitals) for the week *as against* 6 (nil in hospitals) during the corresponding week of the previous

year giving a calculated death rate of 5.1 (3.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.1 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to consuption and 14 due to all other causes *as against* 6 due to all other causes reported during the corresponding week of the previous year.

221 ....., For *Dy. Director.*

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDING SATURDAY, 22nd JANUARY 1965.

Notification dated 30th January 1965.

**No. VS 4/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 8 attacks and 2 deaths and nil attacks with nil deaths respectively.

A total of 2 attacks with nil deaths from Smallpox was reported for the entire State *viz.*, from the Town of Dharwar, *as against* 44 attacks with 15 deaths reported during the corresponding week of the previous year.

A total of 17 attacks with 2 deaths from Cholera was reported for the entire State *viz.*, from the taluk of Kanakapura and Town of Honnali during the week *as against* 4 attacks with 2 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 206 (110 in hospitals) for the week *as against* 250 (79 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.2 (5.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 13.7 (9.4 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 2 due to other fevers, 11 due to Dysentery and Diarrhoea, 12 due to consumption and 180 due to all other causes, *as against* 17 due to other fevers, 15 due to Dysentery and Diarrhoea and 218 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 99 (56 in hospitals) for the week, *as against* 56 (41 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 20.0(8.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 11.3 (3.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 9 were due to other fevers, 21 due to Dysentery and Diarrhoea, 2 due to Consumption and 86 due to all other causes *as against* 9 due to other fevers, 3 due to Dysentery and Diarrhoea, 1 due to Consumption and 43 due to all other causes reported during the corresponding week of the previous year.

The total mortality for K, G. F. City amounted to 9 (nil in hospitals) for the week *as against* 23 (6 in hospitals) during the corresponding week of the previous year.giving a calculated death rate of 2.9 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.9 (5.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 9 were due to all other causes *as against* one due to Typhoid, 2 due to other fevers, and 20 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 39 (32 in hospitals) for the week *as against* 25(nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.8 (2.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.6 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Malaria, 2 were due to other fevers, 8 due to Consumption and 28 due to all other causes, *as against* 1 due to Malaria, 2 due to other fevers, 1 due to Dysentery and Diarrhoea, 1 due to Consumption and 20 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 24 (11 in hospitals) for the week *as against* 16 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.1 (4.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.5 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, and 23 due to all other causes, *as against* 2 due to Consumption and 14 due to all other causes reported during the corresponding week of the previous year.

227 ....., *Dy. D. P. H.*

## OFFICE OF THE DEPUTY COMMISSIONER, SOUTH KANARA DISTRICT, MANGALORE-1.

**Notification dated 26th December 1964.**

Under Section 15 of the Madras Cultivating Tenants (Payment of Fair Rent) Act, 1956, Market Prices of the important Food Articles for the months of July, August and September, 1964, in the Taluk Headquarters of South Kanara District.

| Sl. No. | Name of the Foodgrains | Mangalore | | | Udipi | | | Coondapur | | | Karkal | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | July | August | September | July | August | September | July | August | September | July | August | September |
| | | Rs P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 1 | Paddy I Sort (per quintal). | 50 00 | 52 00 | 55 00 | 50 00 | 52 00 | 44 00 | 51 00 | 51 00 | 51 00 | 40 00 | 42 00 | 44 00 |
| 2 | Paddy II Sort (per quintal). | 48 00 | 50 00 | 53 00 | 48 00 | 50 00 | 46 00 | 49 00 | 49 00 | 49 00 | 59 00 | 41 00 | 43 00 |
| 3 | Paddy III Sort (per quintal). | ... | ... | ... | ... | ... | ... | 47 00 | 47 00 | 47 00 | 38 00 | 40 00 | 43 00 |
| 4 | Rice I Sort (per quintal). | 78 00 | 80 00 | 85 00 | 74 00 | 74 00 | 88 00 | ... | ... | ... | 65 00 | 75 00 | 80 00 |
| 5 | Rice II Sort (per quintal). | 74 00 | 76 00 | 80 00 | 72 00 | 73 00 | 75 00 | 67 00 | 67 00 | 67 00 | 68 00 | 75 00 | 80 00 |
| 6 | Rice III Sort (per quintal). | 72 00 | 71 00 | 75 00 | ... | ... | ... | 65 00 | 65 00 | 65 00 | 65 00 | 75 00 | 80 00 |
| 7 | Cane Jaggery I Sort (per kilo). | 1 00 | 0 90 | 0 95 | 0 95 | 0 95 | 0 80 | 0 80 | 0 80 | 0 80 | 0 80 | 0 85 | 0 95 |
| 8 | Cane Jaggery II Sort (per kilo) | 0 85 | 0 75 | 0 85 | ... | ... | ... | 0 75 | 0 75 | 0 75 | 0 70 | 0 75 | 0 80 |
| 9 | Cocoanut per 100 | 32 00 | 32 00 | 32 00 | 28 00 | 27 00 | 28 00 | 30 00 | 30 00 | 30 00 | 29 00 | 31 00 | 32 00 |
| 10 | Chillies (per kilogram). | 2 50 | 2 50 | 2 50 | 2 25 | 2 75 | 2 60 | 2 00 | 2 00 | 2 00 | 2 00 | 2 00 | 2 06 |
| 11 | Horsegram (per quintal). | 48 00 | 52 00 | 65 00 | 45 00 | 50 00 | 62 00 | 58 00 | 59 00 | 59 00 | 48 00 | 50 00 | 55 00 |
| 12 | Blackgram (per quintal). | 76 00 | 76 00 | 76 00 | 78 00 | 80 00 | 80 00 | 85 00 | 86 00 | 87 00 | 75 00 | 75 00 | 80 00 |
| 13 | Cashewnut (per quintal). | 88 00 | 80 00 | 85 00 | 90 00 | 90 00 | 90 00 | 80 00 | 82 00 | 84 00 | 100 00 | 95 00 | 90 00 |
| 14 | Greengram (per quintal). | 120 00 | 120 00 | 110 00 | 95 00 | 105 00 | 95 00 | 100 00 | 100 00 | 102 00 | 72 00 | 80 00 | 90 00 |
| 15 | Arecanut (per 60 Kilograms). | 290 00 to 300 00 | 296 00 to 315 00 | 315 00 to 330 00 | ... | ... | ... | 228 00 | 228 00 | 229 00 | 300 00 | 305 00 | 320 00 |

| Sl. No. | Name of the Foodgrains | Puttur | | | Buntwal | | | Belthangady | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | July | August | September | July | August | September | July | August | September |
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P |
| 1 | Paddy I Sort (per quintal). | 46 00 | 48 00 | 46 00 | 42 00 | 45 00 | 48 00 | 65 00 | 65 00 | 55 00 |
| 2 | Paddy II Sort (per quintal). | ... | ... | ... | 40 00 | 44 00 | 45 00 | 68 00 | 63 00 | 53 00 |
| 3 | Paddy III Sort (per quintal). | ... | ... | ... | 40 00 | 45 00 | 47 00 | 60 00 | 60 00 | 50 00 |
| 4 | Rice I Sort (per quintal). | 77 00 | 77 00 | 77 00 | 78 00 | 80 00 | 82 00 | 84 00 | 84 00 | 80 00 |
| 5 | Rice II Sort (per quintal). | ... | ... | ... | 80 00 | 82 00 | 82 50 | 80 00 | 80 00 | 78 00 |
| 6 | Rice III Sort (per quintal). | ... | ... | ... | 80 00 | 83 00 | 85 00 | 75 00 | 75 00 | 75 00 |
| 7 | Cane Jaggery I Sort (per kilo). | 0 90 | 0 90 | 0 90 | 0 85 | 0 80 | 0 85 | 75 00 | 70 00 | 60 00 |
| 8 | Cane Jaggery II Sort (per kilo) | 0 65 | 0 65 | 0 65 | 0 70 | 0 75 | 0 80 | 65 00 | 68 00 | 70 00 |
| 9 | Cocoanut per 100 | 36 00 | 36 00 | 36 00 | 38 00 | 35 00 | 35 00 | 28 00 | 30 00 | 30 00 |
| 10 | Chillies (per kilo) | 2 25 | 2 25 | 2 25 | 3 00 | 2 75 | 2 50 | 2 00 | 2 25 | 2 25 |
| 11 | Horsegram (per quintal). | 56 00 | 62 00 | 72 00 | 48 00 | 50 00 | 52 00 | 92 00 | 95 00 | 100 00 |
| 12 | Blackgram (per quintal). | 80 00 | 80 00 | 80 00 | 75 00 | 75 00 | 75 00 | 92 00 | 95 00 | 100 00 |
| 13 | Cashewnut (per quintal). | 80 00 | 80 00 | 80 00 | ... | ... | ... | 90 00 | 92 00 | 95 00 |
| 14 | Greengram (per quintal). | 85 00 | 85 00 | 100 00 | 100 00 | 103 00 | 102 00 | 60 00 | 65 00 | 68 00 |
| 15 | Arecanut (per 60 kilograms). | 285 00 | 290 00 | 310 00 | 317 00 | 317 00 | 321 00 | 250 00 | 270 00 | 300 00 |

....,

For *Deputy Commissioner.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 15th January 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 15th January 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort ... | Mankathi | 100 kg. | } |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Rice—I Sort ... | Mankathi | " | |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | } No Stocks |
| Ragi ... | | Moora of 89·14 kg. | ... |
| Cane Jaggery ... | I Sort | 100 kg. | 95 00 |
| " ... | II Sort | " | 65 00 |
| Cocoanuts ... | Unhusked | 1,000 Nuts | 250 to 380 00 |
| " ... | Husked | " | 250 to 275 00 |
| Copra ... | | 100 kg. | 195 to 210 00 |
| Cocoanut Oil ... | I Class | 10 kg. | 86 20 |
| | II Class | 10 kg. | 84 20 |
| Cashew Nuts ... | | 100 kg. | 90 00 |
| Cardamoms ... | Mysore | 10 kg. | 190 to 280 00 |
| " ... | Coorg | 10 kg. | 190 to 280 00 |
| Malabar Black Pepper ... | ... | 50 kg. | 160 to 200 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 00 |
| " ... | Snuff | " | 760 to 800 00 |
| " ... | Beedi | " | 860 to 900 00 |
| Arecanuts ... | Unhusked | 1,000 Nuts | 20 to 35 00 |
| " ... | Husked Old | 50 kg. | 300 to 348 00 |
| " ... | " New | 50 kg. | 200 to 270 00 |
| Chillies ... | Kumpta | ... | ... |
| " ... | Local | 10 kg. | 28 to 33 00 |
| " ... | Kosaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake ... | | Bag of 69·93 kg. | 28 50 |
| Cotton Seeds ... | | " 64 kg. | 16 to 18 50 |
| Horsegram ... | | " 93·07 kg. | 60 to 74 00 |

215— 80. 40

....., *Dy. Commr.*

Dated 31st December 1964.

Statement showing the Wholesale Prices of various commodities for the week ending 8th January 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort ... | Mankathi | 100 kg. | } |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Rice—I Sort ... | Mankathi | | |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | } No Stocks |
| Ragi ... | | Moora of 89·14 kg. | ... |
| Cane Jaggery ... | I Sort | 100 kg. | 95 00 |
| " ... | II Sort | " | 60 00 |
| Cocoanuts ... | Unhusked | 1,000 Nuts | 250 to 380 00 |
| " ... | Husked | " | 250 to 275 00 |
| Copra ... | | 100 kg. | 185 to 210 00 |
| Cocoanut Oil ... | I Class | 10 kg. | 85 00 |
| " ... | II Class | " | 83 00 |
| | | 100 kg. | 90 00 |
| Cashew Nuts ... | | | ... |
| Cardamoms ... | Mysore | 10 kg. | 190 to 280 00 |
| " | Coorg | " | 190 to 280 00 |
| Malabar Black Pepper ... | ... | 50 kg. | 160 to 190 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 00 |
| " ... | Snuff | " | 760 to 800 00 |
| " ... | Beedi | " | 860 to 900 00 |
| Arecanuts ... | Unhusked | 1,000 Nuts | 20 to 35 00 |
| " ... | Husked Old | 50 kg. | 300 to 348 00 |
| " ... | " New | " | 200 to 270 00 |
| Chillies ... | Kumpta | | |
| " ... | Local | 10 kg. | 28 to 33 00 |
| " ... | Kosaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake ... | | Bag of 69.93 kg. | 28 50 |
| Cotton Seeds ... | | " 64 kg. | 16 to 18 50 |
| Horsegram ... | | " 93·07 kg. | 60 to 74 00 |

....., *Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, FEBRUARY 25, 1965 (PHALGUNA 6, SAKA ERA 1886) | No. 8

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday, the 20th January 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | Fodder | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3—12—1964) | | | |
| | | | | | 1. Bangalore District. | | | |
| | | | | | Good | | Sufficient | |
| | | | | | 2. Kolar District. | | | |
| | | | | | Good | | ... (2) | |
| | | | | | 3 Tumkur District. | | | |
| | | | | | Good | | ... ... | |
| | | | | | 4. Mysore District. | | | |
| Nil | Nil | | 2.6 | | Good | | | |
| | | | | | 5. Mandya District | | | |
| | | | | | Good | | | |
| | | | | | 6. Hassan District | | | |
| | | | | | Good | | | |
| | | | | | 7 Chickmagalur District. | | | |
| | | | | | Good | | | |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(FROM 3—12—1964).

8. Shimoga District.

Nil Nil N.A. Nil Fair Good Good Available Sufficient ... (17)

9. Chitradurga District

Good

10. Bellary District.

... Good

11. Bijapur District.

1.5 N.A. Fair except in Muddebihal tq where it was reported that the wheat and cotton crops were affected by bad weather. Good ... (11)

12. Belgaum District.

Good

13. Dharwar District.

... 3.4 N.A. Fair except in Navalgund Hubli and Kundgol tqs where it was reported that the wheat crop was affected by pest and unfavourable weather. Good ... (12)

14. North Kanara District.

... Good

15. Gulbarga District.

Fair except in Chincholi tq. where it was reported that the Rabi crops were not fair. Good

16. Raichur District.

Fair except in Yelburga tq. where it was reported that the Cotton crop was affected by bad weather. Good ... (14)

17. Bidar District

Fair Good

18. South Kanara District.

Good Available except in Udupi tq where scarcity for fodder was felt. Sufficient except in Udupi and Karkal tqs where it was deficiency was felt. (18)

19. Coorg District.

Good Available Sufficient ... (17)

REMARKS:— (1) Refers to 7 Talukas. (2) Refers to 7 Talukas. (3) Refers to 6 Talukas. (4) Refers to 6 Talukas. 5 Refers to 6 Talukas
(6) Refers to 8 Talukas. (7) Refers to 8 Talukas. (8 Refers to 7 Talukas. (9 Refers to 7 Talukas (10 Refers to 4 Talukas,
(11) Refers to 13 Talukas. 12) Refers to 7 Talukas. (13, Refers to 8 Talukas. (14) Refers to 5 Talukas. (15) Refers to 1 Talukas.
(16) Refers to 6 Taluk. (17) Refers to 1 Taluk.

....., For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday the 20th January 1965.

Note.—(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operation.
(f) " Water supply
(g) " Fodder and Pasture.
(h) " Condition of Cattle.

1 Bangalore District —
(a) No rainfall during the week
(b) Nil
(c) Standing crops were fair
(d) Harvesting of Paddy in Channapatna and Kanakapura Taluks was in progress
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—
(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Siddlaghatta, Kolar and Bagepalli Taluks were in progress.
(c) Standing crops were fair
(d) Harvesting of Sugarcane in Gauribidanur Taluk Paddy in Siddlaghatta, Malur and Bagepalli Taluks was in progress, Ragi, Paddy and Gram was completed in Mulbagal Taluk.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy

3 Tumkur District.—
(a) No rainfall during the week.
(b) Transplantation of Paddy in Maidugiri and Pavagada Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Chikkanayakanahalli Turuvekere and Tumkur Taluks, Jowar and Horsegram in Tiptur Taluk, Groundnut in Sira Taluk, Paddy, Kant Horsegram, Thogari and other minor millets in Pavagada Taluk was in progress
(e) Progress was fair in 8 taluks.
(f) Sufficient
(g) Available
(h) Generally healthy.

4 Mysore District.—
(a) No rain fall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Periyapatna, Nanjangud, and Hunsur Taluks, paddy and Ground nut in Mysore Taluk, was in progress.
(e) Progress was fair in Mysore taluk,
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) No rain fall during the week.
(b) Transplantation of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Pandavapura, Ragi in Nagamangala Taluks, Sugarcane and Paddy in Maddur, and Mavathalli Taluks, Sugarcane and Ragi in Srirangapatna Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops are fair
(d) Harvesting of paddy in Arsikere Taluk was in progress and the same was completed in Belur Taluk.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chikmagalur District.—
(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur Taluk was in progress.
(c) Standing crops are fair.
(d) Harvesting of Paddy in Tarikere, and Chikmagalur taluks, Paddy and Sugarcane in Sringeri Taluk, Coffee and areca in Mudigere Taluk Paddy, Ragi and Minor Millets in Kadur Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—
(a) No Rainfall during the week.
(b) Nil
(c) Standing Crops were fair
(d) Harvesting of Paddy in Shimoga Taluk, Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in Bhadravathi taluk.
(f) Sufficient
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) No Rainfall during the week.
(b) Sowing of Paddy in Hiriyur and Molakalmuru Taluks was in progress
(c) Standing Crops were fair except in Hosadurga Taluk, where the Crop was affected by insects
(d) Harvesting of Horsegram in Hiriyur Taluk, Paddy in Molakalmuru Taluk, Groundnut and minor millets in Chitradurga Taluk, Paddy and Horsegram in Hosadurga Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Fodder was available except in Hiriyur and Hosadurga Taluks where scarcity for fodder was felt.
(h) Generally Healthy.

10 Bellary District.—
(a) No Rainfall.
(b) Nil
(c) Standing Crops were fair.
(d) Harvesting of green in Hadagalli Taluk, Sugarcane in Hadagalli Taluk Paddy in Kudligi Taluk, Paddy and Sugarcane in Hospet Taluk, Mungari Crops in Harpanahalli Taluk, was in progress.
(e) Progress was fair in 6 Taluks.
(f) Available.
(g) Sufficient
(h) Generaly Healthy.

11 Bijapur District.—
(a) No Rainfall
(b) Nil.
(c) Standing crops were fair except in Muddebihal Taluk where Rabi Jowar wheat and cotton crops were affected by cloudy weather.
(d) Nil.
(e) Progress was fair in 3 talaks.
(f) Available.
(g) Sufficient.
(h) Generally healthy.

12 Belgaum District.—
(a) No Rainfall
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of K Jowar in Sampgaon taluk was in progress, K Jowar in Raibag and Parasgad talukas, Groundnut and K, Jowar in Athani taluk was nearing completion.
(e) Nil.
(f) Available.
(g) Sufficient.
(h) Generally Health

13 Dharwar District.—

(a) No rainfall.

(b) Nil.

(c) Standing crops were fair, except in Nargund Taluk where Rabi Jowar Crop was affected by bad weather. wheat affected by pest, in Hubli Taluk, Rabi Jowar was affected by grass hoppers in Navalgund Taluk.

(d) Harvesting of Tur and wheat in Ron taluk, Wheat in Nargund and Gadag Taluks. Paddy, G.nut and K. Jowar in Hubli Taluk, Paddy in Kalghatgi and Haugal Taluks, Jowar and Wheat in Sirahatti taluk, Kharif Crops in Haveri taluk Jowar and Paddy in Byadgi Taluk, wheat, Greengram, Horsegram in Gadag Taluk was in progress.

(e) Progress was fair in 6 Taluks.

(f) Available.

(g) Sufficient.

(h) Generally Healthy.

14 North Kanara District,—

(a) No Rainfall.

(b) Sowing of Rabi Paddy in Supa taluk was in progress.

(c) Standing crops were fair.

(d) Harvesting of G nut in Sirsipur and Mundgod taluks, Paddy in Yellapur and Haliyal Taluks was in progress.

(e) Progress was fair in 5 taluks.

(f) Available.

(g) Sufficient.

(h) Good except for the prevalence of Cattle disease at one village of Yellapur Taluk.

15 Gulbarga District,—

(a) No rainfall.

(b) Nil.

(c) Standing crops were fair.

(d) Harvesting of Tur and Chillies in Chincholi taluk, K. Jowar and Tur in Shahpur Taluk, Tur in Sedam Taluk was in progress.

(e) Progress was fair in 8 taluks.

(f) Available.

(g) Sufficient.

(h) Generally Healthy.

16 Raichur District.—

(a) No Rainfall.

(b) Nil.

(c) Standing crops were fair.

(d) Nil.

(e) Progress was fair in 4 taluks.

(f) Sufficient.

(g) Available except in Yelburga Taluk where scarcity for fodder was felt.

(h) Good except for the prevalence of Cattle disease in Sindhanur taluk.

17. Bidar District.—

(a) No Rainfall.

(b) Nil

(c) Standing crops were fair.

(d) Harvesting of Sugarcane and G.nut in Humnabad taluk was in progress.

(e) Nil.

(f) Sufficient.

(g) Available.

(h) Generally healthy.

18 South Kanara District —

(a) No Rainfall.

(b) Sowing of III Crop Paddy in Bantwal Taluk was in progress

(c) Standing crops were fair.

(d) Harvesting of II Crop Paddy in Mangalore and Bantwal Talukas was in progress.

(e) Progress was fair in 4 taluks.

(f) Sufficient, except in Coondapur and Bantwal Talukas where insufficiency of water was felt.

(g) Available except in Coondapur Taluk where scarcity for fodder was felt.

(h) Generally Healthy

19 Coorg District,—

(a) No rainfall.

(b) Nil.

(c) Standing Crops were fair.

(d) Completed.

(e) .....

(f) Available.

(g) Sufficient.

(h) Generally Healthy.

... .....

For *Director*.

**Consolidated statement showing the Monthly Weather and Crop Abstract for the Month of September 1964.**

| Rainfall | | | | Naye paise Estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal. | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over and normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **1. Bangalore District.** | | | | | | | | | |
| | | | Excessive | 58 | 65 | | | | |
| **2. Kolar District.** | | | | | | | | | |
| | | | | 62 | 59 | | | | |
| **3. Tumkur District.** | | | | | | | | | |
| | | | | ... | ... | | | | |
| **4. Mysore District.** | | | | | | | | | |
| | | | | 50 (Avg. of 2 Tqs.) | 56 (Avg. of 4 Tqs.) | 62 (Avg. of 3 Tqs.) | | | |
| **5. Mandya District.** | | | | | | | | | |
| | | | | 66 | 50 | | | | |
| **6. Hassan District.** | | | | | | | | | |
| ... | | | | 63 | 59 | | | | |
| **7. Chickmagalur District.** | | | | | | | | | |
| ... | | | | 56 | 50 | | | | |
| **8. Shimoga District.** | | | | | | | | | |
| | | | | 75 | 62 | | | | G. nut-66. Arecanut-62. |
| **9. Chitradurga District.** | | | | | | | | | |
| ... | | | | ... | ... | | | | |
| **10. Bellary District.** | | | | | | | | | |
| ... | | | | ... | ... | | | | |
| **11. Bijapur District.** | | | | | | | | | |
| | | | Excessive | 62 | ... | | | | |
| **12. Belgaum District.** | | | | | | | | | |
| | | | | 50 | 46 | | 40 | 55 | Chillies-41. Tobacco-58. Wheat-51, Cotton-61. |
| **13. Dharwar District.** | | | | | | | | | |
| | | | | 59 | 59 | | 46 | | Wheat-37, Cotton-36, G. nut-47. Chilli-s-43. H. gram-40. Savi-59 |
| **14. North Kanara District.** | | | | | | | | | |
| | | | Excessive | 61 | 49 | | | | Coconut-50. Betelnut-65 Pepper-56. |
| **15. Gulbarga District.** | | | | | | | | | |
| ... | | | | ... | ... | | | | |
| **16. Raichur District.** | | | | | | | | | |
| | | | | 49 | ... | | 48 | | Navane 81, Gram-45, Tur-39, Cotton-57, G. nut-18, Sesamum-38, Horse gram and Beng.lgram-39. |
| **17. Bidar District.** | | | | | | | | | |
| do | | | | ... | ... | | | | |
| **18. South Kanara District.** | | | | | | | | | |
| ... | | | | 60 | 40 | | | | |
| **19. Coorg District.** | | | | | | | | | |
| | | | | ... | ... | | | | ... Coffee-50, Cardamom-49. |

M. GANGARUDRAIAH,
*For Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for September 1964.

Note.—(a) Denotes Conditions of Water Supply.
(b) ,, Sowing/Transplantation.
(c) ,, Standing Crops.
(d) ,, Harvest.
(e) ,, Fodder and Pasture.
(f) ,, Cattle.
(g) ,, Rainfall.
(h) ,, Damage to crops.
(i) ,, Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) Nil.
(c) General fair.
(d) Nil.
(e) Sufficient
(f) Generally Healthy.
(g) Excessive.
(h) Ragi crop in Doddaballapur and Bangalore North Taluks was reported to have been damaged to an extent of 30 per cent due to untimely rains.
(i) .....

2 Kolar District.—

(a) Sufficient.
(b) Sowing of paddy and Horsegram was in progress in all the taluks.
(c) Standing crops like Paddy, Ragi- Groundnut- Sugarcane and Chillies were fair.
(d) Harvesting of Irrigated Ragi was in progress.
(e) Sufficient.
(f) Generally Healthy.
(g) Normal
(h) Nil.
(i) Nil.

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy in some parts of Koratagere, Tumkur, Madhugiri, Kunigal taluks and Sowing of Horsegram in some parts of Koratagere and Tumkur taluks were in progress.
(c) Standing crops were fair.
(d) Paddy in some parts of Koratagere taluks and Jola in some parts of C. N. halli taluk was being harvested.
(e) Sufficient
(f) Generally Healthy.
(g) Normal.
(h) Crops were reported to have been affected due to excessive rains in Tumkur taluk.
(i) Refers to 7 taluks.

Mysore District.—

(a) Sufficient.
(b) Sowing of Ragi Transplantation of Paddy in were completed in Mysore, Kollegal. Periyapatna, Gundulpet and Yelandur taluks.
(c) Standjng crops were fair.
(d) Ragi was being harvested in Yelandur and Periyapatna taluks.
(e) Sufficient
(f) Good except for the prevalence of cattle disease in same village of Kollegal taluk.
(g) Normal
(h) Crops were reported to have been damaged in some villages of Mysore taluk.
(i) Refers to 8 taluks.

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane in Mandya, Maddur, Nagamangala and Srirangapatna taluks was in progress.
(c) Generally Fair.
(d) Sugarcane is being harvested in Mandya, Maddur, Pandavapura, Nagamangala ann Srirangapatna taluk.
(e) Sufficient.
(f) Generally Healthy.
(g) Sufficient.
(h) Nil.
(i) Nil.

6 Hassan District.—

(a) Sufficient
(b) Nil.
(c) Generally Fair
(d) Harvesting of Gidda Ragi was in progress in some parts of Belur taluk.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Refers 3 Taluks.

7 Chickmagalur District.—

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of Areca in some parts of Sringeri taluk, Jola and Groundnut in Kadur taluk was being completed.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Nil.

8 Shimoga District.—

(a) Adequate.
(b) Nil.
(c) Generally Fair.
(d) Nil.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Nil.

9 Chitradurga District.—

(a) Adequate.
(b) Transplantation of paddy and sowing of Bengalgram were in progress.
(c) Generally fair.
(d) Harvesting of Jola and Rage was in progress.
(e) Available.
(f) Generally Healthy.
(g) Normal
(h) Nil.
(i) Nil.

10 Bellary District.—

(a) Adequate.
(b) Sowing of Hingari Jowar was in progress in Bellary taluk.
(c) Generally Fair
(d) Groundnut was being harvested in Hadagali, Harapanahalli, Kudligi and Sandur taluks.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Nil.

11 Bijapur District.—

(a) Adequate
(b) Sowing of Cotton had been completed and sowing of Rabi Jowar was in progress.
(c) Generally Fair.
(d) Nil
(e) Available.
(f) Generally Healthy
(g) Excessive.
(h) Crops were reported have been affected to some extent due to heavy rains.
(i) Nil.

12 Belgaum District.—

(a) Adequate.
(b) Nil.
(c) Generally Fair
(d) Nil.
(e) Available.
(f) Generally Healthy
(g) Normal.
(h) Crops were reported to have been affected to some extent due to Grass Hopper and posts in Khanapur taluk.

13 Dharwar District.—

(a) Adequate
(b) Sowing of Cotton had been completed through the District.
(c) General Fair,
(d) Harvesting of Groundnut in Gadag, Haveri, Hirekerur, Mundargi taluks Paddy in Hangal taluk and Sesamum in Mundargi taluk was in progress.
(e) Available.
(f) Good except for the prevalence of cattle disease at one village each of Hanagal and Kundgol taluk.
(g) Normal.
(h) Nil.
(i) Refers to 5 taluks.

14 North Kanara District.—

(a) Adequate.
(b) Completed,
(c) Generally Fair.
(d) Nil.
(e) Available.
(f) Generally Healthy.
(g) Excessive.
(h) Nil.
(i) Nil.

15 Gulbarga District.—

(a) Sufficient except in Afzalpur taluk where insufficiency was felt
(b) Sowing of Ragi Seeds in Gulbarga, Yadgir, Jewargi and Afzalpur taluks was in progress and the same was completed Shahapur taluks.
(c) Generally Fair.
(d) Harvesting of Mash, Minor Millets and Sesamum was in Shorapur and Chincholi taluks.
(e) Available
(f) Generally Healthy,
(g) Excessive.
(h) Nil.
(i) Nil.

16 Bidar District—

(a) Sufficient
(b) Nil.
(c) Generally Fair.
(d) Harvesting of Kangani Moong Sesamum and Mash was in progress in Humnabad and Bhalki taluks.
(e) Available.
(f) Generally Healthy.
(g) Excessive.
(h) Nil.
(i) Nil.

17 Raichur District—

(a) Sufficient
(b) Sowing of Cotton was completed and Rabi Jowar was held up due to heavy rains.
(c) Generally Fair.
(d) Nil.
(e) Available.
(f) Generally Healthy
(g) Excessive,
(h) Kharif Crops in Deodurg taluk was reported to have been damaged due to heavy rains,
(i) Nil.

18 South Kanara District—

(a) Sufficient
(b) Nil,
(c) Generally Fair.
(d) Harvesting of I Paddy was just commenced in most of the taluks.
(e) Available.
(f) Generally Healthy
(g) Normal
(h) Nil.
(i) Nil.

19 Coorg District—

(a) Sufficient
(b) Transplantation of paddy was in progress in Virajpet taluks
(c) Generally Fair.
(d) Nil.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Nil.

M. GANGARUDRAIAH,
*For Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Notification dated 8th February 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDING SATURDAY, 30th JANUARY 1965.

**No. VS 5/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 7 attacks with nil deaths and nil attacks with nil deaths respectively.

2 A total of 13 attacks with 5 deaths from Smallpox was reported from the entire State *viz.*, from the Town of Dharwar, from the city of Bangalore and from the taluks of Bellary and Hospet.

*As against* 20 attacks with 2 deaths reported during the corresponding week of the previous year.

3 A total of 9 attacks with nil deaths from Cholera was reported for the entire State *viz.*, from the taluk of Kanakapura during the week *as against* 17 attacks with 4 deaths reported during the corresponding week of the last year.

4 A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* one attack with nil deaths reported during the corresponding week of the previous year.

5 The State remained free from Yellow fever, relapsing fever, Infectious, Hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

6 The total mortality for Bangalore Corporation amounted to 251 (94 in hospitals) for the week *as against* 246 (85 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.6 (8.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 13.5 (8.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to other fevers, 17 due to Dysentery and Diarrhoea, 14 due to consumption and 216 due to all other causes, *as against* 1 due to Smallpox, 9 due to other fevers, 22 due to Dysentery and Diarrhoea, 214 due to all other causes reported during the corresponding week of the previous year.

7 The total mortality for Mysore City amounted to 80 (53 in hospitals) for the week, *as against* 16 (11 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.1(5.2 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 3.2 (1.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 8 were due to other fevers 9 due to Dysentery and Diarrhoea, 3 due to Consumption and 60 due to all other causes *as against* 2 due to other fevers, 2 due to Dysentery and Diarrhoea, and 12 due to all other causes, reported during the corresponding week of the previous year.

8 The total mortality for K. G. F. City amounted to 18 (9 in hospitals) for the week *as against* 30 (13 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.8 (2.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.3 (6.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 13 were due to all other causes only *as against* 3 due to other fevers and 27 due to all other causes reported during the corresponding week of the previouses year.

9 The total mortality for Belgaum City amounted to 34 (22 in hospitals) for the week *as against* 19 (2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.2 (3.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.2, (1.5) excluding hospital deaths for the corresponding week of the last year. Classified according to causes of death, 1 was due to other fever, 1 due to dysentry and Diarrhoea 1 due to Consumption and 31 due to all other causes, *as against* 1 due to Malaria, 3 due to other fevers, and 15 due to all other causes reported during the corresponding week of the previous year.

10 The total mortality for Mangalore City amounted to 12 (nil in hospitals) for the week *as against* 12 (1 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.1 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.1 (3.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 12 were due to all other fevers only *as against* 3 due to Consumption and 9 due to all other causes, reported during the corresponding week of the previous year.

233 ....., *For Dy. D. P. H.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 22nd January 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 15th January 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. | |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | | No Stocks |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice— I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 95 00 | |
| " | ... | II Sort | " | 65 00 | |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 250 to 300 00 | |
| " | | Husked | " | 251 to 276 00 | |
| Copra | ... | | 100 kg. | 195 to 210 00 | |
| Cocoanut Oil | | I Class | 10 kg. | 86 20 | |
| | | II Class | 10 kg | 84 00 | |
| Cashew Nuts | ... | | 100 kg. | 90 00 | |
| Cardamoms | ... | Mysore | 10 kg. | 190 to 210 00 | |
| " | ... | Coorg | 10 kg. | 190 to 280 00 | |
| Malabar Black Pepper | ... | ... | 50 kg. | 160 to 200 00 | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 600 00 | |
| " | ... | Snuff | " | 600 to 700 00 | |
| " | ... | Beedi | " | 700 to 900 00 | |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 200 to 300 00 | |
| " | ... | Husked Old | 60 kg. | 280 to 300 00 | |
| " | ... | " New | 60 kg. | 200 to 270 00 | |
| Chillies | ... | Kumpta | ... | ... | |
| " | ... | Local | 10 kgs | 28 to 38 00 | |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES, | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 | |
| | | Snuff | " | 6 to 7 00 | |
| | | Beedi | " | 7 00 | |
| CATTLE FOOD, | | | | | |
| Groundnut Oil Cake | | | Bag of 69·92 kg. | 28 50 | |
| Cotton Seeds | ... | | " 64 kg. | 14 to 15 50 | |
| Horsegram | ... | | " 93·07 kg. | 60 to 74 00 | |

216—ss. 40 ....., *Dy. Comm.*

Dated 29th January 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 23th January 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. | |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg | | No Stocks |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice—I Sort | ... | Maskathi | | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | | Moora of 89·14 kg | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 95 00 | |
| " | ... | II Sort | " | 65 00 | |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 250 to 300 00 | |
| " | ... | Husked | " | 250 to 275 00 | |
| Copra | ... | | 100 kg. | 195 to 210 00 | |
| Cocoanut Oil | ... | I Class | 10 kg. | 86 20 | |
| " | ... | II Class | " | 84 00 | |
| Cashew Nuts | ... | ... | 100 kg. | 90 00 | |
| Cardamoms | ... | Mysore | 10 kg. | 190 to 280 00 | |
| " | ... | Coorg | " | 150 to 200 00 | |
| Malabar Black Pepper | ... | ... | 50 kg. | 160 to 200 00 | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 600 00 | |
| " | ... | Snuff | " | 600 to 700 00 | |
| " | ... | Beedi | " | 660 to 900 00 | |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 200 to 300 00 | |
| " | ... | Husked Old | 60 kg. | 280 to 300 00 | |
| " | ... | " New | " | 200 to 270 00 | |
| Chillies | ... | Kumpta | | | |
| " | ... | Local | 10 kg. | 28 to 38 00 | |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES, | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 | |
| | | Snuff | " | 6 to 7 00 | |
| | | Beedi | " | 7 00 | |
| CATTLE FOOD, | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 28 50 | |
| Cotton Seeds | ... | | " 64 kg. | 16 to 18 50 | |
| Horsegram | ... | | " 93·07 kg. | 60 to 74 00 | |

....., *Dy. Comm.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MARCH 4, 1965 (PHALGUNA 13, SAKA ERA 1886) | No. 9

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the Week ending Wednesday, the 27th January 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | Remarks |
|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | |
| | Actual | Normal | Actual | Normal | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Good

2. Kolar District.

Good except for the prevalence of 'Anthrax' at village of Malur Tq.

3. Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District

Good

7. Chickmagalur District.

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964).

8. Shimoga District.

Good

9. Chitradurga District.

| | | | | |
|---|---|---|---|---|
| 3.9 | 10.8 | Fair except in Chitradurga tq. where it was reported that the Tur crop was affected by insects. | Good | |

10. Bellary District.

Good

11. Bijapur District.

| | | | | |
|---|---|---|---|---|
| N.A. | 1.8 | N.A; | Fair except in Bagalkot tq. where it was reported that the rabi crop was slightly affected by bad weather, and crops were affected by pest in Bagewadi and Muddebihal tqs. | Good |

12. Belgaum District.

Good

13. Dharwar District.

Good

14. North Kanara District

Good

15. Gulbarga District

Good

16. Raichur District

| | | |
|---|---|---|
| Fair except in Yelburga tq. where it was reported that the Cotton crop was slightly affected by bad weather. | Good | |

17. Bidar District

Good

18. South Kanara District.

Good

19. Coorg District.

Report not Received.

SUMMARY:— (1) Refers to 7 Taluks, (2) Refers to 8 Taluks, (3) Refers to 8 Taluks, (4) Refers to 6 Taluks, (5) Refers to 4 Taluks, (6) Refers to 6 Taluks, (7) Refers to 8 Taluks, (8) Refers to 5 Taluks, (9) Refers to 8 Taluks, (10) Refers to 4 Taluks, (11) Refers to 10 Taluks, (12) Refers to 7 Taluks, (13) Refers to 6 Taluks, (14) Refers to 4 Taluks, (15) Refers to 2 Taluks, (16) Refers to 4 Taluk,

M. GANGARUDRIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday the 27th January 1965.

NOTE.—(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operation.
(f) " Water supply.
(g) " Fodder/Pasture.
(h) " Condition of Standing Crops.

1 Bangalore District.—

(a) No rainfall.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Channapatna and Kanakapura Taluks was in progress. Paddy in Bangalore North and Anekal taluks was completed.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Bangarpet, Sidlaghatta, Chintamani, Mulbagal and Bagepalli Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy, Avare and Tur in Bangarpet Taluk G. Nut. Ragi and Paddy in Gudibanda Taluk Sugarcane in Gowribidanur, Taluks Paddy in Malur Taluk was in progress,
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalance of "Anthrax" at one village of Malur Taluk.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Madhugiri, Sira and Pavagada Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy and Sugarcane in Gubbi and Kunigal Taluks Paddy and Horsegram in Madhugiri Taluks Sugarcane and Horsegram in Tumkur Taluks, Paddy in Turuvekere, Sira and Chiknayakanahalli Taluks Jowar and Horsegram in Tiptur Taluk, was in progress. Paddy, G. nut and Horsegram in Pavagada Taluk was nearing completion.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Corriander seeds in Kollegal Taluk, Paddy in Hunsur Taluk, was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Ragi in Srirangapatna Taluks, Sugarcane and Paddy in Malavalli and Maddur, Taluks. Ragi in Nagamangala Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops are fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk, paddy and Coffee in Manjarabad Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur Taluk was in progress.
(c) Standing crops are fair.
(d) Harvesting of Ragi, Paddy, Minor Millets in Kadur Taluk and Coffee in Mudigere Taluk, Paddy and Sugarcane in Sringeri Taluk, Sugarcane and Coffee in Koppa Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane, Wheat in Honnali Taluk, Paddy in Shimoga Taluk, Sugarcane in Bhadravati Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No Rainfall during the week.
(b) Sowing of Paddy in Hiriyur, and Molakalmuru Taluks was in progress.
(c) Standing Crops were good except in Hosadurga Taluk, where Tur is affected by insects.
(d) Harvesting of Cotton in Harihar Taluk, Paddy, Horsegram in Hosadurga Taluk, Horsegram in Hiriyur Taluk, Paddy in Molakalmuru Taluk, was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available except in Hosadurga Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

10 Bellary District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Redgram in Hadagalli Taluk, Paddy in Kudligi Taluk, Sugarcane in Hospet Taluk, Tur and Sugarcane in Harpanahalli Taluk, was in progress.
(e) Progress was fair in 3 Taluks.
(g) Sufficient.
(f) Available.
(h) Generaly Healthy.

11 Bijapur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Muddebihal Taluk where cotton crops was affected by pest.
(d) Harvesting of wheat in Hungund and Jamkhandi Taluks was in progress.
(e) Progress was fair in Sindgi taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No Rainfall during the week.
(b) Transplation of Sugarcane in Khanapur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Wheat in Parasgad taluk, Wheat and Rabi Jowar in Athani taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Sowing of Second Crop Paddy in Hangal Taluk was in progress.
(c) Standing crops were fair, except in Dharwar, Gadag, Hubli Taluks where wheat was affected by Rust, Rabi Jowar was affected by grass hoppers in Navalgund Taluk.
(d) Harvesting of Jowar in Sirahatti, Kundgol and Dharwar taluks, Paddy in Hangal and Kalghatgi Taluks Minor Kharif Crops in Haveri Taluk, Paddy and K. Jowar in Hubli Taluk, Wheat in Gadag, Navalgund, and Nargund Taluks was in progress.

(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District.—

(a) No Rainfall during the week.
(b) Sowing of Rabi Paddy in Kumta, Karwar and Honnavar Taluk was in progress.
(c) Standing crops were good.
(d) Harvesting of Sugarcane in Kumta and Honnavar taluks, Paddy in Yellapur Taluks was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Yadgir taluk was in progress.
(c) Standing crops were good.
(d) Harvesting of Tur, Mesta in Gulbarga Taluk, Tur in Yadgir and Shorapur Taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were good.
(d) Hasvesting of Tur in Kustagi Taluk, Wheat in Raichur taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available except in Raichur Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of Cattle disease in Sindhanur taluk.

17 Bidar District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were good.
(d) Harvesting of G.nut, Sugarcane and Tur in Humnabad taluk was in progress.
(e) Nil.
(f) Sufficient
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were good.
(d) Harvesting of II Crop Paddy in Mangalore Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient, except in Udipi Taluk where insufficiency was felt.
(g) Available except in Udipi Taluk where scaroity was felt.
(h) Generally Healthy.

19 Coorg District.—

Not Received.

M. GANGARUDRAIAH,
For *Director.*

Consolidated statement Showing the Monthly Weather and Crop Abstract for the Month of October 1964.

| Rainfall | | | | Naye paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | 1. Bangalore District. | | | | | |
| | | | | 58 | 44 | | | | |
| | | | | (Average of 3 taluks) | | | | | |
| | | | | 2. Kolar District. | | | | | |
| | | | | 62 | 50 | | | | |
| | | | | 3. Tumkur District. | | | | | |
| | | | | 50 | 50 | | | | |
| | | | | 4. Mysore District. | | | | | |
| | | | | 75 | 30 | | | | |
| | | | | 5. Mandya District. | | | | | |
| | | | | 68 | 50 | | | | |
| | | | | 6. Hassan District. | | | | | |
| ... | | | | 63 | 43 | | | | |
| Deficient | | | | 7. Chickmagalur District. | | | | | |
| | | | | 69 | 56 | | | | |
| | | | | 8. Shimoga District. | | | | | |
| | | | | 75 | 62 | | | | G. nut-62, Areca-75 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | | | 9. Chitradurga District. | | | | | |
| | | | | 53 (Avg. of 3 Tqs.) | 42 (Avg. of 2 Tqs.) | 43 (Avg. of 3 Tqs.) | 43 (Avg. of 2 Tqs.) | | |
| | | | | 10. Bellary District. | | | | | |
| | | | | ... | ... | | 59 (Average of 2 taluks) | 56 | |
| | | | | 12. Bijapur District. | | | | | |
| Excessive | | | | ... | ... | | | | |
| | | | | 12. Belgaum District. | | | | | |
| | | | | 49 | 40 | | | | Cotton-31. Chillies-43, Tobacco-48 G. nut 50, Wheat-31. |
| | | | | 13. Dharwar District. | | | | | |
| | | | | 40 | 43 | | | | Wheat-28 Cotton-31, G. nut-36. Savi-50 Chillies-37. H. gram-50 |
| | | | | 14. North Kanara District. | | | | | |
| Excessive | | | | 63 | 60 | | | | |
| | | | | 15. Gulbarga District. | | | | | |
| ... | | | | 37 | ... | 81 | | | ... |
| | | | | 16. Raichur District. | | | | | |
| | | | | 61 | ... | 43 | | | Cotton-31, G. nut-41, Sesamum-60, Horse Gram 42, Green gram-.5 |
| | | | | 17. Bidar District. | | | | | |
| | | | | ... | ... | ... | | | |
| | | | | 18. South Kanara District. | | | | | |
| | | | | ... | 62 | ... | | | |
| | | | | 19 Coorg District. | | | | | |
| | | | | 62 | 46 | | | | |

M. GANGARUDRAIAH,
*For Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for October 1964.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) Completed.
(c) Generally fair.
(d) Harvesting of Ragi Crop was in progress.
(e) Available.
(f) Generally Healthy.
(g) Decreased.
(h) 80 per cent Ragi crop was reported to have been damaged due to untimely rains in Doddaballapur Taluk.
(i) Refers to 6 Taluks.

2 Kolar District.—

(a) Sufficient.
(b) Sowing of paddy and Horsegram was in progress in all the taluks.
(c) Generally fair.
(d) Harvesting of Ragi, Same crops was in progress in all the Taluks.
(e) Available.
(f) Generally Healthy.
(g) Scanty.
(h) Nil.
(i) Nil.

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Kartbibi Paddy was completed in Pavagada Taluk.
(c) Generally fair.
(d) Harvesting of Yade Ragi in Pavagada Taluk. Ragi and Groundnut in some parts of Koratagere Taluk was in progress
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) .....

6 Mysore District.—

(a) Sufficient.
(b) Completed.
(c) Generally fair.
(d) Harvesting of Ragi and Groundnut in Mysore Taluk, Ragi in Kollegal Taluk was in progress.
(e) Available.
(f) Generally Healthy.
(g) .....
(h) Normal
(i) Refers to 6 talukas.

7 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(c) Generally Fair.
(d) Harvesting of Sugarcane and Ragi was in progress in all the Talukas.
(e) Available.
(f) Generally Healthy.
(g) Scanty.
(h) Nil.
(i) Nil.

8 Hassan District.—

(a) Sufficient
(b) Nil.
(c) Generally Fair
(d) Ragi crop was being harvested in Hassan Taluk.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil
(i) Refers 8 Talukas.

9 Chickmagalur District.—

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of Jola in Kadur and Tarikere Talukas. Areca in Koppa and Sringeri Taluks was completed.
(e) Available.
(f) Generally Healthy.
(g) Deficient.
(h) .....
(i) Refers to 5 Talukas.

10 Shimoga District.—

(a) Adequate.
(b) Nil.
(c) Generally Fair.
(d) Harvesting of Groundnut and Areca in all the Taluks was in progress.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) .....
(i) .....

11 Gulbarga District.—

(a) Adequate except in Shrugappa Taluk where it was insufficient.
(b) Sowing of Rabi crops were completed.
(c) Generall Fair
(d) Harvesting of Jowar, G. Nut and Bajra in Mallapuram, Kudligi, Harapanahalli and Sandur Taluks, G. Nut and Navane in Bellary Taluk was in progress.
(e) Available.
(f) Generally Healthy,
(g) Deficient.
(h) .....
(i) .....

12 Bellary District.—

(a) Adequate except in Shrugappa Taluk where it was insufficient.
(b) Sowing of Rabi crops were completed.
(c) Generall Fair
(d) Harvesting of Jowar, G. Nut and Bajra in Mallapuram, Kudligi, Harapanahalli and Sandur Taluks, G. Nut and Navane in Bellary Taluk was in progress.
(e) Available.
(f) Generally Healthy,
(g) Deficients.
(h) .....
(i) .....

13 Belgaum District.—

(a) Adequate.
(b) Sowing of Rabi crops was nearing completion in most of the Taluks
(c) Generally Fair except in Parasgad Taluk where Bajra Crop was affected by pest.
(d) Harvesting of early variety of Paddy, G. Nut and Jowar was in progress.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) .....
(i) .....

14 Bijapur District.—

(a) Adequate
(b) Sowing of Rabi Jowar and Wheat was in progress. In all the taluks.
(c) Generally Fair,
(d) Harvesting of Groundnut and Bajra was in progress.
(e) Available.
(f) Generally Healthy
(g) Excessive.
(h) Bajra and G. Nut Crops were reported to have been damaged to a greater extent due to heavy rains.

15 Dharwar District.—

(a) Adequate
(b) Nil
(c) General Fair,
(d) Harvesting of Groundnut was in Progress in all the taluks.
(e) Available. except in some parts of Navalgund and Ramdurg Taluks
(f) Generally healthy.
(g) Normal.
(h) ... .....
(i) Refers to 14 talukas.

16 North Kanara District.—

(a) Adequate.
(b) Completed.
(c) Generally Fair.
(d) Harvesting of Paddy in Karwar, Haliyal, Kumta and Mundgod Taluks was in progress.
(e) Available.
(f) Generally Healthy.
(g) Excessive.
(h) Nil.
(i) Nil.

17 Gulbarga District.—

(a) Sufficient except in some parts of Afzalpur taluk.
(b) Sowing of Rabi crops was in progress in Afzalpur and Chincholi Taluks and the same was completed in Yadgir Taluk.
(c) Generally Fair,
(d) Harvesting of Kharif Crop was in progress in Yadgir, Shahapur and Chincholi Taluks.
(e) Available
(f) Generally Healthy.
(g) Normal
(h) Nil,
(i) Nil.

16 Raichur District—
(a) Sufficient
(b) Sowing of Cotton, Wheat and Rabi Jowar was in progress.
(c) Generally Fair.
(d) Harvesting of G. Nut, Kharif-Jowar and Kangani was completed.
(e) Available.
(f) Generally Healthy.
(g) Excessive.
(h) Nil.
(i) Nil.

17 Bidar District—
(a) Sufficient
(b) Nil.
(c) Generally Fair.
(d) Harvesting of Bajra Sesamum and Paddy was in progress in Humnabad Taluk.
(e) Available.
(f) Generally Healthy.
(g) Normal
(h) Nil.
(i) Nil.

18 South Kanara District—
(a) Sufficient
(b) Sowing and Transplantation of I Crop Paddy was in progress.
(c) Generally Fair.
(d) Harvesting of Ist Crop Paddy was nearing completion in most of the taluks.
(e) Available.
(f) Generally Healthy
(g) Deficient
(h) Nil.
(i) ...

19 Coorg District—
(a) Sufficient
(b) Nil.
(c) Generally Fair.
(d) Nil.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Nil.

M. GANGABUDRAIAH,
*For Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Dated 15th February 1965.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDING SATURDAY THE 6TH FEBRUARY 1965.

No. VS-6/SPH/64-65. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 10 attacks with nil deaths and nil attacks with nil deaths respectively.

The State remained free from Epidemic diseases during the week under report. Comparative figures for the corresponding week of 1964 were as follows.—

| | | Attacks. | Deaths |
|---|---|---|---|
| Plague | .. | Nil | Nil |
| Smallpox | ... | 72 | 33 |
| Cholera | ... | 5 | 2 |
| Kyasanur Forest Disease | ... | 1 | Nil |
| Yellow Fever, Relapsing fever Infectious Hepatitis. | | Nil | Nil |

The total mortality for Bangalore Corporation amounted to 261 (141 in Hospitals) for the week *as against* 116 (48 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.1 (6.6 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.4 (3.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 3 due to other fevers, 13 due to Dysentery and Diarrhoea, 20 due to Consumption and 219 due to all other causes, *as against* 6 due to all other fevers, 4 due to Dysentery and Diarrhoea and 103 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 91 (40 in hospitals) for the week *as against* 93 (75 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 18.3 (10.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 18.8 (3.6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to Malaria, 15 due to other fevers, 5 due to Dysentery and Diarrhoea, 5 due to Consumption and 64 due to all other causes, *as against* 9 due to other fevers and 84 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 8 (nil in hospitals) for the week *as against* 8 (3 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 2.6 (nil excluding hospital deaths) per mile of population (mid-year estimated) *as against* 2.3 (1.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 8 were due to all other causes *as against* 8 due to all other causes only, reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 15 (nil in hospitals) for the week *as against* 9 (one in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.9 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.4 (3.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers 13 due to all other causes, *as against* 2 due to other fevers, 1 due to Dysentery and Diarrhoea and 6 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 19 (nil in hospitals) for the week *as against* 5 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.1 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 1.7 (nil excluding hospital deaths) for the corresponding week of the last yrr. Classified according to causes of deaths, 2 were due to Consumption and 17 due to all other causes *as against* 5 due to all other causes only, reported during the corresponding week of the previous year.

232 ....., For *Director of Public Health.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MARCH 11, 1965 (PHALGUNA 20, SAKA ERA 1886) | No. 10

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

#### PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the Week ending Wednesday, the 3rd February 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | Livestock | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Good

2. Kolar District.

Good

3. Tumkur District.

Good

4. Mysore District

Good

5. Mandya District.

Good

6. Hassan District.

Good

7. Chickmagalur District.

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964).

8. Shimoga District.

Good

9. Chitradurga District

Good

10. Bellary District.

Good

11. Bijapur District.

| | | | | | |
|---|---|---|---|---|---|
| N.A. | Nil | N.A. | Fair except in Muddebihal tq. where it was reported that the cotton crops was affected by pest. | Good | |

12. Belgaum District.

| | | | | | |
|---|---|---|---|---|---|
| N.A. | 2.7 | N.A. | Fair except in Sampagaon tq. where it was reported that the cotton and wheat crops affected by pest. | Good | |

13. Dharwar District

| | | | | | |
|---|---|---|---|---|---|
| N.A. | 3.8 | N.A. | Fair except in Hubli and Kundgol tqs. where it was reported that the cotton crop was affected by pest. | Good | |

14. North Kanara District

| | | | | | |
|---|---|---|---|---|---|
| Nil | Nil | N.A. | 2.6 | N.A. | Fair |

Good ... (12)

15. Gulbarga District.

Good do ... (13)

16. Raichur District

| | | |
|---|---|---|
| Fair except in Deodurg tq. where it was reported that the Cotton crop was not fair due to bad weather. | Good | do ... (14) |

17. Bidar District.

Good

18 South Kanara District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 31.8 | Good | Available except in Udipi tq. | Sufficient except in Udipi tq. | |

19. Coorg District.

Report not Received.

REMARKS:— (1) Refers to 7 Taluks, (2) Refers to 6 Taluks, (3) Refers to 9 Taluks, (4) Refers to 6 Taluks. (5) Refers to 5 Taluks, (6) Refers to 4 Taluks, (7) Refers to 8 Taluks. (8) Refers to 5 Taluks, (9) Refers to 6 Taluks, (10) Refers to 6 Taluks, (11) Refers to 11 Taluks, (12) Refers to 5 Taluks, (13) Refers to 5 Taluks, (14) Refers to 5 Taluks, (15) Refers to 1 Taluk, (16) Refers to 4 Taluk,

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 3rd February 1965.

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operation.
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Kanakapura Taluk was in progress. and the same was completed in Channapatna and Magadi taluks.
(e) Progress was fair in Magadi taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Vyasaki Paddy in Chintamani, Mulbagal, Bangarpet and Bagepalli Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy and Horsegram in Bangarpet Taluk Paddy in Malur Taluk Sugarcane in Gowribidanur Taluk was in progress,
(e) Progress was fair in Gowribidanur taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Madhugiri, Sira Pavagada and Chiknayakanahalli Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Madhugiri Turuvekere and Tumkur Taluks, Paddy and Ragi and Sugarcane in Gubbi Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Mysore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Kollegal Taluk was in progress. Harvesting of Paddy was nearing completion in Periapatna taluk.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Pandavapura tq, Sugarcane. and Paddy in Malavalli and Maddur Taluks, Sugarcane and Ragi in Srirangapatna Taluk was in progress,
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress,
(e) Progress was fair in Arkalgud taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Coffee in Koppa Taluk Ragi Paddy and Minor Millets in Kadur Taluk, Coffee in in Mudigere taluk, Paddy and Sugarcane in Sringeri Taluk, was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Shimoga taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No Rainfall during the week.
(b) Sowing of Groundnut and Paddy in Hiriyur. Taluk Transplantation of Paddy in Hosadurga andMolakalmuru Taluks was in progress.
(c) Standing Crops were fair except in Hosadurga Taluk. where summer paddy was affected by pest.
(d) Harvesting of Chillies, Cotton and Tur in Haribar Taluk, Bengalgram in Hosadurga Taluk, was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

10 Bellary District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Sirugupps. and Saudur Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Muddebihal Taluk where cotton crops was affected by pest.
(d) Harvesting of Rabi crops wheat in Hungund Mudhol and Jamkhandi Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No Rainfall during the week,
(b) Nil.
(c) Good except in Sampgaon Taluk where wheat and cotton was affected by pest.
(d) Harvesting of Sugarcane in Gokak Taluk, Wheat in Ramdurg, Parasgad and Sampagaon taluks was in rogress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Sowing of summer Groundnut in Haveri taluk was in progress.
(c) Good except in Dharwar, Hubli and Kundgol, where wheat wag affected by red rust, Rabi Jowar was affected by grass hoppers in Navalgund Taluk.
(d) Harvesting of Rabi Jowar was in Hirekerur. Dharwar and Shirhatti Taluk, wheat and gram in Ron taluk, wheat in Nargund, Gadag, Shirahatti and Navalgund Taluks, Paddy in Kalghatgi Taluk, Paddy Jowar and wheat in Hubli Taluk,
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District,—

(a) No Rainfall during the week.
(b) Sowing of Rabi Paddy in Supa Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Honnavar taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District,—

(a) No rainfall during the week.
(b) Transplantation of Rabi Paddy in Yadgir taluk was nearing completion
(c) Standing crops were fair.
(d) Harvesting of Tur and Chillies in Chikkodi Taluk was in progress.
(e) Progress was fair in Chikkodi taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District,—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair,
(d) Hasvesting of Wheat in Kustagi and Yelburga Taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient,
(g) Available.
(h) Generally healthy.

17 Bidar District,—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District,—

(a) No rainfall during the week.
(b) Sowing and Transplantation of III Crop Paddy in Belthangady Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Udipi Taluk where water in sufficiency was felt.
(g) Available except in Udipi Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

19 Coorg District,—

Not Received.

M. GANGARUDRAIAH,
For *Director*.

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. MG. BG.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 180 | BANGALORE, THURSDAY, MARCH 18, 1965 (PHALGUNA 27, SAKA ERA 1886) | No. 11

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 10th February 1965.

| No. of rainy days in the week | Rainfall in Mill metres | | | | Condition of | | Remarks |
|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | Livestock | Fodder | |
| | Actual | Normal | Actual | Normal | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Nil | 15.5 | Good

2. Kolar District.

22.5 | Good

3 Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District.

Good

7 Chickmagalur District.

Good

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

(From 3—12—1964).

8. Shimoga District.

Good

9 Chitradurga District

Good

10. Bellary District.

Good

11. Bijapur District.

| | | | | | | |
|---|---|---|---|---|---|---|
| N.A. | 1.7 | N.A. | | | Fair except in Muddebihal tq where it was reported that the cotton crops was affected by bad weather, | Good |

12. Belgaum District.

Good

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | | | | | |

13. Dharwar District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 8.0 | N.A. | Fair except in Hubli and Navalgund tqs. where it was reported that the wheat and cotton crops were affected by Karijigi and redpest respectively. | Good |

14. North Kanara District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 9.5 | N.A. | Fair | Good |

16. Gulbarga District.

Good

16. Raichur District

Fair except in Deodurg and Yelburga tqs. where it was reported that the Cotton crop was affected by bad weather. Good

17. Bidar District.

Good

18 South Kanara District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 3) 4 | N.A. | Fair | Good. | Available except in Udipi tq. where it was reported that the scarcity for fodder was felt. |

19. Coorg District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | Fair | Good | Available |

REMARKS:— (1) Refers to 5 Taluks. (2) Refers to 7 Taluks. (3) Refers to 9 Taluks. (4) Refers to 7 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 6 Taluks. (7) Refers to 6 Taluks. (8) Refers to 8 Taluks. (9) Refers to 7 Taluks. (10) Refers to 4 Taluks.
(11) Refers to 7 Taluks. (12) Refers to 6 Taluks. (13) Refers to 10 Taluks. (14) Refers to 7 Taluks. (15) Refers to 6 Taluk.
(16) Refers to 6 Taluk. (17) Refers to 1 Taluk. (18) Refers to 6 Taluks. (19) Refers to 1 Taluk.



M. GANGARUDRIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 10th February 1965.

Note :—(a) Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operation.
(f) " Water supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Paddy in Kanakapura Taluk was in progress.
(e) Progress was fair in 2 taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Yabavi Paddy in Bangarpet, Chintamani, Srinivasapura and Mulbagal Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Gowribidanur Taluk, Paddy in Malur Taluk, Horsegram in Bangarpet Taluk was in progress, Paddy was completed in Chintamani and Chikkaballapur Taluks,
(e) Progress was fair in 4 taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Summer Paddy in Pavagada, Madhugiri Chiknayakanahalli and Sira Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Turuvekere and Madhugiri Chiknayakanahalli and Tumkur Taluks, Paddy, Ragi and Sugarcane in Gubbi Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Pulses, Tur and Horsegram in Mysore Taluk Bengalgram in Kollegal Taluk was in progress. Paddy was nearing completion in Periapatna taluk.
(e) Progress was fair in proper Mysore Taluk
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Malavalli and Srirangapatna Taluks, Sugarcane and Paddy in Maddur Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 5 taluk.
(f) Sufficient.
(g) Available.
(h) Generality Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy Ragi and Minor Millets in Kadur Taluk Paddy and Sugarcane in Sringeri Taluk, Sugarcane and Coffee in Koppa Taluk, Coffee in Mudigere taluk was in progress.
(e) Progress was fair in 3 Taluk.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Shimoga taluk, Wheat, Sugarcane and Cotton in Honnali Taluk was in progress.
(e) Progress was fair in Honnali Taluk,
(f) Sufficient
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No Rainfall during the week.
(b) Transplantation Paddy in Hosadurga and Molakalmuru and Challakere Taluks was in progress.
(c) Standing Crops were fair except in Hosadurga Taluk, where paddy was affected by pest.
(d) Harvesting of Chillies, Cotton and Tur in Haribar Taluk, Bengalgram in Hosadurga Taluk, was in progress. Harvesting of Red Gram washing completion in Davanagere Taluk
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

10 Bellary District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Kudligi and Hospet Taluks Rabi crops in Hadagalli Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

11 Bijapur District —

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Wheat in Jamkhandi and Bagalkot Taluks was in progress.
(e) Progress was fair in Jamkhandi taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Hukeri Taluk where Cotton, Sugarcane and Rabi Crops in Raibagh Taluk. Wheat in Parasgad Taluk. Wheat, R. Jowar in Athani Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Sowing of summer Groundnut in Haveri taluk was in progress.
(c) Standing Crops were fair except in Nargund Taluk, where Cotton was affected by Karijigi and Rabi Jowar was affected by Grass hoppers in some parts of Navalgund Taluks.
(d) Harvesting of wheat and gram in Ron, wheat in Nargund, Gadag and Navalgund Taluks, Paddy in Kalghatgi taluk. R J war Hirekerur Taluk was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generality Healthy.

1 North Kanara District,—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Mundgod taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Gulbarga District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Tur, Mesta, Jowar,, Wheat Gram, Linseed, Safflower and Chillies in sedam Taluk. Tur and Chillies in Chincholi Taluk was in progress.
(e) Progress was fair in Chikkodi taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

3 Raichur District,—

(a) No Rainfall during the week.
(b) Sowing of Groundnut in Manvi Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Wheat in Kustagi and Raichur Taluks Rabi Jowar in Manvi Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Humnabad Taluk was in progress
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of IInd Crop Paddy in Udipi and Puttur Taluks was in progress, and the same was nearing completion in Bantwal Taluk.
(e) Progress was fair in 9 taluks.
(f) Sufficient except in Udipi Taluk where water insufficiency was felt.
(g) Available except in Udipi Taluk where scarcity for was felt.
(h) Generally Healthy.

19 Coorg District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGABUDRAIAH,
*For Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MARCH 25, 1965 (CHAITRA 4, SAKA ERA 1886) | No. D

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday, the 17th February 1965.

| No. of rainy days in the week | Rainfall in M.M. meters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7. | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Good

2. Kolar District.

Good

3 Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District.

Good

7 Chickmagalur District.

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964).

8. Shimoga District.

Good

9. Chitradurga District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Nil | Nil | | | | Fair except in some parts of Hosadurga tq. where it was reported that the crop was affected by stem borer. | Good | (7) |

10. Bellary District.

Good

11. Bijapur District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | Fair except in Muddebihal tq. where it was reported that the cotton crops was slightly affected due to pest. | Good |

12. Belgaum District.

Good

13. Dharwar District.

| | | | | | | |
|---|---|---|---|---|---|---|
| | | N.A. | 8.0 | N.A. | Fair except in Shirahatti, Navalgund and Byadgi tqs. where it was reported that the wheat Jowar and cotton crops were affected by redrust and grasshoppers. | Good |

14. North Kanara District

Good

15. Gulbarga District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | | Good |

16. Raichur District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | Fair except in Yelburga tq. where it was reported that the Cotton crop was affected by bad weather. | Good |

17. Bidar District.

Good

18. South Kanara District.

Good, Available

19. Coorg District.

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 27.8 | N.A. | Fair | Good | Available | do |

(17)

REMARKS:— (1) Refers to 4 Taluks. (2) Refers to 8 Taluks. (3) Refers to 9 Taluks. (4) Refers to 8 Taluks. (5) Refers to 4 Taluks.
(6) Refers to 4 Taluks. (7) Refers to 7 Taluks. (8) Refers to 5 Taluks. (9) Refers to 8 Taluks. (10) Refers to 4 Taluks.
(11) Refers to 12 Taluks. (12) Refers to 6 Taluks. (13) Refers to 6 Taluks. (14) Refers to 5 Taluks. (15) Refers to 2 Taluks.
(16) Refers to 4 Taluks. (17) Refers to 1 Taluk.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 17th February 1965.

NOTE.—(a) Denotes:—Rainfall,
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operation.
(f) " Water supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was nearing completion in Channapatna Taluk
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

3 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Vysaki Paddy in Srinivasapura. Chintamani and Mulbagal Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Gowribidanur Taluk, was in progress, Paddy was complete by harvested in Chintamani and Chikkaballapur Taluks,
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Paddy in Madhugiri, Pavagad, Sira and Chiknayakanahalli Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy, Ragi and Sugarcane in Gubbi Taluk, Paddy in Madhugiri, Tumkur and Turuvekere Taluks was in progress.
(e) Progress was fair in 4 taluks.
f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Tur, Pulses and Horsegram in Mysore Taluk was in progress.
(e) Progress was fair in Mysore Taluk
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5. Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Srirangaptna and Pandavapur Taluks. Sugarcane and Paddy in Maddur Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the eek
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Coffee in Koppa and Mudigere taluks. Sugarcane in Sringeri Tq. Paddy, Jola, Ragi and Minor Millets in Kadur Tq. was in progress.
(e) Progress was fair in 3 Talubs.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rainfall during the week.
(b) Transplantation of Sugarcane in Shimoga Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Shimoga taluk, Sugarcane i Thirthahalli taluk was in progress.
(e) Progress was fair in 2 Taluk,
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No Rainfall during the week.
(b) Sowing and Transplantation of Paddy in Hosadurga and Molakalmuru Taluks, Groundnut and Paddy in Challakere tq., Groundnut in Harihara tq.was in progress.
(c) Standing Crops were fair except in Hosadurga Taluk, where paddy was affected by stem-borer.
(d) Harvesting of Bengalgram in Hosadurga Taluk, Chillies Tur and Cotton in Harihar Taluk was in progress, Redgram was nearing completion in Davanagere Taluk.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

10 Bellary District.—

(a) No Rainfall during the week.
(b) Transplantation of II Crop Paddy in Kudligi taluk was n progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Kudligi and Hospet Taluks, Sugaracne and Cotton in Siruguppa Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Wheat and R Jowar in Ramdurg Taluk, Cotton, Sugarcane and Rabi Crops in Raibagh, Wheat and cotton in Ramdurg tq, Sugarcane in Hukeri taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Muddebihal tq., where cotton crop was affected by pest.
(d) Harvesting of R, Jowar and wheat in Sindhagi tq. Wheat in Jamkhandi and Muddebihal taluks. Rabi crops in Hungund Bagalkot and Bagewadi Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall during the week
(b) Nil,
(c) Standing crops were fair except in Byadgi tq. where cotton was affect by Pest, Rabi Jowar was affected by grass hoppers in Nargund tq., wheat was affected by "Red rust" in Hubli.
(d) Harvesting of Bengalgram and Wheat in Ron tq. wheat in Nargund, Navalgund, Shirihatti, Mundargi, Hubli and Gadag tqs, was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 North Kanara District,—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Karwar and Kumta taluks was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District —

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Nil.
(f) Sufficient.
(g) Available,
(h) Generally healthy.

18 South Kanara District.—

(a) No rainfall during the week.
(b) Nil,
(c) Standing crops were fair.
(d) Harvesting of II Crop Paddy in Puttur Taluk was in progress
(e) Progress was fair in only Puttur taluk
(f) Sufficient
(g) Available
(h) Generally Healthy

19 Coorg District,—

(a) Nil.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available.
(g) Generally healthy

M. GANGARUDRAIAH,
For *Director.*

Consolidated statement Showing the Monthly Weather and Crop Abstract for the Month of November 1964.

| Rainfall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal. | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

1. Bangalore District.

Excessive 62 50
(Average of 3 taluks)

2. Kolar District.

62 50

3. Tumkur District.

75 50

4. Mysore District.

56 63
(Average of 4 taluks)

5. Mandya District.

75 50

6. Hassan District.

... 63 63

7. Chickmagalur District.

... 63 65 Coffee-62 Cardamom-62. Areca—62,

8. Shimoga District.

75 62 G. nut—62. Areca—75

| 1 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|
| | | | 9. Chitradurga District. | | | | | |
| | | | .. | ... | 46 (Avg. of 2 Tqs.) | 43 | | |
| | | | 10. Bellary District. | | | | | |
| | | | 52 (Avg. of 3 Tqs.) | 46 (Avg. of 2 Tqs.) | 59 (Avg. of 4 Tqs.) | 46 (Avg. of 5 Tqs.) | 55 (Avg. of 2 Tqs) | |
| | | | 11. Bijapur District. | | | | | |
| | | | ... | ... | | | | |
| | | | 12. Belgaum District. | | | | | |
| | | | 48 | 45 | | | | |
| | | | 13. Dharwar District. | | | | | |
| | | | 88 | 41 | | | | Wheat-31, Cotton-29, G. nut-37, Savi—37 Chillies-57, H. gram—37 |
| | | | 14. North Kanara District. | | | | | |
| ... | | | 60 | 45 | | | | Coconut-56 B. Nut-17 Pepper-45, G.nut 50. |
| | | | 15. Gulbarga District. | | | | | |
| | | | ... | ... | | | | |
| | | | 16. Raichur District. | | | | | |
| | | | 68 | 60 | | | 63 | Cotton-31, G. nut-50 Sesamum-51, Horse Gram, 25 |
| | | | 17. Bidar District. | | | | | |
| | | | ... | ... | ... | | | |
| | | | 18. South Kanara District. | | | | | |
| ... | | | 62 | ... | | | | |
| | | | 19 Coorg District. | | | | | |
| | | | 62 | 66 | | | | |

... .....

M. GANGARUDRAIAH,
For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for November 1964.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops.
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) .....
(c) Generaly fair.
(d) Harvesting of Ragi and Ground nut had been completed
(e) Available.
(f) Generally Healthy.
(g) Excessive
(h) Nil
(i) Refers to 5 Taluks

2 Kolar District.—

(a) Sufficient.
(b) ..... ..
(c) Generally fair.
(d) Harvesting of Ragi and Same was in progress
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Sowing Transplantation of Paddy in Madhugiri Taluk, was in progress.
(c) Generally fair.
(d) Harvesting of Ragi Groundnut and Horsegram was in progress in all the Taluks.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) Refers to 8 Taluks.

4 Mysore District.—

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Harvesting of Paddy, Ragi and Groundnut in Mysore Taluk. Ragi in Kollegal Taluk and Paddy in H. D. Kote Taluk was comleted.
(e) Available.
(f) Good (except for the prevalence of Cattle disease at 1 Village of Yelandur Taluk.
(g) Normal
(h) Nil
(i) Refers to 8 taluks.

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane was in progress in Maddur and Srirangapatna Taluks.
(c) Generally Fair.
(d) Harvesting of Ragi and Sugarcane in all the Taluks, Paddy in Srirangapatna Taluk was in progress.
(e) Available.
(f) Good
(g) Scanty.
(h) Nil.
(i) .....

3 Hassan District.—

(a) Sufficient
(b) Nil.
(c) Generally Fair
(d) Harvesting of Paddy, Ragi and Sugarcane was in progress.
(e) Available.
(f) Good
(g) Norm al.
(h) Nil.
(i) Refers 4 Taluks.

7 Chickmagalur District.—

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of Paddy, Ragi, and Sugarcane in all the Taluks. Coffee Cardamom in Mudigere Taluk was in progress.
(e) Available.
(f) Good
(g) Normal
(h) Nil
(i) Refers to 4 Taluks.

8 Shimoga District.—

(a) Adequate.
(b) Nil.
(c) Generally Fair.
(d) Harvesting of Paddy Ragi, Jawar, Sugarcane and Areca was in progress.
(e) Available.
(f) Good
(g) Normal.
(h) .....
(i) .....

9 Chitradurga District.—

(a) Sufficient
(b) Nil.
(c) Generally fair.
(d) Harvesting of Bajra, and Groundnut in some Taluks, was in progress.
(e) Available.
(f) Good
(g) Normal
(h) .....
(i) .....

13 Bellary District.—

(a) Sufficient.
(b) Nil
(c) Fair except in Hospet and Siraguppa Taluks where jowar and Paddy crops were affected by late rains and pest respectively.
(d) Completed.
(e) Available.
(f) Good
(g) Normal
(h) .....
(i) .....

11 Bijapur District.—

(a) Sufficient
(b) Sowing of Rabi Seeds had been completed.
(c) Generally Fair,
(d Harvesting of Karif Jowar and Groundnut was in progress.
(e) Available.
(f) Good
(g) Normal
(h) .....
(i) .....

12 Belgaum District.—

(a) Sufficient
(b) Sowing of Rabi Seeds had been completed.
(c) Generally Fair
(d) Nil
(e) Available.
(f) Good
(g) Normal.
(h) .....
(i) .....

18 Dharwar District.—

(a) Sufficient
(b) Nil
(c) General Fair,
(d) Harvesting of Khrif Jowar, Paddy and Groundnut in all the Taluks, was in Progress.
(e) Available.
(f) Good
(g) Normal.
(h) .....
(i) Refers to 13 taluks.

14 North Kanara District.—

(a) Sufficient
(b) Nil
(c) Generally Fair.
(d) Harvesting of Khrif Paddy in Bhatkal, Honnavar, Kumta and Karwar Taluks had been completed and the same was in progress in other Taluks.
(e) Available.
(f) Good
(g) Normal
(h) .....
(i) .....

15 Gulbarga District.—

(a) Sufficient
(b) Sowing of Rabi Seeds in all the taluks was completed.
(c) Generally Fair.
(d) Harvesting of Groundnut and Kharif Jowar in Yadgir, and Chincholi Taluks, was in progress.
(e) Available
(f) Good
(g) Normal
(h) .....
(i) .....

16 Raichur District—

(a) Sufficient
(b) Sowing of Rabi seeds was compteted.
(c) Generally Fair.
(d) Harvesting of Kharif crops was completed in all the Taluks and harvesting ofpaddy was in progress in Gangavati Taluk.
(e) Available.
(f) Good
(g) Normal
(h) Nil.
(i) Refers to 8 taluks

17 Bidar District—

(a) Sufficient
(b) Nil.
(c) Generally Fair.
(d) Harvesting of Groundnut and Kharif jowar was in progress in Humnabad and Bhalki Taluks
(e) Available.
(f) Good
(g) Scanty
(h) Nil.
(i) .....

18 South Kanara District—

(a) Sufficient
(b) Sowing and Transplantation of II Crop Paddy was almost completed in all the taluks.
(c) Generally Fair.
(d) Nil.
(e) Available.
(f) Good
(g) Deficient
(h) Nil.
(i) .....

19 Coorg District—

(a) Sufficient
(b) Sowing of wheat, Cottan and white jowar was completed.
(c) Generally Fair.
(d) Harvesting of Minor Millets and Groundnut was in progress.
(e) Available.
(f) Good
(g) Normal.
(h) Nil.
(i) .....

M. GANGARUDRAIAH,

For *Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Dated 25th February 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDING SATURDAY THE 20TH FEBRUARY 1965.

**No. VS-8/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 18 attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 7 attacks with 1 death from Small-pox was reported from the entire State *viz.*, from the taluks of Navalgund of Dharwar District *as against* 46 attacks with 5 deaths reported during the corresponding week of the previous year.

The State remained free from Cholera during the week *as against* 1 attack with 1 death reported during the corresponding week of the last year.

A total of 2 attacks with nill deaths from K.F, Disease was reported from Shimoga district, *as against* 6 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 226 (102 in Hospitals) for the week, *as against* 228 (86 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.2 (6.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.5 (7.8 exluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 25 due to Dysentery and Diarrhœa, 9 due to Consumption and 191 due to all other causes, *as against* 7 due to other fevers, 10 due to Dysentery and Diarrhoea and 211 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 49 (10 in hospitals) for the week giving a calculated death rate of 9.9 (7.9 exoluding hospital deaths) per mille of population (mid-year estimated) Classified according to causes of deaths, 3 were due to Typhoid, 14 due to other fevers, 3 due to Dysentery and Diarrhoea, and 29 due to all other causes.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 25 (16 in hospitals) for the week *as against* 6 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.4 (3.0 excluding hospital death) per mille of population (mid-year estimated *as against* 2.3 (excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid, 1 due to other fever, 23 due to all other causes, *as against* 6 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 16 (10 in hospitals) for the week *as against* 11 (3 in hospitals during the corresponding week of the previous year, giving a calculated death rate of 5.4 (1.9 excluding hospital deaths per mile of population (mid-year estimated) *as against* 3.8 (2.8 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to Dysentry and Diarrhoea, 1 due to Consumption and 12 due to all other causes *as against* 1 due to consumption and 10 due to all other causes reported during the corresponding week of the previous year.

241 ....., For *Director of Public Health.*

Notification dated 4th March 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDING SATURDAY, 27th FEBUARY 1965.

**No. VS 9/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 4 attacks with 3 deaths and nil attacks with nil deaths respectively.

2 A total of 1 attacks with nil deaths from Smallpox was reported from the entire State *viz.*, from the taluk of Karkal (South Kanara) *as against* 17 attacks with 2 deaths reported during the corresponding week of the previous year.

3 The State remained free from Chollera during the week as against 14 attacks with 5 deaths reported during the corresponding week of the last year.

4 A total of 4 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 6 attacks with nil deaths reported during the corresponding week of the previous year.

5 The State remained free from Yellow fever, relapsing fever, Infectious, Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

6 The total mortality for Bangalore Corporation amounted to 221 (104 in hospitals) for the week *as against* 140 (51 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.0 (3.2 exoluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.7 (4.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers, 26 due to Dysentery and Diarrhoea, 11 due to consumption and 183 due to all other causes, *as against* 2 due to Smallpox, 11 due to other fevers, 6 due to Dysentery and Diarrhoea, and 121 due to all other causes reported during the corresponding week of the previous year.

7 The total morbality for Mysore City amounted to 71 (37 in hospitals for the week, giving a calculated death rate of 14.3 (6.9 exoluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 7 were due to other fevers, 3 due to Dysentery and Diarrhoea, 5 due to Consumption and 56 due to all other causes.

8 The total mortality for K. G. F. City amounted to 10 (10 in hospitals) for the week, giving a calculated death rate of 3.2 (nil excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 10 were due to all other causes.

9 The total mortality for Belgaum City amounted to 34 (30 in hospitals) for the week *as against* 39 (37 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.3 (1.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.9 (0.8) excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to dysentry and Diarrhoea, 4 due to Consumption and 29 due to all other causes, *as against* 2 were due to Typhoid, 4 due to Dysentry and Diarrhoea, 5 due to consumption and 28 due to all other causes reported during the corresponding week of the previous year.

10 The total mortality for Mangalore City amounted to 15 (5 in hospitals) for the week *as against* 9 (4 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.0 (3.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.1 (1.7 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers 1 due to consumption and 12 due to all other causes, *as against* 1 due to other fever, 1 due to consumption and 7 due to all other causes, reported during the corresponding week of the previous year.

243 ....., *For Dy. D. P. H.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. 202 B/3.

Registered No. M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol 100 | BANGALORE, THURSDAY, APRIL 1, 1965 (CHAITRA 11, SAKA ERA 1887). | No. 13

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

### Weekly Weather and Crop Report for the Week ending Wednesday, the 24th February 1965.

| No. of rainy days in the week | Rainfall in Milli metres | | | | Condition of | Remarks |
|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | |
| | Actual | Normal | Actual | Normal | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |

(From 3—12—1964)

1. **Bangalore District.**

| | | |
|---|---|---|
| Fair | | Good except for the prevalence of "Black Quarter" at one village of Ramanagaram Taluk. |

2. **Kolar District.**

| | | |
|---|---|---|
| | | Good |

3. **Tumkur District.**

| | | |
|---|---|---|
| | | Good except for the prevalence of 'Black Quarter" at three villages of Tumkur taluk. |

4. **Mysore District.**

| | | |
|---|---|---|
| | | Good |

5. **Mandya District**

| | | |
|---|---|---|
| | | Good |

6. **Hassan District.**

| | | |
|---|---|---|
| | | Good |

7. **Chickmagalur District.**

| | | |
|---|---|---|
| | | Good |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Forecast | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

(From 3—12—1964).

8. Shimoga District.

Good

9. Chitradurga District.

Good

10. Bellary District.

Good

11. Bijapur District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 1.5 | N.A. | Fair except in Muddebihal tq. where it was reported that the jowar crops was slightly affected due to pest. | Good |

12. Belgaum District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 2.3 | N.A. | Fair | Good |

13. Dharwar District.

| | | | | | | |
|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 2.4 | N.A. | Fair except in Hubli taluk where it was reported that the wheat crop was affected by "Red Rust" and cotton crop was badly affected due to eastern wind in Byadgi taluk. | Good |

14. North Kanara District

Good

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 27.8 | N.A. | Fair | Good | Available | do ... |

REMARKS.— (1) Refers to 7 Taluks, (2) Refers to 8 Taluks, (3) Refers to 9 Taluks, (4) Refers to 6 Taluks, (5) Refers to 4 Taluks,
(6) Refers to 5 Taluks, (7) Refers to 5 Taluks, (8) Refers to 8 Taluks, (9) Refers to 5 Taluks, (10) Refers to 7 Taluks,
(11) Refers to 4 Taluks, (12) Refers to 10 Taluks, (13) Refers to 8 Taluks, (14) Refers to 7 Taluks, (15) Refers to 5 Taluks,
(16) Refers to 9 Taluks, (17) Refers to 4 Taluk.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 24th February 1965

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operation
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was nearing completion in Channapatna Taluk.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy. except for the prevalance of Black Quarter at one village of Ramanagaram Taluk

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Bagepalli, Bangarpet. Kolar, Mulbagal, Sidlaghatta and Srinivasapur Taluks was in progress
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Gowribidanur Taluk, Potato and Onion in Bangarpet Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Small Pox at one village of Mulbagal Taluk.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Madhugiri, Chicknayakanahalli Sira and Pavagada Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy, in Madhugiri, Turuvekere and Tumkur Taluks, Paddy Ragi and Sugarcane in Gubbi Taluk was in progress
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy. except for the prevalance of Black Quarter in some villages of Tumkur Taluk.

4 Mysore District.—

(a) No rainfall. during the week
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in Periyapatna Taluk
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Maddur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur, Pandavapur and Srirangaptna Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 4 taluks
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Ragi Jowar, and Paddy in Kadur Taluk Sugarcane in Sringeri taluk. Coffee and Sugarcane in Mudigere Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rainfall during the week
(b) Sowing—Transplantation of Paddy. Ragi, gr engram and Bengalgram in Shimoga Taluk w. in progress.
(c) Standing Crops were fair.
(d) Harvesting of Cotton, Wheat and Sugarcane in Honnali taluk, Sugarcane in Thirthahalli taluk was in progress.
(e) Progress was fair in 2 Taluk,
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No Rainfall during the week.
(b) Sowing and Transplantation of Summer G-Nut in Harihar taluk. G. Nut and Paddy in Challakere Taluk, Paddy in Hosadurga and Molakalmuru Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Chillies Tur and Cotton in Harihar Taluk Jowar and Bengalgram in Hiriyur and Hosadurga taluks Bili Jower in Chitradurga taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

10 Bellary District.—

(a) Nil.
(b) Transplantation of II Crop Paddy in Kudligi and Sandur taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane and Jawar in Hospet Taluks, Sugarcane in Siruguppa Hadagalli, Kudligi and Sandur Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Muddebihal Taluk were Cotton was slightly affected by pest.
(d) Harvesting of Rabi Jowar and Wheat in Sindigi, Jamkhandi and Muddebihal Taluks, Rabi Jowar in Indi Taluk, Rabi Crops in Bagewadi, Haugund and Bagalkot Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of R. Jowar in Ramdurg tq. Wheat R. Jowar and Bengalgram in Athani Taluk Cottan in Parasgad Taluk was in progress
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) No rainfall during the week
(b) Nil,
(c) Standing crops were fair except in Hubli tq. where wheat was affected by "Red rust", cotton was affected by eastern wind in Byadgi tq. Rabi Jowar was affected by grass hoppers in Navalgund tq..
(d) Harvesting the crop in Haveri taluk Wheat R. Jowar and Cotton in Nargund Taluk, Wheat in Hubli, Mundargi Navalgund, tq. wheat and R. Jawar in Ron tq. Wheat Cotton in Gadag tqs. Cotton in Byadgi Taluks was in progress
(e) Progress was fair in 4 Taluks
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District,—

(a) No Rainfall during the week.
(b) Sowing of Rabi Paddy was completed in Supa tq. same was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Mundgod, Karwar and Honnawar, Taluks was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Jowar, Wheat, Gram, Linseed and Safflower in Sedam Taluk Rabi Crops in Chincholi Taluk Rabi Jowar in Yadgir tq. was in progress.
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District, –

(a) No Rainfall during the week.
(b) Sowing of Summer Groundnut in Manvi Taluk was in progress.
(c) Standing crops were fair.
(d) Hasvesting of Rabi Jowar in Sindhnoor tq. Jowar and Cotton in Yelburga taluk and Manvi Taluks was in progress.
(e) Progress was fair in 4 taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District —

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of G. Nut, Sugarcane, Tur and Rabi Jowar in Humnabad Taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District,—

(a) No rainfall during the week.
(b) Sowing of III crop Paddy in Puttur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of II Crop Paddy in Coondapur and Puttur Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient
(g) Available
(h) Generally Healthy.

19 Coorg District,—

(a) Nil.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available.
(g) Generally healthy.

M. GANGARUDRAIAH,
For *Director.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Dated 12th March 1965.

*Note on the state of public health in Mysore State week ending Saturday, the 6th March 1965.*

The state remained free from Epidemic diseases during the week under report. Comparative figures for the correspondent week 1964 were as follows:—

| | *Attacks.* | *Deaths.* |
|---|---|---|
| Plauge. | nil. | nil |
| Smallpox. | 43 | 8 |
| Cholera. | 58 | 13 |

A total of 1 attack with nil deaths from K. F. Disease was reported from Shimoga Dist., *as against* 5 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, infectious hepatites and influenza in epdemic form, as against nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 136 (52 in hospitals) for the week *as against* 160 (51 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.4(4.5 excludin hospital deaths) per mille of population (mid-year estimated) *as against* 8.8 (6.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 20 were due to dysentery and diarrhoea 9 due to consumption and 107 due to all other causes, *as against* 9 due to other fevers' 7 due to dysentery and diarrhoea and 144 due to all other causes reported during the corrospondending week of the previous year.

The total mortality for Mysore City amounted to 50 (33 in Hospitals) for the week, giving calculated death rate of 10 1 (3.4 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 3 were due to other fevers, 1 due to dysentery and diarrhoea, 2 due to consumption and 44 due to all other causes.

The report for K. G. F. City has not been received.

The total moratlity for Belgaum City amounted to 33 (18 in hospitals) for the week *as against* 49 (46 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 10.9 (5.7 excluding hospital deaths) per mille of population (mid-year estimated) as against 18.7 (1.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers, 3 due to consumption and 27 due to all other causee, as against 6 due to consumption and 43 due to all other causes reported durlng the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 13 (nil in hospitals) for the week *as against* 4 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.4 (nil exclnding hospital deaths) per mille of population (mid-year estimated) *as against* 1. 4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to consumption and 12 due to all other causes, *as against* 1 due to comsumption and 3 due to all other causes reported during the corresponding week of the previous year.

253 ....., *Dy. Director.*

## Consolidated Statement showing the Monthly Weather and Crop Abstract for the Month of December 1964.

| Rainfall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | **1. Bangalore District.** | | | | | | |
| | | | Excessive | 58 | 54 | | | | |
| | | | | (Average of 3 taluks) | | | | | |
| | | | **2. Kolar District.** | | | | | | |
| | | | | 62 | 50 | | | | |
| | | | **3. Tumkur District.** | | | | | | |
| | | | | 50 | 87 | | | | |
| | | | **4. Mysore District.** | | | | | | |
| | | | | 48 | 43 | 45 | | 50 | |
| | | | | (Average of 6 taluks) | (Average of 8 taluks) | (Average of 2 taluks) | | (Average of 4 taluks) | |
| | | | **5. Mandya District.** | | | | | | |
| | | | | 75 | 50 | 20 | | 75 | |
| | | | **6. Hassan District.** | | | | | | |
| | ... | | | 69 | 56 | | | | |
| | | | **7. Chickmagalur District.** | | | | | | |
| | ... | | | 56 | 56 | | | | |
| | | | **8. Shimoga District.** | | | | | | |
| | ... | | | 62 | 56 | | | | |
| | | | **9. Chitradurga District.** | | | | | | |
| | | | Not Received. | | | | | | |
| | | | **10. Bellary District.** | | | | | | |
| | ... | | | 55 (Avg. of 5 Tqs.) | 48 (Avg. of 3 Tqs.) | 55 | 45 | 55 (Average of 4 taluks) | |
| | | | **11. Bijapur District.** | | | | | | |
| Normal | ... | | | 62 | ... | | | | Cotton—37, |
| | | | **12. Belgaum District.** | | | | | | |
| Do | | | | 47 | 45 | | | | G. nut—44 Chillies—44, Tobacco—44, |
| | | | **13. Dharwar District.** | | | | | | |
| | | | | 42 | 44 | | | | G. nut-40, Chillies-37 Cotton-34, H. Gram—50. Wheat-31, Savi—56 |
| | | | **14. North Kanara District.** | | | | | | |
| | ... | | | 50 | 50 | | | | |
| | | | **15. Gulbarga District.** | | | | | | |
| | | | | 56 | ... | | | | |
| | | | **16. Raichur District.** | | | | | | |
| | | | | 41 | 37 | | | | Tur-32, H. Gram-37, Cotton-31, G. nut-50, Sesamum-50. |
| | | | **17. Bidar District.** | | | | | | |
| | | | | 60 | ... | | | | |
| | | | **18. South Kanara District.** | | | | | | |
| | ... | | | 62 | ... | | | | |
| | | | **19. Coorg District.** | | | | | | |
| | | | | 62 | 66 | | | | ... Coffee-62. Cardamom-62. |

M GANGARUDRAIAH,
For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for December 1964.

Note.—(a) Denotes Conditions of Water Supply
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) Nil
(c) Generaly fair.
(d) Harvesting of Paddy was in progress in most of the taluks
(e) Available.
(f) Generally Healthy.
(g) Excessive
(h) Nil
(i) Refers to 6 Taluk

2 Kolar District.—

(a) Sufficient.
(b) Transplantation of paddy was in progress in Gudibanda Bagepalli, Gowribidanur, Bangarpat.Siddlaghtta and Kolar Taluks.
(c) Generally fair.
(d) Harvesting of Ragi paddy and G. nut was in progress
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy was just commenced in Pavagada and Koratagere Taluks.
(c) Generally fair.
(d) Harvesting of Ragi, paddy, Groundnut, and other minor millets was in progress in most of the Taluks.
(e) Available.
(f) Generally Healthy.
(g) Deficient
(h) Nil.
(i) Refers to 9 Taluks.

4 Mysore District —

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Harvesting of Paddy in Hunsur, Periyapatna, Chamaraja nagar, Mysore and Yelandur Taluks. was in progress.
(e) Available.
(f) Generally Healthy
(g) Scanty
(h) Nil
(i) Refers to 8 taluks

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane in Maddur and Srirangapatna Taluks. was in progress
(c) Generally Fair,
(d) Harvesting of paddy had been completed in all the Taluks, and Sugarcane was in progress.
(e) Available.
(f) Generally Healthy
(g) Nil
(h) Nil.
(i) .....

6 Hassan District.—

(a) Sufficient
(b) Paddy was being transplanted in some parts of Manjarabad taluk.
(c) Generally Fair
(d) Harvesting of Paddy, Horsegram and Sugarcane was in progress.
(e) Available.
(f) Generally Healthy
(g) Nil
(h) Nil.
(i) Refers to 6 Taluks.

7 Chickmagalur District.—

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of Paddy Ragi, G. nut, Areca, Coffee and Sugarcane was in progress.
(e) Available.
(f) Generally Healthy
(g) Scanty
(h) Nil
(i) Refers to 5 Taluks.

8 Shimoga District.—

(a) Adequate.
(b) Nil.
(c) Generally Fair.
(d) Harvesting of Ragi and Jawar crops in all taluks had been completed, Paddy and Areca was in progress.
(e) Available.
(f) Generally Healthy
(g) Normal.
(h) Nil.
(i) .....

9 Chitradurga District.—

10 Bellary District.—

(a) Sufficient except in Siruguppa Taluk where insufficiency was felt.
(b) Nil
(c) Fair except in some parts of Siraguppa Taluk where Paddy crops was affected by pest
(d) Harvesting of sugarcane paddy in Siruguppa, Bellary and Hospet Taluks, and Rabi, jowar in Hadagalli and Kudligi Taluks was in Progress.
(e) Available.
(f) Generally Healthy
(g) Scanty
(h) Nil
(i) Refers to 7 Taluks

11 Bijapur District.—

(a) Adequate
(b) Nil
(c) Generally Fair,
(d Harvesting of Kharif Jowar and Bajra was almost completed.
(e) Available.
(f) Genera ly Healthy
(g) Normal
(h) Nil
(i) Rabi crops in Bijapur Taluk reported to have been affected due to untimely rains

12 Belgaum District.—

(a) Adequate
(b) Nil
(c) Generally Fair
(d) Harvesting of Kharif crops was nearing completion
(e) Available.
(f) Generally Healthy
(g) Normal
(h) .....
(i) .....

13 Dharwar District.—

(a) Adequate
(b) Nil
(c) Generally Fair
(d) Harvesting of Kharif Jowar, and Paddy was in Progress, throughout the District
(e) Available.
(f) Generally Healthy
(g) Scanty
(h) ... .....
(i) .....

14 North Kanara District.—

(a) Adequate
(b) Nil
(c) Generally Fair.
(d) Harvesting of Kharif Paddy was completed and Sugarcane was in progress
(e) Available.
(f) Generally Healthy
(g) Scanty
(h) .....
(i) .. .....

16 Gulbarga District.—

(a) Adequate except in Afzalpur Taluk where insufficiency was felt
(b) Nil
(c) Generally Fair,
(d) Harvesting of Kharif crops was in progress in Yadgir, Shorapur Jewargi Afzalpur and Chincholi Taluks.
(e) Available
(f) Generall Healthy
(g) Scanty
(h) .....
(i) .....

16 Raichur District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) .....
(i) .....

17 Bidar District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Groundnut in Humnabad taluk was in progress.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) .....
(i) .....

18 South Kanara District—

(a) Sufficient.
(b) Transplantation of II Crop Paddy had been completed.
(c) Generally fair.
(d) Nil.
(e) Available except in Udipi taluk.
(f) Generally Healthy.
(g) Deficient
(h) .....
(i) .....

19 Coorg District—

(a) Sufficient
(b) Nil.
(c) Generally fair.
(d) Harvesting of Paddy, Coffee and Cardamom had just commenced in most of the taluks.
(e) Sufficient.
(f) Generally Healthy.
(g) Normal.
(h) .....
(i) .....

M. GANGARUDRAIAH,

For *Director of Statistics.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

*Note on the State of Public health in Mysore State Week ending Saturday 13th March 1965,*

**No. VS. 11/SPH/64-5** —The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 9 attacks with 1 death and nil attacks with nil deaths respectively.

A total of 7 attacks with nil deaths from smallpox was reported from the entire State *viz.* from the taluks of Ramadurga (Belagaum) Hospet (Bellary), Mangalore (South Kanara), *as against* 38 attacks with 7 deaths reported during the corresponding week of the previous year.

A total of 24 attacks with 5 deaths from Cholera was reported for the entire state *viz.*, from the taluk of Hospet (Bellary) during the week *as against* 438 attacks with 34 deaths reported during the corresponding week of the last year.

A total of 1 attack with nil deaths from K. F. Disease was reported from Shimoga district, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, infectious Hepatites and influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation Amounted to 224 (91 in hospitals) for the week *as against* 132 (56 in hospitals) during the corresponding week of the Previous year giving a calculated death rate of 12.2 (7.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.3 (3.9 excluding hospital deaths) for the corrspondnig week of last year.

Classified according to causes of deaths, 19 were due to Dysentry and Diarrhoea, 9 due to consumption and 196 due to all other causes, *as against*, 2 were due to smallpox, 3 due to other fevers, 12 due to Dysentry and Diarrhoea, and 115 due to all other causes reported during the corresponding week of the pevious year.

The total mortality for Mysore city amounted to 63 (48 in hospitals for the week *as against* 52 (31 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.7 (3-0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.5 (4.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Typhoid, 6 due to other fevers, 2 due to Dysentry and Diorrhoea, 4 due to consumtion and 50 due to all other causes, *as against*, 7 due to other fevers, 5 due to dysentry and diarrhoea and 40 due to all other causes, reported during the corresponding week of the previous year.

The report for K. G. F, City has not been received,

The total mortality for Belgaum City amounted to 20 (nil in hospitals) for the week *as against* 57 (27 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 7.5 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 19.5 (9.2 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 7 due to other fevers and 17 due to all other causes, *as against* 1 due to Typhoid, 2 due to other fevers, 10 due to consumption and 38 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 12 (nil in hospitals) for the week *as against* 6 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.1 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.0 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to consumption and 10 due to all other causes, *as against* 1 due to consumption and 5 due to all other causes reported during the corresponding week of the previous year.

27746 J. SHIVALINGAIAH, for *Dy. Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 12th February 1965.

**Statement showing the Wholesale Prices of various commodities for the Week ending 12th February 1965 at Mangalore.**

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort ... | Maskathi | 100 kg | No Stocks |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Rice— I Sort ... | Maskathi | " | |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Ragi ... | | Moora of 89·14 kg. | ... |
| Cane Jaggery ... | I Sort | 100 kg. | 100 00 |
| " ... | II Sort | " | 70 00 |
| Cocoanuts ... | Unhusked | 1,000 Nuts | 300 to 450 00 |
| " ... | Husked | " | 300 to 440 00 |
| Copra ... | | 100 kg | 210 to 225 00 |
| Cocoanut Oil | I Class | 10 kg. | 87 00 |
| | II Class | 10 kg | 85 00 |
| Cashew Nuts ... | | 100 kg. | No Stocks |
| Cardamoms ... | Mysore | 10 kg. | 190 to 280 00 |
| " ... | Coorg | 10 kg. | 190 to 280 00 |
| Malabar Black Pepper ... | ... | 50 kg. | 160 to 200 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 610 00 |
| " ... | Snuff | " | 760 to 800 00 |
| " ... | Beedi | " | 860 to 900 00 |
| Arecanuts ... | Unhusked | 1,000 Nuts | 20 to 85 00 |
| " ... | Husked Old | 50 kg | 300 to 848 00 |
| " ... | " New | 50 kg. | 200 to 270 00 |
| Chillies ... | Kumpta | .. | ... |
| " ... | Local | 10 kg. | 28 to 33 00 |
| " ... | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 28 50 |
| Cotton Seeds ... | | " 64 kg. | 16 to 18 50 |
| Horsegram ... | | " 98·07 kg. | 60 to 74 00 |

236— so. 40 ... ....., *Dy. Commr.*

Dated 12th March 1965.

**Statement showing the Wholesale Prices of various commodities for the week ending 12th March 1965 at Mangalore.**

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort ... | Maskathi | 100 kg | No Stocks |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Rice—I Sort ... | Maskathi | " | |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Ragi ... | | Moora of 89·14 kg. | ... |
| Cane Jaggery ... | I Sort | 100 kg. | 95 00 |
| " ... | II Sort | " | 70 00 |
| Cocoanuts ... | Unhusked | 1,000 Nuts | 350 to 520 00 |
| " ... | Husked | " | 350 to 510 00 |
| Copra ... | | 100 kg. | 210 to 280 00 |
| Cocoanut Oil ... | I Class | 10 kg. | 88 60 |
| " ... | II Class | " | 86 60 |
| Cashew Nuts ... | | 100 kg. | ... |
| Cardamoms ... | Mysore | 10 kg. | No Stocks 220 to 280 00 |
| " ... | Coorg | " | 220 to 280 00 |
| Malabar Black Pepper ... | ... | 50 kg. | 180 to 200 00 |
| Tobacco ... | Chewing | 100 kg | 400 to 640 00 |
| " ... | Snuff | " | 760 to 800 00 |
| " ... | Beedi | " | 860 to 900 00 |
| Arecanuts ... | Unhusked | 1,000 Nuts | 22 to 45 00 |
| " ... | Husked Old | 50 kg. | 295 to 340 00 |
| " ... | " New | " | 230 to 300 00 |
| Chillies ... | Kumpta | | |
| " ... | Local | 10 kg. | 30 to 33 00 |
| " ... | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake ... | | Bag of 69.92 kg. | 28 50 |
| Cotton Seeds ... | | " 64 kg. | 17 to 18 00 |
| Horsegram ... | | " 98·07 kg. | 60 to 74 00 |

252—so 40 ....., *Dy. Commr*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. Gaz. 59.

Registered No, M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol, 100 | BANGALORE, THURSDAY, APRIL 8, 1965 (CHAITRA 18, SAKA ERA 1887) | No. 14

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 3rd March 1965.

| No. of rainy days in the week | Rainfall in Mill! meters | | | | Condition of | Remarks |
|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | |
| | Actual | Normal | Actual | Normal | | |
| 1 | 2 | 3 | 4 | 5 | 6 7 8 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Good

2. Kolar District.

Good

3. Tumkur District.

Good except for the prevalence of 'Black Quarter" at one villages of Pavagada taluk.

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District.

Good

7. Chickmagalur District

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964).

8. Shimoga District.

Good

9. Chitradurga District.

Good

10. Bellary District.

Good

11. Bijapur District.

Good ... (11)

12. Belgaum District.

N.A. 3.4 N.A. Fair except in Sampagon tq. where Cotton crop was affected by Karijigi. Good

13. Dharwar District.

N.A. 3.0 N.A. Fair except in Hubli taluk where wheat crop was affected by "Red Rust" and Rabijawar was affected by grasshoppers in some village of Navalgund Taluk. Good

14. North Kanara District.

Good

15. Gulbarga District.

Nil Nil N.A. Nil N.A. Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good ... (18)

19. Coorg District.

Nil Nil N.A. Nill N.A. Fair Good Available do ... (19)

REMARKS:— (1) Refers to 4 Taluks. (2) Refers to 8 Taluks. (3) Refers to 9 Taluks. (4) Refers to 9 Taluks. (5) Refers to 5 Taluks.
(6) Refers to 4 Taluks. (7) Refers to 7 Taluks. (8) Refers to 5 Taluks. (9) Refers to 7 Taluks. (10) Refers to 6 Taluks.
(11) Refers to 6 Taluks. (12) Refers to 4 Taluks. (13) Refers to 15 Taluks. (14) Refers to 4 Taluks. (15) Refers to 5 Taluks.
(16) Refers to 4 Taluks. (17) Refers to 9 Taluk. (18) Refers to 6 tajuks (19) Refers to 2 Taluks

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 3rd March 1965.

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was nearing completion in Channapatna Taluk, same was completed in Kanakapura and Magadi Taluks.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of II crop Paddy in Kolar, Bangarpet, Bagepalli, Mulbagal, and Srinivasapur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Potato Onion and Sugarcane in Bangarpet Taluk, Sugurcane in Mulbagal, Gowribidanur Taluks, was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Madhugiri and Sira Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy, in Turuvekere and Tumkur Taluks, Paddy, Ragi and Sugarcane in Gubbi Taluk, Paddy and Sugarcane in Kunigal Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy, except for the prevalance of Black Quarter at one village of Pavagada Taluk.

4 Mysore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in most of the Taluk.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Maddur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Srirangaptna Taluks was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally, Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops are fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Coffee and Sugarcane in Mudigere and Koppa Taluks, Sugarcane in Sringeri taluk, Paddy in Chickmagalur Taluk, Ragi Jowar, and Paddy in Kadur Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

8 Shimoga District.—

(a) No Rainfall during the week.
(b) Sowing and Transplantation of Sugarcane, Paddy, Greengram and Bengalgram in Shimoga Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane and Cotton in Honnali Taluk was in progress.
(e) Progress was fair in Honnali Taluk,
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of G-Nut in Harihar Taluk. G. Nut and Paddy in Challakere Taluk, Paddy in Hosadurga Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Chillies, Tur and Cotton in Harihar Taluk Bili jowar and Cotton in Chitradurga Taluk Bili jowar in Hosadurga Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

10 Bellary District.—

(a) No rainfall during the week.
(b) Transplantation of G-Nut in Sandur taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Kudligi and Sandur Taluks, Sugarcane and Jowar in Hospet Taluk, Sugarcane and Bengalgram in Hadagalli, Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

11 Belgaum District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair, except in Sampagaon Taluk where Cotton was affected by Karijigi.
(d) Harvesting of Rabi, Jowar in Ramdurga tq. Rabi Crops in Raibagh Taluk, Wheat and Cotton in Parasgad Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Bijapur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Rabi Crops in Hungund Taluk, Rabi Jowar in Muhol and Jamkhandi Taluks "Rabi Jowar and Wheat in Sindigi, and Bilgi Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Hubli tq. where wheat was affected by "Red rust", Rabi Jowar was affected by grass hoppers in Navalgund tq.,
(d) Harvesting of Cotton in Dharwar and Ranebennur Taluks, Wheat, Cotton and R. Jowar in Nargund and Ron tqs. Wheat and Cotton in Shirahatti, Hubli, and Mundargi tqs. R. Jawar in Hirekerur Tq. wheat in Kundgol, Navalgund, Tqs, Rabi, Jowar and Cotton in Gadag Tq. was in progress.
(e) Progress was fair in 8 Taluks.
(f Sufficient.
(g) Available.
(h) Generally Healthy.

14 North Kanara District,—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Honnavar Taluka was in progress.
(e) Progress was fair in 2 talukas.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Robi, Jowar and Gram in Shorapur Taluk. Jowar, Wheat, Gram, Linseed and Safflower in Sedam Tq. Robi Jowar in Yadgir Tq. was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Hasvesting of Rabi Jowar in Sindhnoor tq. Jowar and Cotton in Kustagi and Yelburga taluk was in progress.
(e) Progress was fair in 3 taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Sugarcane in Humnabad Taluk. Rabi crop in Bhalki was progress.
(e) Nil.
(f) Sufficient,
(g) Available,
(h) Generally healthy.

18 South Kanara District —

(a) No rainfall during the week.
(b) Sowing of III crop Paddy in Puttur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of II Crop Paddy in Puttur and Coondapur Taluks was in progress.
(e) Progress was fair in 3 taluks
(f) Sufficient
(g) Available
(h) Generally Healthy.

19 Coorg District,—

(a) Nil.
(b) Nil.
(c) Standing Crops were fair.
(c) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(g) Generally healthy.

M. GANGARUDRAIAH,
For *Director*.

---

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 26th March 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 26th March 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. | |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice— I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | | Moora of 39·14 kg. | | No Stocks |
| Cane Jaggery | ... | I Sort | 100 kg. | 85 00 | |
| " | ... | II Sort | " | 65 00 | |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 370 to 540 00 | |
| " | ... | Husked | " | 360 to 520 00 | |
| Copra | ... | | 100 kg. | 210 to 280 00 | |
| Cocoanut Oil | ... | I Class | 10 kg. | 89 00 | |
| | | II Class | 10 kg | 37 00 | |
| Cashew Nuts | ... | | 100 kg. | 78 to 85 00 | |
| Cardamoms | ... | Mysore | 10 kg. | 220 to 280 00 | |
| " | ... | Coorg | 10 kg. | 220 to 280 00 | |
| Malabar Black Pepper | ... | ... | 50 kg. | 175 to 195 00 | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 | |
| " | ... | Snuff | " | 760 to 800 00 | |
| " | ... | Beedi | " | 860 to 900 00 | |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 22 to 45 00 | |
| " | ... | Husked Old | 50 kg. | 820 to 850 00 | |
| " | ... | " New | 50 kg. | 250 to 310 00 | |
| Chillies | ... | Kumpta | ... | ... | |
| " | ... | Local | 10 kg. | 30 to 33 00 | |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES. | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 | |
| | | Snuff | " | 5 to 7 00 | |
| | | Beedi | " | 7 00 | |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 28 50 | |
| Cotton Seeds | ... | | " 64 kg. | 17 to 18 00 | |
| Horsegram | ... | | " 93·07 kg. | 52 to 57 00 | |

263— sc. 40

....., *Dy. Commr*

Dated 19th March 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 19th March 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. | |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice—I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | ... | Moora of 39·14 kg. | | No Stocks |
| Cane Jaggery | ... | I Sort | 100 kg. | 96 00 | |
| " | ... | II Sort | " | 65 00 | |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 370 to 540 00 | |
| " | ... | Husked | " | 360 to 520 00 | |
| Copra | ... | | 100 kg. | 210 to 280 00 | |
| Cocoanut Oil | ... | I Class | 10 kg. | 89 20 | |
| " | ... | II Class | " | 37 20 | |
| Cashew Nuts | ... | ... | 100 kg. | ... | |
| Cardamoms | ... | Mysore | 10 kg. | 70 to 82 00 | |
| " | ... | Coorg | " | 220 to 280 00 | |
| Malabar Black Pepper | ... | ... | 50 kg. | 180 to 200 00 | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 | |
| " | ... | Snuff | " | 760 to 800 00 | |
| " | ... | Beedi | " | 860 to 900 00 | |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 22 to 45 00 | |
| " | ... | Husked Old | 50 kg. | 820 to 850 00 | |
| " | ... | " New | " | 250 to 310 00 | |
| Chillies | ... | Kumpta | | | |
| " | ... | Local | 10 kg. | 31 to 33 00 | |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 | |
| | | Snuff | " | 5 to 7 00 | |
| | | Beedi | " | 7 00 | |
| CATTLE FOOD | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69.92 kg. | 28 50 | |
| Cotton Seeds | ... | | " 64 kg. | 17 to 18 00 | |
| Horsegram | ... | | " 93·07 kg. | 52 to 57 00 | |

261—sc 40

....., *Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. . 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, APRIL 15, 1965 (CHAITRA 25, SAKA ERA 1887) | No. 15

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 10th March 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | Fodder | Water Supply | Remarks |
| | Actuals | Normal | Actuals | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Good

2. Kolar District.

Good

3 Tumkur District.

Good

4. Mysore District.

Good

5 Mandya District.

Good

6. Hassan District.

Good

7 Chickmagalur District.

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

From 3—12—1964).

8. Shimoga District.

Good

9. Chitradurga District.

Good ... (9)

10. Bellary District.

Good

11. Bijapur District.

Good ... (11)

12 Belgaum District.

Good

13. Dharwar District.

Good

14. North Kanara District.

Good

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

Good

18 South Kanara District.

Good ... (18)

19. Coorg District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | Fair | Good | Available | do | ... (19) |

REMARKS:— (1) Refers to 7 Taluks, (2) Refers to 7 Taluks, (3) Refers to 8 Taluks, (4) Refers to 9 Taluks, (5) Refers to 6 Taluks,
(6) Refers to 4 Taluks, (7) Refers to 5 Taluks, (8) Refers to 5 Taluks, (9) Refers to 6 Taluks, (10) Refers to 6 Taluks,
(11) Refers to 6 Taluks, (12) Refers to 6 Taluks, (13) Refers to 11 Taluks, (14) Refers to 6 Taluks, (15) Refers to 6 Taluks
(16) Refers to 8 Taluks, (17) Refers to 1 Taluk, (18) Refers to 2 taluks (19) Refers to 2 Taluks

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 10th March 1965

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in all Taluks.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy and Sugarcane in some parts of Gudibanda Taluk, Paddy in Chintamni and Bagepalli Taluks, same was completed in Sidlaghatta and Mulbagal Taluks.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Gowribidanur, and Malur Taluks Potatoes Onion and Sugurcane in Bangarpet Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Thuruvekere and Madhugiri Taluks same was nearing completion in Tumkur Taluk.
(c) Standing crops were fair.
(d) Harvesting of Paddy, in Tumkur and Turuvekere Taluks, Paddy, Ragi and Sugarcane in Gubbi Taluk, Sugarcane in Kunigal Taluk was in progress.
e) Progress was fair in 4 taluks.
f) Sufficient.
g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy and Ragi in Yelandur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk was in progress Paddy was completed in Periyapatna Taluk,
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Maddur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Srirangaptna Taluks was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Sugarcane was in progress in Koppa, Sringeri, Kadur and Chickmagalur Taluks.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

Shimoga District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane was completed in Honnali Taluk.
(e) Progress was fair in Two Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Hosadurga Taluk, G. Nut in Harihar Taluk, G-Nut and Paddy in Challakare Taluk, was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Bengalgram, White jowar and Cotton in Holalkere Taluk, White Jowar in Molakalmuru Taluk, Rabi Jowar and Cotton in Chitradurga Taluk, Chillies, Tur and Cotton in Harihar Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy.

10 Bellary District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Sandur taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane and Jowar in Hospet Taluk, Sugarcane and Cotton in Hadagalli and Siruguppa Taluks, Sugarcane was nearing completion in Sandur and Kudligi Taluks was in progress.
(e) Progress was fair in 8 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Wheat, Rabi, Jowar and Cotton in Badami Taluk, Rabi, Jowar and Wheat in Sindagi, Bagewadi and Muddebihal Taluks, Rabi, Jowar and Cotton in Jamkhandi Taluk, Rabi Crops in Hungund Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops was nearing completion in all Taluks.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week
(b) Transplantation of Paddy in Sandur Taluk was in progress.
(c) Standing crops were fair except in Navalgund tq. where Rabi Jowar was affected by grass hoppers.
(d) Harvesting of Wheat, Rabi Jowar and Cotton in Ron and Nargund Taluks, Cotton and Wheat in Mundargi and Hubli Taluks, Rabi Jowar and Cotton in Gadag Taluk, Cotton in Dharwar, Navalgund and Kalghatgi tqs, was in progress.
(e) Progress was fair in 6 Taluks.
(f Sufficient.
(g) Available.
(h) Generally Healthy.

North Kanara District,—

(a) No Rainfall during the week.
(b) Transplantation of Rabi, Paddy was completed in Supa Tq.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops in Karwar Taluk, Sugarcane in Mundgod, Honnawar and Kumta Tqs. was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops in Yadgir, Chincholi and Chittapur Taluks. Rabi and Jowar in Shorapur Tq. was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar in Sindhnoor tq. Rabi, Jowar and Cotton in Yelburga taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of II Crop Paddy in Coondapur Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient
(g) Available
(h) Generally Healthy.

19 Coorg District,—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil
(f) Sufficien
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH,
For *Director.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

*Note on the State of Public Health in Mysore State Week ending Saturday 27th March 1965,*

**No. VS 13/SPH/64** The State remained free from Plague during the week as in the previous week. Comparatives figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 95 attacks with 14 deaths from Smallpox was reported from the entire State *viz*., from the town of Bider and from the taluks of Bagalkot, Belgi, Bijapur, Jamakhandi, Mudhol, Hospet, Indi, Manvi, Bagewadi, Karkal and Bhatkal as against 16 attack with 3 deaths reported during the corresponding week of the previous year.

A total of 46 attacks with 10 deaths from Cholera was reported for the entire State *viz*., from the taluks of Hospet and Gangavathi and from the town of Hospet during the week *against* 109 attacks with 28 deaths reported during corresponding week of the last year.

A total of 4 attacks with nil deaths from K. F. disease was reported from Shimoga District *as against* 4 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever Infectious Hepatites and Influenza in epidemic form, as *against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporarion amounted to 264 (101 in hospitals) for the week *as against* 222 (65 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.3 (8.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.2 (8.6 excluding hospital deaths) for the corresponding week of last year. Clasified according to causes of deaths, 4 were due to other fevers, 31 due to Dysentery and Diarrhoea, 6 due to Consumption and 223 due to all other causes *as against* 15 due to other fevers, 14 due to Dysentery and Diarrhoea, 12 due to Consumption and 181 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 85 (44 in hospitals for the week *as against* 33 (16 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17·1 (8 : 3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.7 (3.4 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to Typhoid, 12 due to other fevers, 8 due to Dysentry and Diorrhoea, 1 due to consumtion and 62 due to all other causes, *as against*, 6 due to other fevers, 37 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 22 (22 in hospitals) for the week *as against* 16 (1 in hospitals) during the corresponding week of the previous year, giving a caluclated death rate of 7.1 (7.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.6 (5 3 excluding hospital deaths) for the corresponding week of last year. Clasified according to causes of deaths, 22 were due to all other causes, *as against* 1 due to fever, 1 due to Dysentery and Diarrhoea and 14 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 18 (9 in hospitals) for the week *as against* 4 (30 in hospital) during the corresponding week of the previous year, giving a caluclated death rate of 6.8 (3.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.7 (4.2 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 18 were due to all other causes *as against* 2 due to Consumption and 39 due to all other causes reported during corresponding week of the previous year.

The total Mortality for Mangalore City amounted to 40 (34 in hospitals) for the week *as against* 22 (9 in hospitals) during the corresponing week of the previous year, giving a calculated death rate of 13.5 (2.0 excluding hospital deaths) per mille of population mid-year estimated) *as against* 7.6 (4 5 excluding hospital deaths) for the corresponding week of the last year. Clasified according to causes of deaths, 1 was due to other fevers, 2 due to Dysentery and Diarrhoea, 2 due to Consumption and 35 due to all other causes *as against* 1 due to Consumption and 21 due to all other causes reported during the corresponding week of the previous year.

265 .....*Dy. Director.*

Consolidated Statement showing the Monthly Weather and Crop Abstract for the Month of January 1965.

| Rainfall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 8toe per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **1. Bangalore District.** | | | | | | | | | |
| | | 62 | ... | | | | | | |
| **2. Kolar District.** | | | | | | | | | |
| | | 62 | 50 | | | | | | |
| **3. Tumkur District.** | | | | | | | | | |
| | | 65 | 59 | | | | | | |
| **4. Mysore District.** | | | | | | | | | |
| | | 67 (Average of 5 taluks) | 44 (Average of 3 taluks) | | | | | 66 (Average of 3 talukas | |
| **5. Mandya District.** | | | | | | | | | |
| | | 75 | 53 | | | | | 75 | |
| **6. Hassan District.** | | | | | | | | | |
| ... | | 63 | 48 | | | | | | |
| **7. Chickmagalur District.** | | | | | | | | | |
| ... | | 56 | 56 | | | | | | |
| **8. Shimoga District.** | | | | | | | | | |
| | | 63 | 44 | | | | | | |
| **9. Chitradurga District.** | | | | | | | | | |
| ... | | ... | ... | | | | | | |
| **10. Bellary District.** | | | | | | | | | |
| | | 44 (Avg. of 5 Tqs.) | ... | | 50 (Avg. of 8 Tqs.) | | 56 (Average of 5 taluks) | | |
| **11. Bijapur District.** | | | | | | | | | |
| ... | | ... | ... | | 37 | | 44 | | Cotton—37, Wheat—37 |
| **12. Belgaum District.** | | | | | | | | | |
| | | 47 | 45 | | | | 54 | | Chillies—44, Tobacco—44, G. nut—44, Cotton—33. Wheat—39. |
| **13. Dharwar District.** | | | | | | | | | |
| | | 44 | 41 | | | | | | G. nut-41, Cotton-32. Wheat-29, Savi—56 Navane-33, Gram—44, Chillies-37, H. Gram-37 |
| **14. North Kanara District.** | | | | | | | | | |
| ... | | 50 | 48 | | | | | | Coconut-50, Betelnut-47 Popper-45 |
| **15. Gulbarga District.** | | | | | | | | | |
| | | 60 | ... | | | | | | |
| **16. Raichur District.** | | | | | | | | | |
| | | 58 | ... | | | | 60 | | Tur-47, Gram-41, Cotton-37 G. nut-35, Tobacco-60 Navane-50, Savi-60. |
| **17. Bidar District.** | | | | | | | | | |
| ... | | | | | | | | | |
| **18. South Kanara District.** | | | | | | | | | |
| ... | | 44 | ... | | | | | | |
| **19. Coorg District.** | | | | | | | | | |
| | | 56 | 50 | | | | | ... | Coffee and Cardamom-50. |

M. GANGRUDRIAH,
*For Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for January 1964.

Note.—(a) Denotes Conditions of Water Supply.
(b) ,, Sowing/Transplantation.
(c) ,, Standing Crops.
(d) ,, Harvest.
(e) ,, Fodder and Pasture.
(f) ,, Cattle.
(g) ,, Rainfall.
(h) ,, Damage to crops.
(i) ,, Remarks.

1 Bangalore District,—

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Harvesting of Paddy was almost completed in all the taluks
(e) Available.
(f) Genocally Healthy.
(g) Deficient.
(h) Nil
(i) .....

2 Kolar District.—

(a) Sufficient.
(b) Transplantation of paddy was in progress throughout the District.
(c) Generally fair.
(d) Harvesting of Horsegram in Bangarpet taluk was in progress.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Vysaki paddy was in progress in Pavagada, Koratagere and Madhugiri Taluks.
(c) Generally fair.
(d) Harvesting of paddy, and Groundnut was almost nearing completion in all the Taluks.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil.
(i) .....

4 Mysore District,—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of paddy was completed in all the taluks except in Mysore Taluk where the same was in progress.
(e) Available.
(f) Generally Healthy
(g) Scanty.
(h) Nil
(i) .....

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane was being done in Mandya, Maddur and Srirangapatna Taluks.
(c) Generally Fair.
(d) Harvesting of sugarcane was in progress in most of the Taluks.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil
(i) .....

6 Hassan District,—

(a) Sufficient
(b) Nil.
(c) Generally Fair
(d) Harvesting of Paddy, Horsegram and Avare was completed in Channarayapatna taluks.
(e) Available.
(f) Generally Healthy
(g) Nil.
(h) Nil.
(i) Refers to 6 Taluks.

7 Chickmagalur District.—

(a) Sufficient
(b) Transplantation of sugarcane in some parts of Kadur taluk was in progress.
(c) Generally Fair
(d) Crushing of sugarcane was in progress.
(e) Available.
(f) Generally Healthy
(g) Nil.
(h) Nil.
(i) Refers to 5 Taluks.

8 Shimoga District,—

(a) Adequate.
(b) Sowing of paddy in Honnali and Shimoga taluks was in progress.
(c) Generally Fair.
(d) Crushing of Sugarcane was in progress in all the taluks.
(e) Available.
(f) Generally Healthy.
(g) Normal.
(h) Nil.
(i) .....

9 Chitradurga District.—

(a) Adequate
(b) Sowing and Transplantation of paddy in Molakalmuru taluk was in progress.
(c) Generally Fair.
(d) Completed.
(e) Available.
(f) Generall Healthy.
(g) Scanty.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Adequate except in some parts of Siruguppa taluk.
(b) Transplantation of Sugarcane was in progress in Siruguppa taluk.
(c) Crops were fair except in Siruguppa taluk where paddy was affected by "blast Pest".
(d) Completed.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil
(i) .....

11 Bijapur District.—

(a) Adequate
(b) Nil
(c) Generally Fair.
(d) Harvesting of wheat and Rabi-Jowar had commenced in all the taluks.
(e) Available.
(f) Generally Healthy
(g) Nil
(h) Nil
(i) .....

12 Belgaum District.—

(a) Adequate
(b) Nil
(c) Generally Fair
(d) Harvesting of Rabi crops was in progress
(e) Available.
(f) Generally Healthy
(g) Nil
(h) Nil
(i) .....

18 Dharwar District.—

(a) Adequate
(b) Nil
(c) Generally Fair except in Dharwar, Hubli and Kundgal taluks where wheat was affected by "Red Rust" and cotton was affected by unfavourable weather in Shiggon, Nargund and Haveri taluks.
(d) Harvesting of Rabi-Jowar, Wheat, and Gram was in Progress throughout the District.
(e) Available.
(f) Generally Healthy
(g) Nil
(h) Nil
(i) Refers to 15 taluks.

14 North Kanara District.—

(a) Adequate
(b) Nil
(c) Generally Fair.
(d) Harvesting of Sugarcane was in progress in all the taluks.
(e) Available
(f) Generally Healthy
(g) Nil
(h) Nil
(i) .....

15 Gulbarga District.—

(a) Sufficient
(b) Nil
(c) Generally Fair.
(d) Harvesting of Rabi-wheat and Linseed was in progress in Yadgir, Chincholi and Sedam Taluks.
(e) Available
(f) Generall Healthy
(g) Nil
(h) Nil
(i) .. .....

16 Raichur District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil
(i) .....

17 Bidar District—

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Harvesting of Groundnut, Tur and Gram in Humnabad and Bhalki taluks was in progress.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil
(i) .....

18 South Kanara District—

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Harvesting of II Crop paddy had been commenced in all the taluks.
(e) Available
(f) Generally Healthy.
(g) Nil
(h) Nil
(i) .....

19 Coorg District—

(a) Sufficient
(b) Nil.
(c) Generally fair.
(d) Harvesting of Paddy, Coffee and Cardamom was in progress.
(e) Available.
(f) Generally Healthy.
(g) Nil.
(h) Nil.
(i) .....

M. GANGARUDRIAH,
For *Director of Statistics.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

5—C

Registered No. M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, APRIL 22, 1965 ( VAISHAKHA 2, SAKA ERA 1887 ) | No. 16

PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 24th March 1965.

| No. of rainy days in the week | Rainfall in Milli meters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District

Good

2. Kolar District.

do Good except in one village of Mulbagal tq. where 'pleuro pneumonia' was prevailing. do ... (2)

3. Tumkur District

Good

4. Mysore District

Good

5. Mandya District

Good ... ...

6 Hassan District

Good ... (4)

7 Chickmagalur District

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks. |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actua | Normal | Actua | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(FROM 3—12—1964).

8. Shimoga District.

Good

9 Chitradurga District.

Good except for the prevalence of "Black Quarter" at one village of Hiriyur tq. do

10. Bellary District.

Good

11. Bijapur District.

Good except for the prevalence of cattle disease at one village of Bagalkot tq. do

12 Belgaum District.

Good

13. Dharwar District.

Good except for the prevalence of cattle disease in two villages of Nargund tq. do

14 North Kanara District

Good except in one village of Mundgod tq. where cattle disease was prevailing. do

15. Gulbarga District.

Fair Good ... (18

16. Raichur District.

Fair Good ... (14)

17. Bidar District.

Good

18 South Kanara District.

Good

19. Coorg District.

" " " . Nil " Fair Good do do ... (17)

REMARKS:— (1) Refers to 6 Taluks. (2) Refers to 9 Taluks. (3) Refers to 8 Taluks. (4) Refers to 4 Taluks. (5) Refers to 5 Taluks.
(6) Refers to 7 Taluks. (7) Refers to 6 Taluks. (8) Refers to 5 Taluks, (9) Refers to 7 Taluks. (10) Refers to 6 Taluks.
(11) Refers to 10 Taluks. (12) Refers to 6 Taluks. (13) Refers to 6 Taluks. (14) Refers to 3 Taluks. (15) Refers to 2 Taluks.
(16) Refers to 3 Taluks. (17) Refers to 2 Taluk.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 24th March 1965.

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in some parts of Nelamangala Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in all Taluks.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Chintamani Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Gowribidanur, Bagepalli, Mulabagal and Malur Taluks, Ragi and Millets in Chintamani Taluk, Potatoe and Onion in Bangarpet Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of pluro-phenumonia at one village of Mulbagal Taluk.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Chikanayakanahalli, Kunigal, Thuruvekere and Tumkur Taluks, Paddy and Sugurcane in Gubbi taluk was in progress.
(c) .....
(d) Harvesting of Sugarcane in Kunigal Taluk, Paddy, Ragi and Sugarcane in Gubbi Taluk, Paddy was completed in Turuvekere and Tumkur Taluks.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—

a) No rainfall during the week.
(b) Transplantation of Paddy and Ragi in Yelandur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur and T. Narasipur Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient, except in some parts of Kollegal Taluk where in sufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy and Ragi in Srirangapatna Taluk, Sugarcane in Maddur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Pandavapura, Srirangaptna and Maddur Taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Vyshaki Paddy in Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Sringeri Taluk, Paddy and Ragi in Kadur Taluk, Sugarcane and Coffee in Koppa Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generaly Healthy.

Shimoga District.—

(a) No Rainfall during the week.
(b) Transplantation of Sugarcane in Shimoga Tq. was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Thirthahalli Taluk, Cotton and Sugarcane in Honnali Taluk was in progress.
(e) Progress was fair in Two Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation G. Nut in Harihar Taluk, G-Nut and Paddy in Challakere Taluk, Transplantation of Paddy was completed in Hosadurga Taluk.
(c) Standing Crops were fair.
(d) Harvesting of Cotton in Hiriyur, Holalkere and Chitradurga Taluks, Cotton, Tur, Chillies and Jowar in Harihar Taluk, Bengalgram and Jowar in Hosadurga Tq., Jowar Bengalgram, and Safflower in Davanagere Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available
(h) Generally Healthy except for the prevalence of Black Quarter at one village of Hiriyur Taluk.

10 Bellary District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Sandur, taluk Sugarcane in Hospet Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane and Jowar in Bellary and Hospet Taluks Sugarcane in Sandur Taluk Cotton in Hadagalli Taluks was in progress.
(e) Progress was fair in 8 Taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy.

12 Belgaum District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Cotton in Parasgod Taluk, Rabi, Crops in Raibagh Taluk, were in progress whereas R. Jowar. Wheat and Gram was completed in Athani Taluk.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar in Hungund Taluk, Jowar and Cotton in Sindagi and Muddebihal Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 Dharwar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar, Cotton and Saflower in Ron Taluk, Cotton in Kalghatgi and Mundargi Taluks, Wheat and Cotton in Hubli, Rabi Jowar and Cotton in Nargund and Navalgund Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy, except for the prevalence of Cattle disease at 2 villages of Mundgod Taluk.

14 North Kanara District,—
(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops and Sugarcane in Karwar Taluk, Sugarcane in Honnawar Taluk, II Crop Pulses in Haliyal Taluk was in progress
(e) Progress was fair in 4 taluks.
(f) Sufficient except in some vilages of Mundagod Taluk, where in sufficiency of water was felt.
(g) Available.
(h) Generally Healthy except for the prevalence of cattle disease at one village of Mundgod Taluk.

15 Gulbarga District,—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Safflower in Sedam Taluk, Rabi Crops in Chincholi and Yadgir, Taluks. Rabi Jowar in Afzalpur Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District,—
(a) No rainfall during the week.
(b) Transplantation of Paddy in Manvi Taluk was in progress.
(c) Standing crops were fair.
(d) Hasvesting of Rabi Jowar in Sindhnoor Taluk, Cotton in Yelburga taluk Rabi, Jowar and Cotton in in Manvi Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—
(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Sugarcane in Humnabad Taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of II Crop Paddy was completed in Puttur Taluks.
(e) Nil.
(f) Sufficient
(g) Available
(h) Generally Healthy

19 Coorg District —
(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available.
(g) Generally healthy.

M. GANGARUDRAIAH, For *Director.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Dated 26th March 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 20TH MARCH 1965.

**No. VS-12/SPH/64-65.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 4 attacks with nil deaths and 5 attacks with 2 deaths, respectively.

A total of 208 attacks with 43 deaths from Small-pox was reported from the entire State, *viz.*, from the taluks of Nargund, K. R. Pet, Bagewadi, Bijapur, Manvi, Malavalli, Chincholi, Sidapur, Bagalkot, Kushtagi, Mudhol, Jamkhandi, Gadag, Ron, Deodurga, Ramadurga, Navalgund, Bangarpet, Dharwar, Bellary, Hadagalli and Raibag, *as against* 10 attacks with 1 death reported during the corresponding week of the previous year.

A total of 28 attacks with 8 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Bangarpet and Hospet, during the week *as against* 149 attacks with 38 deaths reported during the corresponding week of the last year.

A total of 6 attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* 5 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 197 (72 in Hospitals) for the week, *as against* 257 (121 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.7 (6.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.1 (7.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 2 due to other fevers, 18 due toDysentery and Diarrhœa, 3 due to Consumption and 172 due to all other causes, *as against* 1 due to Smallpox, 12 due to other fevers, 8 due to Dysentery and Diarrhœa and 197 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 62 (15 in hospitals) for the week *as against* 97 (53 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.5 (9.5 excluding hospital deaths) per mile of population (mid-year estimated) *as against* 19.7 (8.9 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 due to Typhoid, 5 due to other fevers, 7 due to Dysentery and Diarrhœa, 10 due to other fevers, 3 due to Dysentery and Diarrhœa, 3 due to Consumption and 47 due to all other causes *as against* 10 due to Consumption and 81 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 20 (nil in hospitals) for the week *as against* 24 (2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.5 (nil exluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.5 (7.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 20 were due to all other causes, *as against* 1 due to other fevers, 2 due to Dysentery and Diarrhœa, 3 due to Consumption and 81 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Belgaum City amounted to 15 (2 in hospitals) for the week *as against* 8 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.7 (4.9 excluding hospital deaths) per mille of population (mid-year estimated *as against* 3.0 (nil exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 due to Consumption and 12 due to all other causes, *as against* 1 due to other fevers 1 due to Dysentry and Diarrhoea, and 6 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 8 (5 in hospitals) for the week *as against* 9 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 2.7 (1.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.1 (1.4 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to Consumption and 6 due to all other causes *as against* 1 due to Consumption and 8 due to all other causes reported during the corresponding week of the previous year.

257 ....., *Dy. Director of Public Health.*

Printed by the Director of Printing, Stationery and Publications at the Govt. re.

Registered No. M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol 100 | BANGALORE THURSDAY APRIL 29, 1965 (VAISHAKHA 9, SAKA ERA 1887) | No. 17

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 31st March 1965.

| No. of rainy days in the week | Rainfall in Mil i metre | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—12—1964)

1. Bangalore District.

Fair | Good | Available | (1)

2. Kolar District.

do

3. Tumkur District.

do | Good except for the prevalence of "Black Quarter" at one village of Chicknayakanhalli tq. | do

4. Mysore District.

Good

5. Mandya District

Good

6. Hassan District.

Good

7. Chickmagalur District

Good

| No. of rainy days in the week. | Rainfall in Millimetors | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(FROM 3—12—1964).

8. Shimoga District.

Good

9 Chitradurga District.

Good

10. Bellary District.

" N.A. Nil N.A. Good except for the prevalence of cattle disease at 3 villages of Siruguppa tq. do

11. Bijapur District.

N.A. 1.7 Good ... (11)

12. Belgaum District.

Good

13. Dharwar District.

Good except for the prevalence of cattle disease in two villages of Nargund tq. do

14. North Kanara District.

Good except for the prevalence of cattle disease at one village of Supa tq. do ... (14)

15. Gulbarga District.

Good ... (15)

16. Raichur District.

Good

17. Bidar District.

Good

18. Sooth Kanara District.

Good

19. Coorg District.

" " " Nil " Fair Good do do ... (19)

REMARKS:— (1) Refers to 4 Taluks. (2) Refers to 6 Taluks. (3) Refers to 8 Taluks. (4) Refers to 7 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 1 Taluk. (7) Refers to 5 Taluks. (8) Refers to 5 Taluks. (9) Refers to 3 Taluks. (10) Refers to 6 Taluks.
(11) Refers to 7 Taluks. (12) Refers to 5 Taluks. (13) Refers to 9 Taluks. (14) Refers to 5 Taluks. (15) Refers to 3 Taluks.
(16) Refers to 8 Taluks. (17) Refers to 2 Taluks. (18) Refers to 4 Taluks. (19) Refers to 1 Taluk.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 31st March 1965.

NOTE.—(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations.
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Transplantation of II Crop Paddy in Channapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in all Taluks.
(e) Progress was fair in two taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy and Sugarcane in Gudibanda taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Mulbagal and Malur Taluks was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Thuruvekere, Chickknayakanahalli, Tumkur and Kunigal Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Kunigal Taluk was in progress.
(e) Progress was fair in five taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" at one village of Chickanayakanahalli Taluk.

4 Mysore District.—

(a) Light showers in Heggadadevanakote Taluk
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk was in progress.
(e) Progress was fair in two Taluks.
(f) Sufficient, except in Kollegal and Yelandur Taluks where in sufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Maddur Taluk, Ragi and Paddy in Srirangapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Srirangaptna Taluks was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Hassan taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Sringeri Taluk, Minor Millets and Sugarcane in Kadur Taluk was in progress.
(e) Progress was fair in two taluks.
(f) Sufficient.
(g) Available.
(h) Generaly healthy.

Shimoga District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Thirthahalli Taluk, was in progress.
(e) Progress was fair in Two Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Molakalmuru and Holalkere Taluks.
(b) Sowing of G. Nut in Haribar Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Rabi, Jower, Bengalgram and Safflower in Davangere Taluk, Jower and Cotton in Molakalmuru taluk Cotton in Chitradurga, Challakere and Holalkere Taluks was in progress.
(e) Progress was fair in four taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy

10 Bellary District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Hospet Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Siruguppa and Kundligi Taluks, Sugarcane and Jowar in Hospet and Sandur Taluks was in progress.
(e) Progress was fair in four taluks.
(g) Sufficient.
(f) Available.
(h) Generally Healthy, except for the prevalence of "Black Quarter" at 4 villages of Siruguppa Taluk.

11 Bijapur District —

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops and Cotton in Jamkhandi Taluk, Rabi Jowar and Cotton in Muddebihal and Sindagi Taluks was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops was completed in all the Taluks.
(e) Progress was fair in three Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi, Jowar and Cotton in Navalgund, Nargund Gadag, Ron, Hubli, Haveri and Kalghatgi Taluks was in progress.
(e) Progress was fair in five Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

14 North Kanara District,—

(a) No rainfall during the week,
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Honnavar Taluk was in progress.
(e) Progress was fair in three taluks
(f) Sufficient
(g) Available.
(h) Good except for the prevalence of Cattle disease at one village of Supa Taluk.

15 Gulbarga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar in Chincholi Taluk was in progress Rabi crops completed in Yadgiri taluk
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Cotton in Yelburga and Raichur taluks was in progress
(e) Progress was fair in three taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No Rainfall during the week
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Crops in Bhalki Taluk, Rabi, Jowar and Sugarcane in Humnabad Taluk was in progress.
(e) Nil
(f) Sufficient.
(g) Available,
(h) Generally healthy.

18 South Kanara District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Nil
(e) Nil.
(f) Sufficient
(g) Available
(h) Generally healthy

19 Kolar District.—

(a) Nil
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, *For Director.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Notification dated 19th April 1964,

*Note on the State of Public Health in Mysore State Week ending Saturday 10th April 1965.*

No. VS 15/SPH/65-66 The State remained free from Plague during the week as in the previous week. Comparatives figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 52 attacks with 10 deaths from Smallpox was reported for the entire State *viz*, from the towns of Bhadravathi, Bagalkot and Hubli and from the taluks of Bhalki, Bellary and Afzalpur, as against 6 attack with 5 deaths reported during the corresponding week of the previous year.

A total of 568 attacks with 106 deaths from Cholera was reported for the entire State *viz*., from the Mysore and from the towns of K. R. Nagar, Hospet, Hunsur, Magadi and Gadag Haliyal and from the taluks of Mysore, Kollegal Hospet, Mangalore, H. D. Kote, K. R. Nagar, Chamarajanagar, T. Narsipura, Haliyal, Supa K. R. Pet, Nanjangud and Yelandur during the week *as against* 82 attacks with 22 deaths reported during the corresponding week of the last year.

A total of 6 attacks with nil deaths from K. F. disease was reported from Shimoga District *as against* 4 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever Infectious Hepatitis and Influenza in epidemic form, as *against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 149 (32 in hospitals) for the week *as against* 143 (67 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.1 (6.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.9 (4.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 were due to other fevers, 24 due to Dysentery and Diarrhoea, 1 due to Consumption and 123 due to all other causes *as against* 9 due to other fevers, 11 due to Dysentery and Diarrhoea, 3 due to Consumption and 120 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 65 (44 in hospitals) for the week *as against* 41 (7 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.1 (4.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.3 (6.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 7 were due to Dysentry and Diarrhoea, 2 due to consumtion and 56 due to all other causes, *as against*, 4 due to Dysentery and Diarrhoea, 2 due to Consumption and 23 due to all other causes, reported during the corresponding week of the previous year.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 5 (nil in hospitals) for the week *as against* 25 5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 1.9 (nil excluding hospital deaths) per mille of population (mid year estimated) *as against* 9.6 (7.6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 2 were due to other fevers, 3 due to all other causes *as against* 6 due to other fevers, 1 due to Dysentery and Diarrhoea an 18 due to all other causes reported during the corresponding week of the previous year.

The total Mortality for Mangalore City amounted to 2 (1 in hospitals) for the week *as against* 19 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 0.7 (0.3 excluding hospital deaths) per mille of population mid-year estimated) *as against* 6.5 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to all other causes *as against* 1 due to other fevers 1 due to Consumption and 17 due to all other causes reported during the corresponding week of the previous year.

273 ....., *Dy. Director.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Dated 14th April 1965.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 3RD APRIL 1965.

**No. VS-14/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 3 attacks with nil deaths and nil attacks with nil deaths, respectively.

A total of 89 attacks with 21 deaths from Small-pox was reported from the entire State, *viz.*, from the city of Bangalore and from the Towns of Hubli and from the taluks of Malavalli, Sindgi, Hungund, Bagalkot, Dharwar, Murgund, Bellary, Bangalore North, Kunigal, Sandur and Bidar, *as against* 24 attacks with 6 deaths reported during the corresponding week of the previous year.

A total of 117 attacks with 29 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Hospet, Kollegal, Yelandur, Gangawathi, Haliyal, Gubbi and from the town of Hospet during the week *as against* 76 attacks with 25 deaths reported during the corresponding week of the last year.

A total of 3 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 4 attacks with nil deaths reported during the corresponding week of of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 205 (70 in Hospitals) for the week *as against* 223 102 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.1 (7.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.2 8.6 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers, 20 due to Dysentery and Diarrhœa, 10 due to Consumption and 174 due to all other causes, *as against* 15 due to other fevers, 14 due to Dysentery and Diarrhœa 12 due to Consumption and 181 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 38 (10 in hospitals) for the week *as against* 62 (22 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.7 (5.6 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.5 (8.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 6 were due to other fevers, 1 due to Dysentery and Diarrhœa, and 31 due to all other causes *as against* 11 due to other fevers, 4 due to Dysentery and Diarrhœa, and 37 due to all other causes, reported during the corresponding week of the previous year.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 39 (29 in hospitals) for the week *as against* 49 (34 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 14.7 (3.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 18.7 (5.7 excluding hospital deaths) for the corresponding week of last year. Classified according to the causes of deaths, 1 was due to Typhoid, 1 was due to other fevers, 7 due to Consumption and 30 due to all other causes *as against* 4 due to other fevers, 1 due to Dysentery and Diarrhœa, 5 due to Consumption and 39 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 5 (nil in hospitals) for the week *as against* 31 (15 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 1.7 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.7 (5.5 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Consumption and 4 due to all other causes, *as against* 31 due to all other causes only reported during the corresponding week of the previous year.

S. D. NARAYANAGOWDA,
*Dy. Director of Public Health.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE, (S. K.)

Dated 1st April 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 1st April 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. | |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg | | No Stocks |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice— I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 85 00 | |
| " | ... | II Sort | " | 55 00 | |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 370 to 540 00 | |
| " | ... | Husked | " | 360 to 520 00 | |
| Copra | ... | | 100 kg. | 210 to 230 00 | |
| Cocoanut Oil | ... | I Class | 10 kg. | 89 00 | |
| | | II Class | 10 kg | 87 00 | |
| Cashew Nuts | ... | | 100 kg. | 73 to 83 00 | |
| Cardamoms | ... | Mysore | 10 kg. | 230 to 280 00 | |
| " | ... | Coorg | 10 kg. | 220 to 280 00 | |
| Malabar Black Pepper | ... | ... | 50 kg. | 175 to 195 00 | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 610 00 | |
| " | ... | Snuff | " | 760 to 800 00 | |
| " | ... | Beedi | " | 860 to 900 00 | |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 22 to 45 00 | |
| " | ... | Husked Old | 50 kg. | 820 to 870 00 | |
| " | ... | " New | 50 kg. | 260 to 310 00 | |
| Chillies | ... | Kumpta | ... | ... | |
| " | ... | Local | 10 kg. | 80 to 88 00 | |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES. | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 | |
| | | Snuff | " | 5 to 7 00 | |
| | | Beedi | " | 7 00 | |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 28 50 | |
| Cotton Seeds | ... | | " 64 kg. | 17 to 18 00 | |
| Horsegram | ... | | " 93·07 kg. | 52 to 57 00 | |

271 ..... Dy. Commr.

Dated 9th April 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 9th April 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. | |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg | | No Stocks |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice—I Sort | ... | Maskathi | " | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 85 00 | |
| " | ... | II Sort | " | 55 00 | |
| Cocoanuts | ... | Unhusked | 1 000 Nuts | 370 to 540 00 | |
| " | ... | Husked | " | 360 to 520 00 | |
| Copra | ... | | 100 kg. | 210 to 230 00 | |
| Cocoanut Oil | ... | I Class | 10 kg. | 89 00 | |
| " | ... | II Class | " | 87 00 | |
| Cashew Nuts | ... | ... | 100 kg. | ... | |
| Cardamoms | ... | Mysore | 10 kg. | 78 to 86 00 | |
| " | ... | Coorg | " | 220 to 280 00 | |
| | | | | 220 to 280 00 | |
| Malabar Black Pepper | ... | ... | 50 kg. | 175 to 195 00 | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 | |
| " | ... | Snuff | " | 760 to 800 00 | |
| " | ... | Beedi | " | 860 to 900 00 | |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 22 to 45 00 | |
| " | ... | Husked Old | 50 kg. | 820 to 850 00 | |
| " | ... | " New | " | 260 to 310 00 | |
| Chillies | ... | Kumpta | ... | ... | |
| " | ... | Local | 10 kg. | 80 to 88 00 | |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 | |
| | | Snuff | " | 5 to 7 00 | |
| | | Beedi | " | 7 00 | |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69.92 kg. | 28 50 | |
| Cotton Seeds | ... | | " 64 kg. | 17 to 18 00 | |
| Horsegram | ... | | " 93·07 kg. | 52 to 57 00 | |

Dy. Commr.

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MAY 6, 1965 (VAISHAKHA 16, SAKA ERA 1887) | No. 18

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

### Weekly Weather and Crop Report for the Week ending Wednesday, the 7th April 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 1—4—1965) | | | |
| | | | | | 1. Bangalore District. | | | |
| | | | | | Good | | | |
| | | | | | 2. Kolar District. | | | |
| | | | | | do | | | |
| | | | | | 3. Tumkur District. | | | |
| do | | | | | Good except for the prevalence of "Black Quarter" at one village of Chicknayakanhalli tq. | | do | |
| | | | | | 4. Mysore District | | | |
| | | | | | Good | | Sufficient except in Kollegal tq. | (3) |
| | | | | | 5. Mandya District | | | |
| | | | | | Good | | | |
| | | | | | 6. Hassan District | | | |
| | | | | | Good | | | |
| | | | | | 7. Chickmagalur District | | | |
| | | | | | Good | | | |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965).

8. Shimoga District.

Good — Sufficient

9 Chitaldurga District.

Good

10. Bellary District.

Good

11. Bijapur District.

Good

12. Belgaum District.

Good

13. Dharwar District.

Good except for the prevalence of cattle disease at one village of Nargund tq. — do

14. North Kanara District.

Good

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

" 8·8 " 8.3 " Fair — Good — do — do ... (18)

REMS:— (1) Refers to 4 Taluks, (2) Refers to 9 Taluks, (3) Refers to 9 Taluks, (4) Refers to 6 Taluks, (5) Refers to 5 Taluks, (6) Refers to 5 Taluk, (7) Refers to 6 Taluks, (8) Refers to 8 Taluks, (9) Refers to 4 Taluks, (10) Refers to 7 Taluks, (11) Refers to 6 Taluks, (12) Refers to 8 Taluks, (13) Refers to 6 Taluks, (14) Refers to 4 Taluks, (15) Refers to 8 Taluks, (16) Refers to 2 Taluks, (17) Refers to 8 Taluks, (18) Refers to 9 Taluks.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 7th April 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations.
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) Light showers Nelamangala, Ramanagaram, Magadi and Kanakapura Taluks.
(b) Nil
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Kolar District.—
(a) Light showers in Chintamani Srinivasapura, Bangarpet, Mulbagal and Malur Taluks.
(b) Transplantation of Sugarcane and Paddy in Gudibanda taluk, Paddy in Malur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Bagepalli and Gowribidanur Taluks, Potatoes and Onion in Bangarpet Taluk, Ragi and Minor Millets in Chintamani Taluk was in progress,
(e) Progress was fair in six taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—
(a) Light showers in Tiptur Taluk.
(b) Transplantation of Paddy was nearing completion in all Taluks.
(c) Standing crops were fair-
(d) Harvesting of Paddy and Sugarcane in Mudhugiri Taluk, Paddy in Pavagada Taluk. Paddy, Ragi and Surgarcane in Gubbi Taluk was in progress.
(e) Progress was fair in four Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" at one village of Chickanayakanahalli Taluk.

4 Mysore District.—
(a) Light showers in Heggadadevanakote, T.-Narasipur, Kollegal Hunsur, Yelandur and Gundlupet Taluks
(b) Sowing of Jawar in T.-Narasipur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk was in progress
(e) Progress was fair in four Taluks.
(f) Sufficient, except in Kollegal Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) Light showers in Nagamangala, Malavalli and Maddur Taluks.
(b) Transplantation of Sugarcane Paddy and Ragi in Srirangapatna Taluk, Sugarance, in Maddur Taluk, was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Srirangaptna and Maddur Taluks was in progress.
(e) Progress was fair in four taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—
(a) Light showers in Hassan and Arkalgud taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy was completed in Belur and Arsikere taluks.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generaly healthy.

7 Chickmagalur District.—
(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Kadur taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy, Ragi and Minor millets was completed in Kadur taluk.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—
(a) Light showers in Shimoga and Thirthalli taluks.
(b) Transplantation of Sugarcane in Shimoga taluk was in progress
(c) Standing Crops were fair.
(d) Harvesting of Cotton and Sugarcane in Honnali tq., Sugarcane in Thirthahalli taluk was nearing completion,
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—
(a) Light showers in Hosadurga, Molakalmuru, Holalkere, Davangere and Hiriyur Taluks.
(b) Nil,
(c) Standing Crops were fair.
(d) Harvesting of Cotton in Challakere, Chitradurga, Holalkere and Hiriyur Taluks was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy

10 Bellary District.—
(a) Light showers in Harapanahalli and Hadagalli taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy and Sugarcane in Harapanahalli taluk, Sugarcane in Sandur Taluk was in progress.
(e) Nil.
(g) Sufficient.
(f) Available.
(h) Generally healthy.

11 Bijapur District.—
(a) Light showers in Badami taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton and Rabi Jawar in Sindagi and Hungund Taluks. Rabi crops and Cotton in Jamkhandi Taluk was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—
(a) No rainfall during the week.
(b) Nil,
(c) Standing crops were fair.
(d) Harvesting of Cotton in Sampagaon and Parasgad Taluks, Rabi crops in Athani taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—
(a) No rainfall during the week except in Ron Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Kalghatgi and Hubli taluks, Rabi, Jowar and Cotton in Nargund, Ron, Gadag, and Navalgund taluks was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at one village of Nargund taluk.

14 North Kanara District.—
(a) Light showers in Mundgod taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Paddy in Honnawar Taluk, Rabi Pulses in Mundgod taluk was in progress,
(e) Progress was fair in three taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy

15 Gulbarga District.—
(a) Light showers in Chincholi taluk.
(b) Nil,
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Cotton in Yelburga taluk was in progress.
(e) Progress was fair in three taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) Light showers in Bhalki taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi Jowar and Sugarcane in Humnabad Taluk. Rabi Crops in Bhalki Taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 2 taluks.
(f) Sufficient
(g) Available
(h) Generally healthy

19 Coorg District.—

(a) Light showers in Somwarpet taluk.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Notification, dated 28rd April 1965.

*Note on the State of Public Health in Mysore State Week ending Saturday 17th April 1965.*

**No. VS 16/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 13 attacks with 2 deaths from Smallpox was reported from the entire State *viz.*, from the towns of Belgaum and from the taluks of Sindagi, Bagewadi, Hungund and Bangalore North and from the City of Bangalore *as against* 48 attacks with 13 deaths reported during the corresponding week of the previous year.

A total of 212 attacks with 39 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Malavalli Hunsur, Supa K. R. Nagar, Nanjangud, Chamarajanagar, Mysore, Hospet, H D. Kote, Tiptur, Turuvekere, Lingasugur and Kalghatki and from the City of Mysore and from the towns of Magadi, Dodballapur K. R. Nagar and Hospet, during the week *as against* 55 attacks with 19 deaths reported during the corresponding week of the last year.

A total of 6 attacks with nil deaths from K. F. disease was reported from Shimoga District *as against* 3 attacks with 1 death reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever Infectious Hepatitis and Influenza in epidemic form, as *against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 206 (75 in hospitals) for the week *as against* 185 (59 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.2 (7.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.2 (6 9 exoluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers, 23 due to Dysentery and Diarrhoea, 12 due to Consumption and 176 due to all other causes *as against* 15 due to other fevers, 21 due to Dysentery and Diarrhoea, 7 due to Consumption and 142 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 52 (20 in hospitals) for the week *as against* 77 (34 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.5 (6.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.6 (8.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 5 were due to Cholera 3 due to other fevers, 8 due to Dysentry and Diarrhoea, 3 due to consumption and 33 due to all other causes, *as against*, 5 due to Malaria 13 due to other fevers) 5 due to Dysentery and Diarrhoea, 32 due to Consumption and 56 due to all other causes, reported during the corresponding week of the previous year.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 12 (nil in hospitals) for the week *as against* 14 (2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.5 (nil exoluding hospital deaths) per mille of population (mid-year estimated) *as against* 5·4 (4.6 exoluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Smallpox, 1 due to other fevers, 1 due to Dysentery and Diarrhoea, and 9 due to all other causes *as against* 3 due to other fevers, 1 due to Dysentery and Diarrhoea 1 due Consumption and 9 due to all other causes reported during the corresponding week of the previous year.

The total moratality for Mangalore city amounted to 1 (nil in hospitals) for the week *as against* 8 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 0.3 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.8 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to all other causes only, *as against* 1 due to Consumption and 7 due to all other causes reported during the corresponding week of the previous year.

278 ....., *Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. . 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MAY 13, 1965 (VAISHAKHA 23, SAKA ERA 1887) | No. 19

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 14th April 1965.

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4 —1965)

1. Bangalore District

Good

2. Kolar District.

Good

3. Tumkur District

do Good except for the prevalence of "Black Quarter" at one village of Tumkur Taluk.

4. Mysore District

Good — Sufficient except in Kollegal tq. (3)

5 Mandya District

Good

6. Hassan District

Good ... (4)

7. Chickmagalur District

17.5 Good

| No. of rainy days in the week. | Rainfall in Millimetres: During the week | Rainfall in Millimetres: Since the beginning of the season | Condition of Livestock | Remarks |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

(From 1—4—1965)

8. Shimoga District.

Good

9 Chitradurga District.

Good

10. Bellary District.

Good except for the prevalence of Cattle disease in some villages of Siraguppa tq.

11. Bijapur District.

Good

12. Belgaum District.

Good

do ... 10

13. Dharwar District.

Good

14. North Kanara District.

Good

Sufficient except in Mundgod Taluk. ... (12)

15. Gulbarga District.

Good

16. Raichur District.

do Good

17. Bidar District.

Good

18. South Kanara District.

Good

Sufficient except in Belthangady Taluk. ... (16)

19. Coorg District.

,, Nil ,, 8.3 ,, do Good do Sufficient ... 17)

REMARKS:— (1) Refers to 6 Taluks, (2) Refers to 7 Taluks, (3) Refers to 7 Taluks, (4) Refers to 3 Taluks, (5) Refers to 6 Taluks.
(6) Refers to 7 Taluk, (7) Refers to 7 Taluks, (8) Refers to 7 Taluks, (9) Refers to 6 Taluks, (10) Refers to 7 Taluks.
(11) Refers to 9 Taluks, (12) Refers to 6 Taluks, (13) Refers to 3 Taluks, (14) Refers to 3 Taluks, (15) Refers to 2 Taluks.
(16) Refers to 5 Taluks, (17) Refers to 2 Taluks.

M. GANGARUDRIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 14th April 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Conditions of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations.
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Anekal Taluk.
(b) Transplantation of Paddy was completed in Channapatna Taluk.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Malur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvested of Irrigated Ragi and Minor Millets in Chintamani Taluk, Sugarcane and Paddy in Gauribidanur Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Kunigal and Tumkur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Vysaki Paddy in Pavagada Taluk, Paddy and Sugarcane in Mudhugiri Taluk, Paddy, Surgarcane and Ragi in Gubbi Taluk was in progress.
(e) Progress was fair in four Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" at three villages of Tumkur Taluk.

4 Mysore District.—

(a) No rainfall during the week.
(b) Sowing of Jawar in T-Narasipur Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient, except in Kollegal Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Mandya Taluk.
(b) Transplantation of Sugarcane in Maddur Taluk, Sugarance, Paddy and Ragi in Srirangapatna, Paddy in Nagamangala Taluk, was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Pandavapura Taluks was in progress.
(e) Progress was fair in four taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Hassan Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane and Paddy in Kadur taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane was completed in Sringeri Taluk.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) Light showers in Hosnali, Thirthahalli and Shimoga taluks.
(b) Nil
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane was nearing completion in Thirthahalli taluk, Cotton and Sugarcane in Honnali taluk was completed.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Hosadurga Taluk.
(b) Transplantation of Paddy was completed in Hosadurga taluk.
(c) Standing Crops were fair.
(d) Harvesting of Cotton in Hosadurga, Challakere, Holalkere and Davangere Taluks was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy

10 Bellary District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Siruguppa taluk, Cotton in Hadagalli and Harapanahalli Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of cattle disease at three villages of Siruguppa Taluk.

11 Bijapur District.—

(a) Light showers in Hungund taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Jamkhandi Taluk was in progress and the same was nearing completion in Sindgi and Hungund taluks.
(e) Progress was fair in two taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) Light showers in Hukkeri taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was nearing completion in all the taluks.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton was nearing completion in Ron, Byadgi, Havori, Navalgund and Hubli taluks.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

14 North Kanara District.—

(a) Light showers in Mundgod and Siddapur taluk.
(b) Transplantation of Sugarcane was in progress in Honnavar Taluk.
(c) Standing crops were fair.
(d) Harvesting of Rabi Paddy Sugarcane in Honnawar Taluk, Rabi Pulses in Mundgod taluk was in progress.
(e) Progress was fair in two taluks.
(f) Sufficient except in Mundgod Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—

(a) Light showers in Chincholi taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was completed in Shahapur Taluk.
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Manvi taluk was completed.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Yelburga taluk was in progress.
(e) Progress was fair in two taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Buntwal and Karkal taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 2 taluks.
(f) Sufficient crops in Belthangadi Taluk where insufficiency of water was felt.
(g) Available
(h) Generally healthy

19 Coorg District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director.*

---

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE, (S. K.)

Dated 15th April 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 15th April 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mankathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice— I Sort | Mankathi | " | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | | Moora of 39·14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 85 00 |
| " | II Sort | | 55 00 |
| Cocoanuts | Unhusked | 1000 kg. | 400 to 600 00 |
| " | Husked | " | 890 to 590 00 |
| Copra | | 100 kg. | 230 to 250 00 |
| Cocoanut Oil | I Class | 10 kg. | 40 00 |
| | II Class | " | 88 00 |
| Cashew Kernels | | | |
| Cashew Nuts | | 100 kg | 90 to 93 00 |
| Cardamoms | Mysore | 10 kg. | 220 to 280 00 |
| | Coorg | " | 220 to 280 00 |
| Malabar Black Pepper | | 50 kg. | 175 to 195 00 |
| Tobacco | Chewing | 100 kg. | 400 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 80 to 45 00 |
| " | Husked Old | 50 kg | 320 to 360 00 |
| " | " New | " | 280 to 330 00 |
| Chillies | Kumpta | | |
| " | Local | 10 kg. | 25 to 28 00 |
| " | Kasaragod | " | ... |
| **RETAIL PRICES.** | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| **CATTLE FOOD.** | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 28 to 30 00 |
| Cotton Seeds | | " 64·00 kg. | 16 to 22 00 |
| Horsegram | | " 93·07 kg. | 52 to 57 00 |

277

....., *Dy. Comnr.*

Dated 23rd April 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 23rd April 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mankathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice—I Sort | Mankathi | " | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | | Moora of 39·14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 80 00 |
| " | II Sort | " | 60 00 |
| Cocoanuts | Unhusked | 1 000 Nuts | 460 to 600 00 |
| " | Husked | " | 390 to 590 00 |
| Copra | | 100 kg. | 240 to 260 00 |
| Cocoanut Oil | I Class | 10 kg. | 44 00 |
| " | II Class | " | 42 00 |
| Cashew Nuts | | 100 kg. | ... |
| Cardamoms | Mysore | 10 kg. | 86 to 93 00 |
| " | Coorg | " | 220 to 280 00 |
| | | | 220 to 280 00 |
| Malabar Black Pepper | | 50 kg. | 165 to 185 00 |
| Tobacco | Chewing | 100 kg. | 400 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 25 to 45 00 |
| " | Husked Old | 50 kg. | 332 to 352 00 |
| " | " New | " | 301 to 348 00 |
| Chillies | Kumpta | | ... |
| " | Local | 10 kg. | 17 to 19 00 |
| " | Kasaragod | " | ... |
| **RETAIL PRICES** | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| **CATTLE FOOD.** | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 28 to 30 00 |
| Cotton Seeds | | " 64 kg. | 16 to 26 00 |
| Horsegram | | " 93·07 kg. | 54 to 55 00 |

....., *Dy. Comnr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MAY 20, 1965 (VAISHAKHA 30, SAKA ERA 1887) | No. 20


## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**Part IV—Weather and Crop Report.**

### Weekly Weather and Crop Report for the Week ending Wednesday, the 21st April 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965)

1. Bangalore District,

Good

2. Kolar District,

Good

3 Tumkur District,

Good

4 Mysore District,

Good

5. Mandya District,

do Good except for the prevalence of "Black Quarter" at one village of Maddur Taluk.

6. Hassan District,

Good

7. Chickmagalur District,

Good

81.7

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965).

8. Shimoga District.

| | | | | |
|---|---|---|---|---|
| 1.7 | | 29.2 | Fair | Good except for the prevalence of "Galale Roga" in some villages of Shikaripur tq. |

9 Chitradurga District.

Good

10. Bellary District.

Good except for the prevalence of Cattle disease in some villages of Siruguppa tq.

11. Bijapur District.

Good

12. Belgaum District.

Good

13. Dharwar District.

Good except for the prevalence of cattle disease at one village of Naragund Taluk

14. North Kanara District.

Good

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 7.5 | ,, | 15.3 | ,, | do | Good | do | do | ... (18. |

REMARKS.— (1) Refers to 7 Taluks, (2) Refers to 7 Taluks, (3) Refers to 9 Taluks, (4) Refers to 9 Taluks, (5) Refers to 4 Taluks, (6) Refers to 6 Taluk, (7) Refers to 6 Taluks, (8) Refers to 8 Taluks, (9) Refers to 8 Taluks, (10) Refers to 7 Taluks, (11) Refers to 4 Taluks, (12) Refers to 9 Taluks, (13) Refers to 6 Taluks, (14) Refers to 6 Taluks, (15) Refers to 4 Taluks, (16) Refers to 1 Taluk, (17) Refers to 5 Taluks, (18) Refers to 2 Taluks.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 21st April 1965

(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Conditions of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operations
(f) " Water supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Channapatna, Nelamangala, Kanakapura, Anekal, Ramanagaram and Magadi Taluks.
(b) Transplantation of Paddy was completed in Channapatna Taluk.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Bagepalli, Gowribidanur Malur, Srinivasapur, Chintamani, Mulbagal and Kolar Taluks.
(b) Transplantation of Paddy in Malur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Paddy in Gauribidanur Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) Slight showers in Turuvekere, Madhugiri, Pavagada, Sira and Chicknayakanahalli Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy and Sugarcane in Madhugiri Taluks Vysaki Paddy in Pavagada Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

4 Mysore District.—

(a) Light showers in Gundlupet, Nanjangud, Periyapatna and T. Narasipur Taluks.
(b) Sowing of Jawar in Gundlupet, Mysore and T.-Narasipur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Mysore taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Mandya, Krishnarajapet, Pandavapura, Nagamangala and Maddur Taluks.
(b) Transplantation of Kar Ragi in Malavalli, Sugarcane Ragi and Paddy in Srirangapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Kar-ragi was in progress in Pandavapura Taluk.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" at three villages of Maddur Taluk.

6 Hassan District.—

(a) Light showers in Arasikere, Arkalgud, Hassan and Manjarabad Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient, except in Manjarabad Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in Kadur and Chickmagalur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Chickmrgalur Taluk and same was completed in Sringeri taluk.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) Light showers in Shimoga and Honnali taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Bhadravathi and Honnali taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Holalkere, Chitradurga, Davangere, Hiriyur, Hosadurga and Molakalmuru Taluks.
(b) Transplantation of Paddy was completed in Hosadurga taluk.
(c) Standing Crops were fair in Haribar taluk where Kar-ragi was affected by pest.
(d) Harvesting of Cotton in Holalkere, Challakere, Davangere and Haribar Taluks, Summer Paddy in Hosadurga and Molakalmuru Taluks was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy.

10 Bellary District.—

(a) Light showers in Kudligi and Hospet Taluks.
(b) Transplantation of Vysaki Paddy, was completed in Sandur Taluk Sugarcane in Hospet Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Vysaki Paddy in Kudligi taluk, Sugarcane in Siriguppa and Sandur taluks Cotton in Hadagalli Taluks was in progresse.
(e) Progress was fair in 9 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at three villages of Siriguppa Taluk.

11 Bijapur District.—

(a) Light showers in Bijapur, Badami, Bilgi, Hungund and Bagewadi taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was nearing completion in all the taluks.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) Light showers in Khanapur taluk.
(b) Nil,
(c) Standing crops were fair.
(d) Harvesting of Cotton was nearing completion in Parasgad taluk.
(e) Progress was fair in Chikkodi taluk.
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) Light showers in Haveri, Hubli, Ron, Gadag, Byadgi, Nargund and Hongol taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Hubli and Byadgi taluks and the same completed in some parts of the taluk.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy, except for the prevalance of Cattle disease at one village of Nargund taluk.

14 North Kanara District.—

(a) Light showers in Mundgod and Haliyal taluks.
(b) Transplantation of Sugarcane in Honnavar taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Rabi, Paddy and Sugarcane in Honnavar Taluk was in progress, Rabi crop was nearing completion in Karwar taluks.
(e) Progress was fair in 3 taluks
(f) Sufficient except in Mundgod Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy except for the prevalence of Cattle disease at 2 Villages of Mundgod Taluk.

15 Gulbarga District.--

(a) Light showers in Chincholi and Sedam taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was completed in Shorapur Taluk.
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—

(a) Light showers in Yelburga, Manvi, Gangavathi and Sindhnoor Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Yelburga taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) Light showers in Bhalki taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was nearing completion in Bhalki Taluk.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Coondapur, Puttur, Karkala and Belthangadi taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Udipi and Belthangadi Taluks where insufficiency of water was felt.
(g) Available except in Udipi Taluk where insufficiency of Fodder was felt.
(h) Generally healthy.

19 Coorg District,—

(a) Light showers in Somwarpet Taluk.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

985 M. GANGABUDRAIAH, For *Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE, (S. K.)

Dated 7th May 1965.

**Statement showing the Wholesale Prices of various commodities for the Week ending 7th May 1965 at Mangalore.**

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Mashathi | 100 kg. | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice— I Sort | ... Mashathi | " | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moore of 39·14 kg. | |
| Cane Jaggery | ... I Sort | 100 kg. | 80 00 |
| " | ... II Sort | " | 60 00 |
| Cocoanuts | ... Unhusked | 1000 kg. | 400 to 600 00 |
| " | ... Husked | " | 590 to 590 00 |
| Copra | ... | 100 kg. | 250 to 290 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 46 40 |
| | II Class | " | 44 40 |
| Cashew Kernels | ... | | |
| Cashew Nuts | ... | 100 kg. | 80 to 88 00 |
| Cardamoms | ... Mysore | 10 kg. | 220 to 280 00 |
| " | ... Coorg | " | 220 to 280 00 |
| Malabar Black Pepper | ... | 50 kg. | 180 to 190 00 |
| Tobacco | ... Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 25 to 50 00 |
| " | Husked Old | 50 kg. | 822 to 842 00 |
| " | " New | " | 817 to 841 00 |
| Chillies | Kumpta | | ... |
| " | Local | 10 kg. | 19 to 25 00 |
| " | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 8 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | ... | Bag of 69·99 kg. | 28 to 30 00 |
| Cotton Seeds | ... | " 64·00 kg. | 16 to 26 00 |
| Horsegram | ... | " 98·07 kg. | 54 to 55 00 |

24 ....., *Dy. Commr.*

Dated 30th April 1965.

**Statement showing the Wholesale Prices of various commodities for the week ending 30th April 1965 at Mangalore.**

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Mashathi | 100 kg. | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice—I Sort | ... Mashathi | " | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moore of 39·14 kg. | |
| Cane Jaggery | ... I Sort | 100 kg. | 80 00 |
| " | ... II Sort | " | 60 00 |
| Cocoanuts | ... Unhusked | 1,000 Nuts | 400 to 600 00 |
| " | ... Husked | " | 590 to 590 00 |
| Copra | ... | 100 kg. | 240 to 260 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 44 00 |
| " | ... II Class | " | 42 00 |
| Cashew Nuts | ... | 100 kg. | ... |
| Cardamoms | ... Mysore | 10 kg. | 88 to 93 00 |
| " | Coorg | " | 220 to 280 00 |
| Malabar Black Pepper | ... ... | 50 kg. | 220 to 280 00 |
| Tobacco | ... Chewing | 100 kg. | 165 to 185 |
| " | ... Snuff | " | 400 to 640 00 |
| " | ... Beedi | " | 760 to 800 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | 860 to 900 00 |
| " | ... Husked Old | 50 kg. | 25 to 45 00 |
| " | ... " New | " | 832 to 852 00 |
| Chillies | ... Kumpta | | 821 to 842 00 |
| " | ... Local | 10 kg. | ... |
| " | ... Kasaragod | " | 17 to 19 00 |
| RETAIL PRICES. | | | ... |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | ... | Bag of 69.99 kg. | 28 to 30 00 |
| Cotton Seeds | ... | " 64 kg. | 16 to 26 00 |
| Horsegram | ... | " 98·07 kg. | 54 to 55 00 |

....., *Dy. Commr.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

Dated 1st May 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 24TH APRIL 1965.

**No. VS-17/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 5 attacks with nil deaths and nil attacks with nil deaths, respectively.

A total of 88 attacks with 10 deaths from Small-pox was reported from the entire State, *viz.*, from the towns of Bhadravathi (old and new town) Jagalur and Bagalkot and from the taluks of Bijapur, Coondapur, Afzalpur, Jamakhandi and Belgaum and from the City of Mangalore, *as against* 13 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 377 attacks with 84 deaths from Cholera was reported for the entire State, *viz*, from the taluks of Bangalore South, Tiptur, Bagalkot, Hospet, Maddur, Haliyal, Supa, Malbagal, K. R. Nagar, Malavalli, Mandya, Srirangapatam, Kollegal, Nanjungud, Chamarajanagar, T. Narasipura, Mysore, Hunsur and Gangavathi and from the towns of Doddaballapur, Mandya, Bhadravathi, Shimoga, Hospet and from the cities of Bangalore and Mysore, during the week *as against* 52 attacks with 20 deaths reported during the corresponding week of the last year.

A total of 17 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 5 attacks with nil deaths reported during the corresponding week of of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 208 (73 in Hospitals) for the week, *as against* 261 (100 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.3 (7.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.3 (8.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to small pox 5 were due to other fevers, 26 due to Dysentery and Diarrhœa, 5 due to Consumption and 170 due to all other causes, *as against* 23 due to other fevers, 14 due to Dysentery and Diarrhœa

6 due to Consumption and 219 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 97 (34 in hospitals) for the week *as against* 58 (27 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 19.6 (12.7 excluding hospital deaths per mille of population (mid-year estimated) *as against* 11.7 (6.3 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 11 were due to Cholera, 14 due to other fevers, 24 due to Dysentery and Diarrhœa, 46 due to all other causes *as against* one due to Malaria, 11 due to other fevers, 2 due to Dysentery and Diarrhœa, 1 due to consumption and 43 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 38 (nil hospitals) for the week *as against* 4 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.3 nil (exoiuding hospital deaths) per mille of population (mid-year estimated) *as against* 1.4 (nil excluding hospital deaths) for the corresponding week of last year. Classified according to the causes of deaths, 38 due to all other causes *as against* 4 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 12 (1 in hospitals) for the week *as against* 9 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 4.5 (4.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 1 due to dysentry and diarrhoea, and 10 due to all other causes, *as against* 2 due to dysentry and diarrhoea, and 7 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 51 (43 in hospitals) for the week *as against* 16 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.2 (3.7 excluding hospital deaths) per mille of populations(mid-year estimated) *as against* 5.5 (3.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to consumption and 49 due to all other causes *as against* 1 due to other fevers, and 15 due to all other causes reported during the corresponding week of the previous year.

....,
*Dy. Director of Public Health*
*Bureau of Epidemiology.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore

Registered No. BG 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MAY 27, 1965 (JYEISHTA 6, SAKA ERA 1887) | No. 21

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

### Weekly Weather and Crop Report for the Week ending Wednesday, the 28th April 1965.

| No. of rainy days in the week | Rainfall in Milli meters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965)

1. Bangalore District.

Good

2. Kolar District.

Good

3. Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District.

Good

6 Hassan District

Good

7. Chickmagalur District

Good

Nil Nil

| No. of rainy days in the week. | Rainfall in Millimetres: During the Week — Actual | During the Week — Normal | Since the beginning of the agricultural year — Actual | Since the beginning of the agricultural year — Normal | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965).

8. Shimoga District.

Good

9 Chitradurga District.

Good except for the prevalence of "blackwater" at the village of Challakere Taluk.

10. Bellary District.

Good except at one village of Siruguppa Taluk where Cattle disease was prevailing.

11. Bijapur District.

Good

12. Belgaum District.

Good

13 Dharwar District.

Good

14. North Kanara District.

Good except for the prevalence of cattle disease at two villages of Mundagod Taluk.

15. Gulbarga District

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

" " " 15.7 " do Good do do ... (19)

REMARKS.— (1) Refers to 6 Talukas, (2) Refers to 5 Talukas, (3) Refers to 7 Talukas, (4) Refers to 10 Talukas, (5) Refers to 6 Talukas, (6) Refers to 6 Talukas, (7) Refers to 6 Talukas, (8) Refers to 2 Talukas, (9) Refers to 7 Talukas, (10) Refers to 7 Talukas, (11) Refers to 7 Talukas, (12) Refers to 6 Talukas, (13) Refers to 10 Talukas, (14) Refers to 3 Talukas, (15) Refers to 5 Talukas, (16) Refers to 8 Talukas, (17) Refers to 1 Taluk, (18) Refers to 6 Talukas, (19) Refers to 2 Talukas.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 28th April 1965

(a) Denotes:—Rainfall.
(b) " Sowing Transplantation.
(c) " Condition of standing crops
(d) " Harvest.
(e) " General progress of Agricultural Operations
(f) " Water supply
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Gudibanda and Gowribidanur Taluks.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Potatoes in Bangarpet Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Paddy in Madhugiri Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) Light showers in Gundlupet, Nanjangud, Hunsur and T. Narasipur Taluks.
(b) Sowing of Jawar G. Nut in Gundlupet Taluk. Jowar in Mysore, Kollegal and T. Narasipur Taluks. G. Nut in Krishnarajanagar Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk, was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Maddur and Krishnarajpet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk Sugarcane and Karagi in Pandavapura Taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Belur and Arasikere Taluks.
(b) Sowing of Paddy in Belur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Alur Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

7 Chickmagalur District.—

(a) No rainfallduring the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Shimoga and Thirthahalli Taluks, was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District —

(a) Light showers in Davangere Taluk.
(b) Nil
(c) Standing Crops were fair except in Haribar taluk where ragi Crop was affected by pest
(d) Harvesting of Summer Paddy in Molakalmur, and Challakere Taluks, Cotton in Devanakere taluk, was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient
(g) Available
(h) Good, except for the prevalance of Black Quarter at one Village of Challakere taluk.

10 Bellary District.—

(a) Light showers in Mallapur and Siruguppa Taluks.
(b) Transplantation of Paddy, was completed in Sandur Taluk.
(c) Standing Crops were fair
(d) Harvesting of Sugarcane in Hospet Taluk. Paddy in Kudligi taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at Siruguppa Taluk.

11 Bijapur District.—

(a) Light showers in Jamkhandi and Indi taluks.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Rabi Jowar was completed in Bagewadi taluk.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

12 Belgaum District.—

(a) Light showers in Hukkeri taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton was nearing completion in Parasgad taluk.
(e) Progress was fair in 4 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District —

(a) Light showers in Shirhalli taluks
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Hubli taluk and safflower was nearing completion in Ron taluk.
(e) Progress was fair in 6 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

14 North Kanara District —

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Honnavar taluk was in progress.
(c) Standing crops were fair
(d) Harvesting of Summer Paddy in Kumta and Honnawar Taluks was in progress.
(e) Progress was fair in 3 taluks
(f) Sufficient except in Mundgod Taluk where insufficiency was felt
(g) Available
(h) Generally healthy.

15 Gulbarga District —

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(a) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Slight showers in Puttur, taluk.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of III crops paddy in Buntwal Taluk was in progress
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Udipi and Belthangadi Taluks where insufficiency was felt.
(g) Available except in Udipi and Belthangadi Taluks where insufficiency of Fodder was felt.
(h) Generally healthy.

19 Coorg District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director*.

## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Notification dated 10th May 1965.

*Note on the State of Public Health in Mysore State Week ending Saturday, the 1st May 1965.*

**No. VS 18/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 84 attacks with 16 deaths from Smallpox was reported from the entire State *viz.*, from the towns of Belgaum, Jagalur and Kolar and from the taluks of Gangavathi, Devanahalli, Hiriyur, Afzalpur, Manvi, Koppal, Bailhongal, Jamkhandi, Bidar, Raichur, Bilgi, Khanapur and Udipi *as against* 37 attacks with 8 deaths reported during the corresponding week of the previous year.

A total of 293 attacks with 57 deaths from Cholera was reported for the entire State *viz*, from the taluks of Doddaballapur, K. R. Pet, Srirangapatna, Mandya, Nanjangud, Mysore, Hospet, Gangawathi, Manvi, Siddapur, Bangalore South, K. R. Nagar, Shimoga, Sagar, Malavalli, T. N. Pur, Sandur, Gadag and Mundargi and from the towns of Srirangapatna, Mandya, Nanjangud, Hospet, Shimoga, Sagar and from the city of Mysore during the week, *as against* 36 attacks with 7 deaths reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K. F. disease was reported from Shimoga District *as against* 4 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 236 (100 in hospitals) for the week *as against* 274 (94 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.8 (7.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.0 (9.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 30 due to Dysentery and Diarrhoea, 12 due to Consumption and 193 due to all other causes *as against* 22 due to other fevers 23 due to Dysentery and Diarrhoea, 9 due to Consumption and 220 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 88 (50 in hospitals) for the week *as against* 77 (47 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.7 (7.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.6 (6.1 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 7 were due to Cholera, 1 due to Typhoid, 10 due to other fevers, 16 due to Dysentry and Diarrhoea, 3 due to consumption and 51 due to all other causes, *as against*, 1 due to Typhoid, 10 due to other fevers, 2 due to Dysentery and Diarrhoea, 5 due to Consumption and 59 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 13 (13 in hospitals) for the week *as against* 34 (10 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.2 (4.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 11.7 (6.9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 13 were due to all other causes *as against* 2 due to other fevers, 2 due to Dysentery and Diarrhoea, and 30 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum city amounted to 44 (31 in hospitals) for the week *as against* 26 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.6(4.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.9 (8.0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 4 due to Consumption and 38 due to all other causes *as against* 4 due to other fevers, 2 due to Dysentery and Diarrhoea, 1 due to Consumption and 19 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 14 (nil in hospitals) for the week *as against* 20 (12 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.7 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.9 (2.8 exeoluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 12 were due to Smallpox, 2 due to all other causes *as against* 1 due to Consumption and 19 due to all other causes reported during the corresponding week of the previous year.

S. D. NARAYANAGOWDA,
*Deputy Director.*

Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of February 1965.

| Rainfall | | | | Nave Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | 1. Bangalore District. | | | | | | | |
| | | 55 (Avg. of 3 taluks) | ... | | | | | 50 (Avg. of 2 taluks) | |
| | | 2. Kolar District. | | | | | | | |
| | | 63 | ... | | | | | | |
| | | 3. Tumkur District. | | | | | | | |
| | | 60 | 50 | | | | | | |
| | | 4. Mysore District. | | | | | | | |
| | | ... | ... | | | | | 63 (Average of 3 taluks) | |
| | | 5. Mandya District. | | | | | | | |
| | | 70 | 40 | | | | | 75 | |
| | | 6. Hassan District. | | | | | | | |
| ... | | 56 | 40 | | | | | | |
| | | 7. Chickmagalur District. | | | | | | | |
| ... | | 58 | 56 | | | | | | |
| | | 8. Shimoga District. | | | | | | | |
| ... | | 62 | 56 | | | | | | |
| | | 9. Chitradurga District. | | | | | | | |
| | | 45 | 52 | 50 (Average of 2 taluks) | | | | | |
| | | 10. Bellary District. | | | | | | | |
| | | 60 (Avg. of 4 Tqs.) | ... | 56 (Avg. of 3 Tqs.) | 46 | 56 (Average of 4 taluks) | | | |
| | | 11. Bijapur District. | | | | | | | |
| ... | | 62 | ... | 57 | | | | | Cotton—37, Wheat—37 |
| | | 12. Belgaum District. | | | | | | | |
| | | 46 | 48 | 48 | | | | | Wheat—40, Cotton—34. Chillies—44, G.nut—49. |
| | | 13. Dharwar District. | | | | | | | |
| | | 45 | 45 | | | | | | Wheat-34, G. nut-45. Cotton-40 Chillies-37. H. Gram-40, Savi-56. |
| | | 14. North Kanara District. | | | | | | | |
| ... | | 53 | 50 | | | | | | Coconut-46, Betelnut-Pepper-42 |
| | | 15. Gulbarga District. | | | | | | | |
| | | ... | ... | | | | | | ..... |
| | | 16. Raichur District. | | | | | | | |
| | | 56 | ... | | | | | 50 | Cotton-42 G. nut-31, Tur-25, Gram-27, Navane-37. |
| | | 17. Bidar District. | | | | | | | |
| | | 57 | ... | | | | | | |
| | | 18. South Kanara District. | | | | | | | |
| ... | | 50 | ... | | | | | | |
| | | 19. Coorg District. | | | | | | | |
| | | 50 | ... | | | | | ... | ..... |

M. GANGARUDRIAH,
For *Director of Statistics.*

5—B

## Statement showing of Monthly Weather and Crop Report for February 1965.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Crushing of Sugarcane was in progress.
(e) Sufficient.
(f) Generally healthy.
(g) Nil.
(h) Nil
(i) ...

2 Kolar District.—

(a) Sufficient.
(b) Transplantation of Paddy was in progress throughout the District.
(c) Generally fair.
(d) Crushing of Sugarcane was in progress.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy in Turuvekere, Sira, Koratagere, Madhugiri and C. N. Halli talukas was in progress.
(c) Generally fair.
(d) Harvesting of Paddy, was in progress in Turuvekere, Tumkur and Kunigal taluks.
(e) Available
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) Refers to 9 taluks.

4 Mysore District.—

(a) Sufficient.
(b) Paddy and Ragi was being transplanted in Yelandur taluk.
(c) Generally fair.
(d) Harvesting of sugarcane in Chamarajanagar and Yelandur taluks was in progress.
(e) Available.
(f) Generally healthy.
(g) Nil
(h) Nil
(i) Refers to 9 taluks.

5 Mandya District.—

(a) Sufficient.
(b) Sugarcane and paddy was being transplanted in Maddur and Mandya, taluks.
(c) Generally fair.
(d) Crushing of Sugarcane was in progress.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil
(i) .....

6 Hassan District.—

(a) Sufficient.
(b) .....
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Nil.
(h) Nil
(i) Refers to 8 Taluks.

7 Chickmagalur District.—

(a) Sufficient.
(b) ...
(c) Generally fair.
(d) Crushing of Sugarcane was in progress.
(e) Available
(f) Generally healthy
(g) Nil.
(h) Nil.
(i) Refers to 4 taluks.

8 Shimoga District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Sugarcane was in progress throughout the District.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) .....
(i) .....

9 Chitradurga District.—

(a) Sufficient.
(b) Sowing of summer Groundnut in Challakere and Harihar taluks was in progress.
(c) Generally fair
(d) Harvesting of Tur, Chillies and Cotton was in progress.
(e) Available.
(f) Generall healthy.
(g) Nil.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Sufficient except in Siruguppa taluk.
(b) Transplantation of Summer Paddy in Sandur taluk was in progress.
(c) Generally fair.
(d) Harvesting of Sugarcane in Hadagalli, Kudligi and Hospet taluks was in progress.
(e) Available.
(f) Generally healthy.
(g) Nil
(h) Nil.
(i) Refers to 7 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi crops was in progress.
(e) Available.
(f) Generally healthy
(g) Nil
(h) Nil
(i) .....

12 Belgaum District.—

(a) Adequate.
(b) Nil.
(c) Fair except in Sampagaon taluk where it was reported that the cotton crop was affected by pest.
(d) Harvesting of Rabi crops was in progress.
(e) Available
(f) Generally healthy
(g) Nil
(h) Nil
(i) .....

13 Dharwar District.—

(a) Adequate.
(b) Nil.
(c) Generally fair
(d) Harvesting of cotton and Wheat was in progress throughout the District.
(e) Available.
(f) Generally healthy
(g) Nil
(h) Nil.
(i) Refers to 14 taluks.

14 North Kanara District.—

(a) Adequate.
(b) Completed.
(c) Generally fair.
(d) Crushing of Sugarcane was in progress.
(e) Available
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

15 Gulbarga District.—

(a) Adequate
(b) Nil
(c) Generally fair.
(d) Harvesting of Rabi crops were in progress in Yadgir and Chincholi taluks.
(e) Available
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

16 Raichur District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi Jowar was in progress.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

17 Bidar District—

(a) Sufficient.
(b) Nil
(c) Generally fair.
(d) Harvesting of Gronndnut, Tur, Gram and Sugarcane was in progress in Humnabad and Aurad Taluks.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

18 South Kanara District—

(a) Sufficient.
(b) Sowing for the III Crop Paddy was in progress
(c) Generally fair.
(d) Harvesting of II Crop Paddy was in progress.
(e) Available
(f) Generally healthy.
(g) Nil
(h) Nil
(i) .....

19 Coorg District—

(a) Sufficient
(b) Nil
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

M. GANGARUDRIAH,
For *Director of Statistics.*

## OFFICE OF THE DEPUTY COMMISSIONER, SOUTH KANARA DISTRICT, MANGALORE-1.

**Notification dated 4th May 1965.**

Section 15 of the Madras Cultivating Tenants (Payment of Fair Rent) Act, 1956, Market Prices of the important Food Articles for the months of October, November and December 1964, in the Taluk Headquarters of South Kanara District.

| Sl. No. | Name of the Foodgrains | Mangalore | | | Udipi | | | Coondapur | | | Karkal | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | October | November | December | October | November | December | October | November | December | October | November | December |
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 1 | Paddy I Sort (per quintal). | 46 00 | ... | ... | 45 80 | ... | ... | 48 17 | ... | ... | 46 01 | ... | ... |
| 2 | Paddy II Sort (per quintal). | 43 00 | ... | ... | 44 54 | ... | ... | 44 00 | ... | ... | 41 00 | ... | ... |
| | The price of paddy has been fixed by the Government in their order No. 252 FFP. 64, dated 21th November 1964 | | | | | | | | | | | | |
| 3 | Paddy III Sort (per quintal). | ... | ... | ... | ... | ... | ... | 42 00 | ... | ... | 39 00 | ... | |
| | As per the Mysore Paddy (Fixation by selling price of Rice) orders 1964, with effect from 25th November 1964 | | | | | | | | | | | | |
| 4 | Rice I Sort (per quintal). | 78 00 | ... | ... | 78 00 | ... | ... | 76 00 | ... | ... | 78 80 | | ... |
| 5 | Rice II Sort (per quintal). | 75 00 | ... | ... | ... | ... | ... | 74 00 | ... | ... | 63 40 | | ... |
| | The price of Rice has been fixed by the Government in this order dated 21th November 1964, as per the Mysore Rice (Fixation of selling price of Rice) orders 1964, with effect from 25th November 1964 | | | | | | | | | | | | |
| 6 | Rice III Sort (per quintal). | 72 00 | ... | ... | ... | ... | ... | 70 00 | ... | ... | 61 40 | ... | ... |
| 7 | Cane Jaggery I Sort (per kilo). | 1 00 | 0 90 | 0 85 | 1 00 | 0 95 | 0 60 | 0 95 | 0 95 | 0 95 | 0 90 | 0 90 | 0 90 |
| 8 | Cane Jaggery II Sort (per kilo) | 0 75 | 0 70 | 0 65 | ... | ... | ... | 0 90 | 0 90 | 0 90 | 0 65 | 0 60 | 0 60 |
| 9 | Coconnut per 100 | 35 00 | 38 00 | 40 00 | 35 00 | 34 00 | 35 00 | 30 00 | 30 00 | 30 00 | 32 00 to 35 00 | 34 00 to 37 00 | 38 00 to 33 00 |
| 10 | Chillies (per kilogram). | 3 00 | 2 80 | 3 25 | 1 80 | 3 00 | 3 10 | 3 00 | 3 50 | 3 50 | 2 25 | 2 25 | 2 75 |
| 11 | Horsegram (per quintal). | 55 00 | 65 00 | 65 00 | 76 00 | 68 00 | 65 00 | 65 00 | 65 00 | 60 00 | 56 00 | 60 00 | 68 00 |
| 12 | Blackgram (per quintal) | 80 00 | 80 00 | 80 00 | 75 00 | 70 00 | 65 00 | 85 00 | 78 00 | 65 00 | 76 00 | 75 00 | 75 00 |
| 13 | Greengram (per quintal). | 105 00 | 115 00 | 110 00 | 95 00 | 100 00 | 100 00 | 100 00 | 100 00 | 100 00 | 90 00 | 100 00 | 110 00 |
| 14 | Cashewnut (per quintal). | 90 00 | 90 00 | 90 00 | 95 00 | 80 00 | 75 00 | 93 00 | 95 00 | 100 00 | 90 00 | 90 00 | 90 00 |
| 15 | Arecanut (per 60 kilograms). | 290 00 to 310 00 | 295 00 to 315 00 | 315 00 to 330 00 | ... | ... | ... | 200 00 | 280 00 | 282 00 | 320 00 | 320 00 | 320 00 |

| Name of the Foodgrains | Puttur | | | Bantwal | | | Belthangady | | |
|---|---|---|---|---|---|---|---|---|---|
| | October | November | December | October | November | December | October | November | December |
| | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P |
| 1 Paddy I Sort (per quintal. | 44 00 | ... | ... | 44 00 | ... | ... | 46 00 | ... | ... |
| 2 Paddy II Sort (per quintal). | ... | ... | ... | 44 00 | ... | ... | 45 00 | ... | ... |
| The price of paddy has been fixed by the Government in their order No. 253 FFP. 64, dated 24th November 1964 | | | | | | | | | |
| 3 Paddy III Sort (per quintal). | ... | ... | ... | 35 00 | ... | ... | 44 00 | | |
| As per the Mysore Paddy (Fixation by selling price of Rice) orders 1964, with effect from 25th November 1964 | | | | | | | | | |
| Rice I Sort (per quintal). | 77 00 | ... | ... | 77 00 | ... | ... | 77 00 | | |
| 5 Rice II Sort (per quintal). | ... | ... | ... | 77 00 | ... | ... | 75 00 | | |
| The price of Rice has been fixed by the Government in this order dated 24th November 1964 as per the Mysore Rice (Fixation of selling price of Rice) orders 1964, with effect from 26th November 1964 | | | | | | | | | |
| 6 Rice III Sort (per quintal). | ... | ... | ... | 75 00 | ... | ... | 74 00 | ... | ... |
| 7 Cane Jaggery I Sort (per kilo). | 1 00 | 1 00 | 1 00 | 1 00 | 1 00 | 1 00 | 0 80 | 0 80 | 0 80 |
| 8 Cane Jaggery II Sort (per kilo) | 0 80 | 0 80 | 0 80 | 0 90 | 0 90 | 0 90 | 0 68 | 0 68 | 0 68 |
| 9 Cocoanut per 100 | 38 00 | 40 00 | 45 00 | 35 00 | 40 00 | 40 00 | 35 00 | 40 00 | 40 00 |
| 10 Chillies (per kilo) | 2 50 | 2 75 | 3 50 | 2 80 | 3 00 | 3 50 | 3 00 | 3 00 | 3 25 |
| 11 Horsegram (per quintal). | 72 00 | 72 00 | 62 00 | 70 00 | 68 00 | 70 00 | 120 00 | 122 00 | 125 00 |
| 12 Blackgram (per quintal) | 80 00 | 80 00 | 80 00 | 75 00 | 75 00 | 70 00 | 95 00 | 98 00 | 100 00 |
| 13 Greengram (per quintal). | 100 00 | 110 00 | 120 00 | 120 00 | 100 00 | 130 00 | 70 00 | 72 00 | 75 00 |
| 14 Cashewnut (per quintal). | ... | ... | ... | 80 00 | 85 00 | 85 00 | ... | ... | ... |
| 15 Arecanut (per 60 kilograms) | 320 00 | 310 00 | 290 00 | 250 00 | 350 00 | 340 00 | 225 00 | 250 00 | 250 00 |

.....

For *Deputy Commissioner.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY.

Vol. 100 | BANGALORE, THURSDAY, JUNE 3, 1965 (JYEISHTA 13, [illegible] ERA 1887) | No. 22

PART

# SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

## OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday, the 5th May 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | Remarks |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965)

1. Bangalore District.

Good

2. Kolar District.

Good

3 Tumkur District.

Good

4. Mysore District.

Good except for the prevalence of "Black Quarter" at some villages of Periyapatna taluk.

5. Mandya District.

18.2 44.2

Good

6. Hassan District.

Good

7. Chickmagalur District.

Good

| No. of rainy days in the week. | Rainfall in Millimetres | | | | Condition of | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | |
| | | | | | (Week ending 7-4-1965) | | | | |
| | | | | | 8. Shimoga District. | | | | |
| | | | | | Good | | | | |
| | | | | | 9. Chitradurga District. | | | | |
| | | | | | Good | | | | |
| | | | | | 10. Bellary District. | | | | |
| 1.3 | N.A. | Y | 33.8 | N.A. | do | Good except for the prevalence of Cattle disease in some villages of S. Kupppa Taluk. | | | |
| | | | | | 11. Bijapur District. | | | | |
| | | | | | Good | | | | |
| | | | | | 12. Belgaum District. | | | | |
| | | | | | Good | | | | |
| | | | | | 13. Dharwar District. | | | | |
| | | | | | Good | | | | |
| | | | | | 14. North Kanara District. | | | | |
| | | | | | Good | | | | |
| | | | | | 15. Gulbarga District. | | | | |
| | | | | | Good | | | | |
| | | | | | 15. Raichur District. | | | | |
| | | | | | Good | | | | |
| | | | | | 17. Bidar District. | | | | |
| | | | | | Good | | | | |
| | | | | | 18. South Kanara District. | | | | |
| | | | | | Good. | | | | |
| 11.9 | | | | | | | | | |
| | | | | | 19. Coorg District. | | | | |
| ... | 6.1 | | 21.4 | ,, | do | Good | do | do | ... ... |

REMARKS.—(1) Refers to 7 Taluks. (2) Refers to 13 Taluks. (3) Refers to 8 Taluks. (4) Refers to 9 Taluks. (5) Refers to 6 Taluks
(6) Refers to 4 Taluks. (7) Refers to 5 Taluks. (8) Refers to 8 Taluks. (9) Refers to 8 Taluks. (10) Refers to 4 Taluks.
(11) Refers to 9 Taluks. (12) Refers to 8 Taluks. (13) Refers to 11 Taluks. (14) Refers to 7 Taluks. (15) Refers to 4 Taluks.
(16) Refers to 5 Taluks. (17) Refers to 7 Taluks. (18) Refers to 4 Taluks.

General Weekly Summary Report of Mysore State for the week ending Wednesday, the 5th May 1965

(a) Rainfall-Rainfall
(b) Sowing-Transplantation
(c) Condition of standing crops
(d) Harvest
(e) [illegible]
(f) Water supply
(g) [illegible]
(h) [illegible]

[illegible]

(a) No rainfall during this week.
(b) Nil.
(c) Standing crops were fair.
Nil.
(e) Progress was fair in [illegible] Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy

[illegible] District.—

(a) Light showers in [illegible] Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Srinivasapura Taluk was in progress
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in some parts of Chintamani Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy

Tumkur District.—

(a) Light showers in Magadhagiri Taluk.
(b) Transplantation of Ka-Ragi in Pavagada taluk, Paddy in Tumkur taluk was in progress
(c) Standing crops were fair.
(d) Harvesting of Vyaki Paddy in Pavagada and Kunigal Talukas was in progress
Progress was fair in 4 Taluks
Sufficient
Available.
(h) Generally healthy.

[illegible] District.—

(a) Light showers in [illegible] Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Srinivasapura Taluk was in progress
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in some parts of Chintamani Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy

Chikkaballapur District.—

(a) Light showers in Bagepalli, Gauribidanur, Chikkaballapur, Chintamani and Sidlaghatta Taluks.
(b) Sowing of Jowar in Chikkaballapur, Gauribidanur, Gudibanda, Srinivasapura and Chintamani Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Chikkaballapur Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Gauribidanur, Gudibanda, Srinivasapura and Chintamani talukas where insufficiency was felt.
(g) Available.
(h) Good except for the prevalence of Black Quarter in some parts of Chikkaballapur taluk.

Mandya District.—

(a) Light showers in Malavalli, Nagamangala, Srirangapatna and Pandavapura Taluks.
(b) Transplantation of Sugarcane in Maddur Taluk was in progress
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk was in progress.
(e) Progress was fair in 3 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Hassan District.—

(a) Light showers in [illegible] Taluks
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in [illegible] Taluks was in progress.
(e) Progress was fair in [illegible] Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

Chikkamagalur District.—

(a) Light showers in [illegible] Taluk
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of [illegible] in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Shimoga District.—

(a) Light showers in Honnali, Shimoga and Bhadravathi taluks.
(b) Transplantation of paddy was completed in Bhadravathi Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in 3 Taluks
(f) Sufficient.
(g) Available
(h) Generally healthy

Chitradurga District.—

(a) Light showers in Hosadurga, Challakere, Chitradurga and Holalkere Taluks.
Transplantation of paddy was completed in Hosadurga Taluk.
(c) Standing Crops were fair except in Harihar taluk where Ragi was affected by pest
(d) Harvesting of paddy in Hosadurga, Challakere, Molakalmuru, and Chitradurga taluk was in progress
(e) Progress was fair in 5 Taluks
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of Black Quarter in one Village of Challakere taluk.

Bellary District.—

(a) Light showers in Kudligi and Hadagalli Taluks
(b) Nil,
(c) Standing Crops were fair.
(d) Harvesting of summer Paddy was nearing completion in Kudligi taluk
(e) Nil
(f) Sufficient.
(g) Available
(h) Generally healthy

Bijapur District.—

(a) Light showers in Muddebihal taluk.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Kharif crops was completed in all taluks.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

[illegible] District.—

(a) Sufficient Rainfall in Sedam and Gulbarga taluks
(b) Nil,
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient
(g) Available.
(h) Generally [illegible],

[illegible]

(a) Light showers in Aland, Sampagaon and Chittapur taluks
(b) Nil.
(c) Standing crops were fair.
Harvesting of Cotton was completed in all taluks,
Progress was fair in 7 Taluks
(f) Sufficient.
(g) Available.
(h) Generally [illegible]

North Kanara [illegible]

(a) Light showers in Siddapur, Sirsi, Karwar and Mundgod taluks.
(b) Showers [illegible] paddy in Karwar taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Honnavar and Sirsi Taluks was in progress. Rabi crops was nearing completion in Karwar Taluk.
(e) Progress was fair in 5 taluks
(f) Sufficient except in Mundgod Taluk where insufficiency was felt
(g) Available.
(h) Generally healthy.

Gulbarga District.—

(a) No rainfall during
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally [illegible]

16 Raichur District.—

(a) Light showers in Sindhanoor and Yelbarga taluks,
(b) Nil,
(c) Standing crops were fair.
(d) Harvesting of Groundnut in Manvi Taluk was in progress.
(e) Progress was fair in 3 taluks,
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were air
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available,
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Buntawal taluk.
(b) Nil,
(c) Standing crops were air.
(d) Harvesting of III crop paddy in Buntwal Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—

(a) Light showers in Mercara Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair.
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director*.

## MYSORE STATE: DEPARTMENT OF PUBLIC HEALTH

Dated 19th February 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY THE 13TH FEBRUARY 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 23 attacks with 4 deaths and nil attacks with nil deaths, respectively.

The State remained free from Small-pox during the week *as against* 5 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 1 attack with nil deaths from Cholera was reported for the entire State *viz.*, from the Taluk of Kanakapura during the week *as against* nil attacks with nil deaths reported during the corresponding week of the last year.

A total of 1 attack with nil deaths from K. F. Disease was reported from Shimoga District *as against* 4 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 168 (66 in Hospitals) for the week, *as against* 165 (62 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.1 (5.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.1 (5.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Small-pox, 2 due to other fevers, 6 due to Dysentery and Diarrhœa, 12 due to Consumption and 147 due to all other causes *as against* 13 due to other fevers, 9 due to Dysentery and Diarrhœa and 143 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 45 (35 in hospitals) for the week, giving the calculated death rate of 9.1 (2.0 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 4 were due to other fevers, 4 due to Dysentery and Diarrhœa, 3 due to consumption and 34 due to all other causes.

The report for K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 12 (18 in hospitals) for the week *as against* 9 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.9 (1.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to Dysentery and Diarrhœa, 1 due to Consumption and 18 due to all other causes *as against* 4 due to other fevers, and 5 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 7 (nil in hospitals) for the week *as against* 9 (1 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 2.4 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.1 (2.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid and 6 due to all other causes *as against* 1 due to Typhoid and 8 due to all other causes reported during the corresponding week of the previous year.

....., *Director of Public Health.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 30th June 1963.

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Units | Centres | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals— | | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine | ... | 85·00—86·00 | 80·00—85·00 | ... | 30·00 | ... | 40·00 | 48·00—48·50 | ... | 89·00 | | 89 50 |
| | (b) Medium | ... | 33·00—84·00 | 25 00—80·00 | 88 00—80 00 | 29·00 | ... | 88·00 | 88 00 | ... | 35 00 | | 86·00 |
| | (c) Coarse ... | ... | ... | 29·00—26 00 | 86·00—87·00 | 27 00 | ... | 26 03 | ... | .. | 32·00 | | 84·00 |
| 2 Rice ... | (a) Fine | ... | 66·00—75·00 | 70 00—72·00 | 70 00—73 00 | 69 00 | ... | 61·00—62·00 | 72·00 | 68·00 | 69 00 | | 72·00 |
| | (b) Medium | ... | 62·00—61·00 | 60·00—65·00 | 70 00—72·00 | 52·00 | ... | 60 00 | 58 00—60·00 | 68·00 | 66·00 | | 67·25 |
| | (c) Coarse | .. | 56·00—60·00 | 54 00—60·00 | 64·00—65·00 | 48·00 | ... | 57·00—58 00 | ... | 52·00 | 52·00 | | 65·00 |
| 3 Wheat ... | White ... | | 70·00—75 00 | 48·00—50·00 | 18 00—60·00 | 46·00 | ... | 40·00—42 00 | 42 00 | 41·00 | 45 00 | | 65·00 |
| Wheat Flour | ,, | ... | ... | 60·00—65 00 | | ... | ... | 44·00 | 66·00 | 53·00 | 52·00 | | ... |
| 4 Jowar ... | ,, | ... | 80·00—85·00 | 80·00—83·00 | 40·00—42·00 | 33·00 | ... | 40·00—45 00 | 89·00 | 36·75 | 40 00 | | 44·00 |
| 5 Bajra ... | | | ... | ... | 88·00—84 00 | ... | ... | 40 00 | ... | ... | ... | | 85·00 |
| 6 Barley | | | 120·00 | ... | ... | ... | ... | 150·00 | ... | ... | ... | | ... |
| 7 Maize ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 8 Ragi ... | | ... | 86·00—88·00 | 82·00—83·00 | 82·00—83·00 | 37·00 | ... | 85·00—88·00 | 39·50 | 85·90 | 85·00 | | 87·00 |
| 9 Other cereals— | | | | | | | | | | | | | |
| (i) Navane | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | | 30·00 |
| (ii) ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | | |
| (i) Sweet potatoes. | | ... | ... | ... | N.A. | ... | ... | ... | ... | 26·50 | 26·00 | | ... |
| (ii) Tapioca | | ... | 25·00 | ... | ... | ... | ... | ... | ... | ... | 33·00 | | ... |
| (iii) Papaya | | ... | 18·00—28·00 | | 19·00—30·00 | ... | ... | ... | ... | ... | 30·00 | | ... |
| (iv) Groundnut cake flour. | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | | |
| 1 Gram ... | | ... | 50 00—55 00 | 45·00—50·00 | 71·00—75·00 | 55·00 | | 56·00—58·00 | 57·00 | 53·50 | 53·00 | | 58·00 |
| 2 Arhar (Tur.) | | | 55·00—60 00 | 60·00—65 00 | 68 00 | 60·00 | | 55·00—60·00 | ... | 45·00 | 45 00 | | 76·00 |
| 3 Mung ... | | ... | 65 00—70·00 | 70 00—75·00 | 65·00 | ... | | 60 00 | 60·00 | 52·00—55·00 | 56·00 | | ... |
| 4 Urd | | ... | 75.00 | 70·00—80·00 | ... | 90·00 | | 70·00—7.500 | 87·00 | 75·00—78·00 | 78·00 | | ... |
| 5 Masur ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | | ... |
| 6 Other pulses— | | | | | | | | | | | | | |
| (i) Avare ... | | ... | 64·00—64·00 | 70·00—80·00 | 84·00—85·00 | 80·00 | | 65·00—66·00 | 65·00—70·00 | ... | 54·00 | | ... |
| (ii) Horsegram | ... | ... | 85·00—86·00 | 85 00—40·00 | 88·50—35·00 | 85·00 | | 34·00—86·00 | 88·00 | 45·00 | 33·00 | | 85·50 |
| (iii) Cowpea ... | ... | ... | 65·00—70·00 | 61·00—70·00 | 48·00—50·00 | ... | | 50·00—60·00 | 60·00—67·00 | ... | 68·00 | | 45 00 |
| III. Sugar and Gur— | | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | ... | 95·00—105·00 | 90·00—95·00 | 100·00—112·00 | 75·00 | | 190·00 | 120·00 | 85 25 | 105·00 | | 105·00 |
| | (b) Sort II | ... | ... | 75·00—80·00 | 80·00—100·00 | 70·00 | | 80·00 | 114·00 | 75·50 | 90·00 | | 90·00 |
| 2 Sugar—Grade No. 24 | | ... | 12·45 | 115·00—120·00 | ... | ... | | 112·00 | ... | 117·00 | 117·50 | | 116·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 88·00—75·00 | 35·00—40·00 | 69·00 | 58·00 | ... | ... | 60·00—75·00 | ... | 70·50 | 66·00 |
| | (b) Machine shelled. | ... | 94·00—95·00 | 90·00—95·00 | 95·00 | ... | ... | ... | 60·00—75·00 | ... | 85·00 | 92·00 |
| Groundnut Oil | ... | ... | 180·00—185·00 | 185·00—200·00 | 170·00—180·00 | 190·00 | ... | 190·00 | 187·50 | 175·50 | 186·00 | 174·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 84·00—85·00 | 46·00 | ... | 45·00 | 89·00 | ... | 42·00 | 57·60 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | ... | 70·00—75·00 | ... | ... | 95·00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 164·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | 58·00—60·00 | ... | 57·00—59·00 | ... | ... | 70·00 | ... | ... | | 56·00 |
| Castor Oil ... | ... | ... | 180·00—190·00 | 160·00—185·00 | 170·00—180·00 | 190·00 | ... | 200·00 | 165·00 | 177·25 | 180·00 | 185·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | 102·00—105·00 | ... | ... | ... | ... | ... | ... | ... | 93·00 | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per thousand) | 160·00—270·00 | 280·00—280·00 | 160·00—190·00 | 150·00—200·00 | ... | 200·00—260·00 | 190·00—210·00 | 360·00 | 240·00 | 215·00 |
| | (b) Copra | per quintal | 160·00 270·00 | .. | | ... | ... | 230·00—240·00 | ... | 242·00 | 275·00 | 210·00 |
| Cocoanut Oil... | ... | ... | 330·00—380·00 | 180·00—225·00 | 350·00 | 190·00 | ... | 320·00 | 257·00 | 296·00 | 335·00 | 321·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 70 | ... | ... | 75 | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 230·00 | ... | ... | ... | ... | ... | ... | 283·00 | 300·00 | 325·00 |
| 10 Other Oils ... | (ii) Repined oil | ... | ... | ... | ... | ... | ... | ... | ... | 237·00 | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | .. | Per gross | ... | 25·00—30·00 | 24·00—30·00 | 23·00 | ... | 10·00—20·00 | 15·00—25·00 | 18·25 | 33·00 | 25·00 |
| 2 Plantains ... | ... | Do | 12·00—18·00 | 4·0—6·00 | ... | 4·00—9·00 | ... | 4·89—8·75 | 8·00—9·50 | 6·87 | 6·00 | 6·00 |
| 3 Oranges ... | ... | Do | 6·00—9·00 | ... | ... | 5—00 15—00 | ... | 10·50—20·00 | ... | 17·00 | 18·00 | 15·00 |
| 4 Dates ... | ... | ... | 7.00—.000 | ... | 180·00—200·00 | ... | ... | 115.00 | ... | ... | ... | ... |
| 5 Cashew Kernels, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 35·00—40·00 | 45·00—48·00 | 69·00—69·00 | 40·00 | ... | 50·00 | 40·00 | 52·00 | 45·00 | 42·00 |
| 2 Onions ... | ... | ... | 18·00—30·00 | 35·00—40·00 | 26·00—25·00 | 25·00 | ... | 25·00—30·00 | 26·00 | 26·75 | 33·00 | 30·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | 490·00 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | 8·00—8·10 | 750·00—760·00 | 650·00—700·00 | ... | ... | 800·00—1000 | 650·00 | 750·00—850·00 | 760·00 | 675·00 |
| VI Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | 108.00—117·00 | ... | ... | ... | ... | ... | ... | 86·00 |
| | (b) Lint ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... |
| | (c) Seed ... | ... | ... | ... | 42·00—46·00 | ... | ... | ... | 35·40 | ... | | 30·00 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | Jute Incse ... | (a) White— | | | | | | | | | | | | | | |
| | | (i) Top ... | ... | | | | | ... | ... | ... | | | | | | ... |
| | | (ii) Middle | ... | | | | | ... | ... | ... | | | | | | ... |
| | | (iii) Bottom | ... | | | | | ... | ... | | | | | | | |
| | | (b) Tossa— | | | | | | | | | | | | | | |
| | | (i) Top ... | ... | | | | ... | ... | ... | ... | | | | | | |
| | | (ii) Middle | ... | | | | ... | ... | ... | ... | | | ... | | | |
| | | (iii) Bottom | ... | | | | ... | ... | ... | ... | | | ... | | | |
| | Pusca Boled Jute. | (i) Lightings | Per bale | | | ... | ... | ... | ... | ... | | | | | | |
| | | (ii) First Mills, | ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | | (iii) First Exports | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Sann hemp ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Mesta ... | (i) Top ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VII | Tobacco ... | (a) Country— | | | | | | | | | | | | | | |
| | | (i) Leaf ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 285·00 |
| | | (ii) Pulah ... | ... | ... | ... | — | ... | ... | ... | ... | 450·00—400·00 | 807·00 | ... | ... | ... | 225·00 |
| | | (b) Virginia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (i) Leaf ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Pulah ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VIII. | Livestock— | | | | | | | | | | | | | | | |
| 1 | Work cattle— | | | | | | | | | | | | | | | |
| | (i) Work bullocks. | (a) Class I ... | Per head | 500·00—700·00 | 300·00—400·00 | | 5·00 | 300·00—400·00 | ... | 855·00—500·00 | ... | 145·00—160·00 | 420·00—500·00 | | 210·00 | |
| | | (b) „ II ... | Do ... | 3·0·00—400·00 | 200·00—3·0·00 | | 300·00—3·0·00 | 1·6·00—275·00 | ... | 210·00 800·00 | ... | 110·00—150·00 | 220·00—300·00 | | 200·00 | |
| | (ii) Buffalo bulls. | (a) „ I ... | Do ... | 300·00—350·00 | | | 100·00—12··00 | ... | ... | 80·00—100·00 | ... | ... | 200·00—250·00 | | 190·00 | |
| | | (b) „ II ... | Do ... | 250·00—400·00 | 200·00—300·00 | | 125·00—150·00 | ... | ... | 2·0·00—3·0·00 | ... | ... | 200·00—240·00 | | 170·00 | |
| 3 | Milch cattle— | | | | | | | | | | | | | | | |
| | (i) Cows ... | (a) Class I ... | Do ... | 400·00—700·00 | 400·00—500·00 | | 150·00—200·00 | 150·00—250·00 | ... | 160·00—285·00 | ... | 95·00—150·00 | 410·00—400·00 | | 150·00 | |
| | | (b) Class II ... | Do ... | 2·0·00—350·00 | 150·00—250·00 | | 100·00—150·00 | 100·00—150·00 | ... | 100·00—140·00 | 120·00—160·00 | 75·00—120·00 | 200·00—180·00 | | 150·00 | |
| | (ii) Buffaloes... | (a) Class I ... | Do ... | 400·00—550·00 | 350·00—4·0·00 | | 300·00 | ... | ... | 190·00—300·00 | ... | 250·00—400·00 | 300·00—370·00 | | 300·00 | |
| | | (b) Class II ... | Do ... | 250·00—350·00 | 200·00—300·00 | | 100·00—150·00 | 100·00—250.00 | ... | 130·00—170·00 | ... | 140·00—300·00 | 170·00—200·00 | | 190·00 | |
| 8 | Sheep ... | ..... | Do ... | 80·00—70·00 | 25·00—80·00 | | 55·00 | 20·00—50·00 | ... | 80·00—85·00 | ... | 40·00—75·00 | 25·00—50·00 | | 28·00 | |
| IX. | Livestock products.— | | | | | | | | | | | | | | | |
| 1 | Wool (Specify the varieties). | (a) ..... | Per kg. | ... | ... | | ... | ... | ... | 2·85 | 4·00 | | | | ... | |
| | | (b) ..... | Do ... | ... | ... | | ... | ... | ... | 1·65 | 1,50 | | ... | | ... | |
| 2 | Hides.— | | | | | | | | | | | | | | | |
| | (i) Cow hides— | (a) ..... | Do ... | 1·10—1·19 | 1·75—2.00 | | 0·86 | ... | ... | 1·00—1·75 | 1·08 | | ... | | 3·66 | |
| | Raw | (b) ..... | Do ... | ... | 1·00—1·75 | | ... | ... | ... | ... | 1 00 | | | | ... | |
| | Tanned ... | (a) ..... | Do ... | ... | 2·00—2 25 | | 6·50 | ... | ... | 7 50—9·50 | 4·12 | | ... | | 8·81 | |
| | | (b) ..... | Do ... | .. | 1·75—2·.0 | | ... | ... | ... | ... | ... | | ... | | ... | |
| | (ii) Buffalo hides— | (a) ..... | Do ... | 1·04—1·00 | 2·00—2 25 | | 0·75 | ... | ... | 1·67—2·75 | 1·08 | | ... | | 3·20 | |
| | | (b) ..... | Do ... | ... | 1·60—1·75 | | ... | ... | ... | ... | 1·00 | | ... | | ... | |
| | Raw. | | | | | | | | | | | | | | | |
| | Tanned ... | (a) ..... | Do ... | ... | 2·00—2 50 | | 6·50 | ... | ... | 4·25—6·00 | 5·50 | | ... | | 4·00 | |
| | | (b) ..... | Do ... | ... | 1·25—2·00 | | ... | ... | ... | ... | ... | | ... | | ... | |
| 3 | Skins.— | | | | | | | | | | | | | | | |
| | (i) Goat skins— | (a) ..... | Each .. | 5·75—6·75 | 1·50—1·75 | | ... | ... | ... | ... | ... | | 4·75 | | 1·90 | |
| | Raw | (b) ..... | Per kg. | ... | 1·00—1·25 | | ... | ... | ... | ... | ... | | ... | | ... | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | | ... | ... | ... | 7·00—14·00 | ... | | ... | | 2·72 | |
| | | (b) ..... | Do ... | ... | ... | | ... | ... | ... | ... | ... | | ... | | ... | |
| | (ii) Sheep-skins— | (a) ..... | Each | 4·25—5·30 | 1·25—1·75 | | ... | ... | ... | ... | ... | | 4·00 | | 1·91 | |
| | | (b) ..... | Per kg. | 3.75—4.00 | 1·00—1·25 | | ... | ... | ... | ... | ... | | ... | | ... | |
| | Raw. | | | | | | | | | | | | | | | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | | ... | ... | ... | 8·75—23·00 | ... | | ... | | 2·31 | |
| | | (b) ..... | Do ... | ... | ... | | 8·50 | ... | ... | ... | ... | | ... | | ... | |
| 4 | Ghee ... | (a) Agmark | Do ... | 45·10 | 8·00—9·00 | | ... | ... | ... | ... | 8·00 | | 88·50 | | ... | |
| | | (b) Ungraded | Do ... | 7·50 | 5·00—6·00 | | ... | ... | ... | ... | ... | | 6·75 | | 5·75 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| X. Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | | ... | ... | ... | ... | 80·00—80·00 | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | | ... | ... | ... | ... | 20 00—32 00 | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | | ... | ... | ... | ... | ... | ... | 87·00 | ... | ... |
| | (b) ..... ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | | | 100·00—150·00 | ... | 175·00—200·00 | 200·00 | ... | 160·00—160·00 | 190·00—195·00 | 185·00—195 00 | 180·00 | 165·00 |
| 2 Tamarind ... | ... | ... | 55·00—115·00 | 80·00—90 00 | 78·00—80 00 | 100 00 | ... | 50·00— 00 00 | 9 ·00 | 98 00— 100 00 | 115·00 | 86·00 |
| 3 Dry Chillies ... | ..... | ... | 20·00—80·00 | 25 ·00—500·00 | 254·00—260·00 | 250·00 | ... | 250·00—800·00 | 285·00 | 175 00—316·00 | 270·00 | 276 00 |
| 4 Garlic | ..... | | 55·00—100·00 | 200·00—250·00 | 90·00—96·00 | 110·00 | ... | 750 00—100·00 | 85 00—87·00 | 160·00—185 00 | 105 00 | 110·00 |
| 5 Pepper ... | ..... | | 28·00—8·00 | 350·00—400·00 | 45·00 | 450·00 | ... | 330·00—350·00 | 380 00 | 430·00—500 00 | 300·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,600·00—2,200·00 | 800·00—850·00 | 1,600·00—2,000·00 | 1 550 00 | ... | 1,400·00—1,500·00 | 1,800·00 | ... | 1500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C. F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... | ... | 25·50—30·00 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 38·50 | 43·00—44·00 | 34·00—35·00 | ... | ... | ... | ... | 86·00 | 88·00 |
| | (b) Medium ... ... | | 37·50 | 40·00—42·00 | ... | ... | ... | ... | ... | ... | 86·00 |
| | (c) Coarse ... ... | | 36·50 | 39·00—40·00 | ... | ... | | ... | ... | 85·00 | ... |
| 2 Rice ... | (a) Fine ... ... | | 66·50 | 70·00—75·00 | 70·00—71·00 | ... | ... | - | ... | 66·00 | 76·00 |
| | (b) Medium ... ... | | 62·50 | 62·00—65·00 | 60·00—68·00 | ... | ... | ... | ... | ... | 75·00 |
| | (c) Coarse ... ... | | 54·50 | 58·00—60·00 | 60·00—61·50 | ... | ... | ... | ... | 57·00 | ... |
| 3 Wheat ... | White ... ... | | 68·00 | 50·00—62·00 | 45·00—60·00 | | ... | ... | ... | 62.00 | 48·00 |
| Wheat Floor ... | White ... ... | | | 50.00—62.00 | 40·00—50·00 | ... | ... | ... | ... | 51·00 | 54·00 |
| 4 Jowar | White ... ... | | 50·00 | 45·00—55·00 | 38·00—41·00 | ... | ... | ... | ... | ... | ... |
| 5 Bajra ... | ... ... | | ... | 34·00—35·00 | 31·00—32·00 | ... | ... | | ... | ... | ... |
| 6 Barley ... | ... ... | | 98·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Maize ... | ... ... | | ... | ... | 26.00—27·00 | ... | ... | ... | ... | 41·00 | 48·00 |
| 8 Ragi ... | ... ... | | 89·00 | 42·00—43·00 | ... | ... | ... | ... | ... | ... | ... |
| 9 Other cereals | | | | | | | | | | | |
| (i) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | 20·00 | ... |
| (ii) Tapioca ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| iii) Papaya ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | 25·00 |
| (iv) Groundnut cake flour | | | ... | 38·00—41·00 | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram ... | ... ... | | 60·00 | 48·00—50·00 | 45·00—48·00 | ... | ... | ... | ... | 52·00 | 63 00 |
| 2 Arhar (Tur) | ... ... | | 48·00 | 41·00—42·00 | 45·00—46·00 | ... | ... | | ... | 68·00 | 88·00 |
| 3 Mung ... | ... | | 68·00 | ... | 42·00—45·00 | ... | ... | ... | ... | 55·00 | ... |
| 4 Urd ... | ... ... | | 68 00 | ... | 41·00—42·00 | ... | ... | ... | ... | 76·00 | ... |
| 5 Masur ... | ... ... | | ... | ... | 38·00—40·00 | ... | ... | ... | ... | ... | ... |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare ... | ... ... | | ... | ... | 36.00—38·00 | ... | ... | ... | ... | ... | 95·61 |
| (ii) Horsegram ... | ... ... | | 40·00 | 36·00—41·00 | 35·00—36·00 | ... | ... | ... | ... | 89 00 | 48·00 |
| (iii) Cowpea ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | 100 00 | 113·00—115·00 | 115·00—118·00 | ... | ... | ... | ... | 120·00 | 65·00—75·00 |
| | (b) Sort II ... ... | | 100·00 | 100·00—113·00 | 104·00—110·00 | ... | ... | ... | ... | 100·00 | ... |
| 2 Sugar Refined | D. 24 ... ... | | 118·00 | ... | 116·50 | ... | ... | ... | ... | 116·50—122·00 | 90·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | ... | 60·00 | 68·00—69 00 | 71·00—72·00 | ... | ... | ... | ... | 65·83 | 90·00 |
| | (b) Machine shelled. | ... | ... | 95·00—96·00 | ... | ... | ... | ... | ... | ... | 125·00—150·00 |
| Groundnut Oil | ... | ... | 186·00 | 185·00—190·00 | 184·00—189·00 | ... | ... | ... | ... | 788·00 | 18·00—19·00 |
| Groundnut Oil-cake. | | ... | 40·00 | ... | 39·00—39·50 | ... | ... | ... | ... | 40·14 | 45·00 |
| 2 Sesamum ... | (a) White ... | | 130·00 | ... | ... | ... | ... | ... | ... | 115·00 | ... |
| | (b) Black ... | ... | ... | ... | 90·00—95·00 | ... | ... | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 264·00 | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | 67 00 | ... |

| | | | | 14 | | 15 | | 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. |
| 6 | Castor seed ... | ... | ... | ... | | ... | | | | 55·00 | | 52·00 | | — | | ... | | ... | | ... | |
| | Castor Oil ... | ... | ... | — | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | 177·00 | |
| | Castor Oilcake | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| 4 | Rape and Mustard. | (a) Black ... | — | ... | | ... | | 98·00—99·00 | | ... | | ... | | ... | | ... | | ... | | 120·00 | |
| | | (b) Yellow ... | — | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | 135·00 | |
| | Mustard Oil ... | ... | — | 108·00 | | ... | | ... | | ... | | — | | ... | | ... | | ... | | ... | |
| | Mustard Oilcake. | — | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| 5 | Linseed ... | (a) Brown bold | ... | ... | | ... | | 68·00—68·50 | | ... | | ... | | ... | | ... | | ... | | ... | |
| | | (b) Brown small | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| | Linseed Oil ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| | Linseed Oilcake. | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| 6 | Toria ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| 7 | Cocoanut ... | (a) Nuts ... | (Per thousand) | 280·00 | | 225·00—275·00 | | ... | | 285·00—295·00 | | ... | | ... | | ... | | 280·00 | | 800·00 | |
| | | (b) Copra ... | | 290·00 | | ... | | ... | | 255·00 | | ... | | ... | | ... | | 190·00 | | 460·00 | |
| | Cocoanut Oil ... | ... | ... | 806·00 | | 295·00—300·00 | | 295·00—300·00 | | 265·00—275·00 | | ... | | ... | | ... | | 302·00 | | 803·50 | |
| | Cocoanut Oilcake | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | 57·00 | | 66·00 | |
| 8 | Other Oil seeds | (i) Nigerseed... | ... | 75.00 | | ... | | ... | | ... | | ... | | ... | | ... | | | | | |
| | | (ii) ..... | ... | ... | | ... | | ... | | ... | | | | ... | | ... | | | | | |
| | | | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | | | | |
| 9 | Vegetable Oil | (i) Vanaspathi | ... | 865·09 | | ... | | ... | | ... | | ... | | ... | | ... | | | | | |
| | | | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | | | | |
| 10 | Other Oils ... | (ii) Refined oil | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | | | | |
| V. | Fruits, Vegetables and Nuts,— | | | | | | | | | | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | | | | | | | | | | |
| 1 | Mangoes ... | ... | Per gross | | | ... | | ... | | ... | | | | ... | | | | 14·00 | | 25·00—30·0 | |
| 2 | Plantains ... | ... | Do ... | | | 6·00—8·00 | | 6.00—8·00 | | 6·25 | | | | ... | | | | ... | | ... | |
| 3 | Oranges ... | ... | Do ... | | | ... | | ... | | ... | | | | ... | | | | 5·00—10·00 | | ... | |
| 4 | Dates ... | ... | ... | | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| 5 | Cashew kernels, etc. | ... | ... | | | ... | | ... | | ... | | | | ... | | | | ... | | | |
| | (ii) Vegetables— | | | | | | | | | | | | | | | | | | | | |
| 1 | Potatoes ... | ... | ... | 55·00 | | 35·00—45·00 | | 56·00 | | ... | | | | ... | | | | | | 56·00 | |
| 2 | Onions ... | ... | ... | 80.00 | | 25 00—30·00 | | 21·00—22·00 | | ... | | | | ... | | | | | | 86·00 | |
| 3 | ..... | ... | ... | | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| 4 | ..... | ... | ... | | | ... | | ... | | ... | | | | ... | | | | ... | | | |
| | (iii) Nuts— | | | | | | | | | | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | | | ... | | ... | | ... | | | | ... | | | | ... | | 200·00—550·00 | |
| 2 | Arecanuts ... | ... | ... | | | ... | | 480·00 | | ... | | | | ... | | | | ... | | 500,00 | |
| VI. | Fibres.— | | | | | | | | | | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | ... | | ... | | 94 00—106·00 | | ... | | | | ... | | | | ... | | ... | |
| | | (b) Lint ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (c) Seed ... | ... | | 44·00 | ... | | 34·00—36·00 | | ... | | | | ... | | | | ... | | ... | |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | | | | | | | | | | | |
| | | (i) Top ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (ii) Middle ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (iii) Bottom ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (b) Tossa— | | | | | | | | | | | | | | | | | | | |
| | | (i) Top ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | Pucca Baled Jute. | (ii) Middle ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (iii) Bottom ... | ... | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (i) Lightings... | Per bale | ... | | ... | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (ii) First Mills | ... | ... | | .. | | ... | | ... | | | | ... | | | | ... | | ... | |
| | | (iii) First Exports | ... | ... | | | | ... | | ... | | | | ... | | | | ... | | | |
| 3 | Sunn Hemp ... | ... | ... | ... | | | | ... | | .. | | | | ... | | | | | | ... | |

| | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| XI | Condiments and Spices,— | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 1 | Turmeric ... | ... | ... | 170 00 | 150·00—160·00 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Tamarind ... | ... | ... | 95·00 | 80·00—90·00 | 57.00—58·00 | ... | ... | ... | ... | ... | ... | ... | 120.00 |
| 3 | Dry Chillies ... | ... | ... | 820 00 | 225·00—240·00 | 225·00—250 00 | ... | ... | ... | ... | 90·00 | ... | 287.00 | 292·00 |
| 4 | Garlic ... | ... | ... | 100·00 | ... | 60·00—66·00 | ... | ... | ... | ... | 287.00 | 292·00 | 100·00 | 160.00 |
| 5 | Pepper ... | ... | ... | 820·00 | ... | ... | ... | ... | ... | ... | 100·00 | 160.00 | 280·00 | 275.00 |
| 6 | Cardamom ... | ... | ... | 965·00 | ... | ... | ... | ... | ... | ... | 280·00 | 275.00 | ... | 1,000.00-1,700·00 |
| XII | Miscellaneous— | | | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Stick lac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

### Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending 30th June 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | 1·6 | 3·5 | | ... | ... | 2·5 | ... | ... | 2·7 | 2·2 |
| 2 Rice ... | Do ... | ... | 2·5 | 2 | ... | ... | ... | 1·6 | 1·3—1·4 | 2·2 | 1·7 | 1·5 |
| 3 Wheat ... | White ... | ... | 2 | 2 | ... | 2 | ... | 2·3 | 1.4 | 1·6 | 2·2 | 1·3 |
| 4 Wheat Flour ... | Do ... | ... | 1·2 | 1.5 | ... | 2·5 | ... | 2·1 | 1.4 | 1·4 | 1 | 2 |
| 5 Jowar ... | Do ... | ... | 2·5 | 3.5 | ... | ... | ... | 2·2 | 2·1 | ... | 2·4 | 2 |
| 6 Bajra ... | ... | ... | 0·7 | ... | ... | ... | ... | 2·3 | ... | ... | ... | 2.5 |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | 0·8 | ... | ... | ... | 8 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·4 | 2·75 | ... | 2·5 | ... | 2·6 | 2·5 | 2·6 | 2·5 | 2·3 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·9 |
| (ii) ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3·1 | ... |
| (ii) Tapioca | | ... | 3·3 | ... | ... | ... | ... | ... | ... | ... | 2·7 | ... |
| (iii) Papaya ... | ... | ... | 2·3 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4·75 | ... |
| II. Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | Per Rupee | 2·2 | 2 | ... | 1·6 | ... | 1·6 | 1·6 | | 1·5 | ... |
| | (b) Split (without skin). | ... | 1·6 | 1·5 | ... | 1·5 | ... | 1·5 | 1·5 | | 1·5 | 1·6 |
| | (c) Flour ... | ... | ... | 1·25 | ... | ... | ... | 1·4 | 1·1 | | ... | 1·4 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | 1·6 | ... | | 2·1 | ... |
| | (b) Split (without skin). | ... | 1·3 | 1 | ... | ... | ... | 1·1 | 0·8 | | 1 | 1·1 |
| 3 Moong ... | (a) Whole ... | ... | 1·3 | 1·5 | ... | 1 1 | ... | 1·5 | 1·4 | ... | 1·5 | 1·5 |
| | (b) Split (without skin). | ... | 1,2 | 1 | ... | 1·5 | ... | 1·1 | 1·1 | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | 1·1 | 1·25 | ... | ·1 | ... | 1·3 | 1·1 | | 1·2 | ... |
| | (b) Split (without skin). | ... | 0·8 | ... | ... | ·08 | ... | ·08 | 0·9 | | 9 | ·8 |
| 5 Masur | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | | ... |
| | (b) Split (without skin). | ... | 1,2 | ... | ... | ... | ... | ... | 1·2 | ... | | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare .. | (a) Whole ... | ... | 1·3 | 1·5 | .. | ... | ... | 1·4 | 1·2 | ... | | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | ... | ... | 1·8 | 1·1 | ... | | ... |
| (ii) Horsegram | ... | ... | 2·2 | 2 | ... | 2·5 | ... | 2·7 | 2·5 | 2·2 | | 2·4 |
| (iii) Cowpea ... | ... | ... | 1·8 | 1·25 | ... | ... | ... | 1·8 | 1·4—1·5 | ... | | 1·7 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I .. | ... | ·8 | 1 | ... | 1·8 | ... | ·8 | ·7 | 1·8 | | 1 |
| | (b) Sort II ... | ... | ... | ... | ... | 1·8 | ... | ·11 | ·8 | 1·2 | | 1·2 |
| 2 Sugar refined | D 3a | ... | ... | ... | ... | | ... | ·8 | | ·6 | | ·8 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | — | ... | ·5 | ·5 | ... | ·6 | ... | ·5 | ·5 | ·4 | ·5 | ·6 |
| 2 Sesamum oil ... | — | ... | ... | — | ... | ... | ... | ... | ·5 | ... | ... | ·3 |
| 3 Castor oil | ... | ... | ·5 | ... | | ·5 | ... | ·5 | ·5 | ·7 | ·3 | ·4 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Coconnut oil ... | ... | — | ·25 | ·45 | ... | ·2 | ... | 0·2 | ·3 | ·3 | ·25 | ·2 |
| 7 Vanaspati ... | ... | ... | ... | ... | ... | ... | ... | ... | ·3 | ·4 | ·25 | ·2 |
| 8 Other oils— | | | | | | | | | | | | |
| i ..... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | — |
| ii ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·4 | ... | ... |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | | Per Dozen | 1·25—2·00 | 2 50—4·00 | 1—1·50 | 2·50—4·50 | ... | 1·20—2·25 | 2—4 | 2·00 | 3·50 | ·8 |
| 2 Plantains ... | | Do | ... | ·25—·75 | ·75—·91 | 0 37—00 | ... | ·37—87·00 | 11—25 | 0·8 | .86 | ·56 |
| 3 Oranges ... | | Do | ·5—80 P. | ... | ... | 11 00—8·00 | ... | 1·20—2·00 | 2 50—3 | ·2 | 2·88 | 1·75 |
| 4 Dates ... | | ... | ... | ... | ... | ... | ... | ... | ·4 | ... | ... | ... |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | | | ... | | ... | | 2 | 1·5 | | 1·8 |
| 2 Onions ... | | | | | ... | | ... | | 2·8 | 2·7 | 2·5 | 2·5 |
| 3 ..... | | ... | ... | | ... | ... | ... | ... | ... | ... | ... | — |
| iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | | ... | ... | ... | ... | ·2 | ... | ... | ·1 |
| 2 Arecanuts ... | | ... | ... | | ... | ... | ... | ·09—1·00 | ·1 | ·1 | ... | ·09 |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | | ... | ... | ... | ... | ·2 | ... | ... | 3·60 |
| VII Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | ... | 0·90—0 70 P. | 0·80 | 62—75 | ... | ... | 0·40—0·65 | 0—75 | ... | 0—67 | ... |
| 2 Ghee ... | (a) Agmark ... | — | | ·2 | — | ·8 | ... | ... | ... | ... | ... | ... |
| | (b) Ungraded ... | ... | ... | ·3 | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | 1·75 | 3 | 2·25 | 2·25 | ... | 2·25 | ·2 | ... | ·2 | 2·16 |
| | (ii) B Grade | Do | 1·50 | 2·50 | 1·50 | 1·50 | ... | 1·67 | 1·75 | ... | 1 75 | 1·60 |
| | (iii) C Grade | Do | ... | 2 | ... | ... | ... | 1·75 | 1·50 | 2·37 | 1—62 | ... |
| 4 Mutton ... | ... | ... | ·2 | ·3 | ... | ... | ... | ·3 | ·2 | ·3 | ·2 | ·3 |
| 5 Beef ... | — | — | ·8 | ... | ... | ... | ... | | | ... | ... | ·5 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·5 | ... | ... | | ... | ·6 | ·5 | ·5 | ·5 | ·6 |
| 2 Tamarind ... | ... | ... | 1 | 1·25 | | | ... | 1·1 | ·1 | ·9 | ·7 | ·1 |
| 3 Dry chillies ... | ... | ... | ·3 | ·3 | ... | | ... | ·3 | ·2 | ·2—·3 | ·2 | ·2 |
| 4 Garlic ... | ... | ... | 5 | ·6 | ... | | ... | ·1 | ·1 | ·6 | ·9 | ·7 |
| 5 Pepper ... | ... | ... | ... | ·25 | ... | | ... | ·2 | ·2 | ·2 | ·3 | ... |
| 6 Cardamom ... | ... | ... | ... | ·1 | ... | | ... | 07 | ·05 | ... | ·05 | ·08 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 0·50 | 0·76 | ·12 | ... | ... | 10 | 10 | 10 | 10 | 10 |
| 2 Kerosene oil ... | ... | Per Litre | ... | | ... | ... | ... | ... | 0·65 | ... | 60 | ... |
| 3 Firewood/ Charcoal. | ... | Quintal | ... | 6—8 | 6—25 | 5—6 | ... | 8·50 | ·5 | ... | ·8 | ·6 |
| 4 Coarse cloth ... | ... | Per metre | 1·80 | 0·90 | ... | 1·20 | ... | 1·25 | ... | ... | 1—30 | 1·06 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... ... | | ... | 2·25 | ... | ... | | ... | ... | ... | ... |
| 2 Rice ... | Do ... ... | | 1·6 | 1·2—15 | ... | | ... | ... | ... | ... | 2—7 |
| 3 Wheat ... | White ... ... | | 1·6 | 1·3—1·75 | 1·4—1·5 | | ... | ... | ... | 1·6 | 1·5 |
| 4 Wheat Flour... | Do ... ... | | 1·3 | 1·8—1 2 | 1·8 | ... | ... | ... | | 1·9 | |
| 5 Jowar | Do ... ... | | ·2 | 1·8—1·8 | ·7—·8 | ... | ... | ... | ... | 1·8 | ·2 |
| 6 Bajra ... | ... ... | | ... | 2—2·6 | 2 6 | | ... | ... | ... | ... | ... |
| 7 Barley ... | ... ... | | ·1 | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Maize ... | ... ... | | ... | | 2·7 | ... | ... | ... | ... | ·8 | ... |
| 9 Ragi .. | ... ... | | 2·2 | 2·—2,5 | ... | ... | ... | ... | ... | 2·1 | 2·1 |
| 10 Other cereals... | — ... | | ... | ... | ... | ... | ... | ... | | | |
| (i) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | ... | | | | |
| (i) Sweet potatoes. | ... ... | | ... | — | ... | ... | ... | ... | ... | 4 | ... |
| (ii) Tapioca ... | — ... | | ... | | ... | ... | ... | ... | ... | | ... |
| (iii) Papaya ... | ... — | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | ... ... | | — | ... | ... | ... | — | ... | — | 2 | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... ... | | 1·5 | 1·5—2·10 | 1·9—2 | ... | ... | ... | ... | 1·8—1·6 | 1·6 |
| | (b) Split (without skin). | ... | 1·3 | ... | 1·5 | ... | ... | ... | ... | 1·3 | ... |
| | (c) Flour ... | ... | 1·3 | ... | ... | ... | ... | ... | ... | 1·4 | ... |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 2 | ... | 1·7—1·8 | ... | ... | ... | ... | 1·1 | 1·1 |
| | (b) Split (without skin). | ... | 1·1 | 1—2 | 1·3 | ... | ... | ... | ... | 1·1 | ... |
| 3 Moong ... | (a) Whole ... | ... | 1·5 | ... | 1·9 | ... | ... | ... | ... | 1·6 | ... |
| | (b) Split (without skin). | ... | 1·1 | ... | 1·2 | ... | ... | ... | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | 1·4 | ... | 1·9 | ... | ... | ... | ... | 1·3 | ·1 |
| | (b) Split (without skin). | — | ·8 | ... | ... | ... | ... | ... | ... | 9 | ... |
| 5 Masur ... | (a) Whole ... | ... | ·8 | ... | ... | — | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | 2·2 | ... | ... | ... | ... | | ... |
| 6 Other pulses— | | | | | | | | | | | 1·3 |
| (i) Avare ... | (a) Whole ... | ... | 1 | ... | 2·2 | ... | ... | ... | ... | | 2·8 |
| | (b) Split (without skin). | | 2·2 | ... | ... | ... | ... | ... | ... | | |
| (ii) Horsegram | ... ... | | | 2·2—2·5 | 2 2—2·3 | ... | ... | ... | ... | | ... |
| (iii) Cowpea ... | ... .. | | | ... | ... | — | ... | ... | ... | | |
| III Sugar and Gur— | | | | | | | | | | ·3 | ... |
| 1 Gur ... | (a) Sort I ... | | | 1—1·1 | ·8 | | 1 | ... | ... | ·8 | — |
| | (b) Sort II ... | ... | | 1·2—1·3 | ·8 | | ... | ... | ... | ·8 | ... |
| 2 Sugar refined | D 24 ... | ... | | ... | ·8 | ... | — | ... | ... | | |
| IV. Oils.— | ... | | | | | | | | | ·5 | ... |
| 1 Groundnut oil | — ... | | | ·6—·7 | ·5 | ... | ... | ... | ... | ·8 | ... |
| Sesamum oil ... | ... ... | ... | | ... | ... | | ... | ... | — | | ... |
| 2 Castor oil ... | ... ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Mustard oil ... | ... ... | ... | | ... | ... | — | ... | ... | ... | ... | ... |
| 4 Linseed oil ... | ... ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Coconut oil ... | — ... | | ·2 | ... | ·2 | ... | ... | ... | ... | ·8 | ... |
| 6 Vanaspati ... | ... ... | | ·2 | ... | ... | ... | ... | ... | ... | ·2 | ... |
| 7 | | | | | | — | — | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. kg. gr | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | 5 | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | ... | | | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | | | ... | ... | ... | ... | | | | |
| 3 Plantains ... | | Do | | | ·65 | ·50—·56 | ... | ... | | — | 75'—1·50 | 2—3·50 |
| 3 Oranges | | Do | | ... | | ... | ... | ... | | | ·25—·37 | ·20—·1 |
| 4 Dates | | ... | | | ... | ... | ... | ... | | ... | ·75—1·50 | ·50—·75 |
| 5 Cashew kernals | | ... | ... | | ... | ... | | ... | | ... | ... | ... |
| 6 ..... | | ... | ... | | ... | ... | ... | ... | | — | 0'2 | ... |
| (ii) Vegetables— | | | | | | | | | | | ... | ... |
| 1 Potatoes ... | | ... | | 1·6 | 2—2·2 | 1·5 | 2 | 1·8 | | | | |
| 2 Onions ... | | ... | | 2·8 | 3—4 | 21 | ·25 | 2·5 | | ... | 2 | 2 |
| 3 ..... | | ... | ... | | ... | | ... | ... | | ... | 8 | 8 |
| (iii) Nuts— | | | | | | | | | | ... | | ... |
| 1 Cashewnuts ... | | ... | | ·1 | ... | ... | ... | ... | | ... | ... | ... |
| 2 Arecanuts ... | | ... | ... | | ... | ·1 | ... | ... | | ... | ... | ... |
| VI. Tobacco ... | Leaf ... | Per kg | | ·5 | ... | ... | | | | | | |
| VII. Live-stock products— | | | | | | | | | | — | 4·50—5·50 | 8 |
| 1 Milk ... | ... | ... | | | ... | ... | ... | ... | | ... | ... | ... |
| 2 Ghee ... | (a) Agmark ... | ... | | | | ... | ... | ... | | ... | ... | ... |
| | (b) Ungraded ... | ... | | | ... | | ... | ... | ... | ... | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | | ·2 | 3·25 | 2·25—2·75 | ... | ... | ... | ... | ... | ... |
| | (ii) B Grade | Do | | 1·75 | 2·1 | 1·5—1·75 | ... | ... | ... | ... | 2·32 | 2·50 |
| | (iii) C Grade | Do | | 1·50 | 1·50 | 1—87 | ... | ... | ... | ... | 2·25 | ... |
| 4 Mutton ... | ... | ... | | ·8 | ... | ·4 | ... | ... | ... | ... | ... | ... |
| 5 Beef ... | ... | ... | | | ... | ·9 | ... | ... | ... | ... | ·2 | 2 |
| VIII. Condiments and Spices— | | | | | | | | | | | ·6 | ... |
| 1 Turmeric ... | ... | ... | | | | | 7 | ... | ... | ... | | |
| 2 Tamarind ... | ... | ... | | | | | 1 | ... | ... | ... | ·5 | ... |
| 3 Dry chillies ... | ... | ... | | | | | ·4 | ... | ... | — | ·1 | ... |
| 4 Garlic ... | ... | ... | | | | | ·9 | ... | ... | ... | ·4 | ... |
| 5 Pepper ... | ... | ... | | | | | | ... | ... | ... | 1 | ... |
| 6 Cardamom ... | ... | ... | | | ... | ... | | ... | ... | ... | ·8 | ... |
| IX. Miscellaneous— | | | | | ... | ... | | ... | ... | ... | ·1 | ... |
| 1 Salt ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | | |
| 2 Kerosene oil ... | ... | Per Litre | ... | | ... | ... | ... | ... | ... | ... | 10 | 9 |
| 3 Firewood/ Charcoal | ... | Quintal | ... | | ... | ... | ... | ... | ... | ... | 6 | 50 |
| 4 Course cloth .. | ... | Per Metre | | 0·94 | ... | ... | ... | ... | ... | ... | 0·62 | 1·25 |

(Sd.) .....

For *Chief Marketing Officer.*

## OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE BANGALORE

Notification dated 18th May 1965.

*Note on the state of Public Health in Mysore State week ending saturday, the 8th May 1965.*

**No. VS 19/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 128 attacks with 27 deaths from Smallpox was reported from the entire State *viz.*, from the town of Tiptur and from the city of Mangalore and from taluks of Gangavathi, Lingasugur, Badami, Sorab, Sindhagi, Coondapur, Udipi, Sagar, Mulbagal, Manvi and Hamnabad, *as against* 22 attacks with 6 deaths reported during the corresponding week of the previous year.

A total of 319 attacks with 70 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Bangalore North, Yelendpur, Srirangapatna, K. R. Pet, Panduvapura, Manvi, T. Narsipur, Kollegal, Hunsur, Shimoga, Sagar, H. D. Kote during the week, *as against* 152 attacks with 60 deaths reported during the corresponding week of the last year.

A total of 7 attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, Relapsing fevers Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 289 (170 in hospitals) for the week *as against* 184 (100 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.7 (6.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.1 (4.6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 17 were due to Smallpox, 2 due to other fevers, 32 due to Dysentery and Diarrhœa, 3 due to Consumption and 235 due to all other causes *as against* 12 due to other fevers, 6 due to Dysentery and Diarrhœa, 8 due to Consumption and 185 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 102 (37 in hospitals) for the week *as against* 45 (7 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 20.6 (13.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.1 (7.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 6 were due to Cholera, 22 due to other fevers. 15 due to Dysentery and Diarrhœa 4 due to Consumption and 55 due to all other causes, *as against*, 16 due to other fevers, 1 due to Dysentery and Diarrhœa, 2 due to Consumption and 26 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 8 (2 in hospitals) for the week *as against* 16 ( nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 3.0 (2.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.1 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, and 6 due to all other causes *as against* 3 due to other fevers, 1 due to Dysentery and Diarrhœa, and 12 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 1 (nil in hospitals) for the week *as against* 2 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 0.3 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.9 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to consumption *as against* 2 due to all other causes only reported during the corresponding week of the previous year.

30 ....., *Deputy Director*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE, (S. K.)

Dated 26th February 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 26th February 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Mankathi | 100 kg. | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice—I Sort | ... Mankathi | " | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moora of 89·14 kg. | |
| Cane Jaggery | ... I Sort | 100 kg. | 100 00 |
| " | ... II Sort | " | 70 00 |
| Cocoanuts | ... Unhusked | 1000 kg. | 350 to 450 00 |
| " | ... Husked | " | 300 to 440 00 |
| Copra | ... | 100 kg. | 210 to 225 00 |
| Cocoanut Oil | ... I Class | 10 kg. | No stock 87 00 |
| | II Class | " | 85 00 |
| Cashew Kernels | ... | | No Stock |
| Cashew Nuts | ... | | |
| Cardamoms | ... Mysore | 100 kg. | 190 to 280 00 |
| " | ... Coorg | 10 kg. | 190 to 280 00 |
| | | " | |
| Malabar Black Pepper | ... ... | 50 kg. | 160 to 200 00 |
| Tobacco | ... Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 850 to 900 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | 20 to 35 00 |
| " | ... Husked Old | 60 kg. | 300 to 348 00 |
| " | ... " New | " | 200 to 270 00 |
| Chillies | ... Kumpta | | ... |
| " | ... Local | 10 kg. | 28 to 38 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | ... | Bag of 69·92 kg. | 28 to 50 00 |
| Cotton Seeds | ... ... | " 64·00 kg. | 16 to 18 50 |
| Horsegram | ... ... | " 93·07 kg. | 60 to 74 00 |

24

..... Dy. Commr.

Dated 19th February 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 19th February 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Mankathi | 100 kg. | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice—I Sort | ... Mankathi | " | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moora of 89·14 kg. | ... |
| Cane Jaggery | ... I Sort | 100 kg. | 100 00 |
| " | ... II Sort | " | 70 00 |
| Cocoanuts | ... Unhusked | 1,000 Nuts | 300 to 450 00 |
| " | ... Husked | " | 300 to 440 00 |
| Copra | ... | 100 kg. | 210 to 225 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 87 00 |
| " | ... II Class | " | 85 00 |
| Cashew Nuts | ... | 100 kg. | No stocks ... |
| Cardamoms | ... Mysore | 10 kg. | 190 to 280 00 |
| " | Coorg | " | 190 to 280 00 |
| Malabar Black Pepper | ... ... | 50 kg. | 160 to 200 |
| Tobacco | ... Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 850 to 900 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | 20 to 35 00 |
| " | ... Husked Old | 60 kg. | 300 to 348 00 |
| " | ... " New | " | 200 to 270 00 |
| Chillies | ... Kumpta | | ... |
| " | ... Local | 10 kg. | 28 to 38 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | ... | Bag of 69.92 kg. | 28 to 50 00 |
| Cotton Seeds | ... ... | " 64 kg. | 16 to 18 50 |
| Horsegram | ... ... | " 93·07 kg. | 60 to 74 00 |

....., Dy. Commr

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG 292

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, JUNE 10, 1965 (JYEISHTA 20, SAKA ERA 1887) | No. 23

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday, the 12th May 1965.

| No. of rainy days in the week | Rainfall in Millimeters: During the week: Actual | Rainfall in Millimeters: During the week: Normal | Rainfall in Millimeters: Since the beginning of the season: Actual | Rainfall in Millimeters: Since the beginning of the season: Normal | Condition of | Remarks |
|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 7 8 9 | 10 |
| | | | | | (From 1—4—1965) | |
| | | | | | 1. Bangalore District. | |
| | | | | | Good | |
| | | | | | 2. Kolar District. | |
| 68.8 | Fair except in Malbagal tq. where Vaishaki paddy crop under some tanks were withered for insufficient water supply. | | | | Good | |
| | | | | | 3. Tumkur District. | |
| | | | | | Good | |
| | | | | | 4. Mysore District. | |
| | | | | | Good | |
| | | | | | 5. Mandya District. | |
| | | | | | Good | |
| | | | | | 6. Hassan District. | |
| | | | | | Good | |
| | | | | | 7. Chikmagalur District. | |
| | | | | | Good | |

| No. of rainy days in the week. | Rainfall in Millimetars | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 1—4—1965).

8. Shimoga District.

Good

9 Chitradurga District.

Good

10. Bellary District.

Good except for the prevalence of Cattle disease at three villages of Sirguppa Taluk.

11. Bijapur District.

Good except in one village Hungund taluk where "Black Quarter" was prevailing.

12. Belgaum District.

Good

13. Dharwar District.

Good except for the prevalence of cattle disease in 1 village of Hargund Taluk.

14. North Kanara District.

Good

15. Gulbarga District.

Good ... (15)

16. Raichur District.

Good

17. Bidar District.

Good ... (17)

18. South Kanara District.

Good

19. Coorg District.

... 4.6 ... 19.8 ... do Good do do ... (19)

REMARKS.— (1) Refers to 6 Taluks, (2) Refers to 8 Taluks, (3) Refers to 9 Taluks, (4) Refers to 7 Taluks, (5) Refers to 6 Taluks, (6) Refers to 6 Taluks, (7) Refers to 4 Taluks, (8) Refers to 4 Taluks, (9) Refers to 6 Taluks, (10) Refers to 6 Taluks, (11) Refers to 8 Taluks, (12) Refers to 5 Taluks, (13) Refers to 10 Taluks, (14) Refers to 5 Taluks, (15) Refers to 6 Taluks, (16) Refers to 6 Taluks, (17) Refers to 8 Taluks, (18) Refers to 6 Taluks, (19) Refers to 2 Taluks.

M. GANGARUDRIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the week ending Wednesday, the 12th May 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General progress of Agricultural Operations.
(f) ,, Water supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Gowribidanur Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) Light showers in Gubbi, Pavgada, Kunigal, Tiptur and Chicknayakanahalli Taluks.
(b) Transplantation of Paddy inTumkur taluk Yada-Ragi in Pavagada taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Madhugiri and Pavagada Taluks was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) Light showers in Mysore, Gundlupet, Chamarajanagar, T. Narasipur, Kollegal, Nanjangud and K. R. Nagar Taluks.
(b) Sowing of Jawar in Mysore, Gundlupet, Chamarajnagar and T. Narasipur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Kollegal taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Malavalli, Nagamangala, Mandya and Pandavapura Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Mandya Taluks was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Manjarabad and Alur Taluks.
(b) Sowing and Transplantation of Jawar and G. Nut in Channarayapatna Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in Mudigere Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of sugarcane in Kadur Taluk was in progress.
(e) Progress was fair in Kadur taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in Bhadravathi taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Molakalmuru and Challakere Taluks.
(b) Transplantation of Gidda-Ragi in Molakalmuru and Challakere Taluks was in progress.
(c) Standing Crops were fair except in Harihar taluk where Ragi crop was affected by pest.
(d) Harvesting of paddy in Hosadurga, Chitradurga and Molakalmuru taluks white-jawar and paddy in Challakere taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally health.

10 Bellary District.—

(a) Light showers in Sandur and Bellary Taluks.
(b) Nil,
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Hospet taluk, Summer Paddy in Kudligi taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of Cattle disease at 8 villages of Sirugappa taluk.

11 Bijapur District.—

(a) No rain fall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 9 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of "Black Quarter" in some parts of Hungund taluk.

12 Belgaum District.—

(a) Light showers in Ramdurg taluk.
(b) Nil,
(c) Standing crops were fair.
(d) Harvesting of Cotton was nearing completion in Ramdurg Taluk.
(e) Progress was fair in 5 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was completed in all taluks.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of cattle disease in some parts of Nargund Taluk.

14 North Kanara District.—

(a) No Rainfall during the week.
(b) Transplantation of paddy in Haliyal taluk Sugarcane in Honnavar tq was in progress.
(c) Standing crops were fair
(d) Harvesting of Rabi Paddy and Sugarcane in Honnavar tq. was in progress.
(e) Progress was fair in 5 taluks
(f) Sufficient except in Mundgod and Haliyal Taluks where in sufficiency was felt.
(g) Available
(h) Generally healthy.

15 Gulbarga District —

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Nil
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Kolahar District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil,
(e) Progress was fair in 8 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in Aurad tq.
(f) Sufficient except in Bhalki tq. where insufficiency was felt.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) No Rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of III crop paddy in Buntwal and Coondapur Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Belthangadi and Udipi tqs. where insufficiency was felt.
(g) Available except in Udipi and Belthangadi tqs. where scarcity for fodder was felt.
(h) Generally healthy.

19 Coorg District.—

(a) Light showers in Somawarpet Taluk.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, *For Director.*

## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

Notification dated 31st May 1965.

*Note on the state of Public Health in Mysore State week ending Saturday, the 15th May 1965.*

**No. VS 20/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 55 attacks with 4 deaths from Smallpox was reported from the entire State *viz.*, from the City of Mangalore and from the taluks of Manvi and Udipi *as against* 5 attacks with one deaths reported during the corresponding week of the previous year.

A total of 4 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* one attack with nil death reported during the corresponding week of the previous year.

A total of 224 attacks with 44 deaths from Cholera was reported for the entire State *viz.* from the taluks of Shimoga, Sagar, Hunsur, Anekal, Channapatna, Ramanagaram, Srirangapatnam, Malavalli, Krishnarajapet, Pandavapur, Chamarajanagar, Kollegal, Nanjangud, T. Narasipura, Hosakote, Bangalore South, Bhadravathi, Gangavathi, Koppal and from the towns of Shimoga, Sagar, Channapatna, Malavalli and Krishnarajpet and from the City of Mysore.

The State remained free from yellow fever, relapsing fever, Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 308 (43 in hospitals) for the week *as against* 134 (37 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.7 (14.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.4 (5.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 35 due to Dysentry and Diarrhoea, 9 due to consumption and 263 due to all other causes, *as against* 9 due to other fevers, 15 due to dysentery and Diarrhoea, 4 due to consumption and 106 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 103 (60 in hospitals) for the week *as against* 60 (13 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 20.8 (8.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.1 (9.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 15 were due to Cholera, 5 due to other fevers, 22 due to Dysentery and Diarrhoea 2 due to Consumption and 59 due to all other causes, *as against*, 1 due to Malaria, 1 due to Typhoid, 9 due to other fevers, 2 due to Dysentry and Diarrhoea, and 47 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 12 (12 in hospitals) for the week *as against* 12 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 3.9 (3.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.1 (2.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 12 due to all other causes, *as against* 12 due to all other causes only reported during the corresponding week of the previous year.

The total mortality for Belgaum city amounted to 15 (nil in hospitals) for the week *as against* 12 (1 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 5.7 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.6 (4.2 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers and 13 due to all other causes, *as against* 1 due to other fevers, 2 due to Dysentry and Diarrhoea, 1 due to consumption and 8 due to all other causes reported during the corresponding week of the previous year.

The report for Mangalore City has not been received.

35 ....., *Deputy Director.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 15th July 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 85·00—86·00 | 80·00—85·00 | ... | 80·00 | 88·00 | 89·00 | 42·00—20·00 | ... | 43·00 | 41·00 |
| | (b) Medium | | 88·00—84·00 | 25 00 80·00 | 85 00—00 00 | 29·00 | 86 00 | 88·00 | 44 00 | ... | 36 00 | 88·00 |
| | (c) Coarse | | ... | 24·00—25 00 | .. | 27 00 | 85·00 | 35·00 | 88·00 | ... | 32·00 | 86·00 |
| 2 Rice | (a) Fine | | 66·00—76·00 | 70 00—78·00 | 70 00—72 00 | 63 00 | 70·00 | 62·00—68·00 | 72·00 | 71·00 | 70·00 | 78·00 |
| | (b) Medium | | 60·00—65·00 | 60·00—65·00 | 66·00—67·00 | 52·00 | 62·00 | 60 00—61·00 | ... | 68·00 | 58·00 | 6·50 |
| | (c) Coarse | | 56 00—60·00 | 64 00—60·00 | 61 00—50·00 | 48·00 | 66·00 | 58 00—59·60 | 58·00—60·00 | 58·00 | 55·00 | 65·00 |
| 3 Wheat | White | | 70·00—76 00 | 45·00—60·00 | 58 00—60·00 | 46·00 | 39·00 | 40·00—42 00 | 42·00 | 44·00 | 45·00 | 69·00 |
| Wheat Flour | ,, | | ... | 55·00—60·00 | ... | ... | 49·00 | 44·00 | 65·00—66·00 | 53·00 | 52·00 | ... |
| 4 Jowar | ,, | | 85·00—50·00 | 32·00—34·00 | 32·60—34·00 | 34·60 | 35·00 | 40·00 | 88·00 | 39·75 | 42·00 | 44·00 |
| 5 Bajra | ... | | ... | ... | 38·00—34 00 | ... | 36·00 | 40 00 | ... | ... | ... | 36·00 |
| 6 Barley | ... | | 120·00 | ... | ... | ... | ... | 160·00 | ... | ... | ... | ... |
| 7 Maize | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi | ... | | 36·00—37·50 | 34·00—37·00 | 33·50—34·37 | 37·00 | 33·00 | 35·00—38·00 | 40·00 | 36·80 | 37·50 | 35·75 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) Navane | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | 29·50 |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | | ... | ... | N.A. | ... | ... | ... | ... | 27·00 | 25·00 | ... |
| (ii) Tapioca | ... | | 28·00 | ... | ... | ... | ... | ... | ... | ... | 35·00 | ... |
| (iii) Papaya | ... | | 18·00—22·00 | ... | 20—00 | ... | ... | ... | ... | ... | 33·00 | ... |
| (iv) Ground-nut cake flour. | ... | | ... | ... | ... | ... | 40·00 | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | ... | | 48 00—56 00 | 45·00—50 00 | 70·00 | 55·00 | 54·00 | 56·00 | 56 00 | 58·50 | 54 00 | 59·00 |
| 2 Arhar (Tur.) | ... | | 58·00—60 00 | 50·00—56·00 | 67·00 | 70·00 | 48 00 | 60·00 | ... | ... | 45 00 | 80·00 |
| 3 Mung | ... | | 65 00—68·00 | 68·00—70·00 | 68·00 | 64·00 | 56·00 | 65 00 | 55·00—60·00 | 58·50—28·50 | 56·00 | ... |
| 4 Urd | ... | | 78.00 | 74·00—80·00 | ... | 80·00 | 80·00 | 70·00—75.00 | 82 00—8·.00 | 75·00—76 50 | 78·00 | ... |
| 5 Masur | ... | | ... | ... | ... | ... | 40·00 | ... | 88·00—80·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | ... | | 55·00—60·00 | 58·00—64·00 | 84·50 | ... | 55·00 | 60·00—65·00 | 65·00—70 00 | ... | 55·00 | .. |
| (ii) Horsegram | ... | | 35 50—36·00 | 35 00—38·00 | 35·00 | 35·00 | 38·00 | 35·00—36·00 | 58·00—59·00 | 46·00 | 32·00 | 38·00 |
| (iii) Cowpea | ... | | 65·00—70·00 | 45·00—50 00 | 48·00—50·00 | ... | 40·00 | 70·00 | 55·00—77·00 | ... | 69 00 | 46 00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 100 00—107·50 | 90·00—110 00 | 100·00—120·00 | 70·00 | 90 00—100 00 | 110·00 | 120·00 | 89 00 | 105·00 | 108·00 |
| | (b) Sort II | | | 8 ·00—9·.00 | 80·00—100·00 | 65·00 | ... | 88·00 | .. | 78·50 | 90 00 | 95·00 |
| 2 Sugar [illegible] | O. Sd | | 114·50—116·50 | 119·00—120·00 | ... | ... | 120·00 | 119·00 | 114·00 | 118 00 | 119·00 | 118·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| V. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | .. | 87·00—70·00 | 30·00—40·00 | 70 CO | 68 00 | 60·00 | ... | 50·70 | ... | 70·60 | 65·00 |
| | (b) Machine shelled. | ... | 76 27—85 00 | 90·00—98·05 | 95·00 | ... | 95·00 | ... | 50·65 | ... | 86·00 | 92·00 |
| Groundnut Oil | ... | ... | 180·00—185·00 | 180·00—200·00 | 170·00—180·CO | 195·CO | 188·00 | 190·00 | 187·09 | 174·75 | 185·CO | 180·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | ... | 46·00 | 40·00 | 45·00 | 88·00 | ... | 40·00 | 88·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | ... | 75·00—80·00 | ... | ... | 96·09 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | 195·00 | ... | 185·00 | ... | ... | ... |
| Sesamum Oil-cake. | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| 3 Castor Seed ... | ... | ... | 58 00—60·00 | ... | 56·00—59·09 | ... | | 70·00 | ... | ... | 59·50 | 54·00 |
| Castor Oil ... | ... | ... | 180·00—180·00 | 180—190 | 150·00—160·00 | 195·00 | 100·00 | 185·00 | 155·160 | 177·00 | 190·00 | 182·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rape and Mustard. | (a) Black .. | ... | 109·00—105·00 | ... | ... | ... | ... | ... | ... | ... | 98·00 | |
| | (b) Yellow | .... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | | .. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | .. | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | .. | ... | ... | ... | ... | ... | 160·CO -800·00 | 150·00—185·00 | 277·00—805·00 | 880·00 | 2·0·00 | 315·00 |
| 7 Coccanut | (a) Nuts ... | (Per thousand) | 160·00—260·00 | 225·00—250·00 | 180·00—220·00 | ... | ... | 230·00—240 00 | ... | 275·00 | 270·00 | 242·00 |
| | (b) Copra | per quintal | 240 00- 260·00 | ... | ... | ... | ... | ... | ... | 242·00 | 275·00 | 240·00 |
| Cocoanut Oil... | ... | ... | 330·00—350·00 | 307·00- 325·00 | 350·00 | 340·00 | 300 00 | 320·00 | 287·00 | 287·00 | 335 00 | 328·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 70 | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspath | ... | 290·00 | ... | 275·00 | ... | 280·00 | ... | ... | 291·50 | 800·00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 285 00 | ... | ... |
| VI. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | per gross | 12·00—15·00 | | 9·00—12·00 | 4·00—16·00 | 16·00 | 12·00—17·50 | 20·00—22·00 | 19·50 | ... | 24·00 |
| 3 Plantains ... | ... | Do | 6·00—10·00 | 4·00—6·00 | ... | 4·00—1900 | ... | 4·00—8·50 | 10 00—12·00 | 7·00 | 6·00 | 5 00 |
| 8 Oranges ... | ... | Do | 5.00—7·00 | ... | 6 00—9·00 | 4·00—15·00 | 12·00 | 10·00—19·00 | 13·00—16·00 | 18·75 | ... | 16·50 |
| 4 Dates ... | ... | ... | ... | ... | 175·00—190 00 | ... | ... | 115.00 | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 28·00—41·00 | 45·00—48·00 | 58·00—62·00 | 40·00 | 44·00 | 50·00 | 39·00—41·00 | 88·00 | 46·00 | 40·00 |
| 2 Onions ... | ... | ... | 20·00—22·00 | 35·00—40·00 | 28 00—36 00 | 25·00 | 30·00 | 30·00—35·00 | 25·00—27·00 | 27·00 | 32·00 | 29·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 44·00 | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 22·90 | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | 450·00—490 00 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | 820·845 | 700·00 - 750·00 | 650·00—720·00 | ... | ... | 800·00—800 | 460·00—490 00 | 769·00—810·00 | 750·00 | 672·00 |
| VII Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint .. | .. | ... | ... | | ... | ... | .. | ... | ... | ... | ... |
| | (c) Seed ... | ... | ... | | 42·00—46·00 | ... | ... | ... | 40·00 | ... | ... | ... |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Locose ... | (a) White— | | | | | | | | | | | | | | | | |
| | (i) Top ... ... | | | | | | | | | | | | | | | | |
| | (ii) Middle ... | | | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | | |
| | (i) Top ... ... | | | | | | | | | | | | | | | | |
| | (ii) Middle ... | | | | | | | | | | | | | | | | |
| | (iii) Bottom ... | | | | | | | | | | | | | | | | |
| Pucca Baled Jute. | (i) Lightings | Per bale | | | | | | | | | | | | | | | |
| | (ii) First Mills. | | | | | | | | | | | | | | | | |
| | (iii) First Exports. | | | | | | | | | | | | | | | | |
| Sann hemp ... | ... ... | | | | | | | | | | | | | | | | |
| 4 Mesta ... | (i) Top ... | | | | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | | | |
| VII. Tobacco .. | (a) Country— | | | | | | | | | | | | | | | | |
| | (i) Leaf ... ... | | | | | | | | | | | | | | | | 290·00 |
| | (ii) Pulah ... ... | | | | | | | | | | | | 450·00—475·00 | 810·00 | | | 280·00 |
| | (b) Virginia ... | | | | | | | | | | | | | | | | |
| | (i) Leaf ... ... | | | | | | | | | | | | | | | | |
| | (ii) Pulah ... ... | | | | | | | | | | | | | | | | |
| VIII. Livestock— | | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 450·00—700·00 | 800·00—400·00 | 450·00 | 300·00—400·00 | 250·00 | 880·00—500·00 | ... | 160·00—300·00 | 410·00—550·00 | 225·00 |
| | (b) ,, II ... | Do ... | 3 0·00—450·00 | 200·00—300·00 | 300 00—3 0·00 | 175·00—250 00 | 2150·08 | 230·00—340·00 | 100·00—150·00 | 120·00—200·00 | 215·00—335·00 | 205·00 |
| (ii) Buffalo bulls. | (a) I ... | Do ... | 250·00—350·00 | ... | 100·00—12 ·00 | 175·00—250 00 | 80·00 | 80·00—40·00 | ... | ... | 208·00—255·00 | 180·00 |
| | (b) ,, II ... | Do ... | 300·00—400·00 | 200·00—300·00 | 125·00—150·00 | ... | ... | 25·00—35·00 | 150·00—200·00 | ... | 210·00—250·00 | 170·00 |
| Milch cattle— | | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 350·00—600·00 | 400·00—500·00 | 150·00—200·00 | ... | 300·00 | 180·00—300·00 | ... | 95·00—175·00 | 420·00—470·00 | 165·00 |
| | (b) Class II ... | Do ... | 250·00—350·00 | 150·00—250·00 | 100 00—150 00 | ... | ... | 100·00—140·00 | ... | 80·00—130·00 | 220·00—270·00 | 125·00 |
| (ii) Buffaloes .. | (a) Class I ... | Do ... | 400·00—500·00 | 350·00—450·00 | 300·00 | 150 00—400.00 | 250·00 | 180·00—300·00 | ... | 260·00—560·00 | 330 00—3 0·00 | 200·00 |
| | (b) Class II ... | Do ... | 250·00—350·00 | 200·00—325 00 | 100.00—150·00 | ... | 150 08 | 130·00—165·00 | ... | 150·00—310·00 | 150·00—240·00 | 180·00 |
| 3 Sheep ..... | | Do ... | 30·00—60·00 | 25·00—30·00 | 35·00 | 30·00—50·00 | 80 00 | 30·00—35·00 | ... | 40·00—80·00 | 20·00—55·00 | 39·00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | | | |
| 1 Wool .(Specify the varieties). | (a) ..... | Per kg. ... | ... | ... | ... | ... | ... | 2·50 | ... | ... | ... | ... |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | 1·50 | ... | ... | ... | ... |
| 2 Hides.— | | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | 1·50—1·15 | 1·75—2.00 | ... | 0·90 | ... | 1·00—1·75 | 1·08 | ... | ... | 2·61 |
| | (b) ..... | Do ... | ... | 1·00—1·75 | ... | ... | ... | ... | 1 00 | ... | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | 2·00—2·25 | ... | 6·00 | ... | 7·50—8·75 | 4·00 | ... | ... | 8·81 |
| | (b) ..... | Do ... | ... | 1·75—2 ·0 | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Buffalo hides— Raw | (a) ..... | Do ... | 1·05—1·09 | 2·00—2·25 | ... | 0 75 | ... | 1·75—2·50 | 1·08 | ... | ... | 8·25 |
| | (b) ..... | Do ... | ... | 1·50—1·75 | ... | ... | ... | ... | 1·00 | ... | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | 2·00—2·50 | ... | 6·25 | ... | 4·50—6·00 | 3·50 | ... | ... | 4·00 |
| | (b) ..... | Do ... | ... | 1·50—2·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| Skins.— | | | | | | | | | | | | | | | | | |
| (i) Goat skins— Raw | (a) ..... | Each ... | ... | 1·50—1·75 | ... | ... | ... | 3·75—5·75 | 5·00—5·25 | ... | 4·00—5·00 | 1·87 |
| | (b) ..... | Per kg. | ... | 1·00—1·25 | ... | ... | ... | ... | ... | ... | | ... |
| Tanned | (a) ..... | Do ... | ... | ... | ... | ... | ... | 7·00—14·00 | ... | ... | ... | 2·69 |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Sheep-skins— Raw. | (a) White | Each ... | 4·75—5·00 | 1·25—1·75 | ... | ... | ... | 3·75—5·00 | 4·50—4·75 | ... | 3·95 | 1·94 |
| | (b) Black | Per kg. | 3.80—4.00 | 1·00—1·25 | ... | | ... | ... | ... | ... | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | 8·75—23·00 | ... | ... | ... | 2·84 |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Gut | (a) Agmark | Do ... | 8·00 | 8·00—9·00 | ... | ... | ... | ... | 8·00 | | | ... |
| | (b) Ungraded | Do ... | 7·50 | 6·00—7 00 | ... | ... | ... | ... | ... | | | 5·75 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| V. Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | ... | ... | 80·00—81·00 | ... | 88·00 | ... | ... |
| | (b) Paddy ... | Cart load | ... | ... | ... | ... | ... | 20·00—22·00 | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | 89·00 | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 100·00—175·00 | ... | 175·00—200·00 | 190·00 | 160·00 | 160·00—160·00 | 166·00 | 175·00—195·68 | 180·00 | 168·00 |
| 2 Tamarind ... | ..... | ... | 50·00—110·00 | 90·00—100·00 | 72·00—80·00 | 100·00 | 80·00 | 90·00—100·00 | 85·00—90·00 | 90·00—101·00 | 185·00 | 90·00 |
| 3 Dry Chillies ... | ..... | ... | 200·00—320·00 | 250·00—350·00 | 200·00—250·00 | 240·00 | 280·00 | 300·00 | 250·00—290·00 | 175·00—316·00 | 280·00 | 370·00 |
| 4 Garlic ... | ..... | ... | 90·00—100·00 | 200·00—330·00 | 100·00 | 100·00 | 90·00 | 80·00—100·00 | 80·00—87·00 | 165·00—185·00 | 100·00 | 115·00 |
| 5 Pepper ... | ..... | ... | 285·00—310·00 | 285·00—450·00 | 450·00 | 460·00 | 810·00 | 850·00—860·00 | 850·00—867·00 | 480·00—475·00 | 800·00 | — |
| 6 Cardamom ... | ..... | ... | 1,600·00—2,280·00 | 660·00—1,860·00 | 1,600·00—2,000·00 | 1,450·00 | 1,600·00 | 1,400·00—1,500·00 | ... | ... | 1,500·00 | — |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 37·50 | 43 00—44·00 | 85·00—86·00 | ... | ... | 46·00 | ... | 84·00 | 88·00 |
| | (b) Medium ... ... | | 36·50 | 40·00—42·00 | 83·00—84·00 | ... | ... | 46·00 | ... | ... | 86·00 |
| | (c) Coarse ... ... | | 35·50 | 39·00—40 00 | ... | ... | ... | 43 00 | ... | 83·00 | ... |
| 2 Rice ... | (a) Fine ... ... | | 65·00 | 70·00—75·00 | 70·00—74·00 | ... | 66·69 | 60·00 | ... | 66·00 | 78·00 |
| | (b) Medium ... ... | | 60·00 | 62·00—65·00 | 64·00—65·00 | ... | 60·00 | 58·.0 | ... | ... | 75·00 |
| | (c) Coarse ... ... | | 54·00 | 58·00—60·00 | 62·00—63·50 | ... | 53·00 | 53·80 | ... | 56·00 | 65·63 |
| 3 Wheat ... | White ... ... | | 64·00 | 50 00—62·00 | 45·00—60·00 | ... | 46·00 | 60 00 | ... | 62.00 | 48·00 |
| Wheat Floor ... | White ... ... | | 70 09 | 50.00 62.00 | ... | ... | ... | 56·00 | ... | 51·00 | 54·00 |
| 4 Jowar | White ... ... | | 48·00 | 34·00—35·09 | 80·00—84·00 | ... | ... | 48·00 | ... | ... | ... |
| 5 Bajra ... | ... ... | | ... | ... | ... | ... | ... | 38·09 | ... | ... | ... |
| 6 Barley ... | ... ... | | 100·00 | ... | 25.00—26·00 | ... | ... | ... | ... | ... | ... |
| 7 Maize ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | 40·00 | 48·00 |
| 8 Ragi ... | ... ... | | 36·00 | 38·00—43·00 | ... | ... | ... | ... | ... | ... | ... |
| 9 Other cereals | | | | | | | | | | | |
| 1) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... ... | | ... | 28·00—29·00 | ... | ... | ... | ... | ... | 20·00 | ... |
| (ii) Tapioca ... | ... ... | | ... | ... | ... | ... | ... | 32·00 | ... | | ... |
| (iii) Papaya ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | | 25·00 |
| (iv) Groundnut cake flour | ... ... | | ... | 40·00—41·00 | ... | ... | ... | ... | ... | | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram ... | ... ... | | 54·00 | 48·00—51·00 | 46·00—50·00 | ... | 48·50 | | ... | 52·00 | 68·00 |
| 2 Arhar (Tur) | ... ... | | 50·00 | ... | 46·00—48·00 | ... | ... | | ... | | 88·00 |
| 3 Mung ... | ... ... | | 58 00 | ... | 40·00—44·00 | ... | ... | ... | ... | 56 00 | ... |
| 4 Urd ... | ... ... | | 64·00 | ... | 42·00—43·00 | ... | 48 00 | ... | ... | ... | ... |
| 5 Masur ... | ... ... | | ... | ... | 38·00—40·00 | ... | 54·00 | ... | ... | ... | ... |
| 8 Other pulses | | | | | | | | | | | 85·61 |
| (i) Avare ... | ... ... | | 59·00 | ... | 36.00—38·00 | ... | ... | ... | ... | 46 00 | 46·00 |
| (ii) Horsegram ... | ... ... | | ... | 38·00—39·00 | 35·00—36·00 | ... | ... | ... | ... | | ... |
| (iii) Cowpea ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III. Sugar and Gur — | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | 110 00 | 100·00—105·00 | 110·00—115·00 | ... | 90·50 | 118·00 | ... | 120·00 | 68·00—75·00 |
| | (b) Sort II ... ... | | 106·00 | 90·00—95·00 | 104·00—109·00 | ... | 82·50 | ... | ... | 100·00 | ... |
| 2 Sugar Refined | D. 24 ... ... | | 121·00 | ... | 116·00—50·00 | ... | ... | ... | ... | 116·50—122·00 | 90·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 60·00 | 93·00—97·00 | 70·00—71·00 | ... | 67·25 | 69·00 | ... | 65·83 | 90·00 |
| | (b, Machine shelled. | ... | 98·00 | 185 00—188·00 | ... | ... | ... | ... | ... | ... | 125·00—150·00 |
| Groundnut Oil | ... | ... | 175·00 | 185·00—190·00 | 184·00—189·00 | ... | 195·00 | 270·00 | ... | 172·81 | 187·00—196·00 |
| Groundnut Oil-cake. | ... | ... | 50·00 | ... | 89·00—89 50 | ... | ... | 88·00 | ... | 40·14 | 45·00 |
| 2 Sesamum ... | (a) White ... | ... | 150·00 | ... | ... | ... | ... | | ... | 90·00 | ... |
| | (b) Black ... | ... | ... | ... | 85·00—86·00 | ... | ... | | ... | 264 00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | | ... | 66 00 | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. |
| 8 Castor seed | ... | ... | ... | ... | 56·50 | ... | ... | ... | ... | ... | ... |
| Castor Oil | ... | ... | ... | ... | ... | ... | 170·00 | ... | ... | ... | 176·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | 98·00—99·00 | ... | ... | ... | ... | ... | 120·00—185·00 |
| | (b) Yellow ... | ... | 120 80 | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | 4·00 | ... | ... | ... | ... |
| 6 Linseed .. | (a) Brown bold ... | ... | ... | ... | 70·00—50·00 | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut .. | (a) Nuts ... | (Per thousand) | 860·00 | 200·00—250·00 | 225·00—205 00 | ... | 260·00 | ... | ... | 280·00 | 800·00 |
| | (b) Copra .. | Quintal | 850·00 | ... | 248·00—268·00 | ... | ... | ... | ... | 190·00 | 400·00 |
| Cocoanut Oil ... | | | 287·50 | 295·00—298·00 | 265·00—270·00 | ... | 950·00 | 860·00 | ... | 302·00 | 808 00 |
| Cocoanut Oil-cake | | ... | ... | ... | ... | ... | ... | ... | ... | 56·00 | ... |
| 8 Other Oil seeds | (i) Nigerseed... | ... | 75.00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | | 362·50 | ... | 180·00—182·00 | ... | ... | ... | ... | ... | ... |
| | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Other Oils .. | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | 265·00 |
| Fruits, Vegetables and Nuts,— | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | | ... | ... | ... | | ... | | ... | ... |
| 2 Plantains ... | ... | Do ... | | 6·00—8·00 | 6·25 | ... | | 9·00 | | ... | 6·00 |
| 3 Oranges ... | ... | Do ... | | ... | ... | ... | | ... | | 10·15 | 7 00 |
| 4 Dates ... | | ... | | ... | ... | ... | | ... | | ... | ... |
| 5 Cashew kernels, etc | ... | ... | | ... | ... | ... | | ... | | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 50·00 | 35·00—40·00 | 60·00 | ... | | ... | | | 56·00 |
| 2 Onions ... | ... | ... | 80.00 | 25 00—32·00 | 22·00—28·00 | ... | | 32·00 | | | 86·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | 480.00 | ... | 440·80—450·00 | ... | 700·00 | ... | ... | 200·00—650·00 | |
| 2 Arecanuts ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 500.00 | |
| VI. Fibres,— | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (c) Seed ... | ... | 40·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Jute :—Loose | (a) White— | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Tossa— | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pucca Baled Jute. | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) First Mills | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) First Exports. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6 Meats | (i) Top ... ... | | | | | | | | | | | | | | | |
| | (ii) Middle ... ... | | | | | | | | | | | | | | | |
| | (iii) Bottom ... ... | | | | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf | | 460·00 | | | | | | | | | | | | 800·00 | |
| | (ii) Pulah ... ... | | — | | | | | | | | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | | | | |
| | (i) Leaf ... | | 600·00 | | | | | | | | | | | | | |
| | (ii) Pulah ... ... | | ... | | | | | | | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | ... | | 300·00—400·00 | | 450·00—600·00 | | | | 360.00 | | | | | |
| | (b) Class II ... | Do ... | ... | | 200·00—250·00 | | 200·00—400·00 | | | | 260·00 | | | | | |
| (ii) Buffalo bulls | (a) Class I ... | Do ... | ... | | 200·00—250·00 | | 200·00—300·00 | | | | ... | | | | | |
| | (b) Class II ... | Do ... | ... | | 150·00—200·00 | | 100·00—150·00 | | | | ... | | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 150.00 | | 150·00—200·00 | | 150·00—250·00 | | | | 200·00 | | | | | |
| | (b) Class II ... | Do ... | 90·00 | | 150·00—175·00 | | 100·00—250.00 | | | | 160 00 | | | | | |
| (ii) Buffaloes ... | (a) Class I ... | Do ... | 350·00 | | 250·00—275·00 | | 200·00—250·00 | | | | 3 0 00 | | | | | |
| | (b) Class II ... | Do ... | 280.00 | | 125·00—175 00 | | 100·00—200·00 | | | | 200·00 | | | | | |
| 3 Sheep ... | ... | Do ... | 85·00 | | 34·00—45·00 | | 35·00—45.00 | | | | 85,00 | | | | | 80.00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... ... ... | Per kg. ... | — | | | | ... | | ... | | | ... | ... | | | ... |
| | (b) ..... | Do ... | — | | | | ... | | ... | | | ... | ... | ... | | |
| 2 Hides— | | | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do ... | 2·00 | | 1·00 | | 1·15 | ... | ... | | ... | ... | ... | 1·20—1·50 | | ... |
| | (b) ..... | Do ... | ... | | 1·00 | | ... | | | | ... | ... | ... | ... | | |
| Tanned ... | (a) ..... ..... | Do | 4·00 | | 6·25 | | 4·44 | ... | | | | | | ... | | |
| | (b) ..... ..... | Do ... | 3·50 | ... | | | 1·15 | ... | ... | | ... | | | ... | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 4·00 | | 1·00 | | 0·75 | ... | ... | | ... | ... | | 0·90—1·05 | | ... |
| | (b) ..... | Do ... | 3·00 | ... | | | 4·44 | ... | ... | | ... | ... | ... | ... | | ... |
| Tanned ... | (a) ..... | Do ... | 7·00 | | 6·20 | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| | (b) ..... | Do ... | 6·50 | | 6·00 | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| 3 Skins— | | | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) ..... | Do ... | 2·00 | ... | | | 3·00 | ... | ... | | ... | ... | ... | 4·00—5·00 | | 3·50 |
| | (b) ..... | Do ... | 1·50 | ... | | ... | | ... | ... | | ... | ... | ... | ... | | ... |
| Tanned | (a) ..... ... | Do ... | 8·00 | | 7·00—8·00 | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| | (b) ..... ..... | Do | 6·00 | ... | | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| (ii) Sheepskins— Raw. | (a) White | Do ... | 2 00 | ... | | | 3·50—3.75 | ... | ... | | ... | ... | ... | 2·50—3 50 | | 3·50 |
| | (b) Black | Do ... | 1·50 | ... | | | — | ... | ... | | ... | ... | ... | ... | | ... |
| Tanned | (a) ..... | Do ... | 6·00 | ... | | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| | (b) ..... ..... | Do ... | 5·50 | ... | | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| 4 Ghee ... | (a) Agmark ... | Do ... | ... | ... | | | ... | ... | | 6·00 | ... | ... | ... | ... | | ... |
| | (b) Upgraded ... | Do ... | ... | | 6·50 | | ... | ... | ... | | ... | ... | ... | 7 | | ... |
| X. Fodder.— | | | | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | Per quintal | ... | | ... | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| | (b) Paddy | Per cart-load | ... | | ... | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| 2 Straw ... | (a) Ragi | Do ... | ... | | ... | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| | (b) ... ... ..... | ... | ... | | ... | | ... | ... | ... | | ... | ... | ... | ... | | ... |
| 3 Stalks ... | (a) Jola | Per quintal | ... | | 30·35 | | 25·00—26.00 | ... | ... | | ... | ... | ... | ... | | ... |
| | (b) ..... | ... | ... | | | | ... | ... | ... | | ... | ... | ... | ... | | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 190·00 | 150·00—160·00 | 80·00—85·00 | ... | ... | ... | ... | | 275·00 |
| 2 | Tamarind ... | ... | ... | 90·00 | 90·00—90·00 | 58.00—60·00 | ... | ... | ... | ... | 90·00 | 120.00 |
| 3 | Dry Chillies ... | ... | ... | 320·00 | 225·00—260·00 | 230·00—260·00 | 210·00 | ... | ... | ... | 285·00 | 290·00 |
| 4 | Garlic ... | ... | ... | 80·00 | 69·00—75·00 | 62·00—68·00 | ... | ... | ... | ... | 90·00 | 150.00 |
| 5 | Pepper ... | ... | ... | 842·00 | ... | ... | ... | ... | ... | ... | 286·00 | 275.00 |
| 6 | Cardamom ... | ... | ... | 1091·00 | ... | ... | ... | ... | ... | ... | ... | 1,000.00-1,700·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Stichlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending 15th July 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | ... | 3·5 | ... | ... | 2 6 | 2 6 | ... | ... | 2·7 | 2·2 |
| 2 Rice ... | Do ... | ... | 1·6 | 2 | 1.4 | 2 | 3.3 | 1·6 | ... | 2 | 1·7 | 1·5 |
| 3 Wheat ... | White ... | ... | 2 5 | 2 | 2.4 | 2·5 | 2 5 | 2·2 | ... | 1·5 | 2·2 | 1 3 |
| 4 Wheat Flour .. | Do ... | ... | 2 0 | 1.5 | 1.5 | ... | 2.4 | 2·1 | 2 2 | 1·5 | 1 | 2 |
| 5 Jowar ... | Do ... | ... | 1 2 | 3.5 | 2 3 | ... | 2 5 | 2·2 | 1.4 | ... | 2·4 | 2 |
| 6 Bajra ... | ... | ... | 2·5 | ... | 2.3 | 2.4 | 2.5 | 2·3 | 2.6 | ... | ... | 2.4 |
| 7 Barley ... | ... | ... | 0 7 | ... | ... | ... | ... | 0·8 | ... | ... | ... | 0 8 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2.4 | 2·75—3 | 2.3 | ... | 2.6 | 2·6 | ... | 2·5 | 2·4 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·7 |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 8·3 | ... | ... |
| (iii) Papaya ... | ... | ... | 3 3 | ... | ... | ... | ... | ... | ... | ... | .3 | ... |
| (iv) Groundnut cake flour. | ... | ... | 1·3 | ... | ... | ... | ... | ... | ... | ... | 2·6 | ... |
| | | | | | 5.2 | ... | ... | ... | ... | ... | 4 7 | |
| Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | Per Rupee | 1·3 | 2 | 1.4 | 1·6 | 1.3 | 1·6 | 1·5 | 1·3 | ... | ... |
| | (b) Split (without skin). | ... | 1·6 | 1·5 | ... | 1·5 | ... | 1·6 | 1·6 | 1·3 | 1·5 | 1 5 |
| | (c) Flour ... | ... | ... | 1·25 | ... | ... | 1.3 | 1·4 | ... | 1.2 | ... | ... |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | ... | ... | 1.4 | 1.1 | ... | 1·5 | ... | 2·2 | 2 1 | 1 1 |
| | (b) Split (without skin). | ... | 1·3 | 1 | 1·4 | 9 | 1.7 | 1 | 1·1 | 0·8 | 1 | 1·5 |
| 3 Moong ... | (a) Whole ... | ... | 1·3 | 1·5 | ... | 1·1 | ... | 1·4 | 1·1 | ... | 1·5 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | 1·5 | 1.1 | 1 1 | 1·6 | ... | 1 2 | ... |
| | | | | | | | | 1.3 | | | | |
| 4 Urd ... | (a) Whole ... | ... | 1.1 | 1·25 | ... | ... | ... | | 1.1 | | ... | ·8 |
| | (b) Split (without skin). | ... | 0·8 | 0.9 | ... | 1.1 | 1.5 | 0.7 | 1.2 | | 1·2 | ... |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 9 | ... | ·9 | ... |
| | (b) Split (without skin). | ... | 1.2 | ... | ... | 1.6 | ... | ... | 1—1·2 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1·3 | 1·5 | 2 | ... | 1·6 | 1·5 | 1·2 | ... | 1·4 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | ... | ... | 1·3 | 1·1 | ... | 1·2 | ... |
| (ii) Horsegram | ... | ... | 2·2 | 2 | 3 | 2·5 | 2·4 | 2·6 | 2·5 | 2·2 | 2·6 | 2·8 |
| (iii) Cowpea ... | ... | ... | 1·3 | 2 | 2 | ... | ... | 1·3 | 1·6 | ... | 1·2 | 1·7 |
| 11. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·3 | ·3 | ·3 | 1·3 | 1 | ·7 | ·7 | 1·2 | ·8 | 1 |
| | (b) Sort II ... | ... | ... | 1·1 | 1 | ... | ... | 1·1 | ... | 1 | 1 | 1·2 |
| 2 Sugar refined | ... | ... | ... | ... | | ... | ... | ·3 | ·3 | ·6 | ·7 | ·8 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·6 | ·6 | ... | ·6 | ·6 | ·6 | ·6 | ·4 | ·5 | ·6 |
| 2 Sesamum oil ... | ... | ... | ·6 | ... | ... | ... | ·6 | ... | ·6 | ... | ... | ·6 |
| 3 Castor oil ... | ... | ... | ... | ·2 | ... | ... | ·6 | ·6 | ·6 | ·6 | ·6 | ·6 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ·6 | ·6 | ·6 | ... | ... | ·4 |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·2 | ·2 | ·6 | ... | ... | ·2 | ·6 | ·6 | ·6 | ·2 |
| 7 Vanaspati ... | ... | ... | ... | ... | ... | ... | ... | ... | ·6 | ·6 | ... | ... |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil | ... | ... | ... | ... | ... | ... | ... | ·4 | ... | ... | ... | ... |
| (ii) Safflower oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·4 | ... | ... |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | ... | ... | ... | 1·50—2·50 | 2 | 1·10—1·75 | ... | | | ·3 |
| 2 Plantains ... | | Do | 0·75—0·90 | 0·25—0·75 | 0·75—0·81 | 0·37—0·85 | ... | ·37—87·00 | ... | | | 1·66 |
| 3 Oranges ... | | Do | 1·50—2·25 | ... | ·2—·3 | 0·50—·2 | 1·50 | 1·20—2·00 | ... | | | 1·63 |
| 4 Dates ... | | ... | ... | ... | ·2—·3 | ... | ... | ... | ... | | | ... |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| 6 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | | | ... | | | 1·6 | 2 | 1·4 | | 1·8 |
| 2 Onions ... | | ... | | | 4 | | | 3·8 | 3·5 | 2·7 | | 2·4 |
| 3 ..... | | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ·3 | ... | | ... | ·2 | ... | ... | ... |
| 2 Arecanuts ... | | ... | ·125 | ·120 | ·160 | ... | | ·119 | ... | ·120 | ... | ... |
| VI. Tobacco ... | Leaf ... | Per Kg. ... | ... | ... | 4·00 | ... | | ... | ... | 7·00 | ... | 8·62 |
| VII Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | ... | 0·90—0·96 | 0·80 | 0·60—0·75 | ... | 0·60 | 0·40—0·65 | ... | | 0—67 | ... |
| 2 Ghee ... | (a) Agmark ... | ... | ·125 | ·2 | ·2 | ·3 | ... | ... | ·125 | ... | ... | ... |
| | (b) Ungraded ... | ... | ·187 | ·2 | ... | ... | ... | ... | ... | ·2 | ·144 | ·160 |
| 3 Eggs | (i) A Grade | Per Dozen | 2·00 | 2·00 | 2·25 | 2·50 | 2·00 | 2·00 | 2·25 | ... | 2·00 | 2·16 |
| | (ii) B Grade | Do | 1·75 | 2·50 | 1·50 | 2·00 | ... | 1·75 | 2·00 | ... | 1·75 | 1·80 |
| | (iii) C Grade | Do | 1·50 | 2·00 | ... | ... | ... | 1·50 | 1·75 | 2·29 | 1·62 | ... |
| 4 Mutton ... | ... | ... | ·2 | ·3 | ·3 | ·3 | ·2 | ·2 | ·3 | ·0 | ·2 | ·3 |
| 5 Beef ... | ... | ... | ·5 | ... | ... | ... | ... | ... | ... | ... | ... | ·5 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·5 | ... | ·5 | ·5 | ·5 | ·6 | ·5 | ·5 | ·5 | ·6 |
| 2 Tamarind ... | ... | ... | 1 | 1 | ·1 | 1·3 | 1·2 | ·1 | ·1 | ·5 | ·7 | ·1 |
| 3 Dry chillies ... | ... | ... | ·3 | ·3 | ·5 | ·5 | 5 | ·3 | ·3 | ·5 | ... | ·3 |
| 4 Garlic ... | ... | ... | 1 | ·5 | 9 | 9 | 1·1 | ·1 | ... | ·5 | ·1 | ·7 |
| 5 Pepper ... | ... | ... | ·5 | ·2 | ·2 | ·2 | ·5 | ·2 | ·2 | ·5 | ·5 | ... |
| 6 Cardamom ... | ... | ... | ·50 | ·1 | ... | | ... | ·07 | ... | ... | 0·05 | ·03 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 8 | 10 | 8 | 10 | 10 | 10 | 10 | 10 | 11 |
| 2 Kerosene oil ... | ... | Per Litre | 0·50 | 0·75 | 0·56 | 0·40 | ... | 0·48 | 0·50 | 0·44 | 0·50 | 0·81 |
| 3 Fire-wood/ Charcoal. | ... | Quintal | ... | 6—8 | 6·25 | 6—8 | ... | 8·50 | 4·50 | 4·25 | ·9 | 6·12 |
| 4 Coarse cloth ... | ... | Per metre | 1·00 | 0·90 | ... | 1·20 | ... | 1—1·00 | ... | ... | 1—20 | 1·06 |

| Commodities | Variety/Quality | Units | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | Coarse | | — | 2·25 | ... | ... | ... | ... | ... | ... | 2·7 |
| 2 Rice | Do | | 1·8 | 1·2—1·5 | 1·4—1·5 | ... | 1·9 | ... | ... | 1·8 | 1·5 |
| 3 Wheat | White | | 1·5 | 1·3—1·75 | 1·8 | | 1·8 | ... | ... | 1·8 | ·2 |
| 4 Wheat Flour | Do | | 1·8 | 1·8—2 | ·7—·8 | ... | ... | ... | ... | 1·8 | 1·7 |
| 5 Jowar | Do | | ·8 | 1·3—1·8 | 2·5 | ... | 2 | ... | ... | ... | ... |
| 6 Bajra | ... | ... | ... | 2—2·5 | 2·5—2·7 | ... | 2·2 | ... | ... | ... | ... |
| 7 Barley | ... | ... | ·4 | ... | ... | ... | ... | ... | ... | 0·7 | ... |
| 8 Maize | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi | ... | ... | 2·5 | 2·—2·5 | 1·9 | ... | ... | ... | ... | 2 | 2 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram | (a) Whole | ... | | 1·5—2·00 | 1·8—2 | ... | ... | ... | ... | 1·8—1·8 | 1·6 |
| | (b) Split (without skin). | ... | | ... | 1·6 | ... | ... | ... | ... | 1·3 | ... |
| | (c) Flour | ... | | ... | ... | ... | ... | ... | ... | 1·4 | ... |
| 2 Arhar (Tur) | (a) Whole | ... | | 1—2 | 1·7—1·8 | ... | ·2 | ... | ... | 1·1 | 1·1 |
| | (b) Split (without skin). | ... | | ... | 1·8 | ... | ... | ... | ... | ·9 | ... |
| 3 Moong | (a) Whole | ... | | ... | 1·9 | ... | 1·7 | ... | ... | 1·6 | ... |
| | (b) Split (without skin). | ... | | ... | 1·2 | ... | ... | ... | ... | 1·2 | ... |
| 4 Urd | (a) Whole | ... | | ... | 1·9 | ... | ... | ... | ... | 1·3 | ... |
| | (b) Split (without skin). | ... | | ... | ... | ... | 1·9 | ... | ... | 0·9 | ... |
| 5 Masur | (a) Whole | ... | | 1—1·2 | ... | ... | ... | ... | ... | ... | 1 |
| | (b) Split (without skin). | ... | ... | ... | 2·2 | ... | 2·7 | ... | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare | (a) Whole | ... | ... | ... | ... | ... | ... | ... | ... | 1·5 | 1·8 |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Horsegram | ... | ... | 2·2 | 2·2 | ... | ... | ... | ... | ... | 2 | 2·8 |
| (iii) Cowpea ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III. Sugar and Gur— | | | | | | | | | | | |
| 1 Gur | (a) Sort I ... | ... | ·8 | 1—1·1 | ·8 | | ·9 | ... | ... | ·7 | 1 |
| | (b) Sort II ... | ... | ·1 | 1·2—1·3 | ·2 | ... | ... | ... | ... | ·2 | ... |
| 2 Sugar refined | D. 24 ... | ... | ... | ... | ·2 | ... | ... | ... | ... | ·2 | ·2 |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | ... | ... | ·5 | ·6—·7 | ·5 | ... | ·2 | ... | ... | ·5 | ·5 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·3 | ... |
| 3 Castor oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·3 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·2 | ... | ·2 | ... | ·2 | ... | ... | ·3 | ·2 |
| 7 Vanaspati ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | | |
| | (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | | |
| 1 | Mangoes ... | | | Per Dozen | 2·50 | ... | ... | ... | | ... | ... | 2·25 | 8 50 |
| 2 | Plantains ... | | | Do | 0·75 | 0·65 | 0·5 —0·56 | ... | ... | ... | ... | 0 31– 0·50 | 0·20—0.45 |
| 3 | Oranges ... | | | Do | ·2 | ... | ... | ... | ... | ... | ... | 1·5 – 2 | ... |
| 4 | Dates ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Cashew kernels | | | ... | ... | | ... | ... | ... | ... | ... | ·2 | ... |
| 8 | ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) | Vegetables— | | | | | | | | | | | | |
| 1 | Potatoes ... | | | ... | ·2 | 2·2 | 1·5 | ... | 1·8 | ... | ... | 1·6 | 1 4 |
| 2 | Onions ... | | | ... | 8 2 | 3·4 | 4 | ... | 82 | ... | ... | 2·5 | 2 2 |
| 3 | ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) | Nuts | | | | | | | | | | | | |
| 1 | Cashewnuts ... | | | ... | ·2 | ... | ... | ... | ... | ... | ... | ... | ·5 |
| 2 | Arecanuts ... | | | ... | ... | ... | ·150 | ... | ·186 | ... | ... | ... | ·2 |
| VI. | Tobacco ... | Leaf | ... | Per kg. | 5·00 | ... | ... | ... | ... | ... | ... | | 8·00 |
| VII | Live-stock products— | | | | | | | | | | | | |
| 1 | Milk ... | ... | ... | ... | | ... | ... | ... | 0·53 | ... | ... | ... | 0·62 |
| 3 | Ghee ... | (a) Agmark ... | | ... | | ... | ... | ... | ·166 | ... | ... | ·133 | ... |
| | | (b) Unwrapped ... | | ... | | ·163 | ... | ... | ... | ... | ... | ... | ... |
| 8 | Eggs ... | (i) A Grade | Per Dozen | | 2 00 | ... | 1·75 | ... | ... | ... | ... | 3·00 | 3·50 |
| | | (ii) B Grade | Do | | 1 75 | ... | 1 75 | ... | 1·70 | ... | ... | 2 12 | 2 75 |
| | | (iii) C Grade | Do | | 1·50 | ... | 1·25 | ... | 1·25 | ... | ... | 2·25 | ... |
| 4 | Mutton ... | ... | ... | | ·3 | ·3 | ·4 | ... | 5 | ... | ... | ·2 | 8 |
| 5 | Beef ... | ... | ... | | | ·6 | ·9 | ... | 1 2 | ... | ... | 8 | ... |
| VIII. | Condiments and Spices— | | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | | ·5 | · | ·5 | ... | | ... | ... | ·5 | ... |
| 2 | Tamarind ... | ... | ... | | 1 | 1·5 | ·1 | ... | 1·3 | ... | ... | 1 | ·8 |
| 3 | Dry chillies ... | ... | ... | | ·3 | ·3 | ·3 | ... | ·3 | ... | ... | ·4 | ·8 |
| 4 | Garlic ... | ... | ... | | 1 | 1·2 | 3 | ... | 1 | ... | ... | ·1 | ·6 |
| 5 | Pepper ... | ... | ... | | ·2 | ... | ... | ... | ·2 | ... | ... | ·3 | ·8 |
| 6 | Cardamom ... | ... | ... | | ·07 | ... | ... | ... | ... | ... | ... | ·1 | ·1 |
| IX. | Miscellaneous— | | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | | 10 | ... | 8 | ... | 8 | ... | ... | 10 | ·8 |
| 2 | Kerosene oil ... | ... | | Per Litre | 0·62 | ... | ... | ... | 0·45 | ... | ... | 0·48 | 0·60 |
| 3 | Firewood/ Charcoal | ... | | Quintal | ... | ... | ... | ... | 9·00 | ... | ... | 6·00 | ... |
| 4 | Canvas cloth ... | | | Per Metre | 1·00 | ... | ... | ... | ... | ... | ... | 0 62 | 0 95 |

(Sd.) .....

*For Chief Marketing Officer.*

## OFFICE OF THE DEPUTY COMMISSIONER, SOUTH KANARA DISTRICT, MANGALORE-1.

Notification dated 4th May 1965.

Section 15 of the Madras Cultivating Tenants (Payment of Fair Rent) Act, 1956,—Market Prices of the important Article for the month of January, February and March 1965, in the Taluk Headquarters of South Kanara District.

| Sl. No. | Name of the Foodgrains | Mangalore | | | Udipi | | | Coondapur | | | Karkal | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | January | February | March | January | February | March | January | February | March | January | February | March |
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| | The price of paddy has been fixed by the Government in their order No. 252 FFP. 64, dated 24th November 1964 and in R. D. 21 F.F.P. 65, dated 10th February 1965. | | | | | | | | | | | | |
| 1 | Paddy I Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Paddy II Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Paddy III Sort (per quintal). | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rice I Sort (per quintal). | ... | ... | ... | .. | ... | ... | ... | ... | | ... | ... | |
| 5 | Rice II Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | The price of Rice has been fixed by the Government in this order, dated 24th November 1964. as from the Mysore Rice (Fixation of selling Rice) on January 1964 and Order No. RD 21 (A) FFD 65, dated 10th February 1965 of as from the Mysore Rice (Fixation of selling price) (Amendent as the 1965. | | | | | | | | | | | | |
| 6 | Rice III Sort (per quintal). | ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Cane Jaggary I Sort (per kilo). | 0 75 | 0 75 | 0 75 | 0 75 | 0 65 | 0 65 | 0 90 | 0 80 | 0 75 | 0 90 | 0 70 | 0 70 |
| 8 | Cane Jaggary II Sort . (per kilo) | 0 65 | 0 65 | 0 65 | ... | ... | ... | 0 80 | 0 70 | 0 60 | 0 75 | 0 60 | 0 60 |
| 9 | Cane Jaggery II Sort (per kilo) | 45 00 | 45 00 | 45 80 | 30 00 | 52 00 | 33 00 | 30 00 | 32 00 | 36 00 | 33 00 | 35 00 | 42 00 |
| 10 | Chillies (per kilogram). | 2 50 | 8 50 | 2 50 | 2 25 | 1 75 | 1 50 | 2 50 | 8 25 | 4 00 | 2 75 | 2 50 | 2 50 |
| 11 | Horsegram (per quintal). | 60 00 | 60 00 | 60 00 | 53 00 | 53 00 | 55 00 | 65 00 | 62 00 | 58 00 | 70 00 | 65 00 | 56 00 |
| 12 | Blackgram (per quintal) | 80 00 | 80 00 | 80 00 | 68 00 | 70 00 | 75 00 | 75 00 | 74 00 | 74 00 | 75 00 | 75 00 | 85 00 |
| 13 | Greengram (per quintal). | 110 00 | 110 00 | 110 00 | 90 00 | 95 00 | 100 00 | 105 00 | 110 00 | 115 00 | 100 00 | 100 00 | 100 00 |
| 14 | Cashewnut (per quintal), | 70 00 | 70 00 | 70 00 | 70 00 | 80 00 | 85 00 | 95 00 | 95 00 | 100 00 | 130 00 | 100 00 | 110 00 |
| 15 | Arecanut (per 50 Kilograms). | 340 00 | 340 00 | 340 00 | ... | ... | ... | 240 00 | 260 00 | 260 00 | 300 00 | 300 00 | 300 00 |

| Sl. No. | Name of the Foodgrains | Puttur | | | Buntwal | | | Belthangady | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | January | February | March | January | February | March | January | February | March |
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P |
| 1 | Paddy I Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Paddy II Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | The price of paddy has been fixed by the Government in their order No. 252 FFP. 64, dated 24th November 1964 and in R. D. 21 F.F.P. 65 dated 10th February 1965 | | | | | | | | | |
| 3 | Paddy III Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rice I Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rice II Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | The price of Rice has been fixed by the Government in this order dated 24th November 1964 as from the Mysore Rice (Fixation of selling Rice) on January 1964 and orders No RD 21 (A) FFD 65 dated 10th February 1965 as from the Mysore Rice (Fixation of selling prio) (Amendement) as the 1965 | | | | | | | | | |
| 6 | Rice III Sort (per quintal). | ... | ... | ... | ... | ... | ... | ... | ... | |
| 7 | Cane Jaggery I Sort (per kilo). | 0 80 | 0 75 | 0 75 | 0 70 | 0 80 | 0 70 | 0 56 | 0 56 | 0 56 |
| 8 | Cane Jaggery II Sort (per kilo) | 0 70 | 0 65 | 0 65 | 0 55 | 0 45 | 0 40 | 0 50 | 0 50 | 0 50 |
| 9 | Cane Jaggery II Sort (per kilo) | 56 00 | 54 00 | 48 00 | 45 00 | 46 00 | 44 00 | 88 00 | 40 00 | 40 00 |
| 10 | Chillies (per kilo) | 3 40 | 3 00 | 2 50 | 1 50 | 2 50 | 1 75 | 2 50 | 2 75 | 2 75 |
| 11 | Horsegram (per quintal). | 68 00 | 60 00 | 56 00 | 50 00 | 50 00 | 52 00 | 110 00 | 120 00 | 120 00 |
| 12 | Blackgram (per quintal). | 80 00 | 82 00 | 85 00 | 75 00 | 75 00 | 7 00 | 94 00 | 95 00 | 95 00 |
| 13 | Greengram (per quintal). | 115 00 | 112. 00 | 110 00 | 110 00 | 110 00 | 95 00 | 63 00 | 64 80 | 65 00 |
| 14 | Cashewnut (per quintal). | 75 00 | 80 00 | 85 00 | ... | ... | 85 00 | 74 00 | 76 00 | 75 00 |
| 15 | Arecanut (per 50 kilograms). | 270 00 | 260 00 | 265 00 | 280 00 | 320 00 | ... | 230 00 | 230 00 | 280 00 |

.....
For *Deputy Commissioner.*

## OFFICE OF THE DEPUTY COMMISSIONER MANGALORE, (S. K.)

Dated 14th May 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 14th May 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mashathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort ... | Suggi | " | |
| Rice—I Sort ... | Mashathi | " | |
| II Sort ... | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi ... | | Moora of 89·14 kg. | |
| Cane Jaggery ... | I Sort | 100 kg. | 80 00 |
| " ... | II Sort | " | 60 00 |
| Cocoanuts ... | Unhusked | 1000 kg. | 400 to 600 00 |
| " | Husked | " | 890 to 590 00 |
| Copra ... | | 100 kg. | 250 to 270 00 |
| Cocoanut Oil | I Class | 10 kg. | 46 00 |
| | II Class | " | 44 00 |
| Cashew Kernels ... | | | No Stock |
| Cashew Nuts ... | | 100 kg. | 80 to 88 00 |
| Cardamoms ... | Mysore | 100 kg. | 220 to 250 00 |
| " ... | Coorg | 10 kg. | 220 to 250 00 |
| Malabar Black Pepper ... | | " | |
| | | 50 kg. | 180 to 190 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 00 |
| " ... | Snuff | " | 760 to 800 00 |
| " ... | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 25 to 60 00 |
| " | Husked Old | 50 kg. | 324 to 342 00 |
| " ... | " New | " | 317 to 341 00 |
| Chillies | Camptа | | ... |
| " | Local | 10 kg. | 13 to 25 00 |
| " | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 28 to 30 00 |
| Cotton Seeds ... | | " 64·00 kg. | 16 to 26 00 |
| Horsegram ... | | " 93·07 kg. | 67 to 69 00 |

29 ..... *Dy. Commr.* 41

Dated 21st May 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 21st May 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mashathi | 100 kg. | No Stocks |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Rice—I Sort ... | Mashathi | " | |
| II Sort ... | Guddu | " | |
| III Sort ... | Suggi | " | |
| Ragi ... | | Moora of 89·14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 80 00 |
| " ... | II Sort | " | 55 00 |
| Cocoanuts ... | Unhusked | 1,000 Nuts | 380 to 580 00 |
| " ... | Husked | " | 370 to 570 00 |
| Copra ... | | 100 kg. | 260 to 275 00 |
| Cocoanut Oil ... | I Class | 10 kg. | 46 00 |
| " ... | II Class | " | 44 00 |
| Cashew Kernels ... | | 100 kg. | |
| Cashew Nuts ... | | " | 70 to 76 00 |
| Cardamoms | Mysore | 10 kg. | 220 to 280 00 |
| " | Coorg | " | 220 to 250 00 |
| Malabar Black Pepper ... | | 50 kg. | 188 to 196 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 00 |
| " ... | Snuff | | 760 to 800 00 |
| " ... | Beedi | | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 32 to 64 00 |
| " ... | Husked Old | 50 kg. | 300 to 330 00 |
| " ... | " New | " | 309 to 343 00 |
| Chillies ... | Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " ... | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | | 5 to 7 00 |
| | Beedi | | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake ... | | Bag of 69.92 kg. | 28 to 30 00 |
| Cotton Seeds ... | | " 64 kg. | 16 to 26 00 |
| Horsegram | | 93·07 kg. | 67 to 69 00 |

..... *Dy. Commr*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, JUNE 17, 1965 (JYEISHTA 27, SAKA ERA 1887) | No. 24

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**Part IV—Weather and Crop Report.**

Weekly Weather and Crop Report for the Week ending Wednesday, the 19th May 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 3 | 4 | 5 | 6 | 6 | 7 | 8 | 9 |

(From 1—4—1965)

1. Bangalore District.

Good

2. Kolar District.

Good

3. Tumkur District.

Good except for the prevalence of "Black Quarter" in some villages of Tumkur Taluk.

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District.

Good

7. Chickmagalur District

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 5 | 6 | | | | 7 | 8 | 9 | 10 |

From 1—4—1965).

8. Shimoga District.

Good

9. Chitradurga District.

Good

10. Bellary District.

Good except for the prevalence of Cattle disease at 4 villages of Siruguppa Taluk.

11. Bijapur District.

Good except for the prevalence of "Black Quarter" at one village of Bilgi Taluk and "Epizooticaphtha" at one village of Sindgi Taluk.

12. Belgaum District.

Good

13 Dharwar District.

Good

14. North Kanara District.

Good

15. Gulbarga District.

Good

16 Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good Available except in Udipi Taluk, Sufficient except in Udipi Taluk.

19. Coorg District.

8.6 .. 29 4 .. do Good Available ... Sufficient ... 18)

REMARKS. (1) Refers to 7 Taluks, (2) Refers to 8 Taluks, (3) Refers to 6 Taluks, (4) Refers to 7 Taluks, (5) Refers to 9 Taluks, (6) Refers to 5 Taluks, (7) Refers to 11 Taluks, (8) Refers to 8 Taluks, (9) Refers to 3 Taluks, (10) Refers to 5 Taluks, (11) Refers to 2 Taluks, (12) Refers to 5 Taluks, (13) Refers to 2 Taluks,

M. GANGARUDRIAH, For *Director*.

## General Weekly Summary Report of Mysore State to the week ending Wednesday, the 19th May 1965

(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operations
(f) " Water supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Magadi, Anekal and Nelamangala Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—
(a) Light showers in Malur, Srinivasapur, Gowribidanur and Bangarapet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Mulbagal, Srinivasapur, and Bangerapet Taluks.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevelance of 'Black Quarter" at one village of Malur Taluk

3 Tumkur District.—
(a) Light showers in Gubbi, Madhugiri and Tiptur Taluks.
(b) Transplantation of Yada-Ragi in Tumkur and Pavagada Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Vysaki Paddy in Pavagada and Madhugiri Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of "Black Quarter" in some parts of Tumkur Taluk

4 Mysore District.—
(a) Light showers in Chamarajanagar, Heggadadevanakote, Nanjangud and Periyapatna Taluks.
(b) Sowing and Transplantation of Paddy and Ragi in Heggadadevankote Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Tr. was in progress
(e) Progress was fair in 8 taluks.
(f) Sufficient except in Yelandur and Kollegal Taluks where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) Light showers in Nagamangala Malavalli, Mandya and Maddur taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk was in progress.
(e) Progress was fair in 2 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—
(a) Light showers in Hassan, Arasikere and Alur Taluks.
(b) Sowing of Jola in Arasikere Taluk, was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 4 taluks
(f) Sufficient except in Hassan Taluk, where insufficiency of water was felt.
(g) Available except in Hassan Taluk, where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—
(a) Light showers in Sringeri, N. R. Pura, Tarikere and Kadur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of sugarcane in Kadur Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Tarikere Taluk, where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—
(a) Light showers in Shimoga, Bhadravathi and Honnali Taluks
(b) Nil.
(c) Standing Crops were fair
(d) Harvesting of Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy

9 Chitradurga District —
(a) Light showers in Challakere and Hosadurga Taluks
(b) Transplantation of Ragi in Molakalmuru and Challakere Taluks was in progress
(c) Standing Crops were fair except in Harihar taluk where Ragi was partly affected by pest
(d) Harvesting of summer paddy in Molakalmuru and Hosadurga taluks, Bili-jowar and paddy in Challakere taluk was in progress
(e) Progress was fair in 5 Taluks
(f) Sufficient
(g) Available.
(h) Generally healthy

10 Bellary District
(a) No rainfall during the week.
(b) Nil,
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane an Summer Padd in Hospet taluk, was in progress.
(e) Progress was fair in 4 taluks
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of Cattle disease at 8 villages of Sirugupps taluk.

11 Bijapur District
(a) Light showers in Bilgi and Jamkhandi Taluks
(b) Nil.
(c) Standing crops were fair
(d) Nil
(e) Progress was fair in 5 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" in Indi Taluk. and Epizootic Aphs in some parts of Sindagi Taluk.

12 Belgaum District.—
(a) Light showers in Hukkeri taluk.
(b) Nil
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 8 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy

13 Dharwar District
(a) Light showers in Navalgund and Mundagod Taluks
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was completed in all Taluks
(e) Progress was fair in 10 taluks
(f) Sufficient except in Mundgod taluk, where insufficiency of water was felt.
(g) Available
(h) Generally healthy.

14 North Kanara District
(a) Light showers in Haliyal taluk.
(b) Sowing of paddy in Karwar & Haliyal taluks was in progress.
(c) Standing crops were fair
(d) Harvesting of Rabi Paddy in Yellapur taluk was in progress
(e) Progress was fair in taluks
(f) Sufficient.
(g) Available
(h) Generally healthy.

15 Gulbarga District
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Nil.
(e) Nil.
(f) Sufficient
(g) Available
(h) Generally healthy

16 Raichur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of groundnut in Manvi taluk was in progress,
(e) Progress was fair in 4 Taluks
(f) Sufficient.
(g) Available
(h) Generally healthy

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair
(d) Nil.
(e) Nil
(f) Sufficient except in Bhalki Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Karkal Taluk,
(b) Nil
(c) Standing crops were fair
(d) Harvesting of III crop paddy was completed in Buntwal Taluk,
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Udipi, Puttur and Belthangadi taluks, where in-sufficiency of water was felt.
(g) Available except in Udipi and Belthangadi Taluks, where scarcity for fodder was felt.
(h) Generally healthy.

19 Coorg District.—

(a) Light showers in Somawarpet Taluk.
(b) Nil.
(c) Standing Crops were fair
(d) Nil
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

S. NAGARAJU, For *Director.*

## MYSORE STATE:
## DEPARTMENT OF PUBLIC HEALTH

Dated 2nd June 1965.

NOTE ON THE STATE OF PUB. HEALTH IN MYSORE STATE.
WEEK ENDING SATURDAY THE 22ND MAY 1965.

**No. VS. 21/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks and nil deaths, respectively.

A total of 30 attacks with 10 deaths from Small-pox was reported from the entire State *viz.*, from the towns of Coondapur and Humnabad and from the taluks of Hirlyur, Karakapura and Udipi and from the City of Mangalore, *as against* 27 attacks with 6 deaths reported during the corresponding week of the previous year.

A total of 231 attacks with 30 deaths from Cholera was reported for the entire State *viz.*, from the Taluks of Doddaballapur, Bangalore South, Mandya, Krishnarajapet, Hosakote, Pandavapur and Koppal and from the towns of Shimoga and from the City of Mysore during the week *as against* 58 attacks with 23 deaths reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* one attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 311 (122 in Hospitals) for the week, *as against* 149 (44 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.8 (10.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.2 (5.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Small-pox, 2 due to other fevers, 64 due to Dysentery and Diarrhoea, 7 due to Consumption and 237 due to all other causes *as against* 15 due to other fevers, 12 due to Dysentery and Diarrhœa, 3 due to consumption and 119 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 73 (48 in hospitals) for the week, *as against* 42 (5 in hospitals) during the corsponding week of the previous year, giving a calculated death rate of 14.7 (5.0 excluding hospital deaths) per mille of population (mid-year estimated), *as againts* 8.5 (7.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to Cholera, 1 due to Typhoid, 12 due to other fevers, 8 due to Dysentery and Diarrhœa and 50 due to all other causes, *as against*, 10 due to other fevers, 1 due to consumption and 31 due to all other causes, reported during the corresponding week of the previous year.

The reports of K. G. F. City and Mangalore City have not been received.

The total mortality for Belgaum City amounted to 23 (5 in hospitals) for the week *as against* 14 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 8.7 (6.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers, 1 due to Dysentery and Diarrhœa, and 19 due to all other causes, *as against* 1 due to other fevers, 2 due to consumption and 11 due to all other causes reported during the corresponding week of the previous year.

.....,
*Dy. Director of Public Health.*

OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 31st July 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | ... | 85·00—86·00 | 31·00—36·00 | ... | 28·00 | 39·00 | 42·00 | 18·00—20·00 | ... | 35 80 | 41·00 |
| | (b) Medium ... | ... | 83·00—84·00 | 25·00—30·00 | ... | 26·00 | 36 00 | 39·00 | 18·00 | ... | 32·75 | 38 50 |
| | (c) Coarse ... | ... | ... | 22·00—25·00 | ... | 25·00 | 35·00 | 35·00 | 40·00 | ... | ... | 36·00 |
| Rice ... | (a) Fine ... | ... | 66·00—72·00 | 71·00—74·00 | ... | 65·00 | 68·00 | 65·00—66·00 | 69·00 | 72·00 | 70 50 | 75·00 |
| | (b) Medium ... | ... | 62·00—64·00 | 61·00—66·00 | | 60·00 | 58·00 | 58·00—64·00 | ... | 69·00 | 68·00 | 65·00 |
| | (c) Coarse ... | ... | 50·00—57·00 | 55·00—60·00 | ... | 50·00 | 45·00 | 53·00—60·00 | 63·00 | 58·00 | 57·00 | 66·00 |
| 3 Wheat ... | White ... | ... | 72·00—76·00 | 48·00—50·00 | ... | 46·00 | 39·00 | 40·00—42·00 | 42·00 | 48·70 | 45·00 | 69·00 |
| Wheat Flour | ,, | ... | ... | 58·00—65·00 | ... | .. | 40·00 | 40·00 | 67·00 | 54·00 | 52·00 | ... |
| 4 Jowar ... | ,, | ... | 35·00—50·00 | 32·00—35·00 | ... | 38.00 | 37·00 | 44·00—45·00 | 36·00 | 39·00 | 41·75 | 45·00 |
| 5 Bajra ... | ... | ... | 31·00=36·00 | ... | ... | ... | 41·00 | | ... | ... | ... | 35·00 |
| 6 Barley ... | ... | ... | 120·00 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Maize ... | ... | ... | 30·50—37·50 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... | ... | ... | 34·00—38·00 | ... | | 38·00 | 38·00—41·00 | 40·00 | 35·50 | 37·00 | 33·50 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) Navane | ... | ... | | ... | ... | ... | | ... | ... | ... | .. | ... |
| (ii) ..... | .. | | | .. | ... | ... | ... | ... | ... | | ... | ... |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | ... | ... | ... | ... | 45·00 | ... | | 26·50 | 25·00 | ... |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | .. | . | | ... | 33·00 | ... |
| (iii) Papaya | ... | ... | 10·00—20·00 | ... | ... | ... | 25·00 | ... | | ... | ... | ... |
| (iv) Ground-nut cake flour. | | ... | ... | ... | ... | ... | 38·00 | ... | | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... | ... | 50·00—56 00 | 46·00—52·00 | | 55·00 | 48 00 | 55·00—58·00 | 58·00 | 52·75 | 55·00 | 58·50 |
| 2 Arhar (Tur.) ... | ... | | 58·00—60·00 | 55·00—60·00 | | 70·00 | 55·00 | 60·00 | ... | 90·50 | 45 00 | 78·00 |
| 3 Mung ... | ... | ... | 62·00—75·00 | 60·00—75·00 | | 90·00 | 80·00 | 60 00 | 61·00 | 52·50—57·00 | 56·75 | ... |
| 4 Urd ... | ... | ... | 70.00 | 75·00—85·00 | | 90·00 | ... | 75·00—80.00 | 83·00—86·00 | 74·00—76·50 | 78·00 | ... |
| 5 Masur ... | ... | ... | ... | ... | | ... | 60·00 | ... | 90·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... | ... | 54·00—64·00 | 55·00—64·00 | | ... | 55·00 | 70·00—72·00 | 66·00—71·00 | ... | 58·00 | ... |
| (ii) Horsegram | ... | ... | 35·50—36·00 | 35 00—40·00 | | 36·00 | 39·00 | 38·00—40·00 | 40·00 | 44·00 | 33·00 | 36·50 |
| (iii) Cowpea ... | ... | ... | 65·00—70·00 | 48·00—54·00 | | ... | 40·00 | 60 70 | 60·00 | ... | 70·00 | 45·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I | ... | 95·00—110·00 | 90·00—110·00 | | 100·00 | 90·00—100·00 | 115·00 | 105·00—115·00 | 97·00 | 100·00 | 105·00 |
| | (b) Sort II | ... | ... | 85·00—95·00 | | 90·00 | 90·00—90·50 | 90·00 | ... | 82·00 | 90·00 | 95·00 |
| 2 Sugar refined | D. 24 — | ... | 114·90—118·00 | 119·00—120·00 | | ... | 120·00 | 113·00 | 114·00 | 118·50 | 120·00 | 116·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| V. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled | ... | 50·75 | 32·40 | ... | 60·00 | 60·00 | 55·60 | 72·00 | ... | 70·00 | 68·00 |
| | (b) Machine shelled. | ... | 75·95 | 90·98 | ... | ... | 95·00 | ... | 66·00 | ... | 86·50 | 94·00 |
| Groundnut Oil | ... | ... | 180·00—189·00 | 190·00—200·00 | ... | 190·00 | 185·00 | 190·00 | 180·00 | 175·00 | 185·00 | 176·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | ... | 42·00 | 40·00 | 45·00 | | ... | 42·00 | 40·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 100·00 | 105·00—110·00 | ... | ... | 97·00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sesamum Oil-cake. | | ... | ... | ... | ... | ... | ... | ... | 185·00 | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | 56·00—62·00 | ... | ... | ... | | 65·70 | ... | ... | 60·00 | 54·00 |
| Castor Oil ... | ... | ... | 180·00—190·00 | 80—200 | ... | 190·00 | 150·00 | 190·00 | | ... | 180·00 | 182·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | 157·00 | 176·75 | ... | ... |
| 4 Rape and Mustard. | (a) Black | ... | 102·00—104·00 | ... | ... | ... | ... | ... | ... | | 93·00 | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | 100·00 | ... | ... | | | ... |
| Mustard Oil ... | | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (b) Brown small | | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | 180·00—300·00 | 200·00—280·00 | 200·00—300·00 | 880·00 | 280·00 | 220·00 |
| 7 Coconut ... | (a) Nuts ... | (Per thousand) | 160·00—270·00 | 260·00—260·00 | ... | 190·200 | ... | 230·00—240·00 | ... | 275·00 | 270·00 | 241·00 |
| | (b) Copra ... | per quintal | 260·00—270·00 | 400·00—500·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| Cocoanut Oil... | ... | ... | 330·00—350·00 | 30·00—325·00 | ... | 340·00 | 260·00 | 320·00 | 295·00 | 288·50 | 385·00 | 320·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 65·70 | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspath | ... | 290·00 | ... | ... | ... | 260·00 | ... | ... | 282·50 | 300·00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | per gross | 22·00—25·00 | | | 4·00—16·00 | ... | ... | ... | 17·50 | ... | ... |
| 2 Plantains ... | | Do | 6·00—8·00 | 4·00—6·00 | | 4·00—9·00 | ... | 350·00—850·00 | ... | 7·00 | 6·00 | 5·94 |
| 3 Oranges ... | | Do | 10.00—15·00 | 16·00—30·00 | | 4·00—16·00 | 18·00 | 7·00—9·00 | ... | 18·50 | 18·00 | 19·00 |
| 4 Dates ... | | ... | ... | ... | | ... | ... | 115.00 | ... | ... | ... | ... |
| 5 Cashew Kernels, etc. | | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 32·00—45·00 | 45·00—48·00 | | 46·00 | 45·00 | 50·55 | 46·00—48·00 | 54·00 | 50·00 | 40·00 |
| 2 Onions ... | ... | ... | 20·00—26·00 | 40·00—42·00 | | 24·00 | 40·00 | 25·30 | 27·00 | 26·00 | 35·00 | 20·00 |
| 3 ..... | | | ... | ... | | ... | ... | ... | ... | | ... | ... |
| 4 ..... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | | ... | ... | ... | 490·00 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | 800·820 | 700·00 - 760·00 | | ... | ... | 800·00—850 | 460·00—490·00 | 750·00—810·00 | 760·00 | 870·00 |
| VI Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint | ... | ... | ... | | | ... | ... | ... | ... | ... | |
| | (c) Seed | ... | ... | | | | | ... | 40·00 | ... | | 84 |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 Jute Loose ... | (a) Whites— | | | | | | | | | | | | | | |
| | (i) Top | | | | | | | | | | | | ... | ... | |
| | (ii) Middle | | | | | | | | | | | | ... | | ... |
| | (iii) Bottom ... | | | | | | | ... | | | | | ... | ... | ... |
| | (b) Tossa— | | | | | | | | | | | | | | |
| | (i) Top ... ... | | | | ... | ... | .. | | .. | | | | .. | | .. |
| | (ii) Middle ... | | | | ... | ... | | .. | | .. | .. | | ... | ... | ... |
| | (iii) Bottom ... | | | | ... | ... | ... | . | | | | | ... | | ... |
| Pucca Baled Jute. | (i) Lightings | Per bale | | | .. | ... | ... | .. | | ... | | | ... | ... | ... |
| | (ii) First Mills. | ... | | | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| | (iii) First Exports. | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | ... | |
| Sann hemp ... | ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| 4 Mesta ... | (i) Top ... | ... | ... | | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| | (ii) Middle | ... | | ... | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| | (iii) Bottom | ... | ... | | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| VII Tobacco ... | (a) Country— | | | | | | | | | | | | | | |
| | (i) Leaf ... ... | | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| | (ii) Pulab ... ... | | ... | ... | ... | ... | ... | ... | | ... | 430·00—480·00 | | 809·00 | ... | 284·00 |
| | | | | | | | | | | | ... | | ... | | 225·00 |
| | (b) Virginia | | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | ... | ... |
| | (i) Leaf ... ... | | ... | ... | ... | | ... | ... | | ... | ... | | ... | ... | ... |
| | (ii) Pulah ... ... | | ... | ... | ... | 300·00—356·00 | 250·00 | 375·00—500·00 | | ... | ... | | ... | ... | ... |
| VIII. Livestock— | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 600·00—750·00 | 300·00—400·00 | ... | ... | ... | | | 240·00—330·00 | ... | | 150·00—260·00 | 400·00—550·00 | 220·00 |
| | (b) ,, II ... | Do ... | 400·00—480·00 | 200·00—300·00 | ... | 150·00—275·00 | 100·00 | | | 30·00—45·00 | 120·00—160·00 | | 100·00—150·00 | 225·00—340·00 | 195·00 |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 800·00—825·00 | ... | ... | | ... | | | 25·00—40·00 | ... | | ... | 200·00—360·00 | 190·00 |
| | (b) ,, II ... | Do ... | 250·00—300·00 | 200·00—300·00 | ... | 150·00—225·00 | ... | | | 160·00—300·00 | ... | | ... | 220·00—260·00 | 176·00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 400·00—550·00 | 400·00—500·00 | ... | ... | ... | | | 100·00—140·00 | ... | | 90·00—160·00 | 410·00—460·00 | 155·00 |
| | (b) Class II ... | Do ... | 360·00—460·00 | 150·00—200·00 | ... | 100·00—150·00 | ... | | | 190·00—300·00 | ... | | 75·00—126·00 | 230·00—280·00 | 130·00 |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 500·00—615·00 | 250·00—450·00 | ... | ... | 300·00 | | | 120·00—170·00 | ... | | 260·00—500·00 | 300·00—3:5·00 | 300·00 |
| | (b) Class II ... | Do ... | 290·00—385·00 | 200·00—375·00 | ... | 250.00—400.00 | 250·0 | | | ... | ... | | 150·00—310·00 | 160·00—250·00 | 175·00 |
| 3 Sheep ... | ..... | Do ... | 30·00—120·00 | 25·00—30·00 | ... | 25·00—50·00 | 40·00 | | | 80·00—80·00 | 40·00—65·00 | | 45·00—80·00 | 20·00—60·00 | 89·00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | ... | ... | ... | ... | ... | | | 2·50 | 40·00 | ... | ... | ... | ... |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | | | 1·50 | 1·50 | ... | ... | ... | ... |
| 2 Hides.— | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | 1·14—1·18 | 1·72—2,00 | ... | 0·86 | ... | | | 1·00—1·75 | 1·08 | ... | ... | ... | 2·64 |
| | (b) ..... | Do ... | .. | 1·00—1·75 | ... | ... | ... | | | ... | 1·00 | ... | ... | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | 2·00—2·25 | ... | 6·47 | ... | | | 7·25—8·50 | 4·00 | ... | ... | ... | 3·81 |
| | (b) ..... | Do ... | .. | 1·75—2·00 | ... | ... | ... | | | ... | ... | ... | ... | ... | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 1·12—1·15 | 2·00—2·25 | ... | 0·75 | ... | | | 1·87—2·50 | 1·08 | ... | ... | ... | 3·31 |
| | (b) ..... | Do ... | .. | 1·50—1·75 | ... | ... | ... | | | ... | 1·00 | ... | ... | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | 2·00—2·50 | ... | 5·47 | ... | | | 4·75—6·00 | 3·50 | ... | ... | ... | 4·00 |
| | (b) ..... | Do ... | ... | 1·50—2·00 | ... | ... | ... | | | ... | ... | ... | ... | ... | ... |
| 3 Skins.— | | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Each ... | 6·40—7·00 | 1·50—1·75 | ... | 4·50 | 5·00 | | | 3·75—5·50 | 5·00—5·20 | ... | | 5·00—5·25 | 1·87 |
| | (b) ..... | Per kg. | ... | 1·00—1·25 | ... | ... | ... | | | ... | ... | ... | | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | | | 7·00—14·00 | ... | ... | | ... | ... |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | | | ... | | ... | | ... | ... |
| (ii) Sheep-skins— Raw. | (a) White | Each ... | 4·60—5·00 | 1·25—1·50 | ... | 3·25 | 5·5 | | | 3·50—5·00 | 4·50—4·75 | ... | 8·80 | ... | 1·91 |
| | (b) Black | Per kg. | ... | 1·00—1·25 | ... | ... | ... | | | ... | ... | ... | | ... | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | | | ... | ... | ... | | ... | ... |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | | | 8·50—23·00 | | ... | | ... | ... |
| 4 Ghee ... | (a) Agmark | Do ... | 6·00 | 8·00—9·00 | ... | ... | ... | | | ... | 8·00 | ... | | | 5 50 |
| | (b) Ungraded | Do ... | 7·60 | 6·00—7·00 | ... | ... | ... | | | ... | ... | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| V. Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | ... | ... | 30·00—31·00 | ... | 38·00 | ... | 35 |
| | (b) Paddy ... | Cart load | ... | ... | ... | ... | ... | 20 00—22 00 | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | .. | ... | ... | ... | ... | ... | .. | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | 89·00 | ... | 86 |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 110·00— | ... | ... | 200·00 | 160·00 | 160·00—180·00 | 194 198·00 | 175·00—190·00 | 180·00 | 166·00 |
| 2 Tamarind ... | ..... | ... | 50·00—100·00 | 90·00—100·00 | ... | 100·00 | 80.00 | 80·00—100·00 | 85·00—90 00 | 90·00—101·00 | 90·00 | 82·00 |
| 3 Dry Chillies ... | ..... | ... | 200·00—320·00 | 260·00—300·00 | ... | 240·00 | 280·00 | 300·00—300·20 | 300·00—310·00 | 178·00—316·00 | 290·00 | 345·00 |
| 4 Garlic ... | ..... | ... | 70·00—85·00 | 200·00—220·00 | ... | 100·00 | 90·00 | 80·00—100·00 | 90·00 | 165·00—185·00 | 125 00 | 112·00 |
| 5 Pepper ... | ..... | ... | 360·00—400·00 | 380·00—450·00 | ... | 425·00 | 810·00 | 360·00—360·00 | ... | 480·00—475·00 | 800·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,600·00—2,200·00 | 600·00—800·00 | ... | 1,500·00 | 1.600·00 | 1,400·00—1,500·00 | ... | ... | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Stickles ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 36·75 | 42·00—44·00 | 33·00—34·00 | ... | ... | ... | ... | 84·00 | 88·00 |
| | (b) Medium | | 36·00 | 40·00—41·00 | ... | ... | ... | ... | | 83·00 | 86·00 |
| | (c) Coarse | | 35·00 | 37·00—38·00 | ... | | ... | ... | | ... | 84·00 |
| | (a) Fine | | 64·00 | 72·00—75·00 | 71·00—72·00 | ... | 69·00 | | | 68·00 | 75·00 |
| | (b) Medium | | 60·00 | 62·00—63·00 | 63·00—64·00 | ... | 60·00 | ... | | 57·00 | 75·00 |
| | (c) Coarse | | 54·00 | 55·00—60·00 | 61·00—62·00 | | 51·00 | ... | | ... | 54·00 |
| Wheat | White | | 62·00 | 50·00—63·00 | 42·00—60·00 | | 47·00 | | | 62·00 | 46·00 |
| Wheat Flour | White | | 70·00 | ... | | ... | ... | ... | | 50·00 | 54·00 |
| Jowar | White | | 40·00 | 45·00—48·00 | 36·00—40·00 | ... | 45·00 | ... | | ... | ... |
| 6 Bajra | ... | | | | 32·00—33·00 | ... | ... | ... | | ... | ... |
| 6 Barley | ... | | 105·00 | | | | ... | ... | | | ... |
| 7 Maize | ... | | ... | ... | 28·00 24·00 | ... | ... | ... | | 40·00 | 48·00 |
| 8 Ragi | ... | | 84·00 | 42·00—48·00 | ... | ... | ... | | | ... | ... |
| 9 Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | ... | ... | ... | ... | ... | ... | | ... | ... |
| (ii) ..... | ... | | | ... | ... | ... | | | | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | | | | ... | | | | | | | ... |
| (ii) Tapioca | ... | | | | | | | | | | ... |
| iii) Papaya | ... | | | 27·00—28·00 | | | | | | | |
| (iv) Groundnut cake flour | | | | | | | | | | | |
| II. Pulses (Whole pulses)— | | | | | | | | | | | |
| 1 Gram | ... | | 50·00 | 4·00—60·00 | 45·00—47·00 | 62·00 | | | | 62·00 | 63·00 |
| 2 Arhar (Tur) | | | 40·00 | 40·00—41·00 | 46·00—48·00 | ... | | | | 65·00 | 88·00 |
| 3 Mung | ... | | 50·00 | | 38·00—42·00 | ... | | | | 55·00 | ... |
| 4 Urd | ... | | 70·00 | ... | 42·00—43·00 | ... | | | | 76·00 | 82·00 |
| 5 Masur | ... | | ... | 80·00—82·00 | 38·00—40·00 | | | | | ... | ... |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | | | 37·00—38·00 | | | | | ... | ... |
| (ii) Horsegram | ... | | 39·00 | 36·00—37·00 | 35·00 | ... | | | | 41·00 | 46·00 |
| (iii) Cowpea | ... | | ... | | ... | | | | | ... | 81·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | Sort 1 | | 120·00 | 100·00—105·00 | 100·00—105·00 | 85·00 | | | | 120·00 | 100—117 |
| | Sort 2 | | 110·00 | 90·00—95·00 | 90·00—95·00 | ... | | | | 100·00 | ... |
| 2 Sugar Refined | D. 24 | | ... | | 110·00—60·00 | ... | | | | 116·60—88·00 | ... |
| IV. Edible Oils and Oilseeds— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 65·00 | 90·00—93·00 | 71·00—72·50 | 68 | | | | 65·83 | 90·00 |
| | (b) Machine shelled. | | 105·00 | 185·00—190·00 | 70·50 | | | | | | 125·00—160·00 |
| Groundnut Oil | ... | | 175·00 | ... | 160·00—165·00 | ... | | | | 176·00 | 157·00 |
| Groundnut Oil cake. | | | 40·00 | ... | 38·00—39·00 | ... | | | | 40·41 | 46·00 |
| Sesamum | (a) White | | 120·00 | | | ... | | | | 90·00 | ... |
| | (b) Black | | 110·00 | | 90·00 | ... | | | | 264·00 | |
| Sesamum Oil | ... | | ... | | | ... | | | | 62·00 | ... |
| Sesamum Oil-cake. | ... | | | | ... | ... | | | | | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed ... | ... ... | ... | ... | 55·00 | ... | ... | ... | ... | ... | ... |
| | Castor Oil ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | 177·00 |
| | Castor Oilcake | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard, | (a) Black ... ... | 160 00 | ... | 99·00 | ... | ... | ... | ... | ... | 120·00—185·00 |
| | | (b) Yellow ... ... | ... | ... | 100·00 | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oil-cake. | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold ... | ... | ... | 70·00 | ... | ... | ... | ... | ... | ... |
| | | (b) Brown small ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil-cake, | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Toria ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Cocoanut ... | (a) Nuts ... (Per | 820·00 | 200·00—950·00 | 200·00—290·00 | ... | ... | ... | ... | ... | ... |
| | | (b) Copra ... thousand) | 800·00 | ... | 244·00—246·00 | ... | 260·00 | ... | ... | 280·00—850·00 | 800·00 |
| | Cocoanut Oil ... | ... Quintal | 340·60 | 285·00—290·00 | 265·00—270·00 | ... | ... | ... | ... | 190·00 | 400—500 |
| | Cocoanut Oil-cake | ... ... | ... | ... | ... | ... | 850 00 | ... | ... | 80·00 | 398 75 |
| 8 | Other Oil seeds | (i) Nigerseed... ... | ... | ... | ... | ... | ... | ... | ... | 57·00 | 6·00 |
| | | (ii) ..... ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | Vegetable Oil | (i) Vanaspathi ... | 865·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | ... | ... | ... | 49·00 | ... | ... | ... | ... | ... | ... |
| 10 | Other Oils ... | (ii) Refined oil ... | ... | 175·00—178·00 | ... | ... | ... | ... | ... | ... | 265·00 |
| V. | Fruits, Vegetables and Nuts,— | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | |
| 1 | Mangoes ... | ... | Per gross | 24.00 | ... | ... | | | | | |
| 2 | Plantains ... | ... | Do ... | 7.50 | 6·00—8·00 | 6·50 | | | | ... | ... |
| 3 | Oranges ... | ... | Do ... | ... | ... | ... | | | | ... | 2·25—9 00 |
| 4 | Dates ... | ... | ... | ... | ... | ... | | | | 10·15 | 7 50 |
| 5 | Cashew kernels, etc. | ... ... | 680·00 | ... | ... | ... | | | | ... | ... |
| | | | | | | | | | | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | |
| 1 | Potatoes ... | ... ... | 52.00 | 45·00—55·00 | 60·00 | | | | | 44·48 | 48·75 |
| 2 | Onions ... | ... ... | 80.00 | 25 00—30·00 | 26·00—26 00 | | | | | 88·00 | 86·25 |
| 3 | ..... | ... ... | ... | ... | ... | | | | | ... | ... |
| 4 | ..... | ... ... | ... | ... | ... | | | | | ... | ... |
| | (iii) Nuts— | | | | | | | | | | |
| 1 | Cashewnuts ... | ... ... | ... | ... | ... | | | | | ... | 200·00—550·00 |
| 2 | Arecanuts ... | ... ... | 458·25 | ... | 440·00—450·00 | | | | | ... | 500,00 |
| VI. | Fibres.— | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... ... | ... | ... | ... | | | | | ... | ... |
| | | (b) Lint ... ... | ... | ... | ... | | | | | ... | ... |
| | | (c) Seed ... ... | 40·00 | ... | ... | | | | | ... | ... |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | |
| | | (i) Top ... ... | ... | ... | ... | | | | | ... | |
| | | (ii) Middle ... ... | ... | ... | ... | | | | | ... | ... |
| | | (iii) Bottom ... ... | ... | ... | ... | | | | | ... | ... |
| | | (b) Tossa— | | | | | | | | | |
| | | (i) Top ... ... | ... | ... | ... | | | | | ... | ... |
| | Pucca Baled Jute. | (ii) Middle ... ... | ... | ... | ... | | | | | ... | ... |
| | | (iii) Bottom ... ... | ... | ... | ... | | | | | ... | ... |
| | | (i) Lightings... Per bale | ... | ... | ... | | | | | ... | ... |
| | | (ii) First Mills ... | ... | ... | ... | | | | | ... | ... |
| | | (iii) First Ex-gorts, ... | ... | ... | ... | | | | | ... | ... |
| | | ... ... | ... | | ... | | | | | ... | ... |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6 Mesta | (i) Top | ... | ... | | | ... | ... | | ... | | | | | ... |
| | (ii) Middle | ... | ... | | | ... | ... | ... | | | | | | ... |
| | (iii) Bottom | ... | ... | | | | ... | ... | .. | | | | | ... |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | |
| | (i) Leaf | ... | ... | | | ... | ... | ... | ... | | | | | 300·00 |
| | (ii) Pulah | ... | ... | ... | | ... | ... | ... | ... | | | | | 150·10 |
| | (b) Virginia— | | | | | | | | | | | | | |
| | (i) Leaf | ... | ... | 575·00 | | ... | ... | ... | ... | | | | | ... |
| | (ii) Pulah | ... | ... | ... | | ... | ... | ... | ... | | | | | ... |
| VIII. Livestock.— | | | | | | | | | | | | | | |
| 1 Work cattle— (i) Work bullocks. | (a) Class I | ... | Per head | 450·00 | 300·00 -400·00 | 450·00—800·00 | | ... | 350.00 | | | | | ... |
| | (b) Class II | ... | Do ... | 380·90 | 200·00—250·00 | 200·00—400·00 | | ... | 250·00 | | | | | ... |
| (ii) Buffalo bulls | (a) Class I | ... | Do ... | 140·00 | 200·00—250·00 | 200·00 -300·00 | | ... | ... | | | | | ... |
| | (b) Class II | ... | Do ... | ... | 150·00—200·00 | 100·00—150·00 | | ... | ... | | | | | ... |
| 2 Milch cattle— (i) Cows | (a) Class I | ... | Do ... | 160.00 | 150·00—200·00 | 150·00—250·00 | | ... | 200·00 | | | | | ... |
| | (b) Class II | ... | Do ... | 140·00 | 150·00—175·00 | 100·00—250.00 | | ... | 160·00 | | | | | ... |
| (ii) Buffaloes | (a) Class I | ... | Do ... | 320·00 | 200·00—275·00 | 200·00 -250·00 | | ... | 3·0·00 | | | | | ... |
| | (b) Class II | ... | Do ... | 200.00 | 125·00—175·00 | 100·00—200·00 | | ... | 200·00 | | | | | ... |
| 3 Sheep | ... | | Do ... | 37·00 | 34·00—45·00 | 35·00—45.00 | | ... | 35.00 | | | | | ... |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | | Per kg. ... | | | | | ... | | ... | ... | ... | ... | ... |
| | (b) ..... | | Do ... | | | | | ... | | ... | ... | ... | | ... |
| 2 Hides— (i) Cow hides— Raw. | (a) ..... | | Do ... | 1·75 | 1·00 | | | ... | ... | ... | ... | 1·50—2·00 | | ... |
| | (b) ..... | | Do ... | 1·50 | 1·00 | | | ... | ... | ... | ... | ... | | ... |
| Tanned ... | (a) ..... | | Do ... | 4·50 | 6·25 | | | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | | Do ... | 3·75 | 6·00 | | | ... | ... | ... | ... | ... | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | | Do ... | 2·00 | 1·00 | | | ... | ... | ... | ... | 1—1·25 | | ... |
| | (b) ..... | | Do ... | 1·75 | 0·80 | | | ... | ... | ... | ... | ... | | ... |
| Tanned ... | (a) ..... | | Do ... | 4·50 | 6·20 | | | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | | Do ... | 4·50 | 6·20 | | | ... | ... | ... | ... | ... | | ... |
| 3 Skins— (i) Goatskins— Raw. | (a) ..... | | Do ... | 1·25 | 6·50 | | | ... | ... | ... | ... | 4·00—5·00 | | 8·50 |
| | (b) ..... | | Do ... | 1·00 | ... | ... | | ... | ... | ... | ... | ... | | ... |
| Tanned | (a) ..... | | Do ... | 7·00 | 6·50—7·00 | ... | | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | | Do ... | 6·00 | ... | ... | | ... | ... | ... | ... | ... | | ... |
| (ii) Sheepskins— Raw. | (a) White | | Do ... | 1 25 | ... | 3·00—3.50 | | ... | ... | ... | ... | 2·50—4 00 | | 3 50 |
| | (b) Black | | Do ... | 1·10 | ... | ... | | ... | ... | ... | ... | ... | | ... |
| Tanned ... | (a) ..... | | Do ... | 7·00 | ... | ... | | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | | Do ... | ... | ... | ... | | ... | 6·00 | ... | ... | ... | | ... |
| 4 Ghee ... | (a) Agmark | ... | Do ... | 6·00 | 6·00 | 4—4·25 | | ... | ... | ... | ... | 7—00 | | ... |
| | (b) Upgraded | ... | Do ... | ... | ... | ... | | ... | ... | ... | ... | ... | | ... |
| X. Fodder.— 1 Bran ... | (a) Wheat | | Per quintal | ... | ... | ... | | ... | ... | ... | ... | 25·00 | | ... |
| | (b) Paddy | | Per cart-load | ... | ... | ... | | ... | ... | ... | ... | ... | | ... |
| 2 Straw ... | (a) Ragi | | Do ... | ... | ... | ... | | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | | ... | ... | 80·35 | 86.00 | | ... | ... | ... | ... | ... | | ... |
| 3 Stalks ... | (a) Jola | | Per quintal | ... | ... | ... | | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | | ... | ... | | ... | | ... | ... | ... | ... | ... | | ... |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| XI | **Condiments and Spices.—** | | | | | | | | | |
| 1 | **Turmeric** | 190 00 | 150 00—16 00 | 88 00—92 00 | | 91·00 | | | | 276 00 |
| 2 | **Tamarind** | 90 00 | 70·00—80 00 | 68 00—68 00 | | 86·00 | | | 90·00 | 120.00 |
| 3 | **Dry Chillis** | 350 00 | 96 00—100 00 | 23 00—60 00 | | | | | 285 00 | 400 00 |
| 4 | **Garlic** ... | 90 00 | 00 00—90 00 | 62 00—68 00 | | 100·00 | | | 90·00 | 1 0.00 |
| 5 | **Pepper** | 3 20 0 | | | | | | | 290·00 | 275.00 |
| 6 | **Cardamom** | 1,100·00 | | | | | | | | 1,000.00–1,700 00 |
| XII | **Miscellaneous—** | | | | | | | | | |
| 1 | **Timber** | | | | | | | | | |
| 2 | **Sticklac** | | | | | | | | | |
| 3 | **Seedlac** | | | | | | | | | |
| 4 | **Shellac** | | | | | | | | | |
| 5 | **Rubber** | Raw .. | | | | | | | | |
| 6 | **Myrobalan** | ... | | | | | | | | |
| 7 | **Jute manufactures** | (a) Hessian 40" ... 10 oz. | | | | | | | | |
| | | (b) Sacking Twill | | | | | | | | |
| 8 | ..... | | | | | | | | | |
| 9 | ..... | | | | | | | | | |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending 31st July 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Arsikere | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | |
| I Cereals— | | | | | | | | | | | | | |
| 1 Ragi | Coarse | ... Per Rupee | | 8·5 | ... | | 2.5 | 2·6 | ... | ... | 2·6 | 2·2 | |
| 2 Rice | Do | ... ... | 1·6 | 2 | ... | 2 1 | 1.4 | 1·6 | 1.5 | 2 2 | 1·7 | 1·4 | |
| 3 Wheat ... | White | ... | 2·5 | 2 | ... | 2·5 | 2·2 | 2·2 | 2.2 | 1·5 | 2·3 | 1·2 | |
| 4 Wheat Flour ... | Do | ... | 2·0 | 1.5 | ... | ... | 2·2 | 2·1 | 1.4 | 1·5 | 1 | 1·8 | |
| 5 Jowar ... | Do | ... | 2·0 | 3.5 | ... | ... | 2.5 | 2·1 | 2.5 | | 2·4 | 2 | |
| 6 Bajra ... | | ... | 2·5 | ... | ... | ... | | | ... | ... | | 2.4 | |
| 7 Barley ... | | ... | 0·5 | ... | ... | ... | | | ·6 | | ... | 0.8 | |
| 8 Maize ... | | ... | ... | ... | ... | ... | | | ... | | ... | ... | |
| 9 Ragi ... | | ... | 2,5 | 2·5 | ... | 2.5 | | | 2 2 | 2·5 | 2·4 | 2·4 | |
| 10 Other cereals... | | ... | ... | ... | | | | | ... | ... | ... | ... | |
| (i) | | | | ... | ... | | | | ... | ... | ... | 2·7 | |
| (ii) ... | | | | ... | ... | | | | ... | | ... | ... | |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | | ... | | | | | | | 3·05 | | |
| (ii) Tapioca | | | | ... | | | | | | | 2·6 | | |
| (iii) Papaya ... | | | | | | | | | | | | | |
| (iv) Groundnut cake (kg.) | | | | | | | | | | | | | |
| II Pulses | (a) Whole ... | Per Rupee | 1·7 | | | | 1.7 | | 1·5 | 1·05 | | | |
| | (b) Split (with out skin) | | 1·6 | | 1·6 | ... | | | 1·4 | 1·5 | 1·6 | 1·6 | |
| | Flour ... | ... | 1·6 | 1 | 1·5 | | | | ... | ... | | 1·4 | |
| | (a) Whole ... | ... | 1·4 | ... | ... | 1.7 | | | | 2·1 | ... | | |
| | (b) Split (without skin). | | 1 | 1 | 1·1 | 1.6 | | | 1·1 | 1 | | 1·2 | |
| | (a) Whole ... | | 1·2 | 1·5 | ... | ... | | | 1·6 | 1·5 | | 1·5 | |
| | (b) Split (without skin). | | 1·1 | 1 | 1·05 | 1.1 | | | ... | 1·2 | | | |
| | (a) Whole ... | | 1.8 | 1·25 | ... | | | | 1,08 | ... | | | |
| | (b) Split (without skin), | | 0·9 | 0.9 | 1.05 | .05 | | | .8 | 1·2 | | ·8 | |
| | (a) Whole ... | | 1·1 | ... | | ... | | | 1 | ·9 | | | |
| | (b) Split (without skin) | | 1·2 | ... | 0 | | | ... | 1·2 | | | | |
| 6 Other pulses— | | | | | | | | | | | | | |
| | | | 1·2 | 1·5 | ... | | | 1·8 | 1·2 | 1·4 | | | |
| | Split (without skin) | | 1·1 | 1 | ... | ... | | 1·2 | 1·1 | 1·2 | | | |
| (ii) ... | | ... | 2·5 | 2 | 2·5 | ... | | 2·5 | 2·3 | 2·6 | 3·2 | | |
| (iii) ... | | ... | 1·1 | 2 | ... | 2·4 | | 1·6 | 1·5 | 1·2 | 1·8 | | |
| I ... | | | ·7 | ·8 | ... | | | ·7 | ·7 | ·8 | 9 | | |
| (ii) ... | | | ·9 | 1·1 | 1·3 | | | 1·1 | ·8 | ·9 | 1·2 | | |
| 2 Groundnut | | | | 8 | ... | | | ·8 | | ·7 | ·8 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·6 | ·5 | ... | ·6 | ·5 | ·5 | ·6 | ·4 | ·5 | ·6 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ·6 | ... | ·5 | ... | ... | ·8 |
| 3 Castor oil ... | ... | ... | ·5 | ·5 | ... | ·5 | ·6 | ·5 | ·5 | ·6 | ·8 | ·4 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Coconut oil ... | ... | ... | ·2 | ... | ... | ·2 | ·3 | ·2 | ·8 | ·8 | ·2 | ·2 |
| 7 Vanaspati ... | ... | ... | ... | ... | ... | ... | ... | ... | ... 8 | ·4 | ·2 | ·2 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·4 | ... | ... |
| (ii) Safflower) | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | | Per Dozen | 1·50—1·75 | ... | ... | 2·50—3·50 | | ... | 2·50—4 | | | ·8 |
| 2 Plantains ... | | Do | 0·60—75·60 | 0·25—0·75 | ... | 0·37—0 48 | | 0·37—0·37 | 1—1.25 | | | 0·60 |
| 3 Oranges ... | | Do | 1·00—1·50 | 0·75—2·50 | ... | 0 37—1·50 | | 0·75 —2·00 | 2—3.75 | | | 1·84 |
| 4 Dates ... | | ... | ... | ... | ... | ... | | ... | ... | | ... | |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | | ... | ... | | ... | |
| 6 ..... | | ... | ... | ... | ... | ... | | ... | ... | | ... | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | | | ... | | | | 1.6 | 1·5 | | 1·8 |
| 2 Onions ... | | ... | | | ... | | | | 2·8 | 2·7 | | 2·8 |
| 3 ..... | | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ... | ... | | ... | ·2 | ... | ... | ·160 |
| 2 Arecanuts ... | | ... | ... | ·120 | ... | ... | | ·118 | ·2 | ·120 | ... | ·090 |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | | ... | 5·00 | 7·00 | ... | 8·62 |
| VII Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | ... | ... | | ... | ... | 0·60 | 0·40—0·65 | ... | ... | 0·66 | 0.75 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | | ... | ·8 | ... | ... | ·125 | ... | ·096 | ... |
| | (b) Ungraded ... | ... | ... | | ... | ... | ... | ... | ... | ·2 | ·144 | ·185 |
| 3 Eggs ... | (i) A Grade | Per Dozen | 2·00 | | ... | 2·50 | 2·00 | 2·00 | 2·50 | ... | 2·03 | 2·16 |
| | (ii) B Grade | Do | 1·50 | | ... | 2·25 | ... | 1·75 | 2·25 | ... | 1·75 | 1·80 |
| | (iii) C Grade | Do | ... | | ... | 2·00 | ... | 1·60 | 2·00 | 2·39 | 1·62 | ... |
| 4 Mutton ... | ... | ... | ·290 | | ... | ·266 | ... | 0·260 | ·250 | ·300 | ·280 | ·300 |
| 5 Beef ... | ... | ... | ·8 | | ... | | ... | ... | | ... | ... | ·5 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·5 | | ... | ·5 | ·5 | ·6 | ·5 | ·5 | ·5 | ·6 |
| 2 Tamarind ... | ... | ... | 1 | 1 | ... | ·1 | 1·4 | ·1 | ·1 | ·8 | 7 | 1·1 |
| 3 Dry chillies ... | ... | ... | ·2 | ·8 | ... | ·8 | ·8 | ·8 | ·2—·8 | 2·—·3 | ... | ·2 |
| 4 Garlic ... | ... | ... | 1 | ·5 | ... | 8 | 1·1 | ·1 | ... | ·6 | ·9 | ·7 |
| 5 Pepper ... | ... | ... | .2 | ·2 | ... | ·2 | .8 | ·2 | ·2 | ·8 | ·8 | ... |
| 6 Cardamom ... | ... | ... | ·056 | ·150 | ... | ·055 | ·089 | ·070 | ·056 | ... | ·056 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 8 | ... | 8 | 10 | 10 | 10 | 10 | 10 | 10 |
| 2 Kerosene oil ... | ... | Per Litre | 0·50 | 0·76 | ... | 0·44 | ... | 0·48 | 0·50 | 0·42 | 0·52 | 0·40 |
| 3 Firewood/ Charcoal. | ... | Quintal | ... | 6—8 | ... | 5—6 | ... | 9·00 | 4·50 | 3·87—4·25 | 10·00 | 5·75 |
| 4 Coarse cloth ... | ... | Per metre | 1·35 | 0·90 | ... | 1·20 | ... | 1—1·35 | ... | ... | 1·80 | 1·08 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | ... | ... | 2—2·5 | ... | ... | | ... | ... | ... | 2·7 |
| 2 Rice ... | Do ... | ... | 1·8 | 1·2—1·6 | 1·4—1·5 | | 1·7 | ... | ... | 1·5 | 1·5 |
| 3 Wheat ... | White ... | ... | 1·5 | 1·8—1·75 | 1·6 | | 1·8 | ... | ... | 1·8 | 2·8 |
| 4 Wheat Flour... | Do ... | ... | 1·8 | 1·8— 2 | ·7—·8 | ... | ... | ... | ... | 1·7 | 1 |
| 5 Jowar ... | Do ... | ... | 1·8 | 1·8—1·8 | 2 6 | ... | 2 | ... | ... | ... | ... |
| 6 bajra ... | ... | ... | ... | 2—2·5 | 2·8 | | 2·3 | ... | ... | ... | ... |
| 7 Barley ... | ... | ... | ·8 | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... |
| 9 Ragi .. | ... | ... | 2·2 | 2·—2.5 | ... | ... | ... | ... | ... | 2 | 2 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | ... | ... | | | |
| (i) Sweet potatoes. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1·6 | 1·5—2·00 | 1·2 | ... | ... | ... | ... | | 1·6 |
| | (b) Split (without skin). | ... | 1·8 | ... | 1·5 | ... | ... | ... | ... | | 1·4 |
| | (c) Flour ... | ... | 1·2 | ... | ... | ... | ... | ... | ... | ... | |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | ... | ... | 1·7 | ... | ... | ... | ... | | 1·1 |
| | (b) Split (without skin). | ... | 1 | 1—2 | 1·8 | ... | 1·2 | ... | ... | ... | |
| 3 Moong ... | (a) Whole ... | ... | 1·4 | ... | 2—2·2 | ... | ... | ... | ... | ... | |
| | (b) Split (without skin). | ... | 1·0 | ... | 1·2 | ... | 1·6 | ... | ... | ... | |
| 4 Urd ... | (a) Whole ... | ... | 1·2 | ... | 1·9 | ... | ... | ... | ... | | 1·2 |
| | (b) Split (without skin). | ... | ·8 | ... | ... | ... | 1 | ... | ... | | 1 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) Split (without skin). | ... | ... | 1—1·5 | 2·2 | ... | 1·2 | ... | ... | ... | |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | ... | ... | 2·2 | ... | ... | ... | ... | ·9 | |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) Horsegram | ... | ... | 2·6 | 2—2·5 | 2·8—2·4 | ... | ... | ... | ... | 2 | 2 |
| (iii) Cowpea ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1·2 |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·8 | 1—1·1 | ·9 | | ·8 | ... | ... | ·7 | 8 |
| | (b) Sort II ... | ... | ·9 | 1·2—1·3 | ·1 | ... | ... | ... | ... | ·8 | ·8 |
| 2 Sugar refined | D. 24 ... | ... | ·8 | ... | ·8 | ... | ... | ... | ... | ·8 | ... |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | ... | ... | ·5 | ·6—·7 | ·5 | ... | ·5 | ... | ... | ·8 | ·5 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·4 | ·3 |
| 3 Castor oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·2 | ... | ·2 | ... | ·2 | ... | ... | ·8 | ·2 |
| 7 Vanaspati ... | ... | ... | 1·2 | ... | ... | ... | ... | ... | ... | ·2 | ·3 |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

Notification dated 5th June 1965.

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 29th May 1965.*

**No. VS 22/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 20 attacks with 3 deaths from Small-pox was reported from the entire State, *viz.*, from the town of Tiptur and from the taluks of Sagar, Khanapur Koppal, Hoskote, Gangavathi, Malur and Soundatti *as against* 1 attack with nil deaths reported during the corresponding week of the previous year.

A total of 64 attacks with 14 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Bangalore, South, Malavalli, Pandavapura and Mysore and from the City of Mysore and from the towns of Pandavapura, Mandya, Malavalli, Srirangapatam, Shimoga and Nelamangala during the week *as against* 45 attacks with 19 deaths reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* 1 attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever and influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding weekof the previous year. There were 20 attacks of Infectious Hepatitis in Chitradurga District during the week.

The total morbality for Bangalore Corporation amounted to 237 (47 in hospitals) for the week *as against* 203 (60 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.8 (10.3) excluding hospital deaths) per mille of population (mid-year estimated) *as against* 11.2 (7.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 3 were due to Small-pox, 1 due to other fevers, 45 due to dysentery and diarrhoea, 2 due to consumption and 186 due to all other causes, *as against* 9 due to other fevers, 23 due to dysentery and diarrhoea, 7 due to consumption and 164 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 108 (34 in hospitals for the week *as against* 60 (34 in hospitals) during the corresponding week of the previous year giving a calculated death rate of 21.8 (14.9 excluding hospital deaths)per mille of population (mid-year estimated), *as against* 12.1 (6.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths 8 were due to cholera, 18 due to other fevers, 15 due to dysentery and diarrhoea, 1 due to consumption and 66 due to all other causes, *as against* 11 due to other fevers, 7 due to dysentary and diarrhoea, 7 due to consumption and 35 due to all other causes, reported during the corresponding week fortnight of the previous year.

The reports for K.G.F. and Mangalore cities have not been received.

The total mortality for Belgum City amounted to 22 (16 in hospitals) for the week *as against* 11 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.3 (2.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.2 (nil exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to dysentry and diarrhoea, 2 due to consumption and 18 due to all other causes *as against* 2 due to other fevers and 9 due to all other causes reported during the corresponding week of the previous year.

51 ....., *Deputy Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE, (S. K.)

Dated 5th March 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 5th March 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | No Stocks |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Rice— I Sort | ... | Maskathi | " | |
| II Sort | ... | Guddu | " | |
| III Sort | | Suggi | " | |
| Ragi | ... | | Moora of 39·14 kg. | |
| Cane Jaggery | ... | I Sort | 100 kg. | 95 00 |
| " | ... | II Sort | " | 70 00 |
| Cocoanuts | ... | Unhusked | 1000 kg. | 350 to 520 00 |
| | | Husked | " | 350 to 510 00 |
| Copra | ... | | 100 kg. | 210 to 290 00 |
| Cocoanut Oil | | I Class | 10 kg. | 38 60 |
| | | II Class | " | 36 60 |
| Cashew Kernels | ... | | 100 kg. | No Stock |
| Cashew Nuts | ... | | 100 kg. | 220 to 230 00 |
| Cardamoms | ... | Mysore | 10 kg. | 220 to 280 00 |
| " | ... | Coorg | " | |
| Malabar Black Pepper | ... | ... | 50 kg. | 180 to 200 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 |
| " | ... | Snuff | " | 760 to 800 00 |
| " | ... | Beedi | " | 860 to 900 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 22 to 45 00 |
| " | ... | Husked Old | 50 kg. | 295 to 340 00 |
| " | ... | " New | " | 280 to 300 00 |
| Chillies | | Kumpta | | ... |
| " | | Local | 10 kg. | 30 to 33 00 |
| " | | Kasaragod | " | ... |
| RETAIL PRICES. | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | | Snuff | " | 5 to 7 00 |
| | | Beedi | " | 7 00 |
| CATTLE FOOD. | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 28 to 30 00 |
| Cotton Seeds | ... | | " 64·00 kg. | 17 to 18 00 |
| Horsegram | ... | | " 98·07 kg. | 60 to 74 00 |

50 ..... *Dy. Commr.* 41

Dated 28th May 1965

Statement showing the Wholesale Prices of various commodities for the week ending 28th May 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | No Stocks |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Rice—I Sort | ... | Maskathi | | |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Ragi | ... | ... | Moora of 39·14 kg. | ... |
| Cane Jaggery | ... | I Sort | 100 kg. | 89 00 |
| " | ... | II Sort | " | 55 00 |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 380 to 580 00 |
| " | ... | Husked | " | 370 to 570 00 |
| Copra | ... | | 100 kg. | 260 to 275 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 46 00 |
| " | ... | II Class | " | 44 00 |
| Cashew Kernels | ... | ... | 100 kg. | 80 to 85 00 |
| Cashew Nuts | ... | | | |
| Cardamoms | ... | Mysore | 10 kg. | 220 to 280 00 |
| " | | Coorg | " | 220 to 280 00 |
| Malabar Black Pepper | ... | ... | 50 kg | 168 to 196 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 |
| " | ... | Snuff | " | 760 to 800 00 |
| " | ... | Beedi | " | 860 to 900 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 32 to 54 00 |
| " | ... | Husked Old | 50 kg. | 300 to 330 00 |
| " | ... | " New | " | 308 to 343 00 |
| Chillies | ... | Kumpta | | ... |
| " | ... | Local | 10 kg. | 20 to 25 00 |
| " | ... | Kasaragod | " | ... |
| RETAIL PRICES. | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | | Snuff | " | 5 to 7 00 |
| | | Beedi | " | 7 00 |
| CATTLE FOOD. | | | | |
| Groundnut Oil Cake | ... | | Bag of 69.92 kg. | 28 to 30 00 |
| Cotton Seeds | ... | ... | " 64 kg. | 16 to 26 00 |
| Horsegram | ... | ... | " 98·07 kg. | 57 to 59 00 |

....., *Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. B 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, JUNE 24, 1965 ( ASHADA 3, SAKA ERA 1887 ) | No. 25

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 26th May 1965.

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(FROM 1—4—1965)

1. Bangalore District.

Good except for the prevalence of "Renderpest" at two villages of Hoskote Taluk. — Available

2. Kolar District.

Good

3. Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District

Good — Available except in Hassan Taluk. — Adequate except in Hassan Taluk. — ... (5)

7. Chickmagalur District

Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Condition of | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(Page 1—4—1965).

8. Shimoga District.

1 10 3 Good

9. Chitradurga District.

Good

10. Bellary District.

Good except for the prevalence of Cattle disease in some villages of Siruguppa Taluk.

11. Bijapur District.

Good except for the prevalence of "Epizotic Aphtha" at one village of Sindgi Taluk.

12. Belgaum District.

Good

13 Dharwar District.

Good except for the prevalence of of cattle disease in some villages of Haveri Taluk.

14. North Kanara District.

Good Sufficient except in Yellapur Taluk. ... (12)

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19 Coorg District.

Nil Nil ,, 23.4 ,, do Good Available ... do ... (16)

REMARKS.— (1) Refers to 7 Taluks, (2) Refers to 6 Taluks, (3) Refers to 9 Taluks, (4) Refers to 5 Taluks, (5) Refers to 4 Taluks, (6) Refers to 4 Taluks, (7) Refers to 7 Taluks, (8) Refers to 8 Taluks, (9) Refers to 7 Taluks, (10) Refers to 6 Taluks, (11) Refers to 13 Taluks, (12) Refers to 7 Taluks, (13) Refers to 8 Taluks, (14) Refers to 7 Taluks (15) Refers to 6 Taluks, (16) Refers to 9 Taluks.

M. GANGARUDRAIAH, For *Director*.

General Weekly Summary Report of Mysore State for the week ending Wednesday, the 26th May 1965.

(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural Operations
(f) " Water supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—
(a) Light showers in Channapatna, Anekal, Magadi, Nelamangala and Kanakapura Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevelance of "Rinder Pest" in some parts of Hosakote Taluk.

2 Kolar District.—
(a) Light showers in Mulbagal, Gauribidanur, Malur and Bangarpet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Summer Paddy in Mulbagal Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—
(a) Light showers in Tipâur, Chicknayakanahally and Tumkur Taluks.
(b) Transplantation of Yada-Bagi in Pavagada and Tumkur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Vynaki Paddy in Pavagada and Tumkur Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

4 Mysore District.—
(a) Sufficient rainfall in all the Taluks.
(b) Sowing and Transplantation of Jowar in K. R. Nagar and Gundlupet Taluks Paddy and Ragi in Hoggadadevankote Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Summer Paddy in Chamarajanagar Taluk Sugarcane in Yelandur Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Kollegal and Yelandur Taluks where insufficient of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) Light showers in Maidur, Malavalli and Nagamangala Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—
(a) Light showers in Arasikere, Hassan and Belur Taluks.
(b) Sowing of G-Nut Cotton and sesamum in Arasikere Taluk and Transplantation of Potatoes, Ragi and Paddy in Hassan Taluk. Potatoes in Belur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Hassan Taluk, where insufficiency was felt.
(g) Available except in Hassan Taluk, where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—
(a) Sufficient rainfall in the Taluks.
(b) Showing of Paddy and Jowar in Chickmagalur Taluk, Jowar in Kadur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of sugarcane in Chickmagalur Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—
(a) Light showers in Honnali and Bhadravathi Taluks.
(b) Transplanation of Paddy in Bhadravathi Taluk was progress
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—
(a) Light showers in Molakalmuru, Chitradurga, Hosadurga and Holalkere Taluks.
(b) Showing/Transplantation of Ragi in Molakalmuru and Challakere Taluks, G. Nut and Jowar in Holalkere Taluk was in progress.
(c) Standing Crops were fair except in Harihar taluk where Ragi was partly affected by pest.
(d) Harvesting of Summer G. Nut in Harihar Taluk. Paddy in Davangere and Molakalmuru Taluks, Bili-Jowar and Paddy in Challakere Taluk. Paddy, G. Nut in Chitradurga Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

10 Bellary District.—
(a) Light showers in Sandur Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Summer Paddy in Bellary Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

11 Bijapur District.—
(a) Light showers in Muddebihal and Jamkhandi Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence Epizootic Apths at one Village of Sindagi Taluk.

12 Belgaum District.—
(a) Light showers in Hukkeri and Ramdurg Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—
(a) Slight showers in all the Taluks.
(b) Showing of Paddy in Kalghatgi and Haveri Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Rabi crops was completed in all Taluks.
(e) Progress was fair in 11 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of Cattle disease in some parts of Haveri Taluk.

14 North Kanara District.—
(a) Light showers in Sirsi and Mundgod Taluk.
(b) Sowing of Paddy in Sirsi, Yellapur, Mundgod and Honnavar Taluks was in progress.
(c) Standing crops were fair.
(d) Completed.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Mundgod Taluk where insufficiency of water was felt.
(g) Available,
(h) Generally healthy.

16 Gulbarga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy

16 Raichur District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of G. Nut in Manvi Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Nil.
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Buntwal and Coondapur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of III crop Paddy in Udipi Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Belthangadi, Udipi, Bantwal and Puttur Taluks where insufficiency of water was felt.
(g) Available except in Belthangadi and Udipi Taluks, where scarcity for fodder was felt.
(h) Generally healthy.

19 Coorg District —

(a) Light showers in Somawarpet Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, *For Director.*

## MYSORE STATE: DEPARTMENT OF PUBLIC HEALTH

Dated 5th June 1965.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE.

### WEEK ENDING SATURDAY THE 5TH JUNE 1965.

**No. VS. 23/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks and with nil deaths, respectively.

A total of 36 attacks with 6 deaths from Small-pox was reported for the entire State *viz.*, from the town of Manvi from the taluks of Humnabad, Deodrug, Tumkur and Kunigal and from the cities of Bangalore and Mangalore, *as against* 27 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 179 attacks with 30 deaths from Cholera was reported for the entire State *viz.*, from the Taluks of Malavalli, Pandavapura, H. D. Kote, Mandya, Mysore, Maddur, K. R. Pet, Hoskote, Bangalore South, Ramanagaram, Sindhanoor, Sagar and Bhadravathi and from the City of Mysore and from the towns of Srirangapatna, Shimoga, Mandya, Pandavapura during the week *as against* 106 attacks with 43 deaths reported during the corresponding week of the last year.

A total of 4 attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* two attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 347 (65 in Hospitals) for the week, *as against* 320 (163 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 18.8 (15.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 17.6 (8.6 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Small-pox, 2 due to other fevers, 57 due to Dysentery and Diarrhoea, 6 due to Consumption and 282 due to all other causes *as against* 9 due to other fevers, 28 due to Dysentery and Diarrhœa, 2 due to consumption and 281 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 78 (39 in hospitals) for the week, *as against* 25 (11 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.7 (7.9 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 5.0 (2.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 8 were due to Cholera, 6 due to other fevers, 17 due to Dysentery and Diarrhœa, 4 due to consumption and 43 due to all other causes, *as against* 3 due to other fevers, 1 due to Dysentery and Diarrhœa, 1 due to consumption and 20 due to all other causes, reported during the corresponding week of the previous year.

The reports for K. G. F. and Mangalore have not been received.

The total mortality for Belgaum City amounted to 27 (17 in hospitals) for the week *as against* 19 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 10.2(3.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.3 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid, 1 due to Dysentery and Diarrhœa, and 6 due to consumption and 19 due to all other causes, *as against* 4 due to other fevers, 1 due to Dysentery and Diarrhœa, 1 due to consumption and 13 due to all other causes reported during the corresponding week of the previous year.

.....,
*Dy. Director of Public Health.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 15th August 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | | Tumkur | Bellary | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | 13 | |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 35·00—36·00 | 31·00—37·00 | ... | 52·00 | 39·00 | 42·00 | ... | ... | | 34·15 | 38·00 | 35·50 |
| | (b) Medium | | 33·50—34·00 | 26·00—32·00 | 35·00 | 31·00 | 38·00 | 40·00 | ... | ... | | 33·00 | ... | 35·50 |
| | (c) Coarse ... | | 24·00—28·00 | 21·00—28·00 | ... | 30·00 | 35·00 | 39·00 | | 28·50 | | ... | 34·50 | |
| Rice | (a) Fine ... | | 68·00—72·00 | 72·00—75·00 | 71·00—72·00 | 68·00 | 70·00 | 67·50 | | 69·50 | | 69·00 | 62·00 | 65·50 |
| | (b) Medium | | 62·00—64·00 | 62·00—68·00 | 68·00—70·00 | 66·00 | 68·00 | 65·00—66·00 | ... | 69·00 | | 67·00 | 67·00 | 66·00 |
| | (c) Coarse | | 58·00—60·00 | 56·00—61·00 | 60·00—62·00 | 50·00 | 46·00 | 61·00—62·00 | | 42·50 | | 45·50 | 45·00 | 65·00 |
| 3 Wheat ... | | | 72·00—76·00 | 48·00—50·00 | 58·00—60·00 | 45·00 | 39·00 | 40·00—42·00 | ... | 54·00 | | 52·50 | ... | |
| Wheat Flour | | | 65·00—74·00 | 67·00—74·00 | | | 40·00 | 42·00 | ... | 28·00 | | 42·00 | | 45·50 |
| 4 Jowar | | | 32·00—36·00 | 32·00—36·00 | 37·00—39·50 | 31·00 | 37·00 | 45·00—50·00 | ... | ... | | ... | | 25·00 |
| 5 Bajra ... | | | 32·00—38·00 | ... | 33·00—34·00 | ... | 41·00 | ... | ... | ... | | ... | | |
| 6 Barley ... | | | 120·00 | | | ... | ... | 150·00—180·00 | ... | ... | | ... | | ... |
| 7 Maize ... | | | | | | ... | ... | ... | ... | ... | | ... | | |
| 8 Ragi ... | | | 33·50—38·00 | 34·00—38·00 | 33·00—34·00 | 37·50 | 38·00 | 35·00—41·00 | ... | 36·00 | | 36·00 | 32·00 | |
| 9 Other cereals— | | | | | | | | | | | | | | |
| (i) Navane | | | | | | | | | | | | | | |
| (ii) ... | | | | | | | | | | | | | | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | | | |
| (i) Sweet potato | | | 35·00—45·00 | | | | ... | | | | | 25·00 | | |
| (ii) Tapioca | | | ... | | | | | | | | | 35·00 | | |
| (iii) Papaya | | | 20·00—25·00 | | | | 25·00 | | | | | ... | | |
| (iv) Groundnut cake flour | | | | | | | ... | | | | | | | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | | | |
| 1 Gram ... | | | 48·00—52·00 | 46·00—54·00 | 71·00—75·00 | 54·00 | 48·00 | 55·00—60·00 | | 58·00 | | 66·00 | 59·50 | |
| 2 Arhar (Tur) | | | 58·00—60·00 | ... | 68·00 | 85·00 | ... | 60·00 | | 92·00 | | 46·00 | 75·00 | |
| 3 Mung ... | | | 56·00—72·00 | 58·00—80·00 | 65·00 | 70·00 | 55·00 | 55·00—60·00 | | 58·00—56·25 | | 57·00 | | |
| 4 Urd ... | | | 75·00—72·00 | 78·00—85·00 | | 80·00 | 80·00 | 70·00—75·00 | | 75·00—75·75 | | 78·00 | ... | |
| 5 Masur ... | | | | .. | .. | ... | ... | ... | | ... | | | ... | |
| Other pulses— | | | | | | | | | | | | | | |
| (i) Avare ... | | | 60·00—60·00 | 58·00—66·00 | 85·00—86·00 | ... | 56·00 | 65·00—66·00 | | | | 58·00 | | |
| (ii) Horsegram | | .. | 35·50 | 38·00—42·00 | 34·00—35·00 | 38·00 | 39·00 | 36·00—38·00 | | | | 82·00 | 35·50 | |
| (iii.) Cowpea ... | | ... | 65·00—70·00 | 48·00—54·00 | 49·00—50·00 | ... | 55·00 | 60·00—70·00 | | | | 70·00 | 48·00 | |
| III. Sugar and Jaggery— | | | | | | | | | | | | | | |
| (a) Cane ... | | ... | 95·00—110·00 | 90·00—120·00 | 100·00—120·00 | 100·00 | 90·00—100·00 | 120·00 | | 98·00 | | 100·00 | 105·00 | |
| (b) Sugar ... | | .. | ... | 85·00—95·00 | 90·00—100·00 | 50·00 | 95·00 | 90·00 | | 81·50 | | 90·00 | 95·00 | |
| Jaggery (Gul) | | | 114·25—118·25 | 119·00—120·00 | ... | ... | 120·00 | 112·00 | | 119·00 | | 120·00 | 116·00 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P | Rs. P. Rs. P | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled | .. | 50·00—75·00 | 34·00—40·00 | 68·00 | 45·00 | 60·00 | 60·00 | ... | ... | 72·00 | 70·00 |
| | (b) Machine shelled. | ... | 93·75—96·00 | 90·00—96·00 | 95·00 | ... | 96·00 | ... | ... | ... | 87·00 | 93·50 |
| Groundnut Oil | | ... | 168·00—186·00 | 180·00—200·00 | 170·00—180·00 | 185·00 | 200·00 | 190·00 | ... | 176·00 | 156·00 | 176·00 |
| Groundnut Oil-cake. | ... | | | ... | 35·00—37·00 | 43·00 | 88·00 | 45·00 | | ... | 42·00 | 40·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black | ... | ... | ... | .. | | | ... | ... | ... | | ... |
| Sesamum Oil... | | ... | ... | ... | ... | | 96·00 | 80·00—105·00 | ... | ... | 96·00 | ... |
| Sesamum Oil-cake. | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | | | ... | ... | | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | 58·00—60·00 | ... | ... | | | | | ... | ... | ... |
| Castor Oil ... | ... | ... | 180·00—190·00 | 190·00—200·00 | | ... | | 65·00—70·00 | ... | | 60·00—60·00 | 55·00 |
| Castor Oilcake | .. | ... | ... | | ... | 180·00 | 160·00 | 190·00 | | 157·50 | 150·00 | 188·00 |
| 4 Rape and Mustard. | (a) Brown | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | 95·00 | ... |
| Mustard Oil ... | | ... | ... | ... | ... | ... | ... | ... | | | | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | | | | | | |
| 5 Linseed ... | (a) Brown hold (Ferruginous) | ... | ... | ... | | | ... | | | | ... | |
| | | | ... | | | | ... | | | | | |
| Linseed Oil ... | ... | ... | ... | | | | ... | ... | | ... | ... | |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | | | | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | | | ... | |
| 7 Cocoanut ... | (a) Nuts | (Per thousand) | 160·00—800·00 | 280·00—290·00 | 200·00—220·00 | 175·00—200·00 | ... | 230·00—280·00 | | 850·00 | 250·00 | 225·00 |
| | (b) Copra | per quintal | 260·00—270·00 | ... | | | 800·00 | 230·00—240·00 | | 250·00 | 250·00 | 244·00 |
| Cocoanut Oil... | ... | ... | 830·00—860·00 | 800·00—825·00 | 855·00 | 826·00 | ... | ... | | ... | ... | ... |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | 800·00 | 820·00 | | 256·70 | 335·00 | 320·00 |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | | | | |
| | (ii) | ... | ... | ... | ... | ... | — | 65·70 | | ... | ... | |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 282·00 | 280·00—300·00 | ... | ... | ... | ... | | | | ... |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | 280·00 | ... | | 282·50 | 330·00 | 325·00 |
| | (iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | | 287·00 | | |
| V. Fruits, Vegetables and Nuts.— | | | | | | | ... | ... | | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per gross | ... | | ... | ... | ... | ... | | ... | ... | ... |
| 2 Plantains ... | | Do | 4·00—10·00 | 5·00—7·50 | ... | 4·00—9·00 | 8·00 | 6·25—10·00 | | 7·50 | 6·00 | 5 87 |
| 3 Oranges ... | | Do | ... | 18·00—60·00 | | 6·00—12·00 | ... | | | 16·0 | 21·00 | 18·00 |
| 4 Dates ... | | ... | ... | ... | 150·00—200·00 | ... | ... | 115·00 | | | | ... |
| 5 Cashew Kernels, etc. | | ... | ... | ... | ... | ... | ... | | | | | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 35·00—40·00 | 42·00—48·00 | 59·00—62.00 | 30·00 | 40·00 | 50·00—60·00 | ... | 80·00 | 60·00 | 42 50 |
| 2 Onions ... | ... | ... | 19·50—29·00 | 38·00—40·00 | 26·00—28·00 | 20·00 | 35·00 | 35·00 | | 27·00 | 30·00 | 29·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | | | | ... | ... |
| 4 ..... | .. | ... | ... | ... | ... | | | ... | ... | ... | | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | | | | | | | | |
| 2 Arecanuts ... | ... | ... | 800·00—820·00 | 700·00—750·00 | 650·00—700·00 | | ... | 750·00—800·00 | ... | 700·00—820·00 | 750·00 | 860·00 |
| VI Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | | ... | | | | | |
| | (b) Lint | ... | ... | ... | | | | | | | | |
| | (c) Seed | ... | | | ... | | | | | | | 56 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jute loose ... | (b) Weiss— | | | | | | | | | | | | | | |
| | | (i) Top | | | | | | | | | | | | | | |
| | | (ii) Middle | | | | | | | | | | | | | | |
| | | (iii) Bottom | | | | | | | | | | | | | | |
| | | (b) Tossa— | | | | | | | | | | | | | | |
| | | (i) Top ... | | | | | | | | | | | | | | |
| | | (ii) Middle | | | | | | | | | | | | | | |
| | | (iii) Bottom | | | | | | | | | | | | | | |
| | Pacca Baled Jute. | (i) Lightings | Per bale | | | | | | | | | | | | | |
| | | (ii) First Mills. | | | | | | | | | | | | | | |
| | | (iii) First Exports | | | | | | | | | | | | | | |
| | Sann hemp | ... | | | | | | | | | | | | | | |
| 4 | Mesta ... | (a) Top | | | | | | | | | | | | | | |
| | | (b) Middle ... | | | | | | | | | | | | | | |
| | | (c) Bottom | | | | | | | | | | | | | | |
| VII | Tobacco | (a) Country— | | | | | | | | | | | | | | |
| | | (i) Leaf ... | | | | | | | | | | | | | | |
| | | (ii) Stalk | | | | | | | | | | | | | | |
| | | (b) Virginia | | | | | | | | | | | | | | |
| | | (i) Leaf | | | | | | | | | | | | | | |
| | | (ii) Stalk | | | | | | | | | | | | | | |
| VIII. | Livestock— | | | | | | | | | | | | | | | |
| 1 | Work cattle— | | | | | | | | | | | | | | | |
| | (i) Work bullocks. | (a) Class I ... | Per head | 650·00—840·00 | ... | 500·00 | 300·00—350·00 | 260·00 | 375·00—500·00 | ... | 145·00—240·00 | 480·00—530·00 | 225·00 | | | |
| | | (b) " II ... | Do ... | 500·00—680·00 | ... | 300·00—350·00 | 150·00—275·00 | 170·00 | 230·00—330·00 | ... | 100·00—165·00 | 220·00—350·00 | 200·00 | | | |
| | (ii) Buffalo bulls. | (a) " I ... | Do ... | 395·00—595·00 | | 110·00—160·00 | | 80·00 | 80·00—45·00 | ... | ... | 200·00—370·00 | 150·00 | | | |
| | | (b) " II ... | Do ... | 280·00—415·00 | ... | 125·00—165·00 | 150·00—225·00 | 800·00 | 25·00—40·00 | ... | ... | 210·00—265·00 | 160·00 | | | |
| 2 | Milch cattle— | | | | | | | | | | | | | | | |
| | (i) Cows ... | (a) Class I ... | Do ... | 400·00—605·00 | ... | 150·00—200·00 | 100·00—150·00 | ... | 150·00—300·00 | ... | 90·00—140·00 | 400·00—480·00 | 160·00 | | | |
| | | (b) Class II | Do | 350·00—420·00 | ... | 100·00—160·00 | ... | 260·00 | 110·00—140·00 | | 85·00—185·00 | 200·00—250·00 | 120·00 | | | |
| | (ii) Buffaloes... | (a) Class I ... | Do ... | 450·00—695·00 | ... | 300·00 | 150.00—400.00 | ... | 190·00—300·00 | ... | 250·00—410·00 | 290·00—390·00 | 190·00 | | | |
| | | (b) Class II ... | Do ... | 275·00—463·00 | ... | 100·00—150·00 | 125·00—200·00 | 90·0 | 125·00—175·00 | ... | 150·00—310·00 | 170·00—260·00 | 150·00 | | | |
| 3 | Sheep | ... | Do ... | 60·00—75·00 | ... | 35·00 | 45·00—50·00 | | 80·00—90·00 | ... | 45·00—80·00 | 20·00—65·00 | 39·00—60·00 | | | |
| IX. | Livestock products.— | | | | | | | | | | | | | | | |
| 1 | Wool (Specify sheep variation). | (a) ..... | Per kg. | ... | ... | ... | | 2·60 | ... | | | | | | | |
| | | (b) ..... | Do | ... | ... | | | 1·60 | ... | | | | | | | |
| 2 | Hides.— | | | | | | | | | | | | | | | |
| | (i) Cowhides— Raw. | (a) ..... | Do | 0·15—1·25 | .. | 1·00 | | 1·00—1·75 | ... | | | | 2·84 | | | |
| | | (b) ..... | Do | | ... | ... | | ... | ... | | | | ... | | | |
| | Tanned ... | (a) ..... | Do | ... | ... | 6·50 | | 7·25—8·50 | ... | | | | 8·84 | | | |
| | | (b) ..... | Do | | ... | ... | | ... | | | | | ... | | | |
| | (ii) Buffalo hides— Raw. | (a) ..... | Do | 1·25 | ... | 0·85 | | 1·75—2·50 | ... | | | | 3·25 | | | |
| | | (b) ..... | Do ... | | ... | ... | | | ... | | | | ... | | | |
| | Tanned ... | (a) ..... | Do | ... | ... | 6·75 | | 4·75—5·00 | ... | | | | 4·15 | | | |
| | | (b) ..... | Do ... | ... | ... | ... | | ... | ... | | | | ... | | | |
| 3 | Skins.— | | | | | | | | | | | | | | | |
| | (i) Goat skins— Raw. | (a) ..... | Each .. | 6·00—7·25 | ... | 3·60 | | 3·75—5·50 | ... | | | | 1·90 | | | |
| | | (b) ..... | Per kg. | ... | ... | ... | | ... | | | | | | | | |
| | Tanned ... | (a) ..... | Do ... | ... | | ... | | 7·00—14·00 | ... | | | | 2·81 | | | |
| | | (b) ..... | Do ... | ... | | ... | | ... | | | | | ... | | | |
| | (ii) Sheep-skins— Raw. | (a) White | Each . | 5·25—6·00 | ... | 4·65 | | 3·50—5·00 | ... | | | | 1·95 | | | |
| | | (b) Black | Per kg. | 4·00—4·25 | ... | ... | | ... | | | | | ... | | | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | ... | | ... | | | | | 2·95 | | | |
| | | (b) ..... | Do ... | ... | ... | ... | | 8·50—28·00 | | | | | ... | | | |
| 4 | Ghee ... | (a) Agmark | Do ... | 6·00 | 8·00—9·00 | ... | | ... | | | | | ... | | | |
| | | (b) Ungraded | Do ... | 7·50 | 6·00—7·00 | ... | | ... | | | | | 5·50 | | | |

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X. Fodder— | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | ... | Quintal | | | ... | ... | ... | ... | 20·00—31·00 | ... | ... | ... | ... |
| | (b) Paddy | ... | Cart load | | | ... | ... | ... | ... | 20·00—22·00 | ... | 31·00 | ... | 28·00 |
| 2 Straw | (a) Ragi | ... | | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| 3 Stalks | (a) Jola | ... | ... | ... | ... | ... | ... | ... | ... | | ... | 28·00 | 28·00 | 28·00 |
| | | | | ... | ... | ... | ... | ... | ... | | ... | ... | ... | |
| XI Condiments and Spices.— | | | | | | | | | | | | | | |
| 1 Turmeric | ... | | | 100·00—125·00 | ... | 175·00—200·00 | 160·00 | 160·00 | 180·00 | ... | 160·00—165·00 | 160·00 | 165·00 | |
| 2 Tamarind | ... | ..... | ... | 80·00—100·00 | 90·00—140·00 | 78·00—80·00 | 80·00 | 95·00 | 80·00—90·00 | ... | 91·00—195·00 | 96·00 | 76·00 | |
| 3 Dry Chillies | ... | ..... | ... | 200·00—220·00 | 250·00—300·00 | 190·00—200·00 | 250·00 | 325·00 | 300·00—350·00 | ... | 173·00—325·00 | 300·00 | 96·00 | |
| 4 Garlic | ... | ..... | | 80·00—100·00 | 200·00—280·00 | 90·00—100·00 | 90·00 | 90·00 | 80·00—100·00 | ... | 165·00—170·00 | 150·00 | 114·00 | |
| 5 Pepper | ... | ..... | | 252·00—302·00 | 350·00—450·00 | 450·00 | 320·00 | 400·00 | 330·00—360·00 | ... | 460·00—500·00 | 500·00 | ... | |
| 6 Cardamoms | | | | 1,600·00—2,200·00 | ... | 1,600·00—2,000·00 | 1,600·00 | 1,400·00 | 1,400·00—1,600·00 | ... | | 1,500·00 | | |
| XII Miscellaneous— | | | | | | | | | | | | | | |
| 1 Timber | ... | ..... | Per C.F. | | | ... | ... | ... | ... | ... | | | | |
| 2 Sticklac | ... | ..... | ... | ... | ... | ... | ... | ... | ... | | | | | |
| 3 Seedlac | ... | ..... | ... | ... | ... | ... | ... | ... | ... | | | | | |
| 4 Shellac | ... | ..... | ... | ... | ... | ... | ... | ... | ... | | | | | |
| 5 Rubber | ... | Raw | ... | | ... | ... | ... | ... | ... | ... | | | | |
| 6 Myrabalam | ... | ..... | ... | ... | ... | ... | ... | ... | ... | | | | | |
| 7 Gunnymanufactures. | | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | | | | |
| | | (b) Sacking B. Twills. | Per 100 bags. | | | ... | ... | ... | ... | ... | | | | |
| 8 ..... | | ..... | ... | ... | ... | ... | ... | ... | ... | ... | | | | |
| 9 ..... | | ..... | ... | ... | ... | ... | ... | ... | ... | ... | | | | |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | | Belgaum | | Bijapur | | Dharwar | | Bidar | | Gulbarga | | Raichur | | South Kanara | | Coorg | |
| | | | 14 | | 15 | | 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | |
| | | | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. | Rs. | P. |
| I. Cereals.— | | | | | | | | | | | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | | | 38·00 | | ... | | 84·00—86·00 | | 49·00 | | ... | | ... | | | | 6·50 | | 88·00 | |
| | (b) Medium | | | | 36·00 | | ... | | ... | | 41·50 | | ... | | ... | | | | 86·00 | | 86·00 | |
| | (c) Coarse | | | | 35·00 | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | .. | |
| 2 Rice | (a) Fine | | | | 63·00 | | ... | | 73·00—74·00 | | 76·50 | | ... | | ... | | | | 68·00 | | 76·00 | |
| | (b) Medium | | | | 61·00 | | ... | | 64·00—65·00 | | 69·00 | | ... | | ... | | | | 58·00 | | 75·00 | |
| | (c) Coarse | | | | 56·00 | | ... | | 61·00—62·50 | | .. | | ... | | ... | | | | ... | | 65·00 | |
| 3 Wheat | White | | | | 65·00 | | ... | | 42·00—60·00 | | 66·00 | | ... | | ... | | | | 63.00 | | 48·00 | |
| Wheat Flour | White | | | | 76·00 | | ... | | 55·00 | | ... | | ... | | ... | | | | 50·00 | | 54·00 | |
| 4 Jowar | White | | | | 46·00 | | ... | | 86·00—89·00 | | 88·00 | | ... | | ... | | | | ... | | ... | |
| 5 Bajra | | | | | | | | | 82.00 | | ... | | ... | | ... | | | | ... | | ... | |
| 6 Barley | | | | | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| 7 Maize | | | | | | | ... | | 28·00—24·00 | | ... | | ... | | ... | | | | 40·00 | | 48·00 | |
| 8 Ragi | | | | | 86·00 | | ... | | ... | | ... | | .. | | ... | | | | | | | |
| 9 Other cereals | | | | | | | | | | | | | | | | | | | | | | |
| (i) ..... | | | | | ... | | ... | | ... | | .. | | | | ... | | ... | | ... | | ... | |
| (ii) ..... | | | | | ... | | ... | | ... | | ... | | | | ... | | ... | | ... | | ... | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | | | | | | | | | | | |
| (i) Sweet Potatoes | | | | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| (ii) Tapioca | | | | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| iii) Papaya | | | | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| (iv) Groundnut cake flour | | | | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | | | | | | | | | | | |
| 1 Gram | | | | | 56·00 | | ... | | 46·00—47·00 | | 55·50 | | ... | | ... | | | | 60·00 | | 68·00 | |
| 2 Arhar (Tur) | | | | | 46·00 | | ... | | 45·00—46·00 | | 48·00 | | ... | | ... | | | | 65·00 | | 88·00 | |
| 3 Mung | | | | | 62·00 | | ... | | 39·00—43·00 | | 44·50 | | ... | | ... | | | | 55·00 | | ... | |
| 4 Urd | | | | | 85·00 | | ... | | 42·00—44·00 | | 63·00 | | ... | | ... | | | | 75·00 | | 82·00 | |
| 5 Masur | | | | | ... | | ... | | 38·00—40·00 | | ... | | ... | | ... | | | | ... | | ... | |
| 6 Other pulses | | | | | | | | | | | | | | | | | | | | | | |
| (i) Avare | | | | | ... | | ... | | 87.00—88·00 | | ... | | ... | | ... | | | | 36·00 | | 46·00 | |
| (ii) Horsegram | | | | | 35·00 | | ... | | 85·00 | | ... | | ... | | ... | | | | | | 76·00 | |
| (iii) Cowpea | | | | | ... | | ... | | ... | | ... | | ... | | ... | | | | | | | |
| III. Sugar and Gur | | | | | | | | | | | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | | | 110·00 | | ... | | 105·00—110·00 | | ... | | ... | | ... | | | | 125·00 | | 65·00—72·00 | |
| | (b) Sort II | | | | 100·00 | | ... | | 95·00 | | ... | | ... | | ... | | | | 105·00 | | ... | |
| 2 Sugar Refined | D. 24 | | | | ... | | | | 116·50 | | ... | | ... | | ... | | | | 118·00 | | 90·00 | |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | | | 70·00 | | | | 72·00—78·00 | | 72·00 | | ... | | ... | | | | 66·83 | | 90·00 | |
| | (b) Machine shelled. | | | | ... | | | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| Groundnut Oil | | | | | 176·00 | | | | 182·00—185 00 | | 182·00 | | ... | | ... | | | | 178·00 | | 157·60—196·00 | |
| Groundnut Oil-cake. | | | | | 38·0 | | | | 89·50 | | ... | | ... | | ... | | | | 41·00 | | 45·00 | |
| 2 Sesamum | (a) White | | | | 142·00 | | | | | | 95·00 | | ... | | ... | | | | 90 00 | | .. | |
| | (b) Black | | | | 110·00 | | | | 85·00—90·00 | | ... | | ... | | ... | | | | 264·00 | | .. | |
| Sesamum Oil | | | | | ... | | | | .. | | 54·00 | | ... | | ... | | | | 61·00 | | ... | |
| Sesamum Oil-cake. | | | | | .. | | | | ... | | ... | | ... | | ... | | | | .. | | .. | |

| | | | 14 | | 15 | 16 | 17 | | 18 | | 19 | | 20 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | |
| | Castor Seed | | | | | | | | | | | | | | |
| | Castor Oil ... | | | | | 54·00 | ... | | | | | | | | |
| | Castor Oil-cake | | ... | ... | ... | | | ... | | | ... | | ... | | ... |
| 4 | Rape and Mustard | (a) Black ... | | 135·00 | ... | 99·00—110·00 | ... | | | | ... | | ... | | 170·00 |
| | | (b) Yellow ... | | | | | | ... | | | | | ... | | 120·00 |
| | Mustard Oil | | | ... | | | | ... | | | | | ... | | |
| | Mustard Oil-cake. | | | | ... | ... | .. | . | | | | | ... | | ... |
| 5 | Linseed | (a) Brown bold | | | | | | | | | | | ... | | ... |
| | | (b) Brown small | | | | 67·50 | | ... | | | | | | | |
| | Linseed Oil ... | | | | | ... | ... | ... | | | | | ... | | ... |
| | Linseed Oil-cake | ... | | | | ... | ... | | | | | | ... | | ... |
| 6 | Teria ... | | | | | ... | | | | | | | ... | | ... |
| 7 | Coconuts | (a) Nuts (Per thousand) | | 800·00 | | 275·00—345·00 | ... | ... | | | | | | | |
| | | (b) Copra - Quintal | | 298·00 | | 245·00—244·00 | ... | .. | | | | | ... | | 290·00 |
| | Coconut Oil ... | | | 308·50 | | 265·75 | ... | | | | | | 28 ·00—820·00 | | 4·0—8·0 |
| | Coconut Oil-cake | | | | | ... | 820·00 | | | | | | 197·00 | | 285·00 |
| 8 | Other Oil seeds | (i) Nigerseed... ... | | 92·00 | | ... | ... | ... | | | | | 803·00 | | 86·00 |
| | | (ii) ... ... ... | | | | | 62·00 | | | | | | 96·00 | | 86·00 |
| | | | | .. | | 49·60 | ... | ... | | | | | ... | | ... |
| 9 | Vegetable Oil | (i) Vanaspatni | | 865·00 | | ... | ... | ... | | | | | ... | | ... |
| | | | | .. | | ... | ... | ... | | | | | ... | | 273·00 |
| 10 | Other Oils ... | (ii) Refined oil ... | | | | 175·00—178·00 | ... | ... | | | | | ... | | ... |
| | Fruits, Vegetables and Nuts.— | | | | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | | | | |
| 1 | Mangoes | ... | Per gross | ... | ... | ... | | | | | | | | | |
| 2 | Plantains ... | ... | Do ... | 6·75 | ... | | 4·00 | | | | | | ... | | ... |
| 3 | Oranges | .. | Do | | ... | 6·00 | | | | | | | | | 4·00 |
| 4 | Dates | | ... | ... | ... | ... | | | | | | | ... | | |
| 5 | Cashew kernels, etc. | | | 580·00 | ... | ... | | | | | | | 10·00—16·00 | | ... |
| | | | | | | .. | | | | | | | ... | | ... |
| | (ii) Vegetables— | | | | | | | | | | | | | | |
| 1 | Potatoes ... | ... | ... | 68.00 | ... | | | | | | | | | | |
| 2 | Onions ... | ... | ... | 85.00 | ... | | | | | | | | 84 00—54·00 | | 56·25 |
| 3 | Beans ... | | ... | | ... | | | | | | | | 75·00 | | 86·25 |
| 4 | Tomatoes ... | ... | ... | | ... | ... | | | | | | | ... | | |
| | | | | | ... | ... | | | | | | | ... | | ... |
| | (iii) Nuts— | | | | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | | ... | | | | | | | | | | |
| 2 | Arecanuts ... | ... | ... | | ... | 440·00—450·00 | | 501·00 | | | | | ... | | 200·00—530·00 |
| | | | | | | | | | | | | | ... | | 500.00 |
| VI | Fibres— | | | | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | | ... | | | | | | | | | | |
| | | (b) Lint ... | ... | | ... | ... | | | | | | | | | |
| | | (c) Seed ... | ... | 95·00 | ... | ... | | | | | | | ... | | |
| | | | | | ... | ... | ... | | | | | | | | |
| 2 | Jute :—Loose | (a) White - | | | | | | | | | | | | | |
| | | (i) Top ... | ... | | ... | ... | | | | | | | | | |
| | | (ii) Middle ... | ... | | | ... | ... | | | | | | ... | | |
| | | (iii) Bottom | ... | ... | ... | ... | ... | | | | | | ... | | |
| | | | | | | ... | ... | | | | | | ... | | |
| | | (b) Tossa— | | | | | | | | | | | .. | | |
| | | (i) Top | ... | | ... | | | | | | | | | | |
| | Tossa pressed Jute | (ii) Middle | | ... | ... | ... | | | | | | | | | |
| | | (iii) Bottom ... | ... | | ... | | | | | | | | ... | | |
| | | (i) Lightings... | Per bale | ... | ... | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | (ii) First Mills | ... | | | | | | | | | | | | |
| | | (iii) First Exports. | ... | | | | | | | | | | | | |
| | | | ... | .. | | | | | | | | | | | |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | |
| | (i) Leaf | | | 480·00 | | | | | 650·00—700·00 | 800·00 | |
| | (ii) Pulab | | | | | | | | | ... | |
| | (b) Virginia— | | | | | | | | | | |
| | (i) Leaf | | | 675·00 | | | | | 500·00—600·00 | ... | |
| | (ii) Pulab | | | | | | | | 600·00—800·00 | | |
| VIII. Livestock.— | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | | 850·00 | | 450·00—800·00 | | ... | | | |
| | (b) Class II | Do | | 280·00 | | 200·00—400·00 | | ... | | | |
| (ii) Buffalo bulls | (a) Class I | Do | | 140·00 | | 200·00—800·00 | | ... | | | |
| | (b) Class II | Do | | ... | | 100·00—150·00 | | ... | | | |
| 3 Milch cattle— | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | | 160·00 | | 150·00—250·00 | | ... | | | |
| | (b) Class II | Do | | 180·00 | | 100·00—150·00 | | | | | |
| (ii) Buffaloes | (a) Class I | Do | | 300·00 | | 200·00—350·00 | | ... | | | |
| | (b) Class II | Do | | 275·00 | | 100·00—200·00 | | ... | | | |
| 8 Sheep | | Do | | 35·00 | | 38·00—45·00 | | ... | | | |
| IX. Livestock products.— | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | Per kg. | | | ... | | ... | | | | |
| | (b) | Do | | | ... | | ... | | | | |
| 2 Hides— | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | Do | | 1·75 | ... | | ... | | | | |
| | (b) | Do | | 1·50 | ... | | ... | | | | |
| Tanned | (a) | Do | | 4·50 | ... | | ... | | | | |
| | (b) | Do | | 3·15 | ... | | ... | 5·75 | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | | 2·00 | ... | | ... | | 1—1·25 | | |
| | (b) | Do | | 1·75 | ... | | ... | | ... | | |
| Tanned | (a) | Do | | 4·50 | ... | | ... | | ... | | |
| | (b) | Do | | 4·00 | ... | | ... | 5·75 | ... | | |
| 3 Skins— | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) | Do | | 1·25 | ... | | ... | | 4·00—5·00 | 3·50 | |
| | (b) | Do | | 1·00 | ... | ... | ... | | | ... | |
| Tanned | (a) | Do | | 7·00 | ... | ... | ... | | | | |
| | (b) | Do | | 6·00 | ... | ... | ... | | | | |
| (ii) Sheepskins— Raw. | (a) White | Do | | 1·25 | ... | 3·00—3.25 | ... | | 2·50—4·00 | 3·50 | |
| | (b) Black | Do | | 1·00 | ... | | | | | ... | |
| Tanned | (a) | Do | | 7·00 | ... | ... | ... | | | ... | |
| | (b) | Do | | 6·00 | ... | ... | | 9·00 | ... | | |
| 4 Ghee | (a) Agmark | Do | | ... | ... | ... | ... | | ... | | |
| | (b) Upgraded | Do | | 6·00 | ... | 4—4·25 | | 6·50 | 7—00 | ... | |
| X. Fodder.— | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | | ... | ... | | ... | | ... | ... | |
| | (b) Paddy | Per cart-load | | ... | ... | ... | ... | ... | ... | 85·00 | |
| 2 Straw | (a) Ragi | Do | | ... | ... | ... | ... | ... | ... | ... | |
| | (b) | ... | | ... | ... | ... | ... | ... | | ... | |
| 3 Stalks | (a) Jola | Per quintal | | ... | ... | ... | ... | ... | ... | ... | |
| | (b) | ... | | ... | ... | ... | ... | ... | ... | ... | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | | ... | 180 00 | ... | 95·00—110·00 | 210·00 | ... | ... | | | 275·00 |
| 2 | Tamarind ... | | ... | 110·00 | ... | 55.00—60·00 | ... | ... | . | | 90·00 | 120.00 |
| 3 | Dry Chillies ... | | ... | 400·00 | ... | 235·00—260 00 | 800·00 | ... | ... | | 235 00 | 800·00 |
| 4 | Garlic ... | | ... | 96·00 | | 65·00—67·00 | ... | ... | ... | | 90·00 | 150.00 |
| 5 | Pepper ... | | ... | 829·00 | ... | ... | ... | ... | ... | | 295·00 | 275.00 |
| 6 | Cardamom ... | | ... | 1,085·00 | ... | ... | ... | ... | ... | | ... | 1,000.00-1,700·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | | .. | .. |
| 2 | Stick-lac ... | ... | ... | ... | ... | ... | ... | ... | ... | | .. | .. |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | | .. | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | .. | ... | | . | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | | | | | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | | ... | |
| 8 | ..... | ... | | ... | ... | ... | ... | ... | ... | | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending 15th August 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres: Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | 1·6 | 3·5 | ... | ... | 2,7 | 2·5 | ... | ... | 2·6 | 2·5 |
| 2 Rice ... | Do ... | ... | 2·5 | 2 | 1·4—1·5 | 1 5 | 1.4 | 1·6 | ... | 2·2 | 1·7 | 1·4 |
| 3 Wheat ... | White ... | ... | 2·0 | 2 | 2·4 | 2 | 2 3 | 2·8 | ... | 1·6 | 2·2 | 1·8 |
| 4 Wheat Flour ... | Do ... | ... | 2·0 | 1.25 | 1·6 | ... | 2,5 | 2·1 | ... | 1·4 | 1 | 1·8 |
| 5 Jowar ... | Do ... | ... | 2·5 | 2,5 | 2·2 | ... | 2·8 | 2 | ... | ... | 2·4 | 2 |
| 6 Bajra ... | ... | ... | ... | ... | 2·9 | ... | 2·4 | ... | ... | ... | ... | 2.3 |
| 7 Barley ... | ... | ... | 0·7 | ... | ... | ... | ... | ·7 | ... | ... | ... | 0.8 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2,5 | 2·5 | 2·9 | 2,0 | 2,6 | 2·7 | ... | 2·6 | 2·6 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 8·8 | ... | ... | ... | ... | ... | ... | | | ... |
| (ii) Tapioca ... | ... | ... | 8·8 | ... | ... | ... | ... | ... | ... | | | ... |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| (iv) Groundnut cake flour. | ... | ... | 1·2 | ... | ... | ... | 2 | ... | ... | | | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | Per Rupee | 1·6 | 2 | 1·3 | 1·2 | 1.8 | 1·7 | ... | | 1·5 | ... |
| | (b) Split (without skin). | ... | ... | 1·5 | ... | 1·25 | ... | 1·5 | ... | | 1·5 | 1·5 |
| | (c) Flour ... | ... | ... | 1 | ... | ... | 1,7 | 1·8 | ... | | ... | ... |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·3 | ... | 1·5 | 1·02 | ... | 1·5 | ... | | 2·1 | ... |
| | (b) Split (without skin). | ... | 1·3 | 1 | ... | ·1 | ... | 1·1 | ... | | 1 | ·2 |
| 3 Moong ... | (a) Whole ... | ... | 1·2 | 1·25 | 1·6 | ... | 1·6 | 1·6 | ... | | 1·4 | 1·5 |
| | (b) Split (without skin). | ... | 1·1 | 1 | ... | ... | 1.1 | 1·1 | ... | | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | ·8 | 1·25 | ... | 1·02 | ... | 1 8 | ... | ·7 | 1·2 | ·8 |
| | (b) Split (without skin). | ... | ... | ,9 | ... | ·9 | ... | ·8 | ... | ·8 | ·9 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | 1·2 | ... | ... | ... | ... | ... | ... | ... | | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1·8 | 1·5 | 2·9 | ... | 1·8 | 1·5 | ... | ... | | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | ... | ... | 1·4 | ... | ... | | ... |
| (ii) Horsegram | ... | ... | 2·8 | 2 | 2·9 | 2·5 | 2·6 | 2·6 | ... | 2·2 | | 2·2 |
| (iii) Dewpea ... | ... | ... | 1·8 | 2 | 2 | ... | 2·2 | 1·6 | ... | ... | | 1·7 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·8 | ·8 | ... | 1 | 1 | ,8 | ... | 1·8 | | 9 |
| | (b) Sort II ... | ... | ... | 1·1 | 1 | ... | ... | 1·1 | ... | 1·1 | | 1· |
| 2 Sugar refined | D 35 ... | ... | ... | ·8 | ... | ... | ... | ·9 | ... | ·6 | | ·8 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·5 | ·5 | ·5 | ·5 | ·6 | ·5 | ... | ·4 | ·5 | ·6 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·8 |
| 3 Castor oil ... | ... | ... | ·5 | ·4 | ·5 | ... | ·6 | ·5 | ... | ·7 | ·4 | ·5 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·2 | ·8 | ·8 | ·5 | ·8 | ·8—·8 | ... | ·8 | ·2 | ·2 |
| 7 Vanaspati ... | ... | ... | ... | ... | ·8 | ... | ... | ... | ... | ·4 | ·2 | ·2 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil | ... | ... | ... | ... | ·8 | ... | ·4 | ... | ... | ·4 | ... | ... |
| (ii) Safflower | ... | ... | ... | ... | | ... | ... | ... | ... | | ... | ... |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | ... | Per Dozen | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 0·55—0·50 | 0·9—0·75 | 0·75—0·51 | 0·37—0·55 | | 0·37—0·96 | ... | 0·89 | 0·96 | 0·53 |
| 3 Oranges ... | ... | Do | — | 0·75—2·50 | 0·3—0·4 | 0·50—1·50 | | ... | ... | 1·75 | 2·75 | 1·75 |
| 4 Dates ... | ... | ... | ... | ... | 0·6 | ... | | ... | ... | ... | ... | ... |
| 5 Cashew kernels | ... | ... | ... | ... | ... | ... | | ... | ... | .. | ... | ... |
| 6 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | | 2 | | | | | ... | 1·5 | | 1·9 |
| 2 Onions ... | ... | ... | | 2·5 | | | | | ... | 2·6 | | 2·8 |
| 3 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | | ·160 |
| 2 Arecanuts ... | ... | ... | ... | ·120 | ·168 | ... | | ·120 | ... | ·110 | | ... |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | | ... | ... | ... | | 8·60 |
| VII Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Litre ... | ·80—·90 | 0·80 | ·62—·75 | ... | 0·65 | 0·40—0·65 | ... | ... | ·65 | 0.75 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·2 | ·8 | ·8 | ... | ... | ... | ... | ... | ... |
| | (b) Ungraded ... | ... | ... | ·300 | ... | ... | ... | ... | ... | ·280 | ... | ·160 |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·00 | 3·00 | 2·25 | 2·50 | 2·00 | 2·25 | ... | ... | 2·00 | 2·16 |
| | (ii) B Grade | Do | 2·50 | 2·25 | 1.50 | 2·00 | ... | 1·75 | ... | ... | 1·75 | 1·80 |
| | (iii) C Grade | Do | 1·50 | 2·00 | ... | ... | ... | 1·60 | ... | 2·00 | 1·62 | ... |
| 4 Mutton ... | ... | ... | 2·66 | ·300 | ·300 | ·880 | ... | 0·250 | ... | ·800 | ·280 | ·800 |
| 5 Beef ... | ... | ... | ·8 | ... | ... | ... | ... | ... | ... | ... | | 5·70 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·6 | ... | ·6 | ·4 | ·6 | ·6 | ... | ·5 | ·5 | ·6 |
| 2 Tamarind ... | ... | ... | ·1 | ·1 | ·1 | ·8 | ... | ·1 | ... | ·9 | ·7 | 1·1 |
| 3 Dry chillies ... | ... | ... | ·3 | ·3 | ·3 | ·2 | ·3 | ·3 | ... | ·3 | ... | ·2 |
| 4 Garlic ... | ... | ... | 1 | ·5 | ·1 | ·7 | 1·1 | ·1 | ... | ·6 | ·9 | ·3 |
| 5 Pepper ... | ... | ... | .3 | ·2 | ·2 | ·2 | .3 | ·2 | ... | ·3 | ·3 | ... |
| 6 Cardamom ... | ... | ... | ·052 | ... | 0·5 | ... | ·033 | ·07 | ... | ... | ·569 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 3 | 3 | ·3 | 3 | 10 | 10 | ... | 10 | 10 | 10 |
| 2 Kerosene oil ... | ... | Per Litre | 0·50 | .. | ·86 | 0·40 | ... | 0·48 | ... | 0·41 | 0·62 | 0·31 |
| 3 Firewood/ Charcoal. | ... | Quintal | ... | 6—3 | 6·25 | ... | ... | 9·09 | ... | 5·69 | 10 00 | 5·50 |
| 4 Coarse cloth ... | ... | Per metre | 1·50 | 0·90 | ... | 1·25 | ... | 1·10 | ... | ... | 1·30 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | Coarse | | ... | ... | ... | 1·8 | | ... | ... | ... | 2·8 |
| | Do | | 1·7 | ... | 1·4—1·5 | 1 6 | ... | ... | ... | 1·4 | 1·6 |
| 3 Rice | White | | 1·4 | ... | 1·6 | ... | ... | ... | ... | 1·9 | 1·9 |
| 3 Wheat | Do | | 1·8 | ... | ·1—·8 | ... | ... | ... | ... | 1·7 | 2 |
| 4 Wheat Flour | Do | | 2 | ... | 2·6 | 1·8 | ... | ... | ... | ... | ... |
| 5 Jowar | | | | ... | 2·8 | ... | ... | ... | ... | ... | ... |
| 6 Bajra | | | ... | ... | | ... | ... | ... | ... | ·5 | ... |
| 7 Barley | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Maize | | | ... | ... | 8 | ... | ... | ... | ... | 2·2 | 2 |
| 9 Ragi | | | 2·5 | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Other cereals | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram | (a) Whole | | ... | ... | ·2 | 1·5 | ... | ... | ... | ... | 1·6 |
| | (b) Split (without skin). | | ... | ... | 1·5 | 1·4 | ... | ... | ... | ... | ... |
| | (c) Flour | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arhar (Tur) | (a) Whole | | ... | ... | 1·7 | ... | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | | ... | ... | 1·8 | 1·8 | ... | ... | ... | ... | 1·1 |
| 3 Moong | (a) Whole | | ... | ... | ·2 | 1·8 | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | | ... | ... | 1·2 | ·1 | ... | ... | ... | ... | ... |
| 4 Urd | (a) Whole | | ... | ... | 1·9 | ... | ... | ... | ... | ... | 1·5 |
| | (b) Split (without skin). | | ... | ... | ... | 6 | ... | ... | ... | ... | 1 |
| 5 Masur | (a) Whole | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | | ... | ... | ·2 | 1·2 | ... | ... | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare | (a) Whole | | ... | ... | 2·2 | ... | ... | ... | ... | ·1 | 1·2 |
| | (b) Split (without skin). | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Horsegram | | | 2·5 | ... | 2·8 | ... | ... | ... | ... | 1 | 2·8 |
| (iii) Cowpea | | | ... | ... | ... | ... | ... | ... | ... | ... | 1·7 |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | ·8 | ... | ·9 | ·7 | ... | ... | ... | ·7 | 8 |
| | (b) Sort II | | ·1 | ... | ·1 | ... | ... | ... | ... | ·8 | ·8 |
| 2 Sugar refined | D. 24 | | ... | ... | ·8 | ... | ... | ... | ... | ·8 | ... |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | | | ·5 | ... | ·6 | ... | ... | ... | ... | ·5 | ·5 |
| 2 Sesamum oil | | | ... | ... | ... | ... | ... | ... | ... | ·8 | ... |
| 3 Castor oil | | | ... | ... | ... | ... | ... | ... | ... | ... | ·8 |
| 4 Mustard oil | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil | | | ... | ... | ... | ... | ... | ... | ... | ·8 | ·8 |
| 6 Cocoanut oil | | | ·8 | ... | ·8 | ... | ... | ... | ... | ·8 | ·8 |
| 7 Vanaspati | | | ·8 | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil | ... | ... | | ... | ... | ... | ... | ... | ... | ... | | ... |
| (ii) ..... | | ... | | ... | ... | '5 | ... | | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | | Per Dozen | ... | — | ... | ... | ... | ... | ... | ... | ... |
| 2 Pineapples ... | | | Do | 0·62 | ... | 0·44—0·56 | 8·7 | ... | ... | ... | 0·81—0·87 | ·25 |
| 3 Oranges .. | | | Do | ... | ... | ... | ... | ... | ... | ... | 1·50—2 | 0·75 |
| 4 Dates ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernal- | | | ... | | | ... | ... | ... | ... | ... | ·2 | ... |
| 6 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | | ... | 1·6 | ... | 1·6 | 2 | ... | ... | ... | 1·7 | 1 6 |
| 2 Onions ... | | | ... | 2·6 | ... | 3·5 | 2 | ... | ... | ... | 2·5 | 2·2 |
| ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnut ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arecanuts ... | | | ... | ... | ... | ·150 | ... | ... | ... | ... | 8·50 | 8·00 |
| VI. Tobacco ... | | Leaf | Per kg. | | ... | 4·60 | ... | ... | ... | ... | ... | ... |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | | ... | ... | | ... | | ... | ... | ... | ... | ·90 | ... |
| 2 Ghee ... | | (a) Agmark ... | ... | | ... | | ... | ... | ... | ... | ... | ... |
| | | (b) Ungraded ... | ... | | ... | | ... | ... | ... | ... | | ... |
| 3 Eggs ... | | (i) A Grade | Per Dozen | | ... | | | ... | ... | ... | 8·00 | 2,50 |
| | | (ii) B Grade | Do | | ... | | | ... | ... | ... | 2·62 | 2·00 |
| | | (iii) C Grade | Do | | ... | | | ... | ... | ... | | 1·75 |
| 4 Mutton ... | | ... | ... | | ... | | | ... | ... | ... | ·285 | 800 |
| 5 Beef ... | | ... | ... | | ... | | | ... | ... | ... | ·684 | ... |
| VIII. Condiments and Spices— | | | | | | | | | | | | |
| 1 Turmeric ... | | ... | ... | ·5 | ... | | | ... | ... | ... | ·4 | ... |
| 2 Tamarind ... | | ... | ... | 1 | ... | | | ... | ... | ... | 8 | ·8 |
| 3 Dry chillies ... | | ... | ... | ·2 | ... | | ... | ... | ... | ... | ·3 | ·3 |
| 4 Garlic ... | | ... | ... | 1 | ... | | ... | ... | ... | ... | ·6 | ·7 |
| 5 Pepper ... | | ... | ... | ·8 | ... | | ... | ... | ... | ... | ·8 | ·8 |
| 3 Cardamom ... | | ... | ... | .08 | ... | ... | 08 | ... | ... | ... | 0 62 | ·058 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | | ... | ... | 10 | ... | 8 | ... | ... | ... | ... | 10 | ·12 |
| 2 Kerosene oil ... | | ... | Per Litre | 0·62 | ... | ... | '45 | ... | ... | ... | 0·48 | 0·56 |
| 3 Firewood/ Charcoal | | ... | Quintal | ... | ... | ... | ... | ... | ... | ... | 6·00 | 6·50 |
| 4 Coarse cloth ... | | ... | Per Metre | 1·00 | ... | ... | ... | ... | ... | ... | 0 67 | 0·95 |

.....

For *Chief Marketing Officer.*

67—s o 25

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY JULY 1, 1965 (ASHADHA 10, SAKA ERA 1887) | No. 26

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

### Weekly whether and orop report for the week ending Wednesday the 2nd June 1965.

| No. or rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the bignning of the season | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 1-4-1965) | | | | |
| | 1. *Bangalore.* | | | | | | | | |
| Nil | Nil | 27.0 | 88.2 | | | ... | Available | Sufficient | (1) |
| | 2. *Kolar* | | | | | | | | |
| | 2.0 | 20.5 | 71.2 | | | ... | Available | Sufficient | (2) |
| | 3. *Tumkur* | | | | | | | | |
| | 5.7 | 25.1 | 63.9 | | | ... Good except for the prevalence of "Rinderpest" at 3 villages and "Blackquarter" at one village of Tiptur Tq. | Available | Sufficient | (3) |
| | 4. *Mysore* | | | | | | | | |
| Nil | Nil | 27.2 | 141.3 | 186.6 | Fair | ... | Available | Sufficient | (4) |
| | 5. *Mandya* | | | | | | | | |
| Nil | Nil | 30.3 | 125.7 | 170.9 | Fair | ... | Available | Sufficient | (5) |
| | 6. *Hassan* | | | | | | | | |
| | 16.0 | 19.7 | 80.0 | 168.5 | Fair | ... | Available | Sufficient | (6) |
| | 7. *Chickmagalur* | | | | | | | | |
| | 3.0 | 23.1 | 66.0 | 149.6 | Fair | ... | Available | Sufficient | |
| | 8. *Shimoga* | | | | | | | | |
| — | Nil | 17.4 | 47.8 | 104.7 | Fair | ... Good | ... Available | Sufficient | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 9. *Chitradurga* | | | | | | | | |
| Nil | Nil | 16.8 | 55.9 | 98.9 | Fair except in Hosadurga Taluk where paddy crop was withered to some extent due to want of rain. | Good ... | Available | Sufficient except in Hosadurga Taluk. | (8) |
| | 10. *Bellary* | | | | | | | | |
| | 6.4 | N.A. | 41.3 | | ... | Good except for the prevalence of "Black Quarter" at one village of Sandur Taluk and other cattle diseases at 3 villages of Siruguppa Taluk. | Available | Sufficient | (9) |
| | 11. *Bijapur* | | | | | | | | |
| Nil | Nil | N,A. | 12.8 | | ... | Good except for the prevalence of "Black Quarter" at one village of Sindgi taluk. | Available | Sufficient | (10) |
| | 12. *Belgaum* | | | | | | | | |
| | 2.0 | N.A. | 25.3 | | ... | Good except for the prevalence of Cattle disease at one village of Ramdurg Taluk. | Available | Sufficient | (11) |
| | 13. *Dharwar* | | | | | | | | |
| | 1.4 | N.A. | 36.6 | | ... | Good except for the prevalence of Cattle disease at one village of Haveri Taluk. | Available | Sufficient | (12) |
| | 14. *North Kanara* | | | | | | | | |
| | 0.3 | N.A. | 24.7 | N.A. | | ... | Available | Sufficient except in Murdgod Taluk. | (13) |
| | 15. *Gulbarga* | | | | | | | | |
| | — | N.A. | 5.1 | | | ... | Available | Sufficient | (14) |
| | 16. *Raichur* | | | | | | | | |
| | 1.3 | N.A. | 11.8 | | | | | | |
| | 17. *Bidar* | | | | | | | | |
| Nil | Nil | N.A. | 15.8 | | | | | | |
| | 18 *South Kanara* | | | | | | | | |
| | 12.2 | N.A. | 60.0 | | | | ... Available except in Udipi Tq. | Sufficient except in Bantwal and Puttur Taluk. | (17) |
| | 19. *Coorg* | | | | | | | | |
| Nil | Nil | N.A. | 32.8 | N.A. | Fair | ... Good | ... Available | Sufficient | (18) |

Remarks :—(1) Refers to 6 Taluks, (2) Refers 7 Taluks, (3) Refers to 9 Taluks, (4) Refers to 7 Taluks, (5) Refers to 5 Taluks, (6) Refers to 7 Taluks, (7) Refers to 6 Taluks, (8 Refers to 7 Taluks, (9 Refers to 6 Taluks, (10) Refers to 8 Taluks, (11) Refers to 6 Taluks, (12) Refers to 11 Taluks, (13) Refers to 8 Taluks, (14) Refers to 3 Taluks, (15) Refers to 7 Taluks, (16) Refers to 2 Taluks, (17) Refers to 6 Taluks, (18) Refers to 2 Taluks.

M. GANGARUDRAIAH, For *Director of Statistics.*

# General Weekly Summary Report of Mysore State for the Week ending Wednesday the 2nd June, 1965.

(a) Denotes :—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of Standing Crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operation.
(f) " Water Supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Kar Ragi in some parts of Devanahalli taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Chintamani and Srinivasapur Taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Vysaki Paddy in Chintamani, Srinivasapur, Mulbagal and Bangarpet Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week except in Tiptur taluk.
(b) Sowing and transplantation of Yada Ragi in Pavagada Taluk. Jowar, Greengram and Castor in Chicknaikanahalli Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Summar Paddy in Pavagada, Tumkur and Gubbi Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available except in Chicknayakanahalli Taluk where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Sowing and Transplantation of Karpaddy, Ragi and G.nut in Heggadadevanakote Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy and Ragi in T. Narasipur Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Summar Paddy and Ragi in Srirangapatna Taluk, Sugarcane in Maddur Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Nagamangala Taluk where in sufficiency of water was felt.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Holenarasipur and Alur Taluks
(b) Sowing of Jowar. G-nut, Cotton and Seasamum in Arsikere Taluk, Potatoes, Ragi and Paddy in Hassan Taluk was in progress.
(c) Standing Crops were fair except in Holenarasipur Taluk.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Hassan Taluk where insufficiency of water was felt.
(g) Available except in Hassan Taluk where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in Kadur and Tarikere Taluks.
(b) Sowing of Jowar in Kadur Taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient. except in Tarikere Taluk where in sufficiency of water was felt.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week, except in Shikarpur and Honnali Taluks.
(b) Sowing of Paddy in Bhadravathi Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Ground nut and Paddy in Bhadravati Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) General healthy.

9 Chitradurga District.—

(a) No rainfall during the week.
(b) Sowing of Ragi in Molakalmur Taluk. Ragi, Jowar, Castor and Groundnut in Chalakere Tq, Jowar and G. Nut in Holalkere Taluk. was in progress
(c) Standing crops were fair
(d) Harvesting of Paddy and Groundnut in Davanagere Taluk Groundnut in Haribar, Chitradurga and Holalkere Taluk . Summer paddy in Molakalmur and Challakere Taluks was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) General health.

10 Bellary District.—

(a) Light showers in Siruguppa, Harapanahalli and Kudligi Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane and Summer Paddy in Bellary Taluk. G. Nut in Kudligi Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of "Black Quarter" at one village of Sandur Taluk and Cattle disease at a few villages Siruguppa Tq.

11 Bijapur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of "Epizootic Aptha" in some parts of Sindagi Taluks.

12 Belgaum District.—

(a) Light showers in Hukkeri and Parasgad Taluks.
(b) Sowing of paddy in Belgaum Taluk was in progress
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of cattle disease at one village of Ramdurg Taluk.

13 Dharwar District.—

(a) Light showers in Hubli, Gadag and Haveri Taluks.
(b) Sowing of Paddy in Haveri, Kalghatgi and Hirekeru Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 11 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy, except for the prevelance of Cattle disease at one village of Haveri Taluk.

14 North Kanara District.—

(a) No rainfall during the week except in Mundgod Tq.
(b) Sowing of Paddy in Mundgod, Honnavar, Yellapur Haliyal and Karwar Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Mundgod, Yellapur and Haliyal Taluks, where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Sedam Taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) Light showers in Sindhanur and Kustagi Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Groundnut in Manvi Taluk was in progress.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No Rainfall during the week,
(b) Nil.
(c) Standing crops were fair,
(d) Nil.
(e) Nil.
(f) Sufficiet except in Bhalki Taluk where insufficiency of water was felt.
(g) Availabie.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers i n Bantwal, Coondapur and Udipi Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of II crop Paddy in Puttur was in progress.
e) Progress was fair in 2 Taluks.
(f) Sufficient except in Puttur, Bantwal, Udipi and Belthangadi Taluks, where insufficiency of water was felt.
(g) Available except in Udipi and Belthangadi Taluk where scarcity for fodder was felt.
(h) Generally healthy.—

19 Coorg District.—

(a) No rainfall During the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director*.

## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

Notification dated 18th June 1965.

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 12th June 1965.*

No. VS 24/SPH/65-66. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 52 attacks with 5 deaths from Small-pox was reported from the entire State, *viz.*, from the towns of Bhadravathi old town and from the taluks of Athani, Bijapur, Soundatti, Hookery, Kanakapura, Dharwar, Soraba and Mangalore *as against* 11 attacks with 1 death reported during the corresponding week of the previous year.

A total of 165 attacks with 37 deaths from Cholera was reported for the entire State, *viz.* from the taluks of Srirangapatam, Pandavapura, Sindhnoor, Bangalore South, Hunsur, T. Narasipur, Yelandur, Krishnarajanagar, Kollegal, Malavalli, Ramanagaram and Nanjangud and from the towns of Shimoga and Srirangapatam and City of Mysore, during the week *as against* 100 attacks with 43 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* nil attacks with nil death reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever infectious Hepatites and Influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total morbality for Bangalore Corporation amounted to 276 (43 in hospitals) for the week *as against* 188 (54 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.9 (12.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.3 (7.4 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to other fevers, 32 due to dysentery and diarrhoea, 8 due to consumption and 234 due to all other causes, *as against* 7 due to other fevers, 14 due to dysentery and diarrhoea, 1 due to consumption and 166 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 49 (29 in hospitals) for the week *as against* 37 (13 in hospitals) during the corresponding to the previous year, giving a calculated death rate of 9.9 (5.8 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 7.5 (4.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths 1 was due to Cholera, 4 due to other fevers, 15 due to dysentery and diarrhoea, 4 due to consumption and 35 due to all other causes, *as against* 11 due to other fevers, 3 due to dysentery and diarrhoea, 1 due to consumption and 22 due to all other causes, reported during the corresponding week of the previous year.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 25 (7 in hospitals) for the week *as against* 13 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.4 (6.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.0 (nil exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to typhoid, 1 due to other fevers, 2 due to dysentery and diarrhoea, 1 due to consumption and 20 due to all other causes *as against* 13 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 45 (32 in hospitals) for the week *as against* 4 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.2 (4.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 1.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 1 due to dysentry and diarrhoea, 1 due to consumption and 41 due to all other causes, *as against* 1 due to all other causes reported during the corresponding week of the previous year.

61 ..... *Deputy Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE. (S. K.)

Dated 4th June 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 4th June 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mookatbi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice—I Sort | Mookatbi | " | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | | Mooru of 99 14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 88 00 |
| " | II Sort | | 55 00 |
| Groundnuts | Unhusked | 100 kg. | 866 to 870 00 |
| " | Husked | | 850 to 860 00 |
| Copra | | 100 kg. | 860 to 875 00 |
| Cocoanut Oil | I Class | 10 kg. | 45 40 |
| | II Class | " | 43 40 |
| Cashew Kernels | | 100 kg. | 80 to 85 00 |
| Cashew Nuts | Mysore | 100 kg. | 220 to 230 00 |
| Cardamoms | Coorg | 10 kg. | 320 to 350 00 |
| " | | " | |
| Malabar Black Pepper | | 50 kg. | 180 to 185 00 |
| Tobacco | Chewing | 100 kg. | 400 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 30 to 60 00 |
| " | Husked Old | 60 kg. | No Stock |
| " | " New | " | 816 to 854 00 |
| Chillies | Kumpta | | |
| " | Local | 10 kg. | 20 to 25 00 |
| " | Kaaraged | " | |
| **RETAIL PRICES.** | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 6 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| **CATTLE FOOD.** | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 32 to 30 00 |
| Cotton Seeds | | " 64 00 kg. | 16 to 26 00 |
| Horsegram | | " 93 07 kg. | 57 to 59 00 |

69

..... Dy. Comm.

Dated 11th June 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 11th June 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mookatbi | 139 kg | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice—I Sort | Mookatbi | | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | | Mooru of 99·14 kg. | |
| Cane Jaggery | I Sort | 100 kg | 60 00 |
| " | II Sort | " | 50 00 |
| Groundnuts | Unhusked | 1 000 Nuts | 860 to 870 00 |
| " | Husked | " | 850 to 860 00 |
| Copra | | 100 kg | 240 to 275 00 |
| Cocoanut Oil | I Class | 10 kg. | 45 20 |
| | II Class | " | 43 20 |
| Cashew Kernels | | 100 kg. | 60 to 65 00 |
| Cashew Nuts | Mysore | 10 kg. | 220 to 260 00 |
| Cardamoms | Coorg | " | 230 to 250 00 |
| " | | | |
| Malabar Black Pepper | | 50 kg | 185 to 193 50 |
| Tobacco | Chewing | 100 kg | 400 to 640 00 |
| " | Snuff | | 760 to 800 00 |
| " | Beedi | | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 35 to 65 00 |
| " | Husked Old | 60 kg. | 316 to 350 00 |
| " | " New | " | 316 to 358 00 |
| Chillies | Kumpta | | |
| " | Local | 10 kg | 20 to 25 00 |
| " | Kaaraged | " | |
| **RETAIL PRICES.** | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 6 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| **CATTLE FOOD.** | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 27 to 30 00 |
| Cotton Seeds | | " 64 kg. | 17 to 26 00 |
| Horsegram | | " 93·07 kg. | 56 to 59 00 |

54

..... Dy. Comm.

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY JULY 8, 1965 (ASHADHA 17, SAKA ERA 1887) | No. 27

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

## Weekly Weather and Crop Report for the Week ending Wednesday, the 9th June 1965.

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | Remarks |
|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | |
| | Actual | Normal | Actual | Normal | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—6—1965)

1. Bangalore District.

| | | | |
|---|---|---|---|
| | | Good | |

2. Kolar District.

| | | | |
|---|---|---|---|
| | | Good | |

3. Tumkur District.

| | | | |
|---|---|---|---|
| | | Good except for the prevalence of "Black quarter" at 1 village of Tiptur taluk' | |

4. Mysore District.

| | | | |
|---|---|---|---|
| | | Good | |

5. Mandya District.

| | | | |
|---|---|---|---|
| 20.6 | 10.1 | Good | |

6. Hassan District

| | | | |
|---|---|---|---|
| 32.6 | Fair except in Belur taluk where it was reported that the crops were withering for want of rain. | Good | |

7. Chikmagalur District

| | | | |
|---|---|---|---|
| 17.6 | 49.0 | Fair except in Chikmagalur taluk where it was reports that the Jowar, Cotton and Chillies crops were affected due to want of rain Paddy crops in N. R. Pura taluk was no fair. | Good |

| No. of rainy days in the week. | Rainfall in Millimetres | | | | Condition of | | | |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

(From 3—6—1965).

8. Shimoga District.

Good

9. Chitradurga District.

| | | | |
|---|---|---|---|
| 267 | Fair except in some parts of Hosadurga taluk where it was reported that the crops were withering for want of rain. | Good except for the prevalence of "Black Quarter" in some parts of Challakere Taluk. | ... |

10. Bellary District.

Good except for the prevalence of Cattle disease at 8 villages of Siruguppa Taluk.

11. Bijapur District.

Good ... (9)

12. Belgaum District.

Good

13. Dharwar District.

Good ...

14. North Kanara District.

Good

15. Gulbarga District.

Good

16. Raichur District.

Good ... (14)

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 4.8 | ,, | 4.8 | ,, | do | Good | Available | ... | do | ... (17 |

REMARKS.— (1) Refers to 7 Taluks, (2) Refers to 8 Taluks, (3) Refers to 9 Taluks, (4) Refers to 9 Taluks, (5) Refers to 5 Taluks, (6) Refers to 5 Taluks, (7) Refers to 8 Taluks, (8) Refers to 5 Taluks, (9) Refers to 8 Taluks, (10) Refers to 4 Taluks, (11) Refers to 10 Taluks, (12) Refers to 6 Taluks, (13) Refers to 8 Taluks (14) Refers to 7 Taluks, (15) Refers to 2 Taluks, (16) Refers to 5 Taluks, (17) Refers to 2 taluks.

## General Weekly Summary Report of Mysore State for the week ending Wednesday, the 9th June 1965

(a) Denotes:—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of standing crops.
(d) " Harvest.
(e) " General progress of Agricultural operations
(f) " Water supply
(g) " Fodder add Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week except in Ramanagaram and Nelamangala taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Bangarpet, Chintamani, Gauribidanur, Malur, Bagepalli and Kolar taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Vysasi Paddy in Bangarpet, Chintamani, Srinivasapur and Mulbagal Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) Light showers in Chicknayakanahally Pavagada, Madhugiri, Sira and Tiptur Taluks.
(b) Sowing and Transplantation of Jowar, Green gram and Castor in Chicknayakanahalli Taluk, Yada Ragi in Pavagada Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Tumkur and Pavagada Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of "Rinder pest" at 8 villages and "Blackquarter" at 2 villages of Tiptur Taluk.

4 Mysore District.—

(a) Light showers in T. Narasipur, Kollegal, Heggadadevanakote, and K. R Nagar Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk was in progress.
(e) Progress was fair in 3 taluks
(f) Sufficient except in Kollegal Taluk where insufficiency of water was felt.
(g) Available
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Nagamangala, Malavalli and Mandya Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Mandya Taluks, Paddy and Kar-Ragi in Srirangapatna Taluk was in Progress.
(e) Progress was fair in 8 Taluks
(f) Sufficient except in Nagamangala and Krishnarajapet Taluks where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Alur and Arsikere Taluks.
(b) Sowing of Jowar, G. nut, Cotton and Sesamum in Arsikere Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of sugarcane in Channarayapatna and Alur Taluks was in progress.
(e) Progress was fair in 4 taluks
(f) Sufficient except in Hassan Taluk, where insufficiency was felt.
(g) Available except in Hassan Taluk, where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in all the Taluks.
(b) Sowing of Jowar and G. Nut and Corriander in Kadur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 8 taluks
(f) Sufficient except in Tarikere Taluk where insufficiency water was felt.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) Sufficient Rainfall in Thirthahalli and Honnali Taluks
(b) Sowing of Paddy in Bhadravathi and Thirthahalli Taluks was in progress
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane and G nut in Bhadravathi Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Chitradurga, Molakalmuru and Hosadurga Taluks
(b) Sowing and Transplantation of Gidda Ragi, Jowar, Castor and G.nut in Challakere Taluk, Jowar, G.nut and Sesamum in Hosadurga Taluk, Ragi in Molakalmuru taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Summer Paddy in Challakere and Molakalmuru Taluks, G. Nut in Haribar Taluk, G.Nut and Paddy in Davangere Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of "Black Quarter" in some villages of Challakere taluk.

10 Bellary District.—

(a) Light showers in Siruguppa, Kudligi, Bellary and Harpanahalli Taluks
(b) Transplantation of paddy in Siruguppa taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Bellary Taluk, Summer G.nut and Padd in Harapanahalli taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of "Cattle Disease" in some villages of Siruguppa taluk.

11 Bijapur District —

(a) Light showers in all the Taluks.
(b) Sowing of kharif crops in Badami Taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) Light showers in Ramdurg Bailhagh and Hukkeri Taluks.
(b) Sowing of G nut was completed in Ramdurg Taluk.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 4 Taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) Light showers in Hangal, Ron, Dharwar and Haveri Taluks.
(b) Sowing of Paddy in Kalghatgi Taluk, Same, Navane, Ragi and G.nut in Haveri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 7 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

14 North Kanara District —

(a) Sufficient to the Agricultural Operations
(b) Sowing of Paddy in Honnavar, Kumta and Mundgod taluks was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 8 taluks
(f) Sufficien except in Mundgod Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

16 Gulbarga District,—

(a) Light showers in all the taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

Raichur District,—

(a) Light showers in Kustagi, Yelburga, Deodurg and Manvi taluks.
(b) Sowing of Kharif crops was just commenced in Kustagi taluk.
(c) Standing crops were fair.
(d) Harvesting of G. Nut in Manvi Taluk was in progress.
(e) Progress was fair in 4 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair
(d) Nil.
(e) Nil.
(f) Sufficient except in Bhalki taluk where insufficiency of water was felt.
(g) Available
(h) Generally healthy.

18 South Kanara District,—

(a) Sufficient Rainfall in Udipi, Coondapur and Karkala Taluks.
(b) Sowing of Kharif crops was just commenced in Udipi and Coondapu taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available except in Udipi Taluk, where scarcity for fodder was felt
(h) Generally healthy.

19 Coorg District,—

(a) Light showers in Somawarpet Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

62—sc.40 M. GANGARUDRIAH, *For Director.*

---

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE, (S. K.)

Dated 18th June 1965.

**Statement showing the Wholesale Prices of various commodities for the Week ending 18th June 1965 at Mangalore.**

| Commodity | | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Rice— I Sort | ... | Maskathi | " | |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Ragi | ... | | Moora of 89·14 kg. | No Stocks |
| Cane Jaggery | ... | I Sort | 100 kg. | 80 00 |
| " | ... | II Sort | " | 50 00 |
| Cocoanuts | ... | Unhusked | 1000 kg. | 560 to 570 00 |
| " | .. | Husked | | 550 to 560 00 |
| Copra | ... | | 100 kg. | 260 to 275 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 45 20 |
| | | II Class | " | 43 20 |
| Cashew Kernels | ... | | 100 kg. | 80 to 85 00 |
| Cashew Nuts | ... | | 10 kg. | 220 to 280 00 |
| Cardamoms | ... | Mysore | 10 kg. | 220 to 280 00 |
| " | ... | Coorg | 10 kg. | 220 to 280 00 |
| | | | " | |
| Malabar Black Pepper | ... | ... | 50 kg. | 185 to 198 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 |
| " | ... | Snuff | | 760 to 800 00 |
| " | ... | Beedi | | 860 to 900 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 35 to 65 00 |
| " | ... | Husked Old | 60 kg. | 816 to 864 00 |
| " | ... | " New | " | 815 to 868 00 |
| Chillies | ... | Kumpta | | ... |
| " | ... | Local | 10 kg. | 20 to 25 00 |
| " | ... | Kasaragod | " | ... |
| RETAIL PRICES. | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 6 00 |
| | | Snuff | " | 5 to 7 00 |
| | | Beedi | " | 7 00 |
| CATTLE FOOD. | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 27 to 30 00 |
| Cotton Seeds | ... | | " 64 00 kg. | 17 to 18 00 |
| Horsegram | ... | | " 93 07 kg. | 56 to 59 00 |

58 ..... *Dy. Commr.*

Dated 25th June 1965.

**Statement showing the Wholesale Prices of various commodities for the week ending 25th June 1965 at Mangalore.**

| Commodity | | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg | |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Rice—I Sort | ... | Maskathi | " | |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Ragi | ... | | Bags of 89·14 kg. | No Stocks |
| Cane Jaggery | ... | I Sort | 100 kg | 65 00 |
| " | ... | II Sort | " | 45 00 |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 850 to 865 00 |
| " | ... | Husked | " | 540 to 555 00 |
| Copra | ... | | 100 kg. | 260 to 275 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 45 60 |
| | | II Class | " | 43 60 |
| Cashew Kernels | ... | | 100 kg. | 60 to 65 00 |
| Cashew Nuts | ... | | 10 kg. | 220 to 280 00 |
| Cardamoms | ... | Mysore | 10 kg. | 220 to 280 00 |
| " | ... | Coorg | " | 220 to 280 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | 185 to 195 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 |
| " | ... | Snuff | " | 760 to 800 00 |
| " | ... | Beedi | " | 860 to 900 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 35 to 65 00 |
| " | ... | Husked Old | 60 kg. | ... |
| " | ... | " New | " | 820 to 875 00 |
| Chillies | ... | Kumpta | | ... |
| " | ... | Local | 10 kg. | 20 to 25 00 |
| " | ... | Kasaragod | " | ... |
| RETAIL PRICES. | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 6 00 |
| | | Snuff | " | 5 to 7 00 |
| | | Beedi | " | 7 00 |
| CATTLE FOOD. | | | | |
| Groundnut Oil Cake | ... | | Bag of 69.92 kg. | 27 to 29 00 |
| Cotton Seeds | ... | | " 64 kg. | 17 to 18 00 |
| Horsegram | ... | | " 93·07 kg. | 56 to 58 00 |

51 ..... *Dy. Commr.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 19TH JUNE 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 57 attacks with 14 deaths from Smallpox was reported from the entire State *viz.* from the taluks of Gangavathi, Bagewadi, Muddebihal, Indi. Mangalore, Sorab, Anekal, Kanakapura, Hoskote, Ramadurga and Kushtagi, *as against* 37 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 72 attacks with 25 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Bangalore South, Srirangapatna, Mysore, Srinivasapura Nanjangud, Chamarajanagar and from the towns of Malavalli, Shimoga and Mandya and from the city of Mysore, during, the week *as again t* 56 attacks with 20 deaths reported during the corresponding week of the last year.

A total of 1 attack with nil deaths from K.F. Disease was reported from Shimoga district, *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious hepatites and influenza in epidemic form *as against* nil attack with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 206 (83 in hospitals) for the week *as against* 201 (105 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.2 (6.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 11.0 (5.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 8 were due to Smallpox, 2 due to other fevers, 45 due to Dysentery and diarrhoea, 1 due to consumption and 150 due to all other causes, *as against* 8 due to other fevers, 19 due to dysentery and diarrhoea, 7 due to consumption and 167 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 32 (20 in hospitals for the week, giving a calculated death rate of 6.5 (2.4 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 2 were due to cholera, 1 due to Typhoid, 1 due to other fevers, 3 due to dysentery and diarrhoea, 4 due to consumption and 21 due to all other causes.

The report for K. G. F. City has not been received.

The total mortality for Belgaum city amounted to 16 (12 in hospitals) for the week *as against* 4 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 6.0 (4.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 1.5 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 1 due to dysentery and diarrhoea, 1 due to consumption and 13 due to all other causes, *as against* 4 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 9 (nil in hospitals) for the week *as against* 12 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 3.0 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.1 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 1 was due to Typhoid, 1 due to consumption and 7 due to all other causes, *as against* 12 due to all other causes reported during the corresponding week of the previous year.

....., *Dy. Director of Public Health*

*Bureau of Epidemiology.*

Printed by the Director of Printing, Stationery and Publications at the Govt Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY JULY 15, 1965 (ASHADHA 24, SAKA ERA 1887) | No. 28

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday the 16th June 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Norm | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3-6-1965) | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 1 | 9.3 | 14.6 | 34.3 | 40.3 | Fair except in Hosakote taluk where it was reported that the paddy crop was withering for want of rain. | ... | Available | Sufficient | (1) |
| | 2. *Kolar District* | | | | | | | | |
| | 4.5 | 12.0 | 17.5 | 31.8 | Fair | ... | Available | Sufficient | (2) |
| | 3. *Tumkur* | | | | | | | | |
| | 24.4 | 12.1 | 54.3 | | ... | Good except for the prevalence of "Blackquarter" and Rinder pest at 7 villages of Pavagada taluk. | Available | Sufficient | (3) |
| | 4. *Mysore District* | | | | | | | | |
| | 2.9 | 12.4 | 13.5 | | ... | Good | ... Available | Sufficient except in Kollegal taluk. | (4) |
| | 5. *Mandya District* | | | | | | | | |
| | 9.7 | 15.1 | 14.6 | | Fair except in Malavalli Taluk where it was reported that the crops were withering for want of rain. | Good | ... Available | Sufficient | (5) |
| | 6. *Hassan District* | | | | | | | | |
| | 7.1 | 23 9 | 8.2 | | Fair | | ... Available except in Holenarsipur Taluk. | Sufficient | (6) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 7. *Chickmagalur District* | | | | | | | | |
| | | 117.5 | 169.4 | 174.0 | Fair | | ... Available | Sufficient | (7) |
| | 8. *Shimoga District* | | | | | | | | |
| 2 | 16 8 | 23.8 | 17.7 | 52 6 | Fair | | | | |
| | 9. *Chitradurga District* | | | | | | | | |
| | 8.5 | 13.0 | 33 4 | 40.2 | Fair except in Challakere Taluk where it was reported that the wet crops were withering for want of rain. | Good | | | (9) |
| | 10. *Bellary District* | | | | | | | | |
| | 19.0 | N.A. | 48.5 | | Fair | | ... Available | Sufficient | (10) |
| | 11. *Bijapur District* | | | | | | | | |
| | 28.9 | N.A. | 52.4 | | | | ... Available | Sufficient | (11) |
| | 12. *Belgaum District* | | | | | | | | |
| | 8.0 | N.A. | 24.0 | | | | ... Available | Sufficient | (12) |
| | 13. *Dharwar District* | | | | | | | | |
| | 3.5 | N.A. | 26.5 | | | | ... Available | Sufficient | (13) |
| | 14. *North Kanara District* | | | | | | | | |
| | 109.6 | N.A. | 153.9 | N.A. | | | ... Available | Sufficient | (14) |
| | 15. *Gulbarga District* | | | | | | | | |
| | 43 2 | N.A. | 50.8] | | | | | | |
| | 16. *Raichur District* | | | | | | | | |
| | 26.3 | N.A. | 37 0 | | | | ... Available | Sufficient | (16) |
| | 17. *Bidar District* | | | | | | | | |
| | 55.8 | N.A. | 72.2 | N.A. | | | ... Available | Sufficient | (17) |
| | 18 *South Kanara District* | | | | | | | | |
| 7 | 234.4 | N.A. | 462.1 | N.A. | Fair except in Bantwal taluk where it was reported that the crops were affected by pest. Not received | Good | ... Available | Sufficient | (18) |

Remarks :—(1) Refers to 7 Taluks, (2) Refers 4 Taluks, (3) Refers to 8 Taluks, (4) Refers to 4 Taluks, (5) Refers to 6 Taluks, (6) Refers to 4 Taluks, (7) Refers to 3 Taluks, (8) Refers to 4 Taluks, (9) Refers to 6 Taluks, (10) Refers to 1 Taluk, (11) Refers to 3 Taluks, (12) Refers to 4 Taluks, (13) Refers to 3 Taluks, (14) Refers to 5 Taluks, (15) Refers to 2 Taluks, (16) Refers to 3 Taluks, (17) Refers to 2 Taluks, (18) Refers to 3 Taluks.

M. GANGARUDRAIAH, For *Director*.

# General Weekly Summary Report of Mysore State for the Week ending Wednesday the 16th June, 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operation.
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) Light showers in Channapatna, Ramanagaram and Magadi taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Kar-Ragi and Paddy in Devanahalli taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally good except for the prevalence of "Rinder pest" in some parts of Hosakote taluk.

2 Kolar District.—
(a) No rainfall during the week except in Bagepalli Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Srinivasapur taluk was in progress and the same was completed in Mulbagal taluk.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

3 Tumkur District.—
(a) Light showers in Chicknaikanahalli, Kunigal Pavagada, Tiptur, Sira and Gubbi Taluks.
(b) Sowing and transplantation of Kharif Jowar, Greengram and Castor in Chicknaikanahalli Taluk Ragi in Pavagada, Tumkur and Madhugiri Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Pavagada, Tumkur and Gubbi Taluks was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good except for the prevalence of "Black Quarter and Rinder pest" in a few villages of Pavagada Taluk.

4 Mysore District.—
(a) No rainfall during the week except in T.-Narasipur Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy and Gidda Ragi in T.-Narasipur Taluk was in progress.
(e) Nil.
(f) Sufficient except in Kollegal Taluk. where insufficiency of water was felt.
(g) Available.
(h) Generally good.

5 Mandya District.—
(a) Light showers in Nagamangala and Maddur Taluks
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Kar-Paddy Sugarcane and Ragi in Srirangapatna Taluk, Sugarcane in Maddur Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Nagamangala and K. R. Pet Taluks where insufficiency of water was felt.
(g) Available.
(h) Generally good.

6 Hassan District.—
(a) Light showers in Belur and Hassan Taluks.
(b) Sowing of paddy and Ragi in Belur Taluk Potatoes and Ragi in Hassan Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available except in Holenarsipur Taluk where scarcity for fodder was felt.
(h) Generally good.

7 Chickmagalur District.—
(a) Light showers in Sringeri, Mudigere and Tarikere Taluks.
(b) Nil
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient, except in Tarikere Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally good

8 Shimoga District.—
(a) Light showers in Shimoga, Honnali, Shikaripur and Bhadravathi Taluks.
(b) Sowing of Paddy in Shimoga Taluk Ragi and Paddy in Bhadravathi Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Groundnut and Sugarcane in Bhadravathi Taluk. was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

9 Chitradurga District.—
(a) Light showers in Davanagere, Chitradurga, Molakalmuru, Holalkere and Hosadurga Taluks.
(b) Sowing of Gidda Ragi and Groundnut in Challakere Taluk Jowar, and Ragi, in Molakalmuru Taluk. Groundnut in Holalkere Taluk. was in progress.
(c) Standing crops were fair
(d) Harvesting of Paddy and Groundnut in Davanagere Taluk. Paddy in Molakalmuru Taluk was in progress.
(e) Progress was fair in 5 Taluks,
(f) Sufficient.
(g) Available.
(h) Generally good.

10 Bellary District.—

(a) Light showers in Sandur Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in Sandur Taluk.
(f) Sufficient.
(g) Available.
(h) Generally good.

11 Bijapur District.—

(a) Light showers in Mudhol, Muddebihal and Jamkhandi Taluks.
(b) Sowing of Groundnut in Mudhol Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

12 Belgaum District.—

(a) Light showers in Belgaum and Raibagh Taluks.
(b) Sowing of Kharif crops was in progress in Raibagh Taluk.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

13 Dharwar District.—

(a) Light showers in Haveri, Byadgi and Navalgund Taluks.
(b) Sowing of Kharif, Sama, Navane, Ragi and Groundnut in Haveri and Byadgi Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

14 North Kanara District.—

(a) Sufficient rainfall in Mundgod, Yellapur, Haliyal and Ankola Taluks.
(b) Sowing of Paddy in Mundgod, Yellapur and Sirsi Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Mundgod Taluk, where insufficiency of water was felt.
(g) Available.
(h) Generally good

15 Gulbarga District.—

(a) Sufficient Rainfall in Chincholi Taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally good,

16 Raichur District.—

(a) Light showers in Deodurg, Yelburga, and Manvi Taluks
(b) Sowing of Kharif crops in Manvi and Yelburga Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

17 Bidar District.—

(a) Light showers in Aurad and Humnabad Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

18 South Kanara District.—

(a) Sufficient rainfall in Bantwal, Puttur and Coondapur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally good.

19 Coorg District.—

(a) ...
(b) ...
(c) ...
(d) Not received.
(e) ...
(f) ...
(g) ...
(h) ...

M. GANGARUDRAIAH, For *Director*.

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 31st August 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 85·00—86·00 | 80·00—86·00 | ... | 84·00 | 87·00 | 44·00 | 42·00 | ... | 80 50 | 41·50 |
| | (b) Medium | | 83·00—84·00 | 25 00 82·00 | 84·00 | 88·00 | 86 00 | 4 ·00 | 86·00 | ... | 84·80 | 88 00 |
| | (c) Coarse | | 80·00—82·00 | 23·00—28 00 | .. | 82 00 | 85·00 | 88·50 | .. | ... | ... | 36·00 |
| Rice | (a) Fine | | 72·00—78 00 | 78·00—76·00 | 72·00—77·00 | 66 00 | 72 ·0 | 69·00—70·.0 | 72·00 | 72·00 | 71 00 | 74·00 |
| | (b) Medium | | 70·00—72·00 | 68·00—68·00 | 63·00—66 00 | 62 00 | 70·00 | 67·00—68·0 | 65·00 | 68·50 | 67·00 | 67·00 |
| | (c) Coarse | | 61·00—66 00 | 66 00—61 00 | | 54·00 | 60·00 | 6 ·0 —64·00 | | 60 ·0 | 58·00 | 64 50 |
| 3 Wheat | White | | 71·00—74 00 | 45·00—48·00 | 41·00—42 00 | .. | 89 ·0 | 42·00—48·00 | 42·00—6 ·00 | 44·00 | 45·50 | 6a·00 |
| Wheat Flour | " | | | 6 ·00—74 00 | | 43·00 | 40·00 | 44· 0 | 6 ·0—6 00 | 5 ·00 | 58·00 | ... |
| 4 Jowar | " | | 35·00—48·00 | 32·00—36 00 | 43·00—45·00 | .. | 88 0 | 40·00—46·00 | 30·00—3 ·00 | 38 50 | 43 50 | 48 00 |
| 5 Bajra | | | 39·00—58·00 | ... | 83·00—84·00 | 84·50 | 59 00 | | ... | ... | ... | 85·00 |
| 6 Barley | | | 120·00 | ... | ... | ... | ... | 150·00—18··00 | ... | ... | ... | ... |
| 7 Maize | | | | | | | | | ... | ... | ... | ... |
| 8 Ragi | | | 34·00—35·00 | 34·00—38·50 | 32·00—33 00 | 38·50 | 38·00 | 38·00—42·00 | 38·00—39·00 | 37·50 | 36·00 | 61·50 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops — | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | 35·00—41·00 | ... | ... | 22·00 | ... | ... | 39·00 | 27·50 | 35·00 | ... |
| (ii) Tapioca | | | ... | ... | ... | ... | 25 00 | .. | ... | ... | 40·00 | ... |
| (iii) Kapaya | | | 33·00—35·00 | | ... | ... | .. | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | | | ... | ... | ... | ... | 40·00 | ... | ... | ... | ... | ... |
| II Pulses (Whole pulses) — | | | | | | | | | | | | |
| 1 Gram | | | 60·00—62 00 | 45·00—64 00 | 71·00—75·00 | 59·00 | 49 00 | 58·00—6 ·00 | 55·00 | 54·00 | 56 50 | 58·00 |
| 2 Arhar (Tur.) | | | 68·00—6 ·00 | | 68 00 | 70·00 | 6·00 | 55 00—6 ·00 | ... | 41·00 | 47·00 | 80·00 |
| 3 Mung | | | 56·0 —72 00 | 65·00 —75 00 | 65·00 | 79·00 | 80 00 | 62 00—65·00 | 56·00 | 53·00—6·00 | 57 00 | -- |
| 4 Urd | | | 70.00—75 00 | 75 00—85 00 | | ... | .. | 72·00—75·00 | 8 ·00—86·00 | 74 00—76·00 | 79·00 | ... |
| 5 Masur | | | ... | ... | ... | ... | 80·00 | ... | 85·00—90 00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | | | 50·00—60·00 | 60·00—70·00 | 84·00—85·00 | ... | 57 00 | 66·00—69·00 | 70·00 | ... | 59·00 | ... |
| (ii) Horsegram | | | 35 50 | 38 00—42· 0 | 33 00—35 00 | 34 00 | 35·00 | 36·00—38·00 | 36 00—3 ·00 | 45·00 | 32 00 | 36 50 |
| (iii) Cowpea | | | 65·00—70·00 | 45·00—55·00 | 45 00—50·00 | ... | 55 00 | 60 00—70·00 | 62·00 | ... | 71·00 | 46 00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 95·00—110·00 | 95 00—120 00 | 100·00—120·00 | 110·00 | 90 00—110·00 | 120·00 | 90 00—105·00 | 9 ·00 | 110·00 | 115·00 |
| | (b) Sort II | | | 8 ·00—9 ·00 | 9 ·0—100·00 | 100·00 | 95·00 | 100 ·0 | | 85·00 | 100 00 | 100 00 |
| 2 Sugar refined | D. 24 | | 114·50—1 8·25 | 119 00—120 00 | ... | ... | 120·00 | 115 00 | 111 00 | 120 00 | 119·00 | 116 00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 50·00—75·00 | 34·00—40·00 | 69·00 | 43·00 | 65·00 | ... | 65·00 - 85·00 | 76·59 | 75·00 | 71·00 |
| | (b) Machine shelled. | ... | 93·75—95·00 | 90·00—98·00 | 95·00 | ... | 96·00 | ... | 66·00—78·00 | ... | 88·00 | 94·00 |
| Groundnut Oil | ... | ... | 188·00—186·00 | 185·00—200·00 | 170 00—180·00 | 188·00 | 200·00 | 200·00 | 200·00 | ... | 186 00 | 190·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | ... | 42·00 | 40·00 | ... | | ... | 40·25 | 40·50 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 96·00 | 70·00—90·00 | ... | ... | 96·00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 200·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 61·50 | ... |
| 3 Castor Seed ... | ... | ... | 58·00—60·00 | ... | 57 00—60·00 | ... | ... | 65·00—70·00 | ... | ... | ... | 64·00 |
| Castor Oil ... | ... | ... | 180·00—190·00 | 190·00—210·00 | 190·00—190·00 | 175·00 | 150·00—160·00 | 190·00—195·00 | ... | 177·00 | 180·00 | 180·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | 103·00—104 00 | ... | ... | ... | ... | ... | ... | ... | 93·00 | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per thousand) | 160·00—800·00 | 220·00—250·00 | 180·00—220 00 | 180·00—220·00 | 8.0·00 | 220·00—180·00 | 210 00—2 0 00 | 400·00 | 260·00 | 220 00 |
| Coconut Oil... | (b) Copra ... | per quintal | 260 00—280·00 | 200·00—220·00 | ... | ... | ... | 230·00—240 00 | ... | 275·00 | 290·00 | 245·00 |
| Coconut Oil-cake. | ... | ... | 300·00—350·00 | 325·00 | 890 00 | 820·00 | 800 00 | 320·00 | 840·00 | 256 00 | 885 00 | 822 00 |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 254·00 | 280·00—300·00 | 300 350 | ... | 280·00 | ... | ... | 280·50 | 800·00 | 826·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 240·00 | ... | ... |
| | (iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 5·00—12·00 | 5·00—7·00 | 9·00 | 4·50—9·00 | ... | 4·00—9·00 | 11·50 | 7·00 | 6·00 | 4·56 |
| 3 Oranges ... | ... | Do | ... | 18·00—30·00 | 36·00 | 6·00—15·00 | ... | ... | 36·00 | 17·00 | 18 00 | 20·00 |
| 4 Dates ... | ... | ... | ... | ... | 160·00—200 00 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernels, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 35·00—40·00 | 40·00—45·00 | 59·00—62.00 | 27·00 | 37·00 | 40·00—50·00 | 40·00 | 46·00 | 50·00 | 40·00 |
| 2 Onions ... | ... | ... | 20·00—33·00 | 30·00—40·00 | 28·00—25·00 | 28·00 | 31·00 | 35·00—40 00 | 35·00 | 37·50 | 35·00 | 32·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | 490 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | 800·00—850·00 | 700·00 - 750·00 | 650·00—700·00 | ... | ... | 800·00 | 400·00—500·00 | 780·00—830·00 | 700·00 | 845·00 |
| VI Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | 84 00 |
| | (c) Seed ... | ... | ... | ... | 42·00—46·00 | ... | ... | ... | 40·00 | ... | ... | ... |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Loose | (a) White— | | | | | | | | | | | | | |
| | (i) Top | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | |
| | (i) Top | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | |
| 3 Pucca Baled Jute. | (i) Lightings | Per bale | | | | | | | | | | | | |
| | (ii) First Mills. | | | | | | | | | | | | | |
| | (iii) First Exports. | | | | | | | | | | | | | |
| Sunn hemp | | | | | | | | | | | | | | |
| 4 Mesta | (i) Top | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | |
| | (i) Leaf | | | | | | | | | | | | | |
| | (ii) Pulah | | | | | | | | | | | | 808·50 | 280·00 |
| | (b) Virginia | | | | | | | | | | | | | |
| | (i Leaf | | | | | | | | | | | | | 215·00 |
| | (ii) Pulah | | | | | | | | | | | | | |
| VIII Livestock— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 650·00—700·00 | | 500·00 | | | 880·00—500·00 | | 160·00—275·00 | 420·00—580·00 | | 270·00 |
| | (b) „ II | Do | 5 0·00—630·00 | | 800·00—85 ·00 | 305·00—350·00 | | 240 00—340·00 | 90·00—140·00 | 110·00—2·0·00 | 2·0·00—340·00 | | 200·00 |
| (ii) Buffalo bulls. | (a) „ I | Do | 290·00—350·00 | | 100 00—120·00 | 175·00—300 00 | | 85·00—50 00 | | | | | 150·00 |
| | (b) „ II | Do | 250·00—330·00 | | 125·00—15 ·00 | | | 25·00—40·00 | 105·00—175·00 | | | | 160·00 |
| 2 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 890·00—750·00 | | 150·00—200·00 | 175·00—225·00 | | 165·00—800·00 | | 90·00—150·00 | 890 00—470 00 | | 145·00 |
| | (b) Class II | Do | 150 00—480·00 | | 100·00—160·00 | 100 0 —12 .00 | | 140·00—14 ·00 | 100·00—145·00 | 8· ·00 140·00 | 200 00—290 00 | | 110·00 |
| (ii) Buffaloes... | (a) Class I | Do | 4: 0·00- 590·00 | | 800·00 | 8 0·00—400·00 | | 18 ·00 —800 00 | | 26 ) 00—480·00 | 280 00—· 80·00 | | 170·00 |
| | (b) Class II | Do | 8 0·00 45·00 | | 100·00—150 00 | 125·00—2 0 00 | | 180 00—165 00 | | 160·00—320 00 | 150·00—270·00 | | 185·00 |
| 3 Sheep | | Do | 85·00—80·00 | | 35·00 | 45·00—66·00 | | 80 00—8 ·00 | 85·00—60·00 | 45·00—80·00 | 20 00—6 ·00 | | 89·00 |
| IX Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) | Per kg. | | | | | | 2·50 | 4·00 | | | | |
| | (b) | Do | | | | | | 1 75 | 1·50 | | | | |
| 2 Hides.— | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | Do | 2·00—2·50 | | | 1·06 | | 1·00—1·75 | 1·08 | | | | 2·61 |
| Tanned | (b) | Do | | | | | | | 1 00 | | | | |
| | (a) | Do | | | | 6·75 | | 7 00—8·50 | 4·00 | | | | 8·81 |
| | (b) | Do | | | | | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | 1·75—2·25 | | | ·90 | | 1·65—2·50 | 1 08 | | | | 8·80 |
| | (b) | Do | | | | | | | 1·00 | | | | |
| Tanned | (a) | Do | | | | | | 4·75—6 00 | 8·50 | | | | 4·10 |
| | (b) | Do | | | | | | | | | | | |
| 3 Skins.— | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) | Each | 8·00—5·50 | | | 4·65 | 5·00 | 8·50—5·50 | 5 00—5·20 | | 6·00 | | 1·84 |
| | (b) | Per kg. | | 1 00—1·25 | | | | | | | | | |
| Tanned | (a) | Do | | | | | | 7·25 | | | | | 2·69 |
| | (b) | Do | | | | | | | | | | | |
| (ii) Sheep-skins— Raw. | (a) | Each | 5·50—6 50 | | | 8·65 | 5·50 | 8·75—5·00 | 4·50—4·70 | | 3 50 | | 1·94 |
| | (b) | Per kg. | 4·00—4·50 | 1 00—1 25 | | | | | | | | | |
| Tanned | (a) | Do | | | | | | 8·75 | | | | | 2 97 |
| | (b) | Do | | | | | | | | | | | |
| 4 Shee | (a) Agmark | Do | 8·16 | 8·00—9·00 | | | | | 8 | | | | |
| | (b) Ungraded | Do | 7·00 | 6·00—7 00 | | | | | | | | | 5·50 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | ... | ... | 80·00—81·00 | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | ... | ... | ... | ... | ... | 20 00—23 00 | ... | 24·00 | ... | 25·00 |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | 38·50 | ... | 26·00 |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 102·00—125·00 | ... | 175·00—200·00 | 170·00 | 150·00 | 160·00—180·00 | 200—00 | 178·00—185 00 | 180·00 | 168·00 |
| 2 Tamarind ... | ..... | ... | 50·00—102·00 | 90·00—100 00 | 73·00—80·00 | 95 00 | 90.80 | 70·00— 00 00 | 9 — 00 | 92·00—110·00 | 102·00 | 74·00 |
| 3 Dry Chillies ... | ..... | ... | 200·00—320·00 | 200·00—250·00 | 254·00—250·00 | 290·00 | 800·00 | 840· 0—840· 0 | 800·00—850·00 | 180·00—3.0 00 | 800·00 | 850 00 |
| 4 Garlic ... | ..... | ... | 88·00—105·00 | ... | 90·00—1·0 00 | 88·00 | 75·00 | 90 00—100·00 | 90·00 95·00 | 166·00—170 00 | 1 0 00 | 116·00 |
| 5 Pepper ... | ..... | ... | 292·00—302·00 | 288·00—450·00 | 4 0·00 | 400·00 | 820 00 | 840·00—860·00 | 450 00—600·00 | 450·00—510 00 | 600·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,605·00—2,210·000 | ... | 1,600·00—2,000·00 | 1,400 00 | 1,600·00 | 1,400·00—1,600·00 | 1,600 | ... | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |



PART V A MAY 15, 1935

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 39·00 | 43·00—44·00 | ... | 46·00 | ... | 37·00 | 39 00 | ... | 88·00 |
| | (b) Medium | | 38·00 | 41·00—42·00 | ... | 40·00 | ... | 36·00 | 32·00 | ... | 36·00 |
| | (c) Coarse | | 34·00 | 36·00—38·00 | ... | ... | .. | ... | .. | ... | ... |
| 2 Rice | (a) Fine | | 64·00 | 70·00—78·00 | ... | 75·00 | 70·00 | 77·00 | 72·00 | ... | 78·00 |
| | (b) Medium | | 60·00 | 62·00—25·00 | ... | 62·00 | 69·00 | 64·00 | 66 00 | ... | 77·00 |
| | (c) Coarse | | 55·00 | 55·00—57·00 | ... | ... | 52·00 | 56·00 | ... | ... | 54·00 |
| 3 Wheat | White | | 62·00 | 48·00—60·00 | ... | 55·00 | 45·85 | 49·00—40·00 | 70·00 | ... | 48·00 |
| Wheat Floor | White | | 70·00 | 45·00—58·00 | ... | ... | 52·00 | .. | ... | ... | 54·00 |
| 4 Jowar | White | | 46·00 | 88·00—45 00 | ... | 85·00 | 45·00 | 42·00 | 42·00 | ... | ... |
| 5 Bajra | ... | | ... | 88.00—88·00 | ... | ... | 85·00 | ... | 85·00 | ... | ... |
| 6 Barley | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Maize | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi | ... | | 85·00 | 42 00—48·00 | ... | ... | ... | ... | ... | ... | 48·00 |
| 9 Other cereals | | | | | | | | | | | |
| (i) ..... | ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | ... | | ... | 27'00—29·00 | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 60·00 | 49·00—50·00 | ... | 54·00 | 48 00 | 48·00—50 00 | 47·00 | ... | 68·00 |
| 2 Arhar (Tur) | ... | | 48·00 | 38·00—40·00 | ... | 41·00 | 56·00 | 88·00—60·00 | 41·00 | ... | 88·00 |
| 3 Mung | ... | | 75·00 | ... | ... | ... | 43·00 | ... | 37·00—50·00 | ... | .. |
| 4 Urd | ... | | 80 00 | ... | ... | 61·00 | 65·00 | ... | ... | ... | 74·00 |
| 5 Masur | ... | | ... | 80 00—81·00 | ... | ... | 58·00 | ... | ... | ... | ... |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 85·00 |
| (ii) Horsegram | ... | | 88·00 | 87·00—99 00 | ... | ... | ... | ... | 44·00 | ... | 46·00 |
| (iii) Cowpea | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 84·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 185·00 | 180·00—185·00 | ... | | 110·00 | ... | 112·00 | ... | 104·00—115·00 |
| | (b) Sort II | | 100·00 | 120·00—125·00 | ... | | 108·00 | ... | 108·00 | ... | ... |
| 2 Sugar Refined | D. 24 | | ... | ... | ... | ... | ... | ... | ... | ... | 90·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 75·00 | ... | ... | ... | ... | ... | ... | ... | 90·00 |
| | (b) Machine shelled. | | 120·00 | 101·00—103·00 | ... | ... | ... | ... | 75·00 | ... | 125·00—150·00 |
| Groundnut Oil | ... | | 193·00 | 200·00—210 00 | ... | 188·00 | ... | ... | 118·00 | ... | 196·50 |
| Groundnut Oil-cake. | ... | | 41·00—50·00 | ... | ... | ... | ... | ... | ... | ... | 46·00 |
| 2 Sesamum | (a) White | | 125·00 | ... | | ... | ... | ... | ... | ... | ... |
| | (b) Black | | 110·00 | ... | ... | ... | ... | ... | 84—00 | ... | ... |
| Sesamum Oil | ... | | ... | ... | | ... | ... | ... | ... | ... | ... |
| Sesamum Oil-cake. | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| 3 | Castor seed ... | ... | ... | ... | ... | ... | 55·00 | ... | ... | 55·00 | ... | ... |
| | Castor Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 177·00 |
| | Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard. | (a) Black ... | ... | 100·00 | ... | ... | ... | ... | ... | ... | ... | 120·00—135·00 |
| | | (b) Yellow ... | ... | 125·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold | ... | 75·00 | ... | ... | 68·00 | ... | ... | ... | ... | ... |
| | | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil-cake, | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Coconnut ... | (a) Nuts ... | (Per thousand) | 300·00 | 175·00—200·00 | ... | 250·00 | ... | ... | 250·00 | ... | 290·00—300·00 |
| | | (b) Copra ... | Quintal | 80 ·00 | ... | ... | ... | ... | ... | ... | ... | 410·00—500·00 |
| | Coconnut Oil ... | ... | | 801·00 | 315·00—320·00 | ... | 320·00 | 350·00 | ... | ... | ... | 395·00 |
| | Coconnut Oil-cake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | Other Oil seeds | (i) Nigerseed... | ... | 100·00 | ... | ... | 61·50 | ... | ... | ... | ... | ... |
| | | (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | Vegetable Oil | (i) Vanaspathi | ... | 350·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 | Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | 278·00 |
| V. | Fruits, Vegetables and Nuts,— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains ... | ... | Do ... | 8·00 | 6·00—8·00 | ... | 4·50 | ... | ... | 6 00 | ... | 480·00—900·00 |
| 3 | Oranges ... | ... | Do ... | ... | ... | ... | ... | ... | ... | 21·00 | ... | ... |
| 4 | Dates ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Cashew Kernels, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | ... | ... | 50·00 | 20·00—40·00 | | | | ... | | ... | 56·25 |
| 2 | Onions ... | ... | ... | 00·86 | 25·00—40·00 | | | | ... | | ... | 86·00 |
| 3 | Beans ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Tomatoes ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | 650·00 | ... | | ... | ... | ... | ... | ... | 200·00—550·00 |
| 2 | Areconuts ... | ... | ... | 428·50 | ... | | 502·00 | 720·0 | ... | ... | ... | 500,00 |
| VI. | Fibres,— | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (c) Seed ... | ... | 41·00 | ... | ... | ... | ... | ... | 37·00 | ... | ... |
| 2 | Jute ;—Loose | (a) White— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | uess Baled Jute. | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) First Mills | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) First Exports. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | ... | ... | | ... | ... | ... | ... | ... | ... | ... |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta ... | (i) Top ... ... | | ... | | ... | | | | ... | | | | ... | | ... |
| | (ii) Middle ... ... | | ... | | ... | | | | | | | | ... | | ... |
| | (iii) Bottom ... ... | | ... | | ... | | | | .. | | | | ... | | ... |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | |
| | (i) Leaf ... ... | | 450·00 | | ... | | | | ... | | | | ... | | 800·00 |
| | (ii) Pulah ... ... | | ... | | ... | | | | ... | | | | ... | | ... |
| | (b) Virginia— | | | | | | | | | | | | | | ... |
| | (i) Leaf ... ... | | 600·00 | | ... | | | | ... | | | | ... | | ... |
| | (ii) Pulah ... ... | | ... | | ... | | | | ... | | | | ... | | ... |
| VIII. Livestock.— | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 385·00 | 300·00—400·00 | | | | | 360·00 | 00·00 | 450·00 | | ... | | ... |
| | (b) Class II ... | Do ... | 300·00 | 200·00—250·00 | | | | | 250·00 | 150·00 | 250·00 | | ... | | ... |
| (ii) Buffalo bulls | (a) Class I ... | Do ... | 120·00 | 200·00—250·00 | | | | | ... | 100·00 | 460·00 | | ... | | ... |
| | (b) Class II ... | Do ... | ... | 150·00—200·00 | | | | | ... | 80·00 | 425·00 | | ... | | ... |
| 2 Milch cattle— | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 150·00 | 150·00—200·00 | | | | | 200·00 | 70·00 | 150·00 | | ... | | ... |
| | (b) Class II ... | Do ... | 80·00 | 150·00—175.00 | | | | | 150·00 | 50·00 | 125.00 | | ... | | |
| (ii) Buffaloes ... | (a) Class I ... | Do ... | 300·00 | 200·00 –275·00 | | | | | 350·00 | 200·00 | 525·00 | | ... | | ... |
| | (b) Class II ... | Do ... | 210·00 | 125·00—175·00 | | | | | 200·00 | 150·00 | 375·00 | | ... | | ... |
| 3 Sheep ... | ... | Do ... | 32·00 | 34·00—45.00 | | | | | 35·00 | 30·00 | 50·00 | | ... | | 40 |
| IX. Livestock products.— | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per kg. ... | | | ... | ... | | | | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | | | ... | ... | | | | ... | ... | | ... | | ... |
| 2 Hides— | | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do ... | 1·75 | 1·98 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 1·50 | 1·00 | ... | ... | | | ... | ... | ... | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | 4·50 | 6·25 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 5·75 | 6·00 | ... | | 5·75 | | ... | ... | ... | | ... | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·08 | 1·99 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 1·75 | 2·00 | ... | ... | | | ... | ... | ... | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | 4·50 | 6·20 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 4·00 | 6·00 | ... | | 5·75 | | ... | ... | ... | | ... | | ... |
| 3 Skins— | | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) ..... | Do ... | 1·25 | 6·50—7·50 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 1·00 | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | 7·00 | 7·00—8·50 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 6·00 | ... | ... | ... | | | ... | ... | ... | | ... | | 4·00 |
| (ii) Sheepskins— Raw. | (a) White | Do ... | 1·25 | 6·50—7·00 | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) Black | Do ... | 1·00 | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | 7·00 | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | Do ... | 6·00 | ... | ... | | 9·00 | | ... | ... | ... | | ... | | ... |
| 4 Ghee ... | (a) Agmark ... | Do ... | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) Upgraded ... | Do ... | 5·82 | 6·00 | ... | | 6·50 | | 6·00 | ... | ... | | ... | | ... |
| X. Fodder.— | | | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | Per quintal | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) Paddy | Per cart-load | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| 2 Straw ... | (a) Ragi | Do ... | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | ... | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| 3 Stalks ... | (a) Jola | Per quintal | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |
| | (b) ..... | ... | ... | ... | ... | ... | | | ... | ... | ... | | ... | | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| XI | **Condiments and Spices.—** | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 125·00 | 150·00—160·00 | ... | 210·00 | 90·00 | ... | 120·00 | ... | 275·00 |
| 2 | Tamarind ... | ... | ... | 94·00 | 80·00—85·00 | ... | ... | 45·00 | ... | 50·00 | ... | 120·00 |
| 3 | Dry Chillies ... | ... | ... | 885·00 | 255·00—300·00 | ... | 801·00 | 210·00 | ... | 340·00 | ... | 600·00 |
| 4 | Garlic ... | ... | ... | 90·00 | 50·00—75·00 | ... | ... | 80·00 | ... | 85·00 | ... | 150·00 |
| 5 | Pepper ... | ... | ... | 820·00 | ... | ... | ... | 400·00 | ... | ... | ... | 275·00 |
| 6 | **Cardamom** ... | ... | ... | 1,125·00 | ... | ... | ... | ... | ... | ... | ... | 1,100·00-1,700·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | **Timber** ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | **Rubber** ... | **Raw** ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES.

### Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 31st August 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | ... | 3·0 | ... | ... | 2.8 | 2·8 | ... | ... | 2·6 | 2·5 |
| 2 Rice ... | Do ... | ... | 1·6 | 2·0 | 1·5 | ... | 2.8 | 1·5 | 1·5 | 1·8 | 1·7 | 1·4 |
| 3 Wheat ... | White ... | ... | 2·6 | 2·0 | 2·4 | 1 8 | 2.9 | 2·2 | 1·6 | 2 | 2·2 | 1·3 |
| 4 Wheat Flour... | Do ... | ... | 2·0 | 1.25 | 1·6 | ... | 2.6 | 2·2 | 1·4 | 1·7 | 1 | 1·7 |
| 5 Jowar ... | Do ... | ... | 2·0 | 2.75 | 2·5 | 2 | 3·0 | 2·2 | 2 5 | ... | 2·3 | 2·1 |
| 6 Bajra ... | ... | ... | 2·5 | ... | 2·9 | ... | 2·6 | ... | ... | ... | ... | 2.3 |
| 7 Barley ... | ... | ... | 0·7 | ... | ... | ... | ... | ·7 | 0·5 | ... | ... | 0.8 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2.5 | 2·5 | 3·0 | 2.0 | 2.6 | 2·5 | 2·8 | 2·5 | 2·6 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·6 |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) ..... ... .... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 3·3 | ... | ... | ... | ... | | 2·7 | | | ... |
| (ii) Tapioca ... | ... | ... | 2·3 | ... | ... | ... | ... | | ... | | | |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | | ... | | | |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | | ... | | | |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | Per Rupee | 1·6 | 2·9 | 1·7 | 1·5 | 2·0 | 1·7 | 1·6 | | 1·5 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1·6 | ... | 1·2 | ... | 1·5 | 1·5 | | 1·5 | 1·5 |
| | (c) Flour ... | ... | ... | 1 | ... | ... | 1.8 | 1·4 | 1·4 | | ... | 1·5 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·3 | ... | 1·5 | 0·9 | ... | 1·7 | ... | | 2·1 | ... |
| | (b) Split (without skin). | ... | 1·5 | 1 | ... | 0 8 | ... | 1·1 | 1 | | 1 | 1·1 |
| 3 Moong ... | (a) Whole ... | ... | 1·2 | 1·25 | ... | ... | 1·6 | 1·5 | 1·7 | ... | 1·4 | 1·6 |
| | (b) Split (without skin). | ... | 1·1 | 1 | ... | ... | ... | 1·2 | 1·4 | ... | 1·2 | ... |
| | | | | | | | | 1 8 | | | | |
| 4 Urd ... | (a) Whole ... | ... | ... | 1 | ... | 1 | 1·2 | | 1·1 | ... | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | 0·9 | ... | ·9 | ... | ·8 | 0·8 | ·8 | ·8 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | 1·6 | ... | 1 | ... | | ... |
| | (b) Split (without skin). | ... | 1·2 | ... | ... | ... | ... | ... | 1·1 | ... | | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1·3 | 1·5 | ... | ... | 1·7 | 1·4 | 1·4 | ... | 1·4 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | ... | ... | 1·3 | 1·3 | ... | 1·2 | ... |
| (ii) Horsegram | ... | ... | 2·3 | 2 | | 2·5 | 2·3 | 2·5 | 2·3 | 2·3 | 3 | 2·1 |
| (iii) Cowpea ... | ... | ... | 1·3 | 2 | | ... | 1·3 | 1·5 | 1·5 | ... | ·2 | 1·3 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·3 | ·3 | | ·9 | ... | ·3 | ... | 5 | ·8 | ·8 |
| | (b) Sort II ... | ... | | 0·9 | | ·8 | 1 | ·8 | | 1 | ·9 | ·9 |
| 2 Sugar refined | D. 24 ... | ... | ... | ·885 | | ... | ... | ·9 | 1 | ·850 | ·50 | ·680 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·5 | ·5 | ·6 | ·6 | ·5 | ·5 | ·5 | ·410 | ·5 | ·5 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ·625 | ... | ... | ... | ... | ... |
| 3 Castor oil ... | ... | ... | ·5 | ... | ·5 | ·5 | ·6 | ·5 | ·400 | ·6 | ·4 | ·5 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ·5 | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·250 | ·850 | ·285 | ·350 | ·888 | ·800 | ·250 | ·850 | ·250 | ... |
| 7 Vanaspati ... | ... | ... | ... | ... | ·807 | ... | ·857 | ... | ... | ·410 | ·850 | ... |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·4 | ... | ... |
| (ii) Safflower ! ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | | Do | 0·55—0·60 | 0·25—0·75 | 0·87—0·81 | 0·87—0·85 | ... | 0·88—0·84 | 1·00 | 0·87 | 0·96 | 0·50 |
| 3 Oranges ... | | Do | ... | 0·75—2·50 | 0·3—0·4 | 0·60—1·75 | ... | ... | 3·50 | 2·00 | 2·50 | 2·00 |
| 4 Dates ... | | ... | ... | ... | 0·5 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | | 2·25 | | | .. | | 1·4 | 2·2 | | 2 |
| 2 Onions ... | | ... | | 3 | | | ... | | 2·5 | 2·8 | | 2·3 |
| 3 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ·160 |
| 2 Arecanuts ... | | ... | ... | ·120 | ·188 | ... | ... | ·120 | ·110 | ·200 | | ... |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | ... | ... | ... | ... | | 3·50 |
| VII Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Litre ... | ·95 | 1·00 | ·75 | ... | 0·65 | 0·65 | ... | ·84 | ·67 | 0.65 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·200 | ·285 | ... | ... | ... | ... | ·128 | ... | ... |
| | (b) Ungraded ... | ... | ... | ·300 | ... | ·888 | ... | ... | ·200 | ... | ... | ·180 |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·00 | 3·00 | 2·25 | 2·50 | 2·00 | 2·25 | ... | 2·25 | 2·00 | .. |
| | (ii) B Grade | Do | 2·50 | 2·50 | 1.50 | 2·09 | ... | 1·75 | ... | 2·00 | 1·75 | 1·92 |
| | (iii) C Grade | Do | 1·50 | 2·00 | ... | ... | ... | 1·50 | 2·35 | 1·68 | 1·62 | 1·66 |
| 4 Mutton ... | ... | ... | ·265 | ·300 | ·285 | ·266 | ... | 0·260 | ·889 | ·250 | ·280 | ·830 |
| 6 Beef ... | ... | ... | ·800 | ... | ... | ... | ... | ... | ... | | | ·575 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·6 | ... | ·6 | ·4 | | ·6 | | ·5 | ·5 | ·6 |
| 2 Tamarind ... | ... | ... | 1 | 1 | 1 | ·9 | | 1 | | 1 | ·8 | 1 |
| 3 Dry chillies ... | ... | ... | ·8 | ·8 | ·4 | ... | | ·8 | | ·8 | ·8 | ·2 |
| 4 Garlic ... | ... | ... | 1 | ·5 | 1 | ·9 | | ·1 | | 1 | ·9 | ·7 |
| 5 Pepper ... | ... | ... | ·325 | ·250 | ·209 | ·260 | | ·285 | | ... | ·860 | ... |
| 8 Cardamom ... | ... | ... | ·052 | ... | 0·68 | ... | | 0·70 | | ·58 | ·056 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | ... | 8 | 8 | 8 | ... | 11 | | 10 | 10 | 11 |
| 2 Kerosene oil ... | ... | Per Litre | 0·60 | ·48 | ·88 | 0·40 | ... | 0·50 | | ·55 | 0·52 | ·31 |
| 3 Firewood/ Charcoal. | ... | Quintal | ... | 6—8 | 6·25 | ... | ... | 9·80 | | 6 | ·19 | 5·25 |
| 4 Coarse cloth ... | ... | Per metre | 1·10 | 0·90 | ... | 1·25 | ... | 1·21 | ... | ... | 1·25 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... ... | | ... | 2·5 | ... | ... | ... | ... | 8·2 | ... | 2·8 |
| 2 Rice ... | Do ... ... | | 1·8 | 1·5 | ... | 1·6 | 1·8 | ... | 1·9 | ... | 1·5 |
| 3 Wheat ... | White ... ... | | 1·8 | 1·75 | ... | ... | 1·8 | 1·7 | ... | ... | ·2 |
| 4 Wheat Flour... | Do ... ... | | 1·8 | ·2 | ... | ... | 2 | 2·5 | ... | ... | ... |
| 5 Jowar ... | Do ... ... | | ·2 | 2 | ... | ... | 2 | 2·6 | 2 | ... | ... |
| 6 Bajra ... | ... ... | | ... | ... | ... | ... | ·2 | ... | 3 | ... | ... |
| 7 Barley ... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| 8 Maize ... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| 9 Ragi ... | ... ... | | 2·1 | 2·5 | ... | ... | | ... | ... | ... | 2 |
| 10 Other cereals... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (i) ..... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (ii) ..... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | ... | | | |
| (i) Sweet potatoes. | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (ii) Tapioca ... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (iii) Papaya ... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (iv) Groundnut cake flour | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... ... | | | 1·5 | ... | 1·5 | | ... | | ... | 1·6 |
| | (b) Split (without skin). ... | | ... | | ... | 1·4 | | ... | 1· | ... | 1·2 |
| | (c) Flour ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| 2 Arhar (Tur) ... | (a) Whole ... ... | | | ·2 | ... | ... | 1· | ... | ... | ... | ... |
| | (b) Split (without skin). ... | | ... | | ... | 1·3 | 1· | ... | 1·4 | ... | 1·1 |
| 3 Moong ... | (a) Whole ... ... | | ... | | ... | 1·8 | ... | ... | ... | ... | ... |
| | (b) Split (without skin). ... | | ... | | ... | ·1 | 1·1 | ... | ·4 | ... | ... |
| 4 Urd ... | (a) Whole ... ... | | ... | | ... | ... | 1·4 | ... | ... | ... | ... |
| | (b) Split (without skin). ... | | ... | | ... | ·6 | ·9 | ... | ... | ... | ... |
| 5 Masur ... | (a) Whole ... ... | | ... | 1·5 | ... | ... | 1 7 | ... | 1· | ... | ... |
| | (b) Split (without skin). ... | | ... | ... | ... | 1·2 | 1·4 | ... | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | 1·4 |
| | (b) Split (without skin). ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Horsegram | ... ... | | ·2 | 2·5 | ... | ... | ... | ... | 2·2 | ... | 2 |
| (iii) Cowpea ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | 7·16 | ... | ... | ·759 | ·840 | ... | ·8 | ... | ·880 |
| | (b) Sort II ... ... | | 8·25 | ... | ... | ... | ... | ... | ... | ... | ·888 |
| 2 Sugar refined | D 24 ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | ... ... | | ·5 | ·6 | ... | | ·88 | ... | ·6 | ... | ·5 |
| 2 Sesamum oil ... | ... ... | | ... | ... | ... | | ... | ... | ... | ... | ... |
| 3 Castor oil ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Mustard oil ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... ... | | ·800 | ... | ... | ... | ·2 | ... | ·200 | ... | ·800 |
| 7 Vanaspati ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) Refined Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ..... | ... | ... | ... | ... | ... | ... | — | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (I) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | ... | Per Dozen | | | ... | ... | ... | | | | |
| 2 | Plantains ... | ... | Do | | ... | ... | ·87 | ... | | | ... | ·90 |
| 3 | Oranges ... | ... | Do | ... | ... | ... | ... | ... | | | ... | ... |
| 4 | Dates ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 5 | Cashew kernals | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 6 | ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | ... | ... | 1·7 | 2·2 | ... | 2 | 1·8 | | 1·8 | ... | 1·6 |
| 2 | Onions ... | ... | ... | 2·5 | 3 | ... | 2 | 2·8 | | 3 | ... | 2·2 |
| 3 | ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | ·145 | ... | ... | ... | ... | | ... | ... | ·182 |
| 2 | Arecanuts ... | ... | ... | ·200 | ... | ... | ... | ·198 | | ... | ... | ·200 |
| VI. | Tobacco ... | Leaf ... | Per kg. | 5·00 | ... | ... | ... | — | | 5·00 | ... | ·800 |
| VII. | Live-stock products— | | | | | | | | | | | |
| 1 | Milk ... | ... | ... | ·100 | ... | ... | ... | ·58 | 1·00 | ·90 | ... | ·62 |
| 2 | Ghee ... | (a) Agmark ... | ... | ... | ... | ... | ·190 | ... ·163 | ... | ·125 | ... | ... |
| | | (b) Ungraded ... | ... | ·145 | ·153 | ... | ... | ... | ·285 | ... | ... | ... |
| 3 | Eggs ... | (i) A Grade | Per Dozen | 1·50 | ... | ... | 2·57 | 1·80 | 3·00 | ... | ... | 3.00 |
| | | (ii) B Grade | Do | 1·25 | ... | ... | 1·87 | 1·75 | ... | 2·25 | ... | 2·50 |
| | | (iii) C Grade | Do | 1·00 | 2·00 | ... | 1 65 | ... | ... | ... | ... | ... |
| 4 | Mutton ... | ... | ... | ·880 | ·807 | ... | ·880 | ... ·500 | ·250 | ·300 | ... | ·285 |
| 5 | Beef ... | ... | ... | | ·660 | ... | | ... | ·460 | ·600 | ... | |
| VIII. | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | ·5 | ·6 | ... | 6 | ... | ... | ... | ... | ·4 |
| 2 | Tamarind ... | ... | ... | 1 | ·1 | ... | ... | 1 | ... | ... | ... | ·8 |
| 3 | Dry chillies ... | ... | ... | ·2 | ·8 | ... | 3 | 8 | ... | ... | ... | ·8 |
| 4 | Garlic ... | ... | ... | 1 | ·1 | ... | ... | 1 | ... | 8 | ... | ·8 |
| 5 | Pepper ... | ... | ... | ·285 | ... | ... | ... | ·232 | ... | 7 | ... | ·7 |
| 6 | Cardamom ... | ... | ... | ·075 | ... | ... | ... | ... | ... | ... | ... | ·098 |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | 10 | ... | ... | ... | ·8 | ... | 10 | ... | ·8 |
| 2 | Kerosene oil ... | ... | Per Litre | 0·62 | ... | ... | ·45 | ·45 | ... | 37 | ... | 0·56 |
| 3 | Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | ·900 | ... | 7·50 | ... | ... |
| 4 | Coarse cloth ... | ... | Per Metre | 1·00 | ... | ... | ... | ... | ... | ·88 | ... | 0·95 |

.....

For *Chief Marketing Officer.*

## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

**Notification dated 1st July 1965.**

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 26th June 1965.*

**No. VS 26/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 26 attacks with 13 deaths from Small-pox was reported from the entire State, *viz.*, from the taluks of Coondapur and Bangalore north and from the city of Bangalore, *as against* 62 attacks with 12 death reported during the corresponding week of the previous year.

A total of 50 attacks with 8 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Srinivasapur, Balur and Mysore and from the towns of Srirangapatnam and Shimoga and from the City of Mysore, during the week *as against* 181 attacks with 75 deaths reported during the corresponding week of the last year.

A total of one attack with nil deaths from K.F. Disease was reported from Shimoga District *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever, infectious Hepatities and Influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 182 (39 in hospitals) for the week *as against* 330 (132 in hospitals during the corresponding week of the previous year, giving a calculated death rate of 9.9 (7.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 18.1 (11.4 exluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to Small-pox 1 due to other fevers, 25 due to dysentery and diarrhoea, 2 due to consumption and 150 due to all other causes, *as against* 27 due to other fevers, 25 due to dysentery and diarrhoea, 7 due to consumption and 270 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 65 (42 in hospitals) for the week *as against* 59 (26 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.1 (4.6 exluding hospital deaths) per mille of population (mid-year estimated), *as against* 11.9 (5.2 exluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths 1 was due to Malaria, 2 due to Typhoid, 5 due to other fever, 11 due to dysentery and diarrhoea, 2 due to consumption and 44 due to all other causes, *as against* 9 due to other fevers, 9 due to dysentery and diarrhoea, and 41 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amouted to 4 (4 in hospitals) for the week *as against* 21 (nil in hospitals) during the corresponding week of the previous year, giving a

calculated death rate of 1.3 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.2(nil excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to all other causes, *as against* 2 due to oher fevers 1 due to dysentery and diarrhoea and 18 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 6 (nil in hospitals) for the week *as against* 16 (4 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 2.3 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 61 (4.6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, and 5 due to all other causes *as against* 1 due to consumphion and 15 due to all other causes reported during the corres ponding week of the previous year.

The total mortality for Mangalore City amounted to 21 (2 in hospitals) for the week *as against* 2 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.1 (6.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.9 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths. 1 was due to Typhoid, 1 due to other fevers, 2 due to consumption and 17 due to all other causes, *as against* 2 due to all other causes reported during the corresponding week of the previous year.

69 ..... *Deputy Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore

Registered No. BG 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY JULY 22, 1965 (ASHADHA 31, SAKA ERA 1887) | No. 29

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday the 23rd June 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | Water Supply | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3-6-1965) | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| — | 1.5 | 7.1 | 26.0 | | ... Good | ... | Available | Sufficient | (1) |
| | 2. *Kolar District.* | | | | | | | | |
| | 1.9 | 7.0 | 26·4 | | ... Good | ... | Available | Sufficient | (2) |
| | 3. *Tumkur.* | | | | | | | | |
| 1 | 7.1 | 6 0 | 77.6 | | ... Good except for the prevalence of "Blackquarter" and "Foot and mouth disease" one village of Pavagada Taluk. | | Available | Sufficient | (3) |
| | 4. *Mysore District.* | | | | | | | | |
| | 2.0 | 14.9 | 19.4 | | Fair except in H.D. Kote taluk where it was reported that the crops were withering for want of rain. | Good | | | |
| | 5. *Mandya District.* | | | | | | | | |
| — | 0.7 | 6.3 | 6 2 | | Fair | | ... Available | Sufficient | (5) |
| | 6. *Hassan District.* | | | | | | | | |
| | 9.8 | 19.3 | 19.1 | | Fair except in Hassan Taluk where it was reported that the crops were withering for want of rain. | Good | ... Available | Sufficient | (6) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | 7. *Chickmagalur District.* | | | | | | | |
| 4 | 169.2 | 95.6 | 223.2 | 228.6 | Fair | | ... Available except in Chickmagalur Taluk. | Sufficient except in Chickmaga- | |
| | | 8. *Shimoga District* | | | | | | | |
| 4 | 48.3 | 68.5 | 69.3 | 120'6 | Fair | | ... Available | Sufficient | |
| | | 9. *Chitradurga District.* | | | | | | | |
| | 3.6 | 6.7 | 17.9 | 45.3 | Fair except in Challakere Taluk where it was reported that the crops were withering for want of rain. | Good | ... Available | Sufficient | |
| | | 10. *Bellary District.* | | | | | | | |
| | 4.7 | N.A. | 64.0 | | Fair | | ... Available | Sufficient | (9) |
| | | 11. *Bijapur District.* | | | | | | | |
| | 7.7 | N.A. | 58 0 | | | | ... Available | Sufficient except some parts Bilgi Taluk. | (10) |
| | | 12. *Belgaum District.* | | | | | | | |
| | 2.3 | N.A. | 6.5 | N A. | | | ... Available | Sufficient | (11) |
| | | 13. *Dharwar District.* | | | | | | | |
| | 34.2 | N.A. | 67.9 | | | | ... Available | Sufficient | (12) |
| | | 14. *North Kanara District.* | | | | | | | |
| | 171.1 | N.A. | 382.4 | N.A. | | | ... Available | Sufficien | (13) |
| | | 15. *Gulbarga District,* | | | | | | | |
| | 47.9 | N.A. | 100.1 | N.A. | | | ... Available | Sufficient | (14) |
| | | 16. *Raichur District.* | | | | | | | |
| | 9.8 | N.A. | 51.6 | | | | ... Available | Sufficient | (15) |
| | | 17. *Bidar District,* | | | | | | | |
| | 53.4 | N.A. | 93.8 | N.A. | | | ... Available | Sufficient | (16) |
| | | 18. *South Kanara District.* | | | | | | | |
| 7 | 202.4 | N.A. | 606.6 | N.A. | Fair | ... Good | ... Available | Sufficient | (17) |
| | | 19. *Coorg District.* | | | | | | | |
| 7 | 108.2 | N.A. | 137.6 | N.A. | Fair | ... Good | ... Available | Sufficient | (18) |

Remarks :—(1) Refers to 5 Taluks; (2) Refers 6 Taluks, (3) Refers to 8 Taluks, (4) Refers to 10 Taluks, (5) Refers to 5 Taluks, (6) Refers to 4 Taluks, (7) Refers to 5 Taluks, (8) Refers to 7 Taluks, (9) Refers to 3 Taluks, (10) Refers to 8 Taluks, (11) Refers to 5 Taluks, (12) Refers to 12 Taluks, (13) Refers to 9 Taluks, (14) Refers to 6 Taluks, (15) Refers to 7 Taluks, (16) Refers to 2 Taluks, (17) Refers to 6 Taluks, (18) Refers to 2 Taluks.

M. GANGARUDRAIAH, For *Director*.

# General Weekly Summary Report of Mysore State for the Week ending Wednesday the 23rd June, 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) No Rainfall during the week except in Anekal taluk.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Kar-Ragi and Paddy in Devanahalli taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

2 Kolar District.—
(a) Light showers in Malur, Gauribidanur, Gudibanda and Chintamani taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Siddalagatta and Chintamani taluks, paddy and Groundnut in Gudibanda taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

3 Tumkur District.—
(a) Light showers in Chiknaikanahalli, Tiptur and Gubbi Taluks.
(b) Sowing of Mungari crops, *viz.*, Jowar, Greengram and Castor in Chiknaikanahalli Taluk, Ragi in Madhugiri, Tumkur and Pavagada Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Chiknayakanahalli, Tumkur, Tiptur, Gubbi and Pavagada Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient
(g) Available.
(h) Generally good except for the prevalence of "Black Quarter' in some parts of Pavagada Taluk.

4 Mysore District,—
(a) Light showers in T.-Narasipur, Hunsur and Mysore Taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy and Ragi in T.-Narasipur and Yelandur Taluks was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Kollegal and Yelandur Taluks where insufficiency was felt.
(g) Available
(h) Generally Healthy.

5 Mandya District.—
(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk, Paddy, Sugarcane, and Ragi in Srirangapatna Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in some parts of K. R. Pet Taluk where insufficiency was felt.
(g) Available.
(h) Generally Health.

6 Hassan District.—
(a) No Rainfall during the week except in Belur taluk.
(b) Sowing of Ragi in Hassan Taluk, Ragi and Paddy in Belur Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—
(a) Light showers in Mudigere, Koppa, Kadur and N. R. Pura Taluks.
(b) Sowing of Jowar, G nut and Corriander in Kadur Taluk. Paddy, Ragi, Jowar and G.nut in Chickmagalur taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Tarikere Taluk where insufficiency was felt.
(g) Available except in Chickmagalur taluk where scarcity for fodder was felt.
(h) Generally Healthy.

8 Shimoga District.—
(a) Sufficient rainfall in Bhadravathi, Shikaripur and Chirthahalli taluks.
(b) Sowing of Paddy in Shimoga Taluk, Paddy and Ragi in Bhadravathi Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) Light showers in Hosadurga, Harihar and Holalkere Taluks.
(b) Sowing of Jowar, Cotton and Ground-nut in Harihar Taluk, Ragi and paddy in Holalkere and Chalakere Taluks was in progress
(c) Standing crops were fair except in Harihar taluk where ragi crop was partly affected by pest.
(d) Harvesting of summer Groundnut in Harihar and Chalkakere Taluks was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—
(a) Light showers in Harapanahlli and Sandur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of summer G. nut and Paddy in Harapanahalli Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—
(a) Light showers in Bilgi, Badami, Muddebihal, Mudhol, Sindgi, Bagewadi and Jamkhandi Taluks
(b) Sowing of Groundnut and Kharif jowar in Bilgi Taluk, G. nut in Mudhol, Bijapur and Jamkhandi Taluks, was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Bilgi Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—
(a) Light showers in Parasgod, Ramdurg, Sampagaon and Hukkeri Taluks.
(b) Sowing of G. nut and K. Jowar in Ramdurg Tq., Bargan, Same and paddy in Sampagaon Taluk; G. nut in Hukkeri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of cattle disease at one village of Ramdurg taluk.

13 Dharwar District.—
(a) Light showers in all the Taluks.
(b) Sowing of Paddy in Hubli, Kalghatgi, Hirekerur; Badgi and Dharwar Taluks, G. nut in Gadag and Shiranatti Taluks, Same, Navane, Ragi and G. nut in Haveri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 11 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of cattle disease at 5 villages of Navalgund Taluk.

14 North Kanara District.—
(a) Sufficient rainfall in most of the Taluks.
(b) Sowing of Paddy in Sirsi, Karwar and Mundgod Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Mundgod Taluk, where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—
(a) Light showers in Chincholi, Sedam, Yadgir, Gulbarga and Shorapur Taluks.
(b) Sowing of K. Jowar and G. nut in Sedam Taluk, G. nut and pulses in Afzalpur Taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—
(a) Light showers in Deodurg, Yelburga and Kustagi Taluks
(b) Sowing of Kharif crops in Yelburga, Sindhanoor Taluks, G. nut in Manvi Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of G. nut in Manvi Tq. was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—
(a) Light showers in Bhalki and Aurad Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—
(a) Sufficient rainfall in Udipi, Puttur, Karkala and Bantwal and Coondapur Taluks.
(b) Sowing of kharif crops was in progress in most of the taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District.—
(a) Light showers in Somwarpet and Virajpet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

....., For *Director of Statistics*.

10 Bellary District.—
(a) Light showers in Harapanahlli and Sandur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of summer G. nut and Paddy in Harapanahalli Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—
(a) Light showers in Bilgi, Badami, Muddebihal, Mudhol, Sindgi, Bagewadi and Jamkhandi Taluks
(b) Sowing of Groundnut and Kharif jowar in Bilgi Taluk, G. nut in Mudhol, Bijapur and Jamkhandi Taluks, was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Bilgi Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—
(a) Light showers in Parasgod, Ramdurg, Sampagaon and Hukkeri Taluks.
(b) Sowing of G. nut and K. Jowar in Ramdurg Tq., Bargao, Same and paddy in Sampagaon Taluk, G. nut in Hukkeri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of cattle disease at one village of Ramdurg taluk.

13 Dharwar District.—
(a) Light showers in all the Taluks.
(b) Sowing of Paddy in Hubli, Kalghatgi, Hirekerur, Badgi and Dharwar Taluks, G. nut in Gadag and Shiranatti Taluks, Same, Navane, Ragi and G. nut in Haveri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 11 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of cattle disease at 5 villages of Navalgund Taluk.

14 North Kanara District.—
(a) Sufficient rainfall in most of the Taluks.
(b) Sowing of Paddy in Sirsi, Karwar and Mundgod Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Mundgod Taluk, where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—
(a) Light showers in Chincholi, Sedam, Yadgir, Gulbarga and Shorapur Taluks.
(b) Sowing of K. Jowar and G. nut in Sedam Taluk, G. nut and pulses in Afzalpur Taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—
(a) Light showers in Deodurg, Yelburga and Kustagi Taluks
(b) Sowing of Kharif crops in Yelburga, Sindhanoor Taluks, G. nut in Manvi Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of G. nut in Manvi Tq. was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—
(a) Light showers in Bhalki and Aurad Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—
(a) Sufficient rainfall in Udipi, Puttur, Karkala and Bantwal and Coondapur Taluks.
(b) Sowing of kharif crops was in progress in most of the taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District.—
(a) Light showers in Somwarpet and Virajpet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

....., For *Director of Statistics*.

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING, SATURDAY, 3RD JULY 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 33 attacks with 11 deaths from Smallpox was reported from the entire State *viz.* from the towns of Ranibennur, from the taluks of Bangalore South, Bellary, Coondapur, Mangalore, Soundathi and Udipi and from the City of Bangalore, *as against* 7 attacks with 1 death reported during the corresponding week of the previous year.

A total of 61 attacks with 14 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Bangalore South, Gubbi, Kollegal, Koratagere, Periyapatna and Honnali and from the Cities of K G F. and Mysore, and from the towns of Shimoga and Yelandur during, the week *as against* 734 attacks with 276 deaths reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K.F. Disease was reported from Shimoga district, *as against* 1 attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious hepatitis and influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 127 (53 in hospitals) for the week *as against* 177 (64 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.9 (4.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.7 (6.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers, 11 due to Dysentery and diarrhœa, 5 due to consumption and 110 due to all other causes, *as against* 11 due to other fevers, 17 due to dysentery and diarrhœa, 4 due to consumption and 193 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 82 (35 in hospitals) for the week, giving a calculated death rate of 16.5 (9.5 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 3 were due to cholera, 1 due to Typhoid, 10 due to other fevers, 9 due to dysentery and diarrhœa, 4 due to consumption and 55 due to all other causes.

The total mortality for K. G. F. City amounted to 15 (15 in hospital.) for the week, giving a calculated death rate of 4.8 (4 8 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 15 were due to all other causes.

The total mortality for Belgaum city amounted to 33 (18 in hospitals) for the week *as against* 11 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 12.4 (5.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.2 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 1 due to dysentery and diarrhœa, 4 due to consumption and 27 due to all other causes, *as against* 1 due to consumption and 10 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 26 (12 in hospitals) for the week *as against* 12 (4 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.8 (4.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.1 (2'8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 3 were due to other fevers, and 23 due to all other causes, *as against* 1 due to other fevers, 2 due to dysentery and diarrhœa, and 9 due to all other causes reported during the corresponding week of the previous year.

77 ....., For *Director of Public Health.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 2nd July 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 2nd July 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mankathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice—I Sort | Mankathi | " | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | | Moora of 89·14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 85 00 |
| " | II Sort | " | 45 00 |
| Coconuts | Unhusked | 1,000 Nuts | 550 to 665 00 |
| " | Husked | " | 540 to 555 00 |
| Copra | | 100 kg. | 260 to 275 00 |
| Coconut Oil | I Class | 10 kg. | 45 60 |
| " | II Class | " | 43 60 |
| Cashew Kernels | | | |
| Cashew Nuts | | 100 kg. | 80 to 85 00 |
| Cardamoms | Mysore | 10 kg. | 220 to 260 00 |
| " | Coorg | " | 230 to 280 00 |
| Malabar Black Pepper | | 50 kg. | 185 to 195 00 |
| Tobacco | Chewing | 100 kg. | 480 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 55 to 65 00 |
| " | Husked Old | 50 kg. | ... |
| " | " New | " | 820 to 875 00 |
| Chillies | Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " | Kasaragod | " | ... |
| **RETAIL PRICES.** | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| **CATTLE FOOD.** | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 27 to 29 00 |
| Cotton Seeds | | " 64 kg. | 17 to 28 00 |
| Horsegram | | " 93·07 kg. | 56 to 58 00 |

74

.....
*Dy. Commr.*

Dated 9th July 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 9th July 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mankathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice—I Sort | Mankathi | " | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | | Moora of 89·14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 85 00 |
| " | II Sort | " | 45 00 |
| Coconuts | Unhusked | 1000 Nuts | 880 to 550 00 |
| " | Husked | " | 340 to 540 00 |
| Copra | | 100 kg. | 275 to 290 00 |
| Coconut Oil | I Class | 10 kg. | 46 80 |
| | II Class | " | 44 80 |
| Cashew Kernels | | | |
| Cashew Nuts | | 100 kg. | 80 to 85 00 |
| Cardamoms | Mysore | 10 kg. | 250 to 300 00 |
| " | Coorg | 10 kg. | 240 to 290 00 |
| | | " | |
| Malabar Black Pepper | | 50 kg. | 195 to 205 00 |
| Tobacco | Chewing | 100 kg. | 400 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | 45 to 65 00 |
| " | Husked Old | " | |
| " | " New | 50 kg. | 800 to 862 00 |
| Chillies | Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " | Kasaragod | " | ... |
| **RETAIL PRICES.** | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 6 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| **CATTLE FOOD.** | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 27 to 29 00 |
| Cotton Seeds | | " 64·00 kg. | 17 to 28 00 |
| Horsegram | | " 93 07 kg. | 56 to 58 00 |

78

....., *Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangaloro.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, JULY 29, 1965 (SHRAVANA 7, SAKA ERA 1887) | No. 30

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday, the 30th June 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

(From 3—6—1965)

**1. Bangalore District.**

Good

**2. Kolar District.**

Good

**3. Tumkur District.**

Good

**4 Mysore District.**

| | | | | |
|---|---|---|---|---|
| | | | Fair except in Kollegal taluk where it was reported that the Ragi crop was badly in need of rain. | Good |

**5. Mandya District.**

| | | | | |
|---|---|---|---|---|
| 6 | 15.5 | | Fair except in Malavalli where it was reported that the crops were in need of urgent rain. | Good |

**6. Hassan District.**

... Good

**7. Chickmagalur District.**

... Good

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 2 | 3 | 4 | 5 | 6 | | | | |

From 3—6—1965.

8. Shimoga District.

Good

9. Chitradurga District.

| | | | | | |
|---|---|---|---|---|---|
| 55.7 | Fair except in Challakere taluk where it was reported that the dry crops were withering for want of rain. | Good | | | |

10. Bellary District

Good

11. Bijapur District.

Good except for the prevalence of "Epizootic Aphtha at 9 villages of Muddebihal taluks".

12. Belgaum District

Good

13 Dharwar District.

Good except for the prevalence of cattle disease at two villages of Hubli taluk.

14. North Kanara District

Good

15. Gulbarga District.

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District

Good

19. Coorg District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 7 | 14.6 | .. | 279.1 | .. | do | Good | Available | ... | do | ... (19) |

REMARKS.— (1) Refers to 6 Taluks, (2) Refers to 7 Taluks, (3) Refers to 9 Taluks, (4) Refers to 8 Taluks, (5) Refers to 6 Taluks, (6) Refers to 4 Taluks, (7) Refers to 6 Taluks, (8) Refers to 3 Taluks, (9) Refers to 7 Taluks, (10) Refers to 6 Taluks, (11) Refers to 8 Taluks, (12) Refers to 5 Taluks, (13) Refers to 12 Taluks, (14) Refers to 7 Taluks, (15) Refers to 5 Taluks, (16) Refers to 7 Taluks, (17) Refers to 2 taluks, (18) Refers to 6 Taluks) (19) Refers to 2 Taluks,

M. GANGABUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 30th June 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) Harvest.
(e) General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week except in Ramanagaram Taluk
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Kar-Ragi and Paddy in Devanahally Taluk is in progress.
(e) Progress was fair in 3 Talukn.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Mulbagal. Devanahalli and Malur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Srinivasapur Taluk was in progress and the same was completed in Mulbagal Tq.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) Light showers in Chiknayakanahalli, Sira, Pavagada and Madhugiri Taluks.
(b) Sowing of Kharif Jowar. Greengram and Castor in Chiknayakanahalli Taluk, Jowar in Pavagada Taluk, Kar-Ragi in Madhugiri Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Chiknayakanahalli, Tumkur and Pavagada Taluks was in progress.
(e) Progress was fair in 6 Taluks
(f) Sufficient
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) Light showers in Hunsur. T. Narasipur and Krishnarajanagar Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Ragi and Paddy in T. Narasipur Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Kollegal Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall except in Nagamangala Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk, Paddy in Pandavapura Taluk. Paddy and Ragi in Malavalli Taluk. Paddy, Ragi and Sugarcane in Srirangapatna Tq. was in Progress.
(e) Progress was fair in 3 Taluks,
(f) Sufficient except in Nagamangala Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Hassan, Alur and Belur Taluks,
(b) Sowing of Potatoes and Ragi in Hassan Tq. Ragi in Belur and Arsikere Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of sugarcane in Alur Taluk was in progress.
(e) Progress was fair in 3 taluks,
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Chickmagalur District.—

(a) Light showers in Tarikere, Kadur, Mudigere, Koppa and Chikmagalur Taluks.
(b) Sowing of Jowar, G-Nut and Corriander in Kadur Taluk. Paddy in Sringeri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 5 taluks,
(f) Sufficient except in Tarikere Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy

8 Shimoga District.—

(a) No Rainfall during the week except in Bhadravathi Taluk.
(b) Sowing of Paddy and Ragi in Bhadravathi Taluk was in progress
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Bhadravathi Taluk was in progress.
(e) Progress was fair in Bhadravathi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy

9 Chitradurga District.—

(a) Light showers in Molakalmuru, Chitradurga, Harihar and Davanagere Taluks
(b) Sowing of Ragi and Paddy in Holalkere Taluk, Jowar and Sajje in Molakalmuru Taluk. Jowar, Ragi, Navane and Onion in Chitradurga Taluk Jowar, Cotton and G.nut in Harihar Taluk was in progress.
(c) Standing Crops were fair except in Harihar Taluk where Ragi was partly affected by pest.
(d) Harvesting of Summer G- Nut in Harihar, Challakere and Hiriyur Taluks was in progress.
(e) Progress was fair in 7 Taluks
(f Sufficient
(g) Available.
(h) Generally healthy.

10 Bellary District.—

(a) Light showers in Sandur, Siruguppa, Harapanahalli, Hospet and Hadagali Taluks.
(b) Sowing of Kharif Crops in Siruguppa, Hospet and Kudligi Taluks was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of "Cattle Disease" at one village of Hadagali taluk.

11 Bijapur District.—

(a Light showers in Jamkhandi, Bilgi, Bagewadi, Sindgi, Hunguud and Indi Taluks.
(b) Sowing of khariff crops in Jamkhandi. Bagewadi. Muddebihal, Sindhgi, Hungund and Indi Taluks G. nut and Jowar in Bilgi Taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Cattle diesease in a few villages of Muddebihal Taluk.

12 Belgaum District.—

(a) Light showers in Belgaum and Hukkeri Taluks.
(b) Sowing of Kharif Jowar and G nut in Ramdurg Taluk. G. nut in Hukkeri Taluk, Kharif Crops in Raibhag Taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 5 Taluks,
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) Light showers in most of the Taluks
(b) Sowing of Paddy and Kharif crops in Hirekerur Taluk. G. nut and Ragi in Shiggaon Taluk. Onion and G. nut in Gadag Taluk. G. nut in Navalgund, Ron and Haveri Taluks was in progress.
(c) Standing crops were fair.
(d Nil.
(e) Progress was fair in 11 Taluks
(f) Sufficient except in one village of Gadag Taluk, where insufficiency of water was felt.
(g) Available.
(h) Generally healthy except for the prevalance of Cattle disease at 2 villages of Hubli Taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Yellapur, Supa, Sirsi, Honnavar, Mundgod, Haliyal and Ankola Taluks.
(b) Sowing of Paddy in Haliyal taluk was in progress
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District

(a) Light showers in Gulbarga, Yadgir, Afzalpur, Sedam and Chincholi Taluks.
(b) Sowing of Kharif Crops in Gulbarga, Yadgir, Afzalpur and Chincholi Taluks, Tur, Kangani, G. nut, Sesamum and Jowar in Sedam Taluk was in progress.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

16 Raichur District.—

(a) Light showers in Lingasugur, Manvi, Sindhanoor, Yelburga, and Kustagi Taluks
(b) Sowing of Kharif crops in Lingasugur, Deodurg, Yelburga and Kustagi Taluks. G. nut in Manvi Taluk was in progress,
(c) Standing crops were fair,
(d) Nil.
(e) Progress was fair in 4 Taluks
(f) Sufficient,
(g) Available.
(h) Generally healthy

17 Bidar District.—

(a) Light showers in Aurad and Bhalki Taluks,
(b) Nil.
(c) Standing crops were fair
(d) Nil,
(e) Progress was fair in Bhalki Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Sufficient Rainfall in Coondapur Udipi, Buntwal, Puttur and Belthangadi Taluks.
(b) Transplanation of Kharif crops in Coondapur Udipi, Buntwal, Puttur and Belthangadi Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient,
(g) Available.
(h) Generally healthy

19 Coorg District —

(a) Sufficient rainfall in Somwarpet and Virajpet Taluks.
(b) Nil,
(c) Standing Crops were fair
(d) Nil,
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRIAH, For *Director*.

## Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of March 1965.

| Rainfall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **1. Bangalore District.** | | | | | | | | | |
| ... | ... | | | | | | | | |
| **2. Kolar District.** | | | | | | | | | |
| 62 | ... | | | | | | | | |
| **3. Tumkur District.** | | | | | | | | | |
| 60 | ... | | | | | | | | |
| **4. Mysore District.** | | | | | | | | | |
| 68 (Avg. of 2 taluks) | 23 | | | | | | ... | 50 (Avg. of 2 taluks) | |
| **5. Mandya District.** | | | | | | | | | |
| 70 | 50 | | | | | | | | |
| **6. Hassan District.** | | | | | | | | | |
| ... | 63 | 38 | | | | | | | |
| **7. Chickmagalur District.** | | | | | | | | | |
| ... | 56 | 56 | | | | | | | |
| **8. Shimoga District.** | | | | | | | | | |
| 62 | 62 | | | | | | | | |
| **9. Chitaldurga District.** | | | | | | | | | |
| 50 | ... | | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | **10. Bellary District.** | | | | |
| | | | | | 51 (Avg. of 4 Tqs.) | 47 (Avg. of 2 tqs.) | 55 (Avg. of 8 Tqs.) | 43 | 55 (Average of 5 taluks) |
| | | | | | **11. Bijapur District.** | | | | |
| | | ... | ... | | 62 | ... | 87 | | Cotton—87, Wheat—87 |
| | | | | | **12. Belgaum District.** | | | | |
| | | Normal | | | 44 | 39 | 68 | | Wheat—40, Cotton—34, Chillies—44, Tobacco—44, |
| | | | | | **13. Dharwar District.** | | | | |
| | | | | | 42 | 45 | | | G. nut-45, Cotton-43, Safflower-65 Wheat-40, Chillies-87, Savi-56. |
| | | | | | **14. North Kanara District.** | | | | |
| | | | ... | | 50 | 46 | | | |
| | | | | | **15. Gulbarga District.** | | | | |
| | | | ... | | ... | ... | | | ..... |
| | | | | | **16. Raichur District.** | | | | |
| | | | | | 48 | ... | | | G. nut-31, Cotton-44, Gram-31, Navane-37 |
| | | | | | **17. South Kanara District.** | | | | |
| | | | | | 50 | ... | | | |
| | | | | | **18. Bidar District.** | | | | |
| | | | ... | | ... | | | | |
| | | | | | **19. Coorg District.** | | | | |
| | | | ... | | ... | | ... | | ..... |

M. GANGARUDRIAH,
For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for March 1965.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops.
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient
(b) Transplantation of Paddy was in progress in Channapatna Taluk
(c) ...
(d) Nil
(e) Available
(f) Generally healthy.
(g) Dificient.
(h) Nil
(i) ...

2 Kolar District.—

(a) Sufficient.
(b) Transplantation of Paddy was in progress throughout the District.
(c) Generally fair.
(d) Harvesting of Sugarcane was in progress.
(e) Available.
(f) Generally healthy.
(g) Scanty.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy in Turuvekere taluk, was in progress.
(c) Generally fair.
(d) Harvesting of Paddy, in Tumkur taluk was in progress.
(e) Available.
(f) Generally healthy.
(g) Dificient.
(h) Nil.
(i) ...

4 Mysore District.—

(a) Sufficient.
(b) Paddy was being transplanted in Chamarajanagar taluk.
(c) Generally fair.
(d) Sugarcane was being Harvested in Yelandur taluk.
(e) Available.
(f) Generally healthy.
(g) Scanty.
(h) Nil
(i) ...

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane and Kar-Paddy in Maddur, Srirangapatna and Pandavapura taluks was being completed.
(c) Generally fair.
(d) Sugarcane was being harvested in Maddur, Malavally, Mandya and Srirangapatna taluks.
(e) Available.
(f) Good except for the prevalance of Cattle disease at 1 village of Malavally taluk.
(g) Nil.
(h) Nil
(i) .....

6 Hassan District.—

(a) Sufficient.
(b) Transplantation of Kar-Paddy in some parts of Alur taluk and Kar-Ragi in Holenarasipur taluk was being done.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Nil.
(h) Nil.
(i) ...

7 Chickmagalur District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Deficient.
(h) Nil.
(i) ...

8 Shimoga District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Scanity.
(h) Nil.
(i) .....

9 Chitradurga District.—

(a) Adequate.
(b) Sowing of G. nut and Transplantation of Paddy in Challakere taluk was in progress.
(c) Generally fair.
(d) Picking up of Cotton in Chillakere and Harihar taluks was in progress.
(e) Available.
(f) Generall healthy.
(g) Scanty.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Sufficient except in Siruguppa taluk.
(b) Transplantation of summer Paddy in Sandur taluk was in progress.
(c) Generally fair.
(d) Harvesting of Sugarcane and Jowar in Hospet taluk Sugarcane and Cotton in Siruguppa and Harapanahalli taluks was in progress.
(e) Available.
(f) Good except for the prevalence of "Cattle disease" in some villages of Siruguppa taluk.
(g) Scanty.
(h) Nil.
(i) Refers to 6 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi crops was completed.
(e) Available.
(f) Generally healthy
(g) Nil
(h) Nil
(i) .....

12 Belgaum District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Cotton was in progress throughout the District
(e) Available.
(f) Generally healthy
(g) Normal.
(h) Nil
(i) .....

13 Dharwar District.—

(a) Sufficient.
(b) Nil.
(c) Nil.
(d) Harvesting of Rabi, Jowar and Cotton was in progress throughout the District.
(e) Available.
(f) Good except for the prevalence of cattle disease at 2 villages of Naragund taluk.
(g) Normal.
(h) Nil.
(i) Refers to 13 taluks.

14 North Kanara District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi crop was in progress.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) ...

15 Gulbarga District—

(a) Sufficient.
(b) Nil.
(c) Generally healthy.
(d) Harvesting of Rabi crops was in progress in Chincholi and Yadgir Taluks.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) ...

16 Raichur District—

(a) Sufficient.
(b) Nil.
(c) Nil.
(d) Harvesting of Rabi-jowar was in progress.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) ...

17 Bidar District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Sugarcane and Rabi-jowar in Humnabad Tq.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) ...

18 South Kanara District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Harvesting of II Crop Paddy was all most completed.
(e) Available
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) ...

19 Coorg District—

(a) Sufficient.
(b) Nil.
(c) Nil.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Scanty.
(h) Nil.
(i) ...

.....

For *Director of Statistics.*

OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH BUREAU EPIDEMIOLOGY, BANGALORE.

Datad 10th July 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, 10TH JULY 1965.

**No. VS 28/SPH/65-66** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively,

A total of 7 attacks with 1 death from smallpox was reported from the entire state *viz.*, from the town of Ranibennur from the taluks of Kustagi, Lingasugur, Coondapur and Mangalore, as against 11 attacks with 5 deaths reported during the corresponding week of the previous year.

A total of 42 attacks with 12 deaths from Cholera was reported for the entire state *viz.*, from the taluks of Honnali, Kollegal and from the Town of Madhugiri and from the city of Mysore, during the week as against 253 attacks with 85 deaths reported during corresponding week of the last year.

A total of 3 attacks with nil deaths from K. F. disease was reported from Shimoga District, as against nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, infectious Hepatities and Influenza in epidemic form as against nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 378 (197 in hopitals) for the week as against 175 (82 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 20.5 (14.7 excluding hospital deaths) per mille of population (mid-year estimated) as against 9.6 (5.1 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 3 were due to smallpox, 4 due to other fevers, 42 due to Dysentery and Diarrhoea, 12 due to consumption and 317 due to all other causes, as against 15 due to other fevers, 17 due to Dysentery and Diarrhoea, 2 due to consumption and 141 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 18 (6 in hospitals for the week giving a calculated death rate of 3.6 (2.4 excluding hospital deaths) per mille of population (mid-year estimated).

Classified according to causes of deaths, 1 was due to Typhoid 3 due to other ferors, 3 due to Dysentery and Diarrhoea 1 due to consumption and 10 due to all other causes.

The total mortality for K. G. F. City amounted to 19 (16 in hospitals) for the week as against 4 (1 in hospital)

during the corresponding week of the previous year, giving a calculated death rate of 5.3 (5.2 excluding hospital deaths) per mille of population (mid-year estimated, as against 1.4 (1-0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 16 due to all other causes only as against 1 due to Dysentery and Dirrhoea, and 3 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum city amounted to 31 (12 in hospitals) for the week as against 30 (17 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 11.7 (7.2 excluding Hospital deaths) per mille of population (mid-year estimated ) as against 11. 5 (5.0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, . was due to other fevers, 3 due to Dysentery and Diarrhoea, 4 due to consumption and 23 due to all other causes, as against 2 due to other fevers, 1 due to Dysentery and Diarrhoea, and 27 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 43 (31 in hospitals) for the week as against 8 (Nil in hospitals) during the corresponding week of of the previous year giving a calculated death rate of 14.5(4.1 excluding hospital deaths) per mille of population (mid-year estimated) as a ainst 2.8 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to consumption and 40 due to all other causes, as against 8 due to all other causes only reported during the corresponding week of the previous year.

9356 .....
For *Deputy Director of Public Health.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY AUGUST 5, 1965 (SHRAVANA 14, SAKA ERA 1887) | No. 31

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the Week ending Wednesday the 7th July 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | **(From 3-6-1965)** | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 3.8 | 16.9 | 50.6 | | 75.8 | Fair ... | Good ... | | Available | Sufficient (1) |
| | 2. *Kolar District.* | | | | | | | | |
| 5.4 | 17.0 | 24'4 | | 64.7 | Fair except in Siddlaghatta taluk where it was reported that the standing crops were withering for want of rain. | Good except for the prevalence of "Black Quarter" at one village of each of Chintamani and Gouribidanur taluks. | | Available | Sufficient (2) |
| | 3. *Tumkur District.*— | | | | | | | | |
| 13.1 | 16.2 | 110.8 | | 63.4 | Fair ... | Good except for the prevalence of "Blackquarter" at one village of each of Koratagere and Pavagada taluks. | | Available | Sufficient (3) |
| | 4. *Mysore District.* | | | | | | | | |
| 16.7 | 14.9 | 46.0 | | | Fair except in Gundlupet, H. D. Kote and K. R. Nagar taluks where it was reported that the crops were withering for want of rain. | Good | | | |
| | 5. *Mandya District.* | | | | | | | | |
| 1.1 | 10.0 | 16.6 | | | Fair except in Nagamangala taluk where it was reported that the kar paddy was withering for want of rain. | Good | ... | Available | Sufficient (5) |
| | 6. *Hassan District.* | | | | | | | | |
| 19.4 | 68.1 | 80.8 | | | Fair except in Channarayapatna taluk where it was reported that the crops were in need of urgent rains. | Good | ... | Available | Sufficient |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 7. *Chickmagalur District.* | | | | | | | | |
| 3 | 30.5 | 108.9 | 369.3 | 422.2 | Fair except in Chickamagalur taluk where it was reported that the dry crops were withering for want of rain. | Good | ... Available. | Sufficient except in Tarikere taluk. | (7) |
| | 8. *Shimoga District* | | | | | | | | |
| 4 | 22.6 | 157.9 | 367.6 | 559·4 | Fair | | | | |
| | 9. *Chitradurga District.* | | | | | | | | |
| | 2.1 | 13.1 | 39.9 | 67.4 | Fair except in Molakalmur and Challakere taluks where it was reported that the dry crops were withering for want of rain. | Good | | | |
| | 10. *Bellary District.* | | | | | | | | |
| | 0.5 | N.A. | 68.6 | | Fair | | | | |
| | 11. *Bijapur District.* | | | | | | | | |
| | 13.1 | N.A. | 98.1 | | | | ... Good except for the prevalence of cattle disease in some villages of Muddebihal taluk. | Available | Sufficient |
| | 12. *Belgaum District.* | | | | | | | | |
| | 19.2 | N.A. | 76.8 | N.A. | | | ... Good | | |
| | 13. *Dharwar District.* | | | | | | | | |
| | 9.5 | N.A. | 103.9 | N.A. | | | ... Available | Sufficient except in Gadag Tq. | (12) |
| | 14. *North Kanara District.* | | | | | | | | |
| | 86.5 | N.A. | 500.3 | N.A. | | | | | |
| | 15. *Gulbarga District.* | | | | | | | | |
| | 42.4 | N.A. | 180.3 | N.A. | | | ... Available | Sufficient | (14) |
| | 16. *Raichur District.* | | | | | | | | |
| | nil | N.A. | 59.8 | | Fair except in Koppal taluk where it was reported that the crops were in need of urgent rains. | Good | ... Available | Sufficient | (15) |
| | 17. *Bidar District.* | | | | | | | | |
| | 22.7 | N.A. | 168.5 | N.A. | Fair | | ... Available | Sufficient | (16) |
| | 18. *South Kanara District.* | | | | | | | | |
| 7 | 185.2 | N.A. | 134.3 | N.A. | Fair | ... Good | ... Available | Sufficient | (17) |
| | 19. *Coorg District.* | | | | | | | | |
| 5 | 40.0 | N.A. | 304.7 | N.A. | Fair | ... Good | ... Available | Sufficient | (18) |

Remarks :—(1) Refers to 6 Taluks, (2) Refers to 7 Taluks, (3) Refers to 6 Taluks, (4) Refers to 7 Taluks, (5) Refers to 6 Taluks, (6) Refers to 3 Taluks, (7) Refers to 3 Taluks, (8) Refers to 6 Taluks, (9) Refers to 3 Taluks, (10) Refers to 5 Taluks, (11) Refers to 5 Taluks, (12) Refers to 8 Taluks, (13) Refers to 7 Taluks, (14) Refers to 3 Taluks, (15) Refers to 6 Taluks, (16) Refers to 1 Taluk, (17) Refers to 6 Taluks, (18) Refers to 1 Taluk.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 7th July 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Nelamangala and Anekal taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Kar Paddy and Ragi in Devanahalli taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Kanakapura taluk where insufficiency of water was felt.
(g) Available except in Kanakapura taluk where scarcity for fodder was felt.
(h) Generally Healthy.

2 Kolar District.—

(a) No Rainfall during the week except in Malur Taluk.
(b) Sowing of Kar-Ragi in Gowribidanur and Bangarpet taluks was in progrets.
(c) Standing Crops were fair except in Sidlaghatta taluk where it was reported that the crops were withering for want of rain.
(d) Harvesting of Summer paddy in Sidlaghatta, Bangarpet and Chintamani taluks, was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Good except for the prevalence of "Black Quarter" at 1 village of Gowribidanur taluk and 2 villages of Chintamani taluk.

3 Tumkur District.—

(a) Light showers in Pavagada, Gubbi, Chikanaikanahalli and Turuvekere taluks.
(b) Sowing of Jowar, in Pavagada Taluk, Mungar Jowar, Green-gram and Castor in Chiknaikanahalli Taluk, was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Pavagada, Gubbi Tumkur, and Chicknayakanahalli Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Turuvekere taluk where insufficiency was felt.
(g) Available.
(h) Good except for the prevalence of 'Black Quarter" at 2 villages of Pavagada Taluk.

4 Mysore District.—

(a) Light showers in T.-Narasipur, Hunsur Heggadadevanakote, Kollegal and K. R Nagar taluks.
(b) Sowing of paddy in Heggadadevanakote taluk was in progress.
(c) Standing Crops were fair except in Gundlupet Tq. where jowar crop was withering for want of rain.
(d) Harvesting of Kar-Paddy and Ragi in T.-Narasipur Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Kollegal Taluk where insufficiency of water was felt.
(g) Available except in Heggadadevanakote taluk where scarcity for fodder was felt.
(h) Generally Healthy.

5 Mandya District.—

(a) No Rainfall during the week except in Maddur and Malavalli taluks.
(b) Transplantation of paddy in Srirangapatna taluk was in progress.
(c) Fair except in Malavalli taluk where it was reported that the dry crops were in need of rains.
(d) Harvesting of Kar-paddy and Ragi and Sugarcane in Srirangapatna and Malaval i Taluks Sugarcane and karpaddy in Maddur taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Nagamangala Taluk where insufficiency was felt.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—

(a) Light showers in Belur and Manjarabad Taluks.
(b) Sowing and Transplantation of Ragi in Belur Taluk Paddy in Manjarabad Taluk, was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Channarayapatna Taluk where insufficieney was felt.
(g) Available except in Channarayapatna Taluk where scarcity for foodder was felt.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) Light showers in Sringeri, Tarikere and Chickmagalore Taluks.
(b) Sowing and Transplantation of paddy in Sringeri Taluk was in progress.
(c) Fair except in Chickmagalore Taluk where dry crops were badly in need of rains.
(d) Nil.
(e) Progress was fair in Sringeri Taluk.
(f) Sufficient except in Tarikere Taluk where insufficieney was felt.
(g) Available.
(h) Generally Healthy.

8 Shimoga District.—

(a) Sufficient rainfall in Honnali Bhadravathi, Thirthahalli and Shikaripur taluks.
(b) Sowing of Paddy and Ragi in Bhadravathi Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) Light showers in Challakere, Davangere and Holalkere, Taluks.
(b) Sowing of Ragi in Hosadurga, Challakere and Holalkere Taluks was in progress
(c) Fair except in Holalkere Taluk where crops were affected by insects.
(d) Harvesting of Groundnut in Challakere Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

10 Bellary District.—

(a) No rainfall during the week except in Sandur Taluk
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) Light showers in Muddebihal, Badami, Sindagi and Indi Taluks.
(b) Sowing of Kharif crops in Badami, Sindagi and Indi Taluks jowar in Mudhol, taluk, was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalance of cattle disease at 6 villages of Muddebihal Taluk.

12 Belgaum District.—

(a) Light showers in Gokak, Belgaum and Parasgod Taluks.
(b) Sowing of Kharif crops in Gokak Tq., G. nut and K. Jowar in Ramdurg Taluk, Jowar in Parasgod Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

13 Dharwar District.—

(a) Light showers in Haveri, Shiggaon, Hangal, Shirahatti, Kalghatgi and Nargund Taluks.
(b) Sowing of G. nut and Jowar in Haveri Taluk G.nut in Shirahatti Taluk, was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 7 Taluks.
(f) Sufficient except in 1 village of Gadag Taluk, where insufficiency was felt.
(g) Available.
(h) Good nxcept for the prevalance of cattle disease at 1 village of Nargund taluk.

14 North Kanara District.—

(a) Sufficient in Ankola, Yellapur, Sirsi, Siddapur, Mundgod, Supa and Haliyal Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in some parts of Mundgod Taluk where insufficiency was felt.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—

(a) Light showers in Chitapur and Chincholi Taluks.
(b) Sowing of Khariff crops in Chitapur Taluk, Tur, Kangani, G. nut and Khariff Jowar in Sedam Taluk, was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Sowing of Kharif crops in Yelburga and Raichur Taluks, was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—

(a) Light showers in Aurad Taluk.
(b) Sowing of Khariff crop was completed in Aurad Taluk
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—

(a) Sufficient rainfall in Puttur, Belthangadi, Mangalore, Bantwal and Coondapur Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District.—

(a) Light showers in Somwarpet Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

M. GANGARUDRAIAH, For *Director of Statistics.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 15 th September 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 48·00 | 30·00—36·00 | ... | 34·00 | 37·00 | 44·00 | ... | ... | 38·60 | 42·00 |
| | (b) Medium ... ... | | 34·00 | 25 00—32·00 | 34·00 | 38·00 | 36 00 | 42·00 | ... | ... | 33·20 | 38·50 |
| | (c) Coarse ... ... | | ... | 28·00—28 00 | 31·00 | 32 00 | 35·00 | 38·50 | ... | ... | ... | 36·00 |
| 2 Rice ... | (a) Fine ... ... | | 68·00—78·00 | 74·00—78·00 | 73·00—74·00 | 70·00 | 72·00 | 68·00—50·00 | ... | 72·50 | 71 00 | 74·50 |
| | (b) Medium ... ... | | 60·00—64·00 | 62·00—68·00 | 70 00 | 62·00 | 58·00 | 65·01 | ... | 69·00 | 66·00 | 68·75 |
| | (c) Coarse ... ... | | 58·00—62·00 | 56·00—60 00 | 61·00—64·00 | 52·00 | 50·00 | 61·00—62·00 | ... | 60·00 | 59·00 | 66·00 |
| 3 Wheat ... | White ... ... | | 29·00 | 48·00—50·00 | 40·00—41·00 | 42·00 | 39·00 | 42·00—44·00 | ... | 47·75 | 46 00 | 65·00 |
| Wheat Flour | ,, ... ... | | .. | 65·00—76·00 | | 62·00 | 40·00 | 45·00 | ... | 58·50 | 58·00 | ... |
| 4 Jowar ... | ,, ... ... | | 38·00—44·00 | 40·00—42·00 | 37 00—38·00 | 40·00 | 38·00 | 40·00 | ... | 39·50 | 42·50 | 41·50 |
| 5 Bajra ... | ... ... | | 31·00—38 00 | ... | 32·00—34·00 | ... | 39·00 | .. | ... | ... | ... | 31·50 |
| 6 Barley ... | ... ... | | 140·00 | ... | ... | ... | ... | 150·00—180·00 | ... | ... | ... | ... |
| 7 Maize ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... ... | | 35·00—39·00 | 35·00—40·00 | 32·00—33·00 | 38·00 | 37·00 | 38·00—40·00 | ... | 36·50 | 37·00 | 32·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops — | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... ... | | ... | ... | ... | ... | ... | ... | ... | 27·50 | 25·00 | ... |
| (ii) Tapioca | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | 35·00 | ... |
| (iii) Papaya | ... ... | | 30·00—35·00 | ... | 20—00 | 20·00 | 25·00 | ... | ... | ... | ... | ... |
| (iv) Ground-nut cake flour | ... ... | | ... | ... | ... | ... | 39·00 | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... ... | | 53·00 | 55·00—60·00 | 71·00—72·00 | 60·00 | 49 00 | 55·00—60·00 | | 52·50 | 56 50 | 58·00 |
| 2 Arhar (Tur.) ... | ... ... | | 65·00 | ... | 65·00 | 65·00 | 56·00 | 55 00—62·00 | | 42·00 | 47·00 | ... |
| 3 Mung ... | ... ... | | 51·00—69·00 | 60·00—61·00 | 65·00 | ... | ... | 62 00—65·00 | | 51·00—56·00 | 58·00 | ... |
| 4 Urd ... | ... ... | | ... | 65 00—72 00 | 64·00—65·00 | 75·00 | 80·00 | 70·00—76·00 | | 75·00—76·00 | 79·00 | ... |
| 5 Masur ... | ... ... | | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | ... ... | | 58·00 | ... | 49·00—50·00 | 65·00 | 57·00 | 66·00—68·00 | | ... | 60·00 | ... |
| (ii) Horsegram | ... ... | | 35·00 | 40·00—42·00 | 34 00—36 00 | 38 00 | 35·00 | 37·00—39·00 | | 44·50 | 31 00 | 36·50 |
| (iii) Cowpea | ... ... | | 55·00—65·00 | 55·00—68·00 | 48 00—50·00 | ... | 55 00 | 60 00—70·00 | | ... | 71·00 | 47 50 |
| I. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sor II | | 110·00—126·00 | 95·00—120 00 | 115·00 | 105·00 | 90 00—110·00 | 120·00 | | 90·00 | 120·00 | 120·00 |
| | (b) Sor II | | | 85·00—9 ·00 | 100·00 | 100·00 | 90·00—95·00 | 100·00 | | 80·00 | 110·00 | 108 00 |
| 2 Sugar refined | 24 | | 118·00—123·00 | 119·00—120·00 | | ... | 118·00 | 115·00 | | 120 00 | 119·00 | 116·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P |
| 1 | Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 | Groundnut ... (a) Unshelled... | .. | 40·00—70·00 | 34·00—40·00 | 56·50 | 60·00 | 65·00 | ... | ... | 76·80 | 75·10 | 71·00 |
| | (b) Machine shelled. | ... | 76·00—85·00 | 90·00—98·00 | 90·08 | ... | 99·00 | ... | ... | ... | 88·00 | 95·00 |
| | Groundnut Oil | ... | 200·00 | 185·00—200·00 | 180·00—190·00 | 220·00 | 200·00 | 200·00 | ... | ... | 186·00 | 192·00 |
| | Groundnut Oil-cake. | ... | ... | ... | 89·00 | 43·00 | 40·00 | ... | | ... | 40·25 | 40·00 |
| | Sesamum ... (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 95·00 | 75·00—100·00 | ... | ... | 96 00 | ... |
| | Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Castor Seed ... | ... | ... | ... | 58 00 | ... | ... | 65·00—75·00 | ... | .. | 60 00 | 54·00 |
| | Castor Oil ... | ... | ... | 200·00—210·00 | 170·00—190·00 | 225·00 | 150·00—160·00 | 195·00 | .. | 178 50 | 180·00 | 180·00 |
| | Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... |
| 4 | Rape and Mustard. (a) Black ... | ... | ... | ... | ... | ... | 100·00 | ... | ... | ... | 98·00 | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Linseed ... (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Coconnut ... (a) Nuts ... | ... (Per (thousand) | 180·00—280·00 | 200·00—250·00 | 280·00 | 200·00—260·00 | 230·00 | 220·00—250·00 | ... | 409·00 | 250·00 | 220 00 |
| | (b) Copra - | per quintal | 250·00 | 200·00—230·00 | ... | 229·00—225 00 | ... | 230·00—240 00 | ... | 275·00 | 800·00 | 242·00 |
| | Coconnut Oil... | ... | 323·00 | 260·00—280·00 | 850·00 | 850·00 | 290·00 | 320·00 | ... | 286·50 | 385·00 | 320·00 |
| | Coconnut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | Other Oilseeds (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | Vegetable Oil (i) Vanaspathi | ... | 295·00 | ... | 800·00—850·00 | ... | 280·00 | ... | ... | 281·00 | 800·00 | 825·00 |
| 10 | Other Oils ... (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 242·00 | ... | ... |
| | (iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Fruits Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | ... Per gross | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 2 | Plantains ... | ... Do | 5·00—8·00 | 5·00—7·00 | 6·00—8·00 | 4·00—9·00 | ... | 4·00—9·00 | | 7·25 | 6·00 | 4·40 |
| 3 | Oranges ... | ... Do | ... | 16·00—80·00 | 18·00—20·00 | 15·00 | ... | ... | | 17·50 | 15·00 | ... |
| 4 | Dates ... | ... ... | ... | ... | 150 00—200·00 | ... | ... | ... | | ... | ... | ... |
| 5 | Cashew Kernals, etc. | ... ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | ... ... | 18·00—28·00 | 25·00—32·00 | 45·00—50.00 | 25·00 | 87·00 | 85·00 | | 58·25 | 30·00 | 36 00 |
| 2 | Onions ... | ... ... | 20·00—32·50 | 33·00—35·00 | 30·00—35·00 | 16·00 | 32·00 | 40·00 | | 29·50 | 25·00 | 38·00 |
| 3 | ..... | ... ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 4 | ..... | ... ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (iii) Nuts.— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 2 | Arecanuts ... | ... ... | 660·00—820·00 | 700·00 - 750·00 | 700·00—800·00 | ... | ... | 800·00—900·00 | | 726·00—820·00 | 610·00 | ·00 |
| 3 | Fibres.— | | | | | | | | | | | |
| 1 | Cotton ... (a) Kapas | ... ... | ... | ... | 98·00—105·00 | ... | ... | ... | | ... | ... | ... |
| | (b) Lint | ... ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (c) Seed | ... ... | ... | | ... | ... | ... | ... | | ... | | ... |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 | Jute Locse ... | a) White— | | | | | | | | | | | | | | | |
| | | (i) Top | . | | | | | | | ... | | | | | | | |
| | | (ii) Middle | | | | | | | | | | | | | | ... | |
| | | (iii) Bottom | .. | | | | | | | .. | | | | | | . | |
| | | b) Tossa— | | | | | | | | | | | | | | | |
| | | (i) Top ... | ... | | | ... | ... | | | | | | | | | | |
| | | (ii) Middle | .. | | | ... | | .. | .. | | | | | | | | |
| | | (iii) Bottom | .. | | | ... | ... | .. | | | | | | | | | |
| 8 | Mucca Baled Jute | (i) Lightings | per bale | | | . | . | | . | | | | | | | | |
| | | (ii) First Mills. | ... | | .. | . | . | ... | .. | | | | .. | | | | |
| | | (iii) First Exports | .. | | | ... | .. | .. | | | | | .. | | | | |
| | Sann hemp ... | —... | ... | | ... | ... | . | ... | ... | | | | | | | | |
| 4 | Mesta ... | (i) Top .. | .. | | | ... | . | ... | .. | .. | .. | | .. | | | . | |
| | | (ii) Middle | ... | | .. | ... | ... | ... | .. | .. | . | | .. | | | | |
| | | (iii) Bottom | .. | | .. | .. | .. | .. | . | ... | | | | | | .. | |
| VII. | Tobacco | (a) Country— | | | | | | | | | | | | | | | |
| | | (i) Leaf ... | .. | ... | ... | .. | .. | .. | .. | .. | ... | | 805· | ... | | ... | |
| | | (ii) Pulah .. | .. | ... | ... | .. | ... | ... | .. | .. | ... | | ... | | | 248·00 | |
| | | | | | | | | | | | .. | | .. | | | | |
| | | b) Virginia | .. | .. | .. | ... | ... | ... | ... | ... | ... | | .. | . | | ... | |
| | | i) Leaf ... | .. | ... | .. | ... | | ... | | | . | | | ... | | | |
| | | ii) Pulah ... | .. | .. | ... | ... | ... | ... | ... | ... | ... | | .. | ... | | . | |
| VIII | Livestock— | | | | | | | | | | | | | | | | |
| 1 | Work cattle— | | | | | | | | | | | | | | | | |
| | (i) Work bullocks. | (a) Class I ... | Per head | 600·00—700·00 | .. | | 500·00 | 250·00—500·00 | ... | 350·00—500·00 | ... | 150·00—265·00 | 450·00—500·00 | | 280·00 | | |
| | | (b) ,, II ... | Do ... | 500·00—550·00 | ... | 300·00—350·00 | 340·00—400·00 | | ... | 220·00—340·00 | ... | 120·00—215·00 | 250·00—330·00 | | 200·00 | | |
| | (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 300·00—350·00 | | 100·00—120·00 | | | ... | 88·00—50·00 | ... | ... | ... | | 190·00 | | |
| | | (b) ,, II ... | Do ... | 290·00—300·00 | ... | 125·00—150·00 | 120·00—125·00 | | ... | 25·00—40·00 | ... | ... | ... | | 165·00 | | |
| 2 | Milch cattle— | | | | | | | | | | | | | | | | |
| | (i) Cows ... | (a) Class I ... | Do ... | 300·00—400·00 | ... | 150·00—200·00 | 80,00—200.00 | | ... | 150·00—300·00 | ... | 100·00—200·00 | 400·00—450·00 | | 155·00 | | |
| | | (b) Class II ... | Do ... | 250·00—290·00 | ... | 100·00—150·00 | | | ... | 120·00—140·00 | ... | 75·00 - 100·00 | 300·00—350·00 | | 115·00 | | |
| | (ii) Buffaloes... | (a) Class I ... | Do ... | 350·00—410·00 | ... | 300·00 | 120·00—450·00 | | ... | 180·00—300·00 | ... | 250·00—400·00 | 300·00—320·00 | | 1·5·00 | | |
| | | (b) Class II ... | Do .. | 295·00—368·00 | ... | 100·00—150·00 | 100·00—350·00 | | ... | 130·00—165·00 | ... | 150·00—280·00 | 170·00—270·00 | | 180·00 | | |
| 8 | Sheep ... | ..... | Do ... | 35·00—50·00 | ... | 35·45 | 30·00—50·00 | | ... | 30·00—35·00 | ... | 45·00—80·00 | 65·00 | | 89·00 | | |
| IX. | Livestock products.— | | | | | | | | | | | | | | | | |
| 1 | Wool (Specify the varieties). | (a) ..... | Per kg. ... | ... | ... | ... | ... | | ... | 2·50 | ... | ... | | | ... | | |
| | | (b) ..... | Do ... | ... | ... | ... | ... | | ... | 1·75 | ... | .. | | | .. | | |
| 2 | Hides.— | | | | | | | | | | | | | | | | |
| | (i) Cowhides— Raw. | (a) ..... | Do ... | 2·00—2·50 | .. | ... | 1·00 | | ... | 1·00—1·75 | ... | .. | | | 2·54 | | |
| | | (b) ..... | Do ... | .. | ... | ... | ... | | ... | ... | ... | . | | | ... | | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·50 | | ... | 7·00 | ... | .. | | | 8·84 | | |
| | | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | ... | ... | | | ... | | |
| | ii) Buffalo hides— Raw. | (a) ..... | Do ... | 1·75—2·25 | ... | ... | ·85 | | ... | 1·65—2·00 | ... | .. | | | 3·80 | | |
| | | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | ... | ... | | | | | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·75 | | ... | 4·75—6·00 | ... | | ... | | 4·15 | | |
| | | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | | | | |
| 8 | Skins.— | | | | | | | | | | | | | | | | |
| | (i) Goat skins— Raw | (a) ..... | Each .. | 5·00—5·50 | ... | ... | 4·60 | | 5·00 | 5·50—5·75 | ... | ... | 3·75 | | ... | | |
| | | (b) ..... | Per kg. | ... | ... | ... | ... | | ... | ... | ... | ... | ... | | ... | | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | | ... | 7·25 | ... | ... | ... | | ... | | |
| | | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | | ... | | |
| | ii) Sheep-skins— Raw. | (a) ..... | Each ... | 5·50—5·50 | ... | ... | 5·50 | | 5·5· | 5·75—5·50 | ... | ... | 3·75 | | ... | | |
| | | (b) ..... | Per kg. | 4·10—4·50 | ... | ... | ... | | ... | ... | | ... | ... | | ... | | |
| | Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | | ... | 5·20 | ... | ... | ... | | ... | | |
| | | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | | ... | | |
| 4 | Ghee ... | (a) Agmark | Do ... | 6·00 | 5·00—9·00 | ... | ... | | ... | ... | ... | — | 9·00 | | ... | | |
| | | (b) Ungraded | Do ... | 7·00 | 6·00—7·00 | ... | ... | | ... | ... | ... | | 7·50 | | 5·75 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X. Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | ... | ... | 30·00—31·00 | ... | 35·00 | ... | 36·00 |
| | (b) Paddy ... | Cart load | ... | ... | ... | ... | ... | 20 00—22 00 | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | 29·00 | ... | 29·00 |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | ... | ... | 175·00—200 00 | 200·00 | 150·00 | 160·00—180·00 | ... | 175·00—18·· 00 | 180·00 | 166·00 |
| 2 Tamarind ... | ..... | ... | 50·00—105·00 | 90·00—100·00 | 73 00—80 00 | 150 00 | 90.00 | 80 00—·00 00 | ... | 93·00—110·00 | 110·00 | 68·00 |
| 3 Dry Chillies ... | ..... | ... | 260·00—3·0 00 | 25 ·00—300·00 | 225·00—275·00 | 325·00 | 300·00 | 320·00—390·00 | ... | 178·00—3·0 00 | 300 00 | 358 00 |
| 4 Garlic ... | ..... | ... | 85·00— 96 00 | 60·00—65·00 | 100 00 | 80·00 | 75·00 | 80·00—100·00 | ... | ... | 115 00 | 84·00 |
| 5 Pepper ... | ..... | ... | 290·00—310·00 | ... | 4·0·00 | 400·00 | 320 00 | 350·00—360·00 | ... | 435·00—500·00 | 800·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,600 00—2,000 00 | ... | 1,600·00—2,000·00 | 1 850 00 | 1,700·00 | 1,400·00—1,500·00 | ... | ... | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 88·75 | 42·00—44·00 | 84·00—85·00 | 47·00 | ... | ... | 39 00 | ... | ... |
| | (b) Medium ... ... | | 87·75 | 88 00—40 00 | ... | 41·00 | ... | 38·00 | 35·00 | ... | ... |
| | (c) Coarse ... ... | | 37·00 | 34·00 - 36 00 | ... | ... | ... | ... | ... | ... | ... |
| 2 Rice ... | (a) Fine ... ... | | 66·00 | 72 0c—80·00 | 79·00- 80·00 | 76·00 | 70·00 | 75·00 | 68·00 | ... | ... |
| | (b) Medium ... ... | | 60·00 | 60·00—65·00 | 64·00—65·00 | 68·00 | 60 00 | 58·00 | 56 00 | ... | ... |
| | (c) Coarse ... ... | | 55·00 | 56·00—57·00 | 61·00—63·00 | ... | 58·00 | ... | ... | ... | ... |
| 3 Wheat ... | White ... ... | | 55·00 | 47·00—55·00 | 42·00—56·00 | 54 00 | ... | 52·00 | 56·00 | ... | ... |
| Wheat Floor ... | White ... ... | | 70·00 | 45·00—58 00 | 40·00—50·00 | ... | ... | ... | ... | ... | ... |
| 4 Jowar | White ... ... | | 43·00 | 35·00—44 00 | 36·00- 40·00 | 37·00 | 45·00 | 42·00 | 41·00 | ... | ... |
| 5 Bajra ... | ... ... | | ... | 30.00—31·00 | 36·00—41·00 | ... | ... | 35·00 | 33·00 | ... | ... |
| 6 Barley ... | ... ... | | ... | ... | | ... | ... | ... | ... | ... | ... |
| 7 Maize ... | ... ... | | ... | ... | 24·00—25·00 | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... ... | | 37·00 | 40·00—42·00 | ... | ... | ... | ... | ... | ... | ... |
| 9 Other cereals | | | | | | | | | | | |
| (i) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca ... | ... ... | | ... | ... | ... | ... | ... | ... | 22·00 | ... | ... |
| (iii) Papaya ... | ... | | ... | ... | ... | ... | ... | ... | 38·00 | ... | ... |
| (iv) Groundnut cake flour | ... ... | | ... | 38·00—40·00 | ... | ... | ... | ... | | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram ... | ... ... | | 58·00 | 46·00—50·00 | 46·00—48·00 | 53·00 | 46 25 | 46·00 | 47·00 | ... | ... |
| 2 Arhar (Tur) | ... ... | | 46·50 | 40 00—45·00 | 54·55—55·00 | 43·00 | ... | 65 00 | 50·00 | ... | ... |
| 3 Mung ... | ... ... | | 58 00 | ... | 36·00—42·00 | 47·00 | 41·15 | 43·00 | 35·00 | ... | ... |
| 4 Urd ... | ... ... | | 55·50 | ... | ... | 60·00 | 62·00 | 68·00 | 65·00 | ... | ... |
| 5 Masur ... | ... ... | | 50·90 | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Horsegram... | ... ... | | 86·50 | 85·00—88 00 | 83·00—84·00 | ... | ... | ... | ... | ... | ... |
| (iii) Cowpea ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | 130·00 | 115·00—120·00 | 115·00—118·00 | | 115·00 | 116·00 | ... | ... | ... |
| | (b) Sort II ... ... | | 120·00 | 100·00—110·00 | 99·00—100·00 | | 110·00 | ... | 125·00 | ... | ... |
| 2 Sugar Refined | D. 24 ... ... | | ... | ... | 116·60 | | ... | ... | 117·00 | ... | ... |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... ... | | 72·00 | 55·00—65·00 | 76·00 | 76·00 | 70·00 | | 62·00 | ... | ... |
| | (b) Machine shelled. ... | | ... | 91·00—103·00 | ... | ... | ... | ... | ... | ... | ... |
| Groundnut Oil | ... ... | | 195·00 | 185·00—195 00 | 182·00—186·00 | 210·00 | 183·00 | ... | ... | ... | ... |
| Groundnut Oil-cake. | ... ... | | 40 80 | ... | ... | ... | ... | ... | 37·50 | ... | ... |
| 2 Sesamum ... | (a) White ... ... | | 125·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... ... | | ... | ... | 90·00—92·00 | ... | ... | 94·00 | 85·00 | ... | ... |
| Sesamum Oil... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sesamum Oil-cake. | ... ... | | ... | ... | ... | ... | ... | ... | 56·00 | ... | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs P | Rs. P. Rs. P. | Rs. P. |
| 3 Castor seed | | ... | ... | ... | 54·00—55·00 | ... | 56·00 | 61·00 | ... | ... | ... |
| Castor Oil ... | | ... | ... | ... | ... | 166 00 | ... | ... | ... | ... | ... |
| Castor Oilcake | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | 125 00 | ... | 99·00—100·00 | ... | ... | ... | ... | ... | ... |
| | (b) Yellow ... | ... | 112·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | 67·00 | 65·00 | 66·00 | 68·00 | 55·00 | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts (Per | thousand, | 320·00 | ... | 278·00—287·00 | 250·00 | 260·00 | ... | 210·00 | ... | ... |
| | (b) Copra | Quintal | 270 00 | ... | 240·00—264·00 | ... | ... | ... | ... | ... | ... |
| Cocoanut Oil ... | ... | | 320·00 | 315·00—320·00 | 276·00—285·00 | 321·00 | 350·00 | ... | ... | ... | ·295 |
| Cocoanut Oil-cake | ... | ... | ... | ... | ... | 62·00 | ... | ... | 51 00 | ... | ... |
| 8 Other Oil seeds | (i) Nigerseed... | ... | 98·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ..... | ... | ... | ... | 49·00—50·00 | ... | ... | ... | ... | ... | ... |
| Vegetable Oil | (i) Vanaspathi | ... | 298·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | 175·00—178 00 | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts — | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | |
| 1 Mangoes ... | | (per gross | | ... | ... | ... | | | | | |
| 2 Plantains ... | | Do ... | 6·75 | 6·00—8·00 | 6 75 | 5·10 | | | | 6 00 | |
| 3 Oranges ... | | Do ... | ... | ... | ... | ... | | | | 21·00 | |
| 4 Dates ... | | ... | ... | ... | ... | ... | | | | | |
| 5 Cashew kernels, etc | | | 650·00 | ... | ... | ... | | | | ... | |
| (ii) Vegetables— | | | | | | | | | | | |
| 1 Potatoes ... | | | 32·00 | 30·00 | 60·00 | | | | | | |
| 2 Onions ... | | | 24 00 | 25·00 | 26·00—27·00 | | | | | | |
| 3 Beans ... | | | ... | | ... | | | ... | | | |
| 4 Tomatoes ... | | | ... | | ... | ... | ... | ... | ... | | |
| (iii) Nuts— | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | | ... | ... | ... | ... | ... | ... | |
| 2 Arecanuts ... | | ... | 160·80 | | 440·00—450·00 | 503·00 | 720·0 | ... | ... | | |
| Fibres.— | | | | | | | | | | | |
| Cotton | (a) Kapas | | ... | | | ... | ... | ... | 98·00 | | |
| | (b) Lint | | ... | | | | ... | ... | ... | | |
| | (c) Seed | | | | 36·00—38 00 | ... | ... | ... | 35·00 | | |
| Jute | (a) White | | | | | | | | | | |
| | (i) Top | | | | ... | ... | ... | ... | ... | | |
| | (ii) Middle | | | | ... | ... | ... | ... | ... | | |
| | (iii) Bottom | | | | ... | ... | ... | ... | ... | | |
| | (b) Tossa — | | | | | | | | | | |
| | (i) Top | ... | | | | ... | ... | ... | ... | | |
| Raw Baled Jute | (ii) Middle ... | | | | | ... | ... | ... | ... | | |
| | (iii) Bottom ... | | | | | ... | ... | ... | ... | | |
| | (i) Lightings... | Per bale | | | | ... | ... | .. | | | |
| | (ii) First Mills | | | | | ... | ... | ... | ... | | |
| | (iii) First Exports | ... | | | | ... | .. | | ... | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 4 Meats | (i) Top ... | | | | | | | | | | | |
| | | (ii) Middle ... | | | | | | | | | | | |
| | | (iii) Bottom ... | | | | | | | | | | | |
| VII. | Tobacco ... | (a) Country— | | | | | | | | | | | |
| | | (i) Leaf ... | | | 460·00 | | | | | | | | |
| | | (ii) Pulah ... | | | | | | | | | | | |
| | | (b) Virginia— | | | | | | | | | | | |
| | | (i) Leaf ... | | | 680·00 | | | | | | | | |
| | | (ii) Pulah ... | | | | | | | | | | | |
| VIII. | Livestock.— | | | | | | | | | | | | |
| | 1 Work cattle— | | | | | | | | | | | | |
| | (i) Work bullocks. | (a) Class I | Per head | | 500·00 | 300·00—400·00 | 450 00—600·00 | | 375·00 | 500·00 | 375·00 | | |
| | | (b) Class II ... | Do ... | | 380·00 | 200·00—250·00 | 200·00—400·00 | | 330·00 | 330·00 | 275 00 | | |
| | (ii) Buffalo bulls | (a) Class I ... | Do ... | | 160·00 | 200·00—250 00 | 200 00—300·00 | | ... | 75·00 | 440 00 | | |
| | | (b) Class II ... | Do ... | | ... | 150·00—200·00 | 100·00—150·00 | | ... | ... | 325·00 | | |
| | 2 Milch cattle— | | | | | | | | | | | | |
| | (i) Cows ... | (a) Class I ... | Do ... | | 175.56 | 150·00—200·00 | 150·00—250·00 | | 125·00 | 55·00 | 150·00 | | |
| | | (b) Class II ... | Do ... | | 120·00 | 150·00—175.00 | 1 0·00— 50·00 | | 45·00 | 50 00 | 99.00 | | |
| | (ii) Buffaloes ... | (a) Class I ... | Do ... | | 350·00 | 200·00—275·00 | 200·00—250·00 | | ... | 275·00 | 415·00 | | |
| | | (b) Class II ... | Do ... | | 300·00 | 125·00—175·00 | 100·00—200·00 | | ... | 200·00 | 2,8·00 | | |
| | 3 Sheep ... | ... | Do ... | | 36·00 | 34·00—45.00 | 38·00—45·00 | | 35 00 | | 66 00 | | |
| IX. | Livestock products.— | | | | | | | | | | | | |
| | Wool (Specify the varieties) | (a) ..... | Per kg. ... | | | | | ... | | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | | | | ... | | ... | ... | ... | — |
| | 2 Hides— | | | | | | | | | | | | |
| | (i) Cow hides— Raw. | (a) ..... | Do ... | | | 1·00 | 1·16 | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | | 1·00 | 0·76 | ... | ... | ... | ... | ... | ... |
| | Tanned ... | (a) ..... | Do ... | | | 6·25 | 4·44 | 5·75 | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | | 6·00 | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Buffalo hides— Raw. | (a) ..... | Do ... | | | 1·80 | 1·16 | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | | 0·80 | 0·76 | ... | ... | ... | ... | ... | ... |
| | Tanned ... | (a) ..... | Do ... | | | 6·20 | 4·44 | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | | 6·00 | ... | 5·75 | ... | ... | ... | ... | ... |
| | 3 Skins— | | | | | | | | | | | | |
| | (i) Goatskins— Raw. | (a) ..... | Do ... | | | 6·50 | 3·50 | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Tanned | (a) ..... | Do ... | | 7·00 | 7·00—8·50 | ... | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | 6·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Sheepskins— Raw. | (a) White | Do ... | | ... | ... | 3·00—3·25 | ... | ... | ... | ... | ... | ... |
| | | (b) Black | Do ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Tanned ... | (a) ..... | Do ... | | 7·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | Do ... | | 6·25 | ... | ... | 9·00 | ... | ... | ... | ... | ... |
| | 4 Ghee ... | (a) Agmark ... | Do ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Upgraded ... | Do ... | | 5·75 | 6·00 | ... | 6·50 | ... | 6·00 | ... | ... | ... |
| X. | Fodder.— | | | | | | | | | | | | |
| | 1 Bran ... | (a) Wheat | Per quintal | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Paddy | Per cart-load | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 2 Barsw ... | (a) Ragi | Do ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) ..... ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 3 Straw ... | (a) Jola | Per quintal | | ... | ... | 25·00 | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 165 00 | 140·00—150.00 | 100·00—115·00 | 211·00 | .. | ... | ... | ... | ... |
| 2 | Tamarind ... | ... | ... | 95·00 | 50,00—60·00 | 58·00—60·00 | ... | 50·00 | 65·00 | 70·00 | ... | ... |
| 3 | Dry Chillies ... | ... | ... | 340 00 | 200·00—300 00 | 260·00—285·00 | 310·00 | 2 0·00 | 210·00 | 330 00 | ... | ... |
| 4 | Garlic ... | ... | ... | 120·00 | 50·00—80·00 | 65·00—67·00 | ... | 100 00 | 100·00 | 85·00 | ... | ... |
| 5 | Pepper ... | ... | ... | 823·00 | ... | ... | ... | 840·00 | 340·00 | ... | ... | ... |
| 6 | Cardamom ... | ... | ... | 1,1.0·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| XII | *Miscellaneous*— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | .. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th September 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. kg. gr. kg. gr. | | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | | 3·0 | ... | ... | 2·7 | 2·8 | ... | ... | 2·6 | 2·5 |
| 2 Rice ... | Do ... | ... | 1·6 | 2·0 | 1·7 | 1·4 | 2·0 | 1·5 | | 1·8 | 1·8 | 1·4 |
| 3 Wheat ... | White ... | ... | 2·6 | 2·0 | 2·0 | ... | 2·8 | 2·2 | ... | 2·0 | 2·2 | ... |
| 4 Wheat Flour... | Do ... | ... | 3·0 | 1.25 | 1·4 | 1·7 | 2·6 | 2·1 | ... | 1·7 | .. | 1·7 |
| 5 Jowar ... | Do ... | ... | 2·0 | 2,75 | 2·4 | ... | 2·6 | 2·3 | ... | 2·2 | 2·3 | 2.3 |
| 6 Bajra ... | ... | ... | 2·5 | ... | 3·0 | ... | 3·6 | ... | ... | ... | ... | 2 3 |
| 7 Barley ... | ... | ... | 0·7 | ... | ... | ... | ... | ·7 | ... | ... | ... | 0·8 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·5 | 3·0 | 2.0 | 3.1 | 2·3 | ... | 2·4 | 2·7 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | | | | | | | ... | ... | | |
| 11 Subsidiary Food Crops— | | | | | | | | | ... | | | |
| (i) Sweet potatoes. | ... | ... | ... | ... | 2·5 | ... | ... | ... | ... | 2·8 | 3·5 2·6 | 3·5 |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| (iii) Papaya ... | ... | ... | 2·3 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1·2 | 2·0 | 1·3 | 1·6 | 1·2 | 1·7 | ... | | 1·9 | ... |
| | (b) Split (without skin). | | 1·6 | 1·5 | ... | 1·5 | ... | 1·5 | ... | | 1·5 | 1·5 |
| | (c) Flour ... | - | ... | ... | ... | ... | - | 1·3 | ... | | ... | 1·5 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | ... | ... | 1·4 | 1·2 | 1.8 | 1·7 | ... | | 2·1 | ... |
| | (b) Split (without skin). | ... | 1·3 | 1 | ... | 0·8 | ... | 1·1 | ... | | 1 | 1·1 |
| 3 Moong ... | (a) Whole ... | ... | 1·3 | 1·25 | 1·5 | ... | ... | 1·5 | ... | | 1·4 | 1·6 |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | 1 | 1·2 | 1·2 | ... | | 1·2 | ... |
| | | | | | | | | 1·3 | | | | |
| 4 Urd ... | (a) Whole ... | ... | 1·1 | 1 | ... | ... | ... | | ... | | 1·1 | ... |
| | (b) Split (without skin), | ... | 0·8 | 0·9 | ... | ·8 | ... | ·8 | ... | | 0·9 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | 1·6 | ... | ... | | ... | ... |
| | (b) Split (without skin). | ... | 1·3 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Other pulses,— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1·3 | 1·5 | | ... | 1·8 | 1·4 | ... | ... | 1·4 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | | ... | ... | 1·3 | ... | ... | 1·1 | ... |
| (ii) Horsegram | ... | ... | 3·2 | 2 | | 2·5 | 2·9 | 2·3 | ... | 2·2 | 3·0 | 3·2 |
| (iii) Cowpea ... | ... | ... | 1·3 | ... | | ... | 1·9 | 1·6 | ... | ... | 1·3 | 1·8 |
| III Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 0·6 | 0·8 | | ·750 | 1 | ·760 | ... | 0·6 | 0·8 | 0·8 |
| | (b) Sort II ... | ... | ... | 0·9 | | ... | ... | 0·8 | ... | 1 | 0·9 | 0·9 |
| Sugar refined | D. 24 ... | ... | | 0·8 | | ·68 | ... | ·869 | ... | ·850 | ·750 | ·880 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | .. | ... | ·6 | ·5 | ·5 | ... | ·5 | ·5 | ... | ·4 | ·5 | ·5 |
| 2 Sesamum oil ... | ... | .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·260 |
| 3 Castor oil ... | | ... | ·5 | ·5 | ·5 | ·4 | ·6 | ·5 | ... | ·6 | ·4 | ·5 |
| 4 Mustard oil ... | ... | ... | — | ... | — | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Coconut oil ... | ... | ... | ·260 | ·850 | ·290 | ·285 | ·340 | ·286 | ... | ·850 | ·250 | ·275 |
| 7 Vanaspati ... | ... | ... | ... | ... | ·310 | ... | ·357 | ... | ... | ·400 | ... | ·265 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil .. | ... | ... | ... | ... | ... | | ... | ... | ... | ·450 | ... | ... |
| (ii) Safflower ) ... | .. | ... | ... | ... | ... | ... | ... | .. | ... | | ... | . |
| V. Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | | Per Dozen | ... | ... | ... | ... | | ... | | ... | ... | ... |
| 2 Plantains ... | | Do | ·55—·60 | 25—0·75 | 0·75—0·81 | ·37—·84 | | ·30—·84 | | 0·87 | ·96 | 0·46 |
| 3 Oranges ... | | Do | — | 75—2·50 | 2·50—0·3 | ·60 1·75 | | ... | | 2·00 | 2 00 | 1·88 |
| 4 Dates ... | | ... | ... | ... | ·3 | ... | | .. | | ... | .. | ... |
| 5 Cashew kernals | | ... | ... | ... | ... | — | | ... | | .. | ... | ... |
| 6 ..... | | ... | ... | ... | ... | ... | | ... | | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | | | 2·9 | | | | | | | 2·8 |
| 2 Onions ... | | | | | 2·7 | | | | | | | 2·1 |
| 3 ..... | | ... | ... | ... | ... | | | | | | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ·250 | | | ... | | | | ... |
| 2 Arecanuts ... | | .. | ... | ·120 | ·125 | | | ·117 | | | | ... |
| VI. Tobacco ... | Leaf .. | Per k... ... | ... | ... | | | | ... | | | | 9·20 |
| VII Live-stock products— | | | nP. nP. | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 75·90 | 1·00 | ·75 | | 0·65 | 0·65 | | .. | ·67 | 0.67 |
| 2 Ghee ... | (a) Agmark ... | — | ... | 200 | ·800 | | ... | ... | | ... | ... | — |
| | (b) Ungraded ... | ... | ... | ... | .. | | ... | ... | | ·200 | ·144 | ·175 |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·00 | 3·00 | 2·25 | | 2·00 | 2·25 | | ... | 2·00 | 1 92 |
| | (ii) B Grade | Do | 2·50 | 2·50 | 2,00 | | ... | 1·75 | | ... | 1·75 | 1·66 |
| | (iii) C Grade | Do | 1·50 | 2·00 | 1·75 | | ... | 1·60 | | 2·33 | 1·62 | .. |
| 4 Mutton ... | ... | ... | ·266 | ·300 | ·333 | | ... | 0·250 | | ·330 | ·275 | ·330 |
| 5 Beef ... | | ... | ·800 | ... | | | ... | ... | | ... | | ·570 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | .. | ·6 | ... | ·5 | ·5 | ·6 | ·6 | ... | ·5 | ·5 | ·5 |
| 2 Tamarind ... | ... | ... | 1 | 1 | 1 | ·1 | 1·1 | 1 | ... | ·9 | ·8 | 1·1 |
| 3 Dry chillies ... | | .. | ·3 | ·3 | ·3 | ·4 | ·3 | ·3 | ... | 3 | ... | ·3 |
| 4 Garlic ... | ... | ... | 1 | ... | 1 | ... | 1·3 | 1 | ... | ·7 | ·9 | ·950 |
| 5 Pepper .. | ... | ... | ·325 | ·250 | ·200 | ·225 | .142 | ·225 | ... | ·300 | ·366 | ·250 |
| 6 Cardamom ... | ... | ... | ·052 | ... | ·0·62 | 0·62 | ... | 0 70 | ... | ... | ·056 | .035 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | ... | 8 | 8 | 8 | 10 | 11 | | 10 | 10 | 10 |
| 2 Kerosene oil ... | - | Per Litre | 0·60 | 48 | 87 | 0·40 | ... | ·60 | ... | 48 | 0·62 | 84 |
| 3 Firewood/ Charcoal. | .. | Quintal | ... | 6—8 | 6—7·60 | ... | ... | 9·00 | ... | 5·69 | ... | 5·25 |
| 4 Coarse cloth ... | ... | Per metre | 1·10 | 90 | ... | 1·25 | ... | 1·40 | ... | ... | 1·25 | 1·05 |

| Commodities | Variety/Quality | Units | Centres | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | | Belgaum | | Bijapur | | Dharwar | | Bidar | | Gulbarga | | Raichur | | South Kanara | | Coorg | |
| | | | 14 | | 15 | | 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | |
| | | | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. |
| I. Cereals.— | | | | | | | | | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | ... | ... | | | 2·5 | ... | | ... | | | | ... | | | 2·8 | ... | | ... | |
| 2 Rice ... | Do ... | ... | | 1·9 | | 1·5 | | 1,4 | | 1·8 | | 1·3 | | 1·3 | | 1·7 | ... | | ... | |
| 3 Wheat ... | White ... | ... | ... | | | 2 | | 1,9 | | 1,6 | | 1·8 | ... | | | 1,6 | ... | | ... | |
| 4 Wheat Flour... | Do ... | ... | | 1·3 | | 1,7 | ... | | ... | | | 2 | | 1·8 | | | ... | | ... | |
| 5 Jowar ... | Do ... | ... | | ·2 | | ... | | 2,6 | ... | | | 2,2 | | 2·2 | | 2,5 | ... | | ... | |
| 6 Bajra ... | ... | ... | ... | | | 2,5 | | 2,9 | ... | | | 2·5 | ... | | | 2,7 | ... | | ... | |
| 7 Barley ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| 8 Maize ... | ... | ... | ... | | ... | | | 8 | ... | | ... | | ... | | | | ... | | ... | |
| 9 Ragi ... | ... | ... | | 2·1 | | 2·5 | ... | | ... | | ... | | ... | | | | ... | | ... | |
| 10 Other cereals... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| (i) ..... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| (ii) ..... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | | | — | |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | | | | | | | ... | | ... | |
| (i) Sweet potatoes. | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| (ii) Tapioca ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| (iii) Papaya ... | ... | ... | ... | | ... | | ... | | ... | | .. | | ... | | | | ... | | ... | |
| (iv) Groundnut cake flour | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| II. Pulses.— | | | | | | | | | | | | | | | | 1·8 | ... | | ... | |
| 1 Gram ... | (a) Whole ... | ... | | 1,6 | | | | 2 | | 1·8 | ... | | ... | | | | ... | | ... | |
| | (b) Split (without skin). | ... | | 1·8 | ... | | | 1,5 | | 1·4 | | 1,5 | | 1,5 | ... | | ... | | ... | |
| | (c) Flour ... | ... | | 1·1 | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | | ·2 | ... | | | 1,5 | ... | | ... | | ... | | ... | .2 | .. | | ... | |
| | (b) Split (without skin). | ... | | ·1 | | 1 | | 1,2 | | 1·8 | | 1·1 | | 1,1 | | ·1 | ... | | ... | |
| 3 Moong ... | (a) Whole ... | ... | | 1·8 | ... | | ... | | | 1·8 | ... | | ... | | ... | | ... | | ... | |
| | (b) Split (without skin). | ... | | 1·1 | ... | | | 1,2 | | 1 | | 1·5 | | 1,5 | | 1,4 | ... | | ... | |
| 4 Urd ... | (a) Whole ... | ... | | 1·1 | ... | | ... | | ... | | | 1·1 | | 1,1 | | 1,5 | ... | | ... | |
| | (b) Split (without skin). | ... | | ·9 | ... | | ... | | | ·7 | ... | | ... | | | ·8 | ... | | ... | |
| 5 Masur ... | (a) Whole ... | ... | ... | | | | ... | | ... | | ... | | .. | | | | ... | | ... | |
| | (b) Split (without skin). | ... | | 1 | ... | | ... | | | ... | ... | | ... | | | | ... | | ... | |
| 6 Other pulses— | | | | | | | | | | | | | | | | 2·8 | ... | | ... | |
| (i) Avare ... | (a) Whole ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | | 1·4 | ... | | ... | |
| | (b) Split (without skin). | . | ... | | ... | | | 2,2 | ... | | ... | | ... | | | | ... | | ... | |
| (ii) Horsegram | ... | ... | | 2·5 | | 2·5 | | 2,6 | ... | | ... | | ... | | | | ... | | ... | |
| (iii) Cowpea ... | ... | .. | ... | | ... | | ... | | ... | | ... | | ... | | | | ... | | ... | |
| III Sugar and Gur— | | | | | | | | | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | | ·6 | ... | | | ·9 | | ·750 | | ·850 | | ·888 | | ·750 | ... | | ... | |
| | (b) Sort II ... | ... | | ·705 | | ·1 | | 1 | ... | | ... | | | ·840 | | ·980 | ... | | ... | |
| 2 Sugar refined | D. 24 ... | ... | ... | | ... | | | ·850 | ... | | ... | | ... | | ... | | ... | | ... | |
| IV. Oils.— | | | | | | | | | | | | | | | | | | | | |
| 1 Groundnut oil | ... | ... | | ·5 | | ·6 | | ·5 | | | | ·5 | | ·5 | | ·6 | ... | | ... | |
| 2 Sesamum oil ... | ... | ... | ... | | ... | | ... | | | | ... | | | ·250 | ... | | ... | | ... | |
| 3 Castor oil ... | ... | ... | ... | | ... | | ... | | ... | | ... | | | ·6 | ... | | ... | | ... | |
| 4 Mustard oil ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| 5 Linseed oil ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |
| 6 Coconut oil ... | ... | ... | | ·280 | ... | | | ·250 | ... | | | ·286 | | ·266 | | ·800 | ... | | ... | |
| 7 Vanaspati ... | ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ·5 | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | | Per Dozen | ... | ... | ... | ... | ... | ... | | ... | |
| 2 Plantains ... | | | Do | 6·2 | ·65 | 44·62 | ·87 | ... | ... | | ... | |
| 3 Oranges ... | | | Do | ... | ... | ... | ... | ... | ... | | ... | ... |
| 4 Dates ... | | | ... | ... | ... | ... | ... | ... | 1·00 | ... | ... | ... |
| 5 Cashew kernels | | | ... | ·142 | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | | ... | 2·5 | 2 5 | 2·5 | 2 | ... | 2·7 | ... | ... | ... |
| 2 Onions ... | | | ... | 2·8 | | 3·2 | 3 | 2·5 | ... | 3 | ... | ... |
| 3 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arecanuts ... | | | ... | ... | ... | ·160 | ... | ·153 | ... | ·175 | ... | ... |
| VI. Tobacco ... | | Leaf ... | Per kg. | | ... | ... | .. | ... | ... | ... | ... | ... |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | | ... | ... | | ... | ... | ... | ·53 | 1·00 | ·88 | ... | ... |
| 2 Ghee ... | | (a) Agmark ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Ungraded ... | ... | | ·166 | | ·190 | ... | ·160 | ·125 | ... | ... |
| 3 Eggs ... | | (i) A Grade | Per Dozen | | ... | | 2·75 | 1·85 | 1·67 | 2·25 | ... | ... |
| | | (ii) B Grade | Do | | ... | | 1·67 | 1·75 | 1·50 | ... | ... | ... |
| | | (iii) C Grade | Do | | 2·40 | | | | 1·62 | ... | ... | ... |
| 4 Mutton ... | | ... | ... | | ·807 | | ·883 | ... | ·893 | ·800 | ... | ... |
| 5 Beef ... | | ... | ... | | ·766 | | ... | ... | ·892 | ·609 | ... | ... |
| VIII. Condiments and Spices— | | | | | | | | | | | | |
| 1 Turmeric ... | | ... | ... | ·5 | ... | | ·6 | ... | ... | ... | ... | ... |
| 2 Tamarind ... | | ... | ... | 9 | 1·5 | | | 1·6 | ... | 1 | ... | |
| 3 Dry chillies ... | | ... | ... | ·250 | ·8 | | ·4 | ·8 | 8 | ·8 | ... | ... |
| 4 Garlic ... | | ... | ... | ·8 | ·1 | | | ·9 | ... | ·8 | ... | ... |
| 5 Pepper ... | | ... | ... | ·300 | ... | | ... | ... | ... | ... | ... | ... |
| 6 Cardamom ... | | ... | ... | ·060 | ... | | ·080 | ... | ... | ... | ... | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | | ... | ... | 10 | ... | | ... | 7·2 | 10 | 10 | ... | ... |
| 2 Kerosene oil ... | | ... | Per Litre | ·56 | ... | ... | ·45 | 45 | ... | 37 | ... | ... |
| 3 Firewood/ Charcoal | | ... | Quintal | ... | ... | ... | ... | 9·00 | ... | 7·50 | ... | ... |
| 4 Course cloth ... | | ... | Per Metre | 1·00 | ... | | ... | ... | ... | ·88 | ... | ... |

.....

For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING, SATURDAY, THE 17TH JULY 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 5 attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 18 attacks with 6 deaths from Smallpox was reported for the entire State *viz*, from the taluks of Coondapur, Bellary and Honnali *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

A total of 14 attacks with **nil** deaths from Cholera was reported for the entire State *viz.*, from the taluk of Shimoga and from the town of Shimoga during the week *as against* 61 attacks with 22 deaths reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K.F. Disease was reported from Shimoga district, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious hepatitis and influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 178 (113 in hospitals) for the week *as against* 255 (88 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.6 ( 6.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.0 (9.2 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to smallpox, 3 due to other fevers, 19 due to Dysentery and diarrhœa, 3 due to consumption and 152 due to all other causes, *as against* 19 due to other fevers, 24 due to dysentory and diarrhœa, 12 due to consumption and 200 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 37 (17 in hospitals) for the week *as against* 105 (29 in hospitals) during corresponding week of the previous year, giving a calculated death rate of 7.5 (3.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 21.2 (15.4 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to cholera, 4 due to other fevers, 6 due to dysentery and diarrhœa, 2 due to consumption and 23 due to all other causes *as against* 1 due to Malaria, 1 due to Typhoid, 25 due to other fevers, 6 due to Dysentery and Diarrhœa, 1 due to consumption and 72 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 16 (16 in hospitals) for the week, *as against* 8 (3 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.2 (5.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.8 (1.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 16 were due to all other causes, *as against* 8 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum city amounted to 27 (17 in hospitals) for the week *as against* 37 (4 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.2 (3.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 13.8(12.2 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 2 due to dysentery and diarrhœa, 2 due to consumption and 22 due to all other causes, *as against* 1 due to other fevers 1 due to consumption and 34 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 16 (10 in hospitals) for the week *as against* 24 (1 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.4 (2.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.6 (7 2 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 2 were due to consumption and 14 due to all other causes, *as against* 1 due to Typhoid, 1 due to dysentery and diarrhœa, 2 due to Consumption and 21 due to all other causes reported during the corresponding week of the previous year.

86 ..... *Dy. Director of Public Health,*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 16th July 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 16th July 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort ... | Mashathi | 100 kg. | No Stocks |
| II Sort ... | Guddu | ,, | |
| III Sort ... | Suggi | ,, | |
| Rice—I Sort ... | Mashathi | 100 kg. | 122 00 |
| II Sort ... | Guddu | ,, | 120 00 |
| III Sort ... | Suggi | ,, | 117 00 |
| Ragi ... | ... | Moora of 39·14 kg. | ... |
| Cane Jaggery ... | I Sort | 100 kg. | 85 00 |
| ,, ... | II Sort | ,, | 45 00 |
| Coconuts ... | Unhusked | 1,000 Nuts | 320 to 540 00 |
| ,, ... | Husked | ,, | 310 to 730 00 |
| Copra ... | ... | 100 kg. | 290 to 310 00 |
| Coconut Oil ... | I Class | 10 kg. | 49 60 |
| ,, ... | II Class | ,, | 47 60 |
| Cashew Kernels ... | ... | ... | ... |
| Cashew Nuts ... | ... | 100 kg. | 80 to 86 00 |
| Cardamoms ... | Mysore | 10 kg. | 250 to 300 00 |
| ,, ... | Coorg | ,, | 240 to 290 00 |
| Malabar Black Pepper ... | ... | 50 kg. | 195 to 210 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 00 |
| ,, ... | Snuff | ,, | 760 to 800 00 |
| ,, ... | Beedi | ,, | 860 to 900 00 |
| Arecanuts ... | Unhusked | 1,000 Nuts | No Sales |
| ,, ... | Husked Old | 50 kg. | |
| ,, ... | ,, New | ,, | |
| Chillies ... | Kumpta | ... | ... |
| ,, ... | Local | 10 kg. | 20 to 25 00 |
| ,, ... | Kasaragod | ,, | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | ,, | 5 to 7 00 |
| | Beedi | ,, | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 27 00 |
| Cotton Seeds | | ,, 64 kg. | 17 to 28 00 |
| Horsegram | | ,, 93·07 kg. | 66 to 67 00 |

.....
*Dy. Commr.*

Dated 23rd July 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 23rd July 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort ... | Mashathi | 100 kg. | No Stocks |
| II Sort ... | Guddu | ,, | |
| III Sort ... | Suggi | ,, | |
| Rice— I Sort ... | Mashathi | ,, | 122 00 |
| II Sort ... | Guddu | ,, | 120 00 |
| III Sort | Suggi | ,, | 117 00 |
| Ragi ... | | Moora of 39·14 kg. | ... |
| Cane Jaggery ... | I Sort | 100 kg. | 80 00 |
| ,, ... | II Sort | ,, | 40 00 |
| Coconuts ... | Unhusked | 1000 Nuts | 330 to 520 00 |
| ,, ... | Husked | ,, | 340 to 510 00 |
| Copra ... | | 100 kg. | 290 to 310 00 |
| Coconut Oil ... | I Class | 10 kg. | 46 60 |
| | II Class | ,, | 47 00 |
| Cashew Kernels ... | | 100 kg. | 80 to 92 00 |
| Cardamoms ... | Mysore | 10 kg. | 250 to 300 00 |
| ,, ... | Coorg | 10 kg. | 240 to 290 00 |
| | | ,, | |
| Malabar Black Pepper ... | ... | 50 kg. | 201 to 221 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 00 |
| ,, ... | Snuff | ,, | 760 to 800 00 |
| ,, ... | Beedi | ,, | 860 to 900 00 |
| Arecanuts ... | Unhusked | 1,000 Nuts | 80 to 85 00 |
| ,, ... | Husked Old | 50 kg. | ... |
| ,, ... | ,, New | ,, | 308 to 378 00 |
| Chillies ... | Kumpta | | ... |
| ,, ... | Local | 10 kg. | 20 to 25 00 |
| ,, ... | Kasaragod | ,, | ... |
| RETAIL PRICES. | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | ,, | 5 to 7 00 |
| | Beedi | ,, | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 26 to 27 00 |
| Cotton Seeds ... | | ,, 64·00 kg. | 16 to 25 00 |
| Horsegram ... | | ,, 93 07 kg. | 66 to 67 00 |

.....
*Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY AUGUST 12, 1965 (SHRAVANA 21, SAKA ERA 1887) | No. 32

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the Week ending Wednesday, the 14th July 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

**(From 3—6—1965)**

### 1. Bangalore District.

Sowing was held up in most of the taluks for want of rain. | Good

### 2. Kolar District.

Good

### 3. Tumkur District.

Fair except for the prevalence of "Black Quarter" at one village of Pavagada taluk | Good

### 4. Mysore District.

Dry crops were withering for want of rain in most of the taluk | Good except for the prevalence of H. S. disease at one village of Chamarajanagar Taluk | —

### 5. Mandya District.

Fair except in Nagamangala and Malavalli taluk where it was reported that the dry crops were withering for want of rain | Good | Available except in K. R. Pet taluk | Sufficient except in K. R. Pet taluk

### 6. Hassan District.

... ... Good | Available except in Channarayapatna and Arsikere tqs. | Sufficient except in Channarayapatna and Arsikere tqs

### 7. Chickmagalure District.

Fair except in Chickmagalur Taluk where it was reported that the crops were not fair | Good

| No. of rainy days in the week. | Rainfall in Millimetors | | | | Crop situation | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 10 |

(FROM 3—6—1965).

### 8. Shimoga District

| | | | | | |
|---|---|---|---|---|---|
| 644.4 | Fair except in Channagiri Taluk where it was reported that the crops were withering for want of rain. | Good | Available except in Channagiri Tq. | Sufficient except Channagiri Tq. | ... 7) |

### 9. Chitradurga District.

| | | | | | |
|---|---|---|---|---|---|
| 79.6 | Fair except in Harihar and Challakere Taluks where it is was reorted that the crops were withering for want of rain. | Good except for the prevalence of "Black Quarter" at some villages of Challakere taluk. | Available | | |

### 10. Bellary District.

| | | | | | |
|---|---|---|---|---|---|
| | Fair except in Kudligi taluk where it was reported that the dry crops were withering for want of rain. | Good | Available except in Kudligi Tq. | Sufficient except in Kudligi Tq. | .. (9) |

### 11. Bijapur District.

| | | | | | |
|---|---|---|---|---|---|
| | Fair except in Mudhol taluk where it was reported that the crops were withering for want of rain. | Good except for the prevalence of cattle disease in some villages of Muddebihal taluks. | Available | Sufficient except Badami taluk. | (10) |

### 12. Belgaum District.

| | | | | | |
|---|---|---|---|---|---|
| | | Good | | Sufficient. | ... (11) |

### 13. Dharwar District.

| | | | | | |
|---|---|---|---|---|---|
| | Fair except in most of the taluks where it was reported that the sowing was held up for want of rains. | Good except for the prevalence of cattle disease at one village of Nargund taluk. | Available | | |

### 14. North Kanara District.

| | | | | | |
|---|---|---|---|---|---|
| | | Good | | Sufficient except in Mundgod Tq. | (13) |

### 15. Gulbarga District.

Good

### 16. Raichur District.

| | | | | | |
|---|---|---|---|---|---|
| | Fair except in Koppal and Yelburga tqs. where it was reported that the crops were withering for want immediate rains. | Good | | | |

### 17. Bidar District.

Good

### 18. South Kanara District.

Good

### 19. Coorg District.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 | 130.6 | ,, | 160.1 | ,, | do | Good | Available | ... | do | ... | (17) |

MARKS.— (1) Refers to 8 Taluks. (2) Refers to 6 Taluks. (3) Refers to 8 Taluks (4) Refers to 10 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 5 Taluks, (7) Refers to 8 Taluks, (8 Refers to 6 Taluks. (9 Refers to 6 Taluks. (10) Refers to 5 Taluks.
(11) Refers to 8 Taluks, (12) Refers to 14 Taluks. (13) Refers to 9 Taluks. (14) Refers to 7 Taluks. (15) Refers to 7 Taluks.
(16) Refers to 2 Taluks, (17) Refers to 2 taluks.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 14th July 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week except in Bangalore North Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Kar-Paddy and Ragi in come parts of Devanahally Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Doddaballapur Taluk where insufficiency was felt.
(g) Available except in Doddaballapur Taluk where Scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—

(a) No Rainfal during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Paddy in Bangarpet Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No Rainfal during the week except in Chicknayakanahalli and Pavagada Taluks.
(b) Sowing of Kharif Jowar, Greengram, Blackgram and Castor in Chicknayakanahalli Taluk, G. nut in Pavagada Taluk was in progress.
(c) Standing crops were fair except in Chicknayakanahalli Taluk where crops were withering for want to rain.
(d) Harvesting of Paddy in Chiknayakanahalli, Gubbi and Tumkur Taluks Ragi in Pavagada Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in some parts of Turuvekere Taluk where insufficiency was felt.
(g) Available.
(h) Good except for the prevalence of Black quarter at 1 village of Pavagada Taluk.

4 Mysore District.—

(a) Light showers in Kollegal, Krishnarajanagar, Hunsur and Mysore Taluks.
(b) Transplantation of Ragi in Hunsur Taluk Paddy in Heggadevanakote Taluk was in progress.
(c) Fair except in kollegal, Chamarajanagar, Gundlupet, K. R. Nagar and T. Narasipur Taluks where crops were withering for want of rain.
(d) Harvesting of Kar-Paddy and Ragi in T. Narasipur Taluk was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Kollegal Taluk where insufficiency was felt.
(g) Available.
(h) Good except for the prevalence of "Haemorrhagic Septicaemic" at 1 village of Chamarajanagar Taluk.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplanation of paddy is Srirangapatna Taluk was in progress.
(c) Fair except in Malavalli Taluk, where it was reported that the dry crops were withering for want to rain.
(d) Harvesting of Sugarcane Kar-Paddy and Kar-Ragi in Srirangapatna Tq. was in Progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Nagamangala Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Manjarabad, Belur, Hassan and Arsikere Taluks.
(b) Sowing and Transplanation of paddy in Manjarabad and Belur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Channarayapatna and Arsikere Taluks where insufficiency of water was felt.
(g) Available except in Channarayapatna and Arsikere Taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in Chikmagalur, Koppa, Mudigere, Tarikere and N. R. Pura Taluks.
(b) Sowing of Transplation of Paddy in Koppa, Sringeri, Mudigere and N. R. Pura Taluks was in progress.
(c) Standing crops were fair except in Chickmagalur Taluk where Coffee was withering for want of rain.
(d) Harvesting of paddy in Kadur Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Tarikere Taluk where insufficiency was felt.
(g) Available except in Chickmagalur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—

(a) Light showers in Honnahalli, Hosanagar, Thirthahalli and Bhadravathi Taluks
(b) Sowing of Paddy in Shimoga and Bhadravathi Taluk was in progress
(c) Standing Crops were fair except in Channagiri Taluk where Jowar paddy and Chillies were withering for want of rain.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Channagiri Taluk where insufficiency was felt.
(g) Available except in Channagiri Taluk where scarcity for fodder was felt.
(h) Generally healthy.

9 Chitradurga District,—

(a) No Rainfall during the week except in Hiriyur and Haribar Taluks.
b) Nil.
(c) Standing Crops were fair except in Haribar, Challakere Hosaurga and Molakalmuru Taluk where dry crops were withering for want of rain.
(d) Harvesting of Sugarcane in Hiriyur Taluk G. Nut in Haribar and Challakere Taluks was in progress.
(e) Progress was fair in 6 Taluks.
(f Sufficient
(g) Available except in Hosadurga and Molakalmuru Taluks where scarcity for fodder was felt.
(h) Good except for the prevalence of Black quarter in some parts of Challakere Taluk.

10 Bellary District.—

(a) Light showers in Hosdurg, Kudligi and Siraguppa Taluks.
(b) Sowing of Kharif Cotton, G. Nut, Jowar, Sajje and Navane in Siruguppa Taluk was in progress.
(c) Standing Crops were fair except in Hospet Tq. where it was reported that the Kharif crops were withering for want of rain.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient excepet in Hospet and Kudligi Tq. where insufficiency was felt.
(g) Available except in Kudligi tq. where scarcity for fodder was felt.
(h) Generally healthy

11 Bijapur District.—

(a) Light showers in Bagewadi, Mudhol and Badami taluks.
(b) Sowing of kharif crops was completed in Bagewadi, Muddebihal, Mudhol and Badami Taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except at village of Badami Taluk where insufficiency was felt.
(g) Available.
(h) Good except for the prevalance of Cattle disease at 6 villages of Muddebihal Taluk.

12 Belgaum District.—

(a) Light showers in Kanapur, Hukkeri, Raibagh, Belgaum, Parasgod and Sampagaon Taluks
(b) Sowing of Kharif Crops in Hukkeri Raibagh Ramdurg Taluk Jowar in Parasgod and Sampagaon Taluks was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 harwar District.—

(a) Light showers in most of the Taluks.
(b) Sowing of G nut crops in Hubli, and Haveri Taluk, Paddy in Kalghatgi G. nut and Jowar in Ron Taluk was in progress.
(c) Standing crops were fair.
(d) Nil,
(e) Progress was fair in 12 Taluks.
(f) Sufficient except in Shiggaon Taluk, where insufficiency was felt.
(g) Available.
(h) Good except for the prevalance of Cattle disease at 1 village of Nargund Taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Sirsi Siddapur, Ankola, Yellapur, Supa, Honnavar, Mundgod Taluks.
(b) Sowing of Paddy was completed in Mudgod Taluk.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Mundgod Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—

(a) Light showers in most of the taluks.
(b) Sowing and Transplantation of Kharif crops in Chittapur, Shanpur and Gulbarga Taluks, Chillies in Yadgir taluk Tur, Kangari, G nut, Sesamum and Jowar in Sedam Taluk was in progress.
(c) Standing crops were fair except in Yadgir taluk were Kharif crops were affected by cator piller.
(d) Nil
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

16 Raichur District.—

(a) Light showers in Manvi, Kustagi, Sindhanoor, Lingasugur and Deodurg Taluks.
(b) Sowing of Kharif crops in Koppal Sindhnoor and Deodurg Taluk was in progress,
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 2 Taluks
(f) Sufficient,
(g) Available.
(h) Generally healthy

17 Bidar District.—

(a) Sufficient Rainfall in Bhalki and Anard Taluks,
(b) Nil,
(c) Standing crops were fair
(d) Nil,
(e) Nil,
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Sufficient Rainfall in most of the Taluks.
(b) Sowing of Kharif crops in Puttur, Buntwal and Coondapur Taluks was in progress.
(c) Standing crops were fair,
(d) Nil.
(e) Progress was fair in 3 taluks
(f) Sufficient,
(g) Available.
(h) Generally healthy;

19 Coorg District —

(a) Sudicient rainfall in Virajpet and Somwarpet Taluks,
(b) Nil,
(c) Standing Crops were fair
(d) Nil,
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, AUGUST 19, 1965 (SHRAVANA 28, SAKA ERA 1887) | No. 33

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 21st July 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | Water Supply | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | | | | (From 3-6-1965) | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 2 | 13.3 | 19.3 | 45.0 | 114.2 | ... Good | | ... Available except in some parts of Kanakapura Taluk where scarcity for fodder was felt. | Adequate except in Kanakapura Taluk. | (1) |
| | 2. *Kolar District.* | | | | | | | | |
| | 8.3 | 22.0 | 64.1 | 113.3 | Fair except in Siddlaghatta and Gudibanda Taluks where crops were reported to be not fair due to insufficient rainfall. | Good | ... Available | Adequate | (2) |
| | 3. *Tumkur District.* | | | | | | | | |
| | 17.1 | 16.9 | 107.7 | 100.7 | Fair except in C. N. Halli Taulk where crops were in need of urgent rains. | Good | | | |
| | 4. *Mysore District.* | | | | | | | | |
| | 39.9 | 24.5 | 81.3 | 115.7 | Fair except in Gundlupet and Chamarajnagar Taluks where jowar crop was withering for want of rains and rains were urgently required for the standing crops in T. Narasipur Tq. | Good | | Inadequate water supply was felt in Kollegal Tq. | (3) |
| | 5. *Mandya District.* | | | | | | | | |
| | 10.4 | 13.0 | 22.0 | | Fair | Good | | Adequate except in Nagamangala and Krishnarajpet Tqs. | (4) |
| | 6. *Hassan District.* | | | | | | | | |
| 6 | 213.6 | 81.1 | 452.4 | 394.7 | | | ... Available | Adequate | (5) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 7. *Chickmagalur District.* | | | | | | | | |
| 6 | 353.4 | 157.7 | 799.2 | 631.6 | Fair | | | | |
| | 8. *Shimoga District* | | | | | | | | |
| 7 | 393.0 | 169.3 | 788.9 | 815.1 | Fair | ... Good | ... Available | Adequate | (6) |
| | 9. *Chitradurga District.* | | | | | | | | |
| | 24.4 | 19.1 | 73.1 | 105.4 | Fair except in Molkalmuru Taluk where crops were withering for want of rains. | Good | Scarcity for fodder was felt in some villages of Hosadurga Taluk. | | |
| | 10. *Bellary District.* | | | | | | | | |
| | 30.2 | N.A. | 110.0 | | Kharif crops were affected in Hospet Taluk for want of rains. | Good | ... Available | Adequate except in some parts of Kudligi Taluk. | |
| | 11. *Bijapur District.* | | | | | | | | |
| | 32.0 | N.A. | 140.7 | N.A. | | ... Good except for the prevalence of "Epizootic Aphtha" at one village of Sindgi Taluk and Glanders disease at one village of Indi Taluk. | Available | Adequate | (9) |
| | 12. *Belgaum District.* | | | | | | | | |
| | 66.2 | N.A. | 104.5 | N.A. | | ... Good except for the prevalence of cattle disease at one village of Ramdurga Taluk. | Available | Adequate | (10) |
| | 13. *Dharwar District.* | | | | | | | | |
| | 90.5 | N.A. | 203.0 | N.A. | | ... Good exept in one village of Navalgund Taluk where Foot and Mouth disease was prevailing. | Available | Adequate except in some parts of Gadag Taluk. | (11) |
| | 14. *North Kanara District.* | | | | | | | | |
| | 514.3 | N.A. | 1251.5 | N.A. | | ... Good except for the prevalence of Epizootic Aphtha in 2 villages Yellapur Taluk and cattle disease in one village of Supa Taluk. | Available | Adequate | (12) |
| | 15. *Gulbarga District.* | | | | | | | | |
| | 62.9 | N.A. | 278.3 | N.A. | Fair except in Yadgir Taluk where crops were affected by cater pillar in some parts. | Good | ... Available | Adequate | (13) |
| | 16. *Raichur District.* | | | | | | | | |
| 3 | 32.9 | N.A. | 115.3 | N.A. | Fair | Good | ... Available | Adequate | (14) |
| | 17. *Bidar District.* | | | | | | | | |
| 6 | 121.8 | N.A. | 408.9 | N.A. | Fair | ... Good | ... Available | Adequate | (15) |
| | 18. *South Kanara District.* | | | | | | | | |
| 7 | 346.1 | N.A. | 1591.5 | N.A. | Fair | ... Good | ... Available | Adequate | |
| | 19. *Coorg District.* | | | | | | | | |
| 7 | 380 6 | N.A. | 830 6 | N A. | Fair | ... Good | ... Available | Adequate | (16) |

Remarks :—(1) Refers to 5 Taluks. (2) Refers to 8 Taluks. (3) Refers to 9 Taluks. (4) Refers to 6 Taluks. (5) Refers to 4 Taluks. (6) Refers to 7 Taluks. (7) Refers to 7 Taluks. (8) Refers to 7Taluks. (9) Refers to 7 Taluks. (10) Refers to 5 Taluks. (11) Refers to 13 Taluks. (12) Refers to 9 Taluks. (13) Refers to 8 Taluks. (14) Refers to 7 Taluks. (15) Refers to 2 Taluks. (16) Refers to 2 Taluk.

M. GANGABUDRAIAH, For *Director of statistics.*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 21st July 1965.

(a) Denotes :—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of Standing Crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations.
(f) " Water Supply
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—
(a) No rainfall during the week except in Magadi and Kanakapura taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Kar paddy and Ragi in Devanahalli taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Kanakapura taluk where insufficiency was felt.
(g) Available except in some parts of Kanakapura taluk where scarcity for fodder was felt.
(h) Generally Healthy.

2 Kolar District.—
(a) Light showers in Malur, Bagepalli and Sidlaghatta taluks.
(b) Sowing of Kar-Ragi in Gowribidanur taluk was in progress.
(c) Fair except in Bagepalli taluk where Ragi and Sugarcane were withering for want of rain.
(d) Harvesting of Summer paddy in Sidlaghatta taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Sidlaghatta Taluk where insufficiency was felt.
(g) Available except in 2 Villages of Sidlaghatta Tq. where scarcity for fodder was felt.
(h) Generally Healthy except for the prevalence of "Cattle Disease" at 1 village of Sidlaghatta taluk.

3 Tumkur District.—
(a) Light showers in most of the taluks.
(b) Sowing of Ragi in Gubbi taluk, Ragi, Groundnut and Jowar in Tumkur taluk, Groundnut and Ragi in Pavagada taluk, K. Jowar, Green-gram, Black-gram and Castor in Chicknaikanahalli Tq. was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Gubbi, Turuvekere and Tumkur taluks was in progress.
(e) Progress was fair in 7 taluks
(f) Sufficient except in Turuvekere taluk where insufficiency was felt.
(g) Available except in Tiptur taluk where scarcity for fodder was felt.
(h) General. Healthy

4 Mysore District.—
(a) Light showers in most of the Taluks.
(b) Transplantation of paddy in T.Narasipur, Gundlupet and K R. Nagar Taluks, Ragi in Hunsur Tq. was in progress.
(c) Standing Crops were fair except in T.Narasipur, Gundlupet, Chamarajanagar taluks where dry crops were withering for want of urgent rain.
(d) Harvesting of Kar-Paddy and Ragi in T.-Narasipur taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Gundlupet and Kollegal taluks where insufficiency was felt.
(g) Available
(h) Generally Healthy.

5 Mandya District.—
(a) Light showers in Maddur and Nagamangala Tqs.
(b) Transplantation of paddy in Srirangapatna taluk was in progress.
(c) Standing crops were fair except in Malavalli taluk where Jowar and Sesamum are withering for want of rain.
(d) Harvesting of Sugarcane and Paddy in Maddur taluk, Sugarcane Paddy and Kar ragi in Srirangapatna taluk was in progress.
(e) Progress was fair in Malavalli taluk.
(f) Sufficient except in Nagamangala taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

6 Hassan District.—
(a) Sufficient rainfall in Manjarabad, Belur and Hassan taluks.
(b) Sowing of Ragi and Paddy in Belur taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Channarayapatna taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

7 Chickmagalur District.—
(a) Sufficient rainfall in Koppa, Chickmagalur, Kadur Tarikere, N. R. Pura and Mudigere taluks.
(b) Transplantation of Paddy in Koppa, N. R. Pura and Mudigere Taluks, sowing of Ragi, Paddy, Corriander and Chillies in Kadur taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in some parts of Kadur Tq. was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Tarikere taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

8 Shimoga District.—
(a) Sufficient rainfall in Shikaripur, Bhadravathi and Thirthahalli taluks.
(b) Transplantation of Paddy in Shikaripur, Thirthahalli and Bhadravathi Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) Light showers in Hiriyur, Davangere, Chitradurga, Holalkere and Hosadurga taluks.
(b) Sowing of Ragi Navane, Sajje and Onion in Chitradurga taluk, Ragi, Navane in Holalkere taluk was in progress.
(c) Standing crops were fair except in Harihar, Molakalmuru and Hosadurga taluks where dry crops were withering for want of rain.
(d) Harvesting of Groundnut in Hiriyur and Harihar taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available except in some parts of Hosadurga Tq. where scarcity for fodder was felt.
(h) Generally Healthy.

10 Bellary District.—

(a) Light showers in most of the taluks.
(b) Sowing of Cotton, G. nut, Jowar and Navane in Siriguppa taluk. Sajje and Jowar in Kudligi taluk was in progress.
(c) Fair except in Hospet taluk where crops were not fair due to inadequacy of water.
(d) Nil.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) Light showers in Muddebihal, Indi, Sindagi, Bilgi, Badami, Bagewadi and Mudhol taluks.
(b) Sowing of Kharif crops in Sindagi and Mudhol taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of "Epizootic Aptha" at one village of Indi and Sindagi taluks.

12 Belgaum District.—

(a) Light showers in Ramdurg, Parasgad and Gokak, taluks.
(b) Sowing of Kharif crops in Ramdurg and Gokak taluks. Jowar in Parasgod taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalancae of cattle disease at one village of Ramdurg taluk.

13 Dharwar District.—

(a) Sufficient rainfall in most of the taluks.
(b) Sowing of G. nut and K. Jowar in Shirahatti, Haveri, Gadag and Nargund taluks, K. Jowar in Shiggaon, Dharwar, Ranebennur, Hubli and Mundargi taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 12 taluks.
(f) Sufficient except in 1 village of Gadag taluk, where insufficiency was felt.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at 1 village of Navalgund taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Yellapur, Karwar, Haliyal, Siddapur, Honnavar and Mundgod taluks.
(b) Transplantation of Paddy in Yellapur, Siddapur, Honnavar and Mundgod taluks was in propress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of "Epizootic Aptha" at 2 villages of Yellapur Taluk.

15 Gulbarga District.—

(a) Light showers in most of the taluks.
(b) Sowing of Khariff crops in Sedam taluk, Chillies in Yadagir taluk was in progress.
(c) Standing Crops were fair except in Yadagir taluk where Kharif crops were affected by caterpillar.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) Light showers in Manvi, Gangavathi, Yelburga, Sindhanoor, Raichur and Kustagi Taluks.
(b) Sowing and Transplantation of Paddy in Manvi taluk, Kharif crops in Yelburga and Raichur taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—

(a) Sufficient rainfall in Aurad and Bhalki taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—

(a) Sufficient rainfall in most of the taluks.
(b) Transplantation of Kharif Crops was in progress in most of the taluks.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District.—

(a) Sufficient rainfall in Somwarpet and Virajpet taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, 24TH JULY 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 59 attacks with 17 deaths from Small-pox was reported from the entire State, *viz.*, from the taluks of Gangavathi, Shahapur, Athani, Bagewadi, Gauribidnur, Mulbagal, Sorab and Nagamaagala, *as against* 11 attacks with 1 death repo ted during the corresponding week of the previous year.

A total of 65 attacks with 28 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Nanjangud, Chamarajanagar, Shimoga, Bhadravathi, Harapanahalli Kudligi and Coondapur and from the towns of Shimoga and Nanjangud during the week *as against* 117 attacks with 36 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K.F. Disease was reported from Shimoga district, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious hepatitis and influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 303 (59 in hospitals) for the week *as against* 314 (119 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.4 (13.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 17.2 (10.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 3 were due to Small-pox, 2 due to other fevers, 33 due to Dysentery and Diarrhœa, 12 due to Consumption and 253 due to all other causes, *as against* 1 due to Small pox, 94 due to other fevers, 27 due to Dysentery and Diarrhœa, 5 due to Consumption and 257 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 23 (14 in hospitals) for the week *as against* 116 (104 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4. 6 (1. 8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 23. 5 (2.4 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to other fevers, 1 due to dysentery and diarrhœa, 2 due to consumption and 18 due to all other causes, *as against* 2 due to Typhoid, 1 due to other fevers, 3 due to Dysentery and Diarrhoea, 7 du to Consumption and 103 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 28 (28 in hospitals) for the week, giving a calculated death rate of 9. 0 (9. 0 excluding hospital deaths) per mille of population (mid-year estimated) Classified according to causes of deaths, 28 were due to all other causes.

The total mortality for Belgaum city amounted to 19 ( nil in hospitals ) for the week *as against* 26 (10 in hospitals) during the corresponding week of the previous year, giving a cal ulated death rate of 7.2 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9. 9 (6. 1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 4 were due to other fevers, 15 due to all other causes, *as against* 1 due to Typhoid, 2 due to consumption and 23 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 23 (16 in hospitals) for the week *as against* 7 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.8 (2.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid, 1 due to consumption and 21 due to all other causes *as against* 1 due to Dysentery and Diarrhoea, and 6 due to all other causes reported during the corresponding week of the previous year.

94 ....., *Dy. Director of Public Health,*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY AUGUST 26, 1965 (BHADRAPADA 4, SAKA ERA 1887) | No. 34

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**Part IV—Weather and Crop Report.**

Weekly Weather and Crop Report for the Week ending Wednesday, the 28th July 1965.

| Rainy days in the week | Rainfall in Millimeters: During the week — Actual | Rainfall in Millimeters: During the week — Normal | Rainfall in Millimeters: Since the beginning of the season — Actual | Rainfall in Millimeters: Since the beginning of the season — Normal | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | (From 3—6—1965) | | |
| **1. Bangalore District.** | | | | | | | | |
| ... | | | | | Good | ... Available except in Kanakapur Taluk. | Sufficient except in Kanakapur Taluk. | |
| **2. Kolar District.** | | | | | | | | |
| Crops were withering in most of the taluks for want of rain. | | | | | Good | Available except at two villages of Sidlaghatta tq. | Sufficient | ... |
| **3. Tumkur District.** | | | | | | | | |
| Fair except in Chiknayakanahalli Taluk where it was reported that the dry crops were withering for want of rain. | | | | | Good | | | |
| **4. Mysore District.** | | | | | | | | |
| Dry crops were withering for want of rain in most of the taluks | | | | | Good | | | |
| **5. Mandya District.** | | | | | | | | |
| Dry crops were withering in most of the Taluks for want of immediate rain. | | | | | Good | | | |
| **6. Hassan District.** | | | | | | | | |
| Fair but rains were essential for the standing crops. | | | | | Good | ... Available except in Arsikere and Channarayapatna taluks. | Sufficient except in Arsikere and Channarayapatna taluks | |
| **7. Chickmagalure District.** | | | | | | | | |
| ... | | | | | Good | | | |

| No. of rainy days in the week, | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—6—1965).

**8. Shimoga District**

... Good

**9. Chitradurga District.**

66.2 121.6 Dry Crops were withering in most of the Talukas for want of immediate rains. Good ... Available except in Challakere Taluk. Sufficient

**10. Bellary District.**

Fair except in Kudligi and Harpanahalli taluks where it was reported that the crops were withering for want of rain. Good

**11. Bijapur District.**

... Good

**12. Belgaum District.**

Fair except in Ramdurg taluk where it was reported that the G.nut crop was affected by pest. Good except for the prevalence of cattle disease at one village of Ramdurg taluk.

**13. Dharwar District.**

Fair except in Nargund taluk where it was reported that the crops were in need of urgent rain. Good except for the prevalence of "Foot and Mouth disease" at one village of Navalgund Taluk. Available

**14. North Kanara District.**

Good except for the prevalance of cattle disease at 3 villages of Yellapur taluk. Available ... Sufficient ... (13)

**15. Gulbarga District.**

Fair except in Yadgir Tq. where it was reported that the Kharif Crops were affected by pest. Good

**16. Raichur District.**

Fair except in Koppal Tq. where it was reported that the crops were withering for want of rain. Good Sufficient except in Koppal Tq. (15)

**17. Bidar District.**

Good

**18. South Kanara District.**

Good do exept in Mankera Taluk. '17

**19. Coorg District.**

5 68.8 " 916.7 " do Good Available ... do ... (17)

REMARKS.- (1) Refers to 7 Talukas. (2) Refers to 8 Talukas. (3) Refers to 8 Talukas (4) Refers to 9 Talukas (5) Refers to 5 Talukas.
(6) Refers to 6 Talukas, (7) Refers to 8 Talukas, (8) Refers to 6 Talukas. (9) Refers to 7 Talukas. (10) Refers to 5 Talukas.
(11) Refers to 13 Talukas. (12) Refers to 9 Talukas. (13) Refers to 8 Talukas. (14) Refers to 7 Talukas. (15) Refers to 8 Talukas.
(16) Refers to 5 Talukas.

M. GANGARUDRAIAH, For Director.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 28th July 1965

(a) Denotes:—Rainfall
(b) ,, Sowing/Transplantation
(c) ,, Condition of standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Slight rainfall in Devanahally, Ramanagaram, Nelamangala, Kanakapura and Anekal taluks.
(b) Sowing of Kharif Crops in Devanahalli and Ramanagaram Tqs. was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in some parts of Kanakapura Taluk where in sufficiency was felt.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—

(a) Slight Rainfall in Malur, Chintamani, Srinivasapur and Sidlaghatta Taluks.
(b) Nil.
(c) Fair except in Bagepalli Taluk where Ragi and Sugarcane crops were withering for want of rain.
(d) Harvesting of Summer Paddy in Sidlaghatta Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in 8 Villages of Sidlaghatta Tq. where insufficiency was felt.
(g) Available except at 2 Villages of Siddaiaghatta Taluk where scarcity for fodder was felt.
(h) Generally healthy.

3 Tumkur District.—

(a) Slight rainfall in Kunigal, Pavagada, Madhugiri and Chicknayakanahally Taluks.
(b) Sowing of G. Nut and Navane in Pavagada Taluk, Ragi G. Nut and Jowar in Tumkur Taluk, Ragi in Madhugiri Taluk Ragi Avare and Jowar in Chicknayakanahalli Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Yedo Ragi in Pavagada Taluk Paddy in Tumkur was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available except in Tiptur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week except in Kollegal and T Narasipur Taluk.
(b) Transplantation of Paddy in Hunsur, Nanjangud, K. R. Nagar, H D. Kote, Gundlupet and T. Narasipur Taluks, was in progress.
(c) Standing Crops were fair except in Kollegal, Gundlupet and T. Narasipur Taluks, where kharif crops were withering for want of rain.
(d) Nil
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Kollegal and Gundlupet Taluks where insufficiency of water was felt.
(g) Available
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplanation of paddy in Srirangapatna Taluk was in progress
(c) Fair except in Malavalli and K. R. Pet Taluks where sugarcane was withering for want to rain.
(d) Harvesting of Sugarcane in Srirangapatna taluk, Kar Ragi in Malavalli taluk, Sugarcane and Karpady in Maddur tq. was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Krishnarajapet Taluk where insufficiency was felt.
(g) Available except in Krishnarajapet taluk, where scarcity for fodder was felt.
(h) Generally healthy

6 Hassan District.—

(a) Slight rainfall in Holenarsipur, Belur, Hassan and Mudigere Taluks.
(b) Sowing and Transplanation of paddy in Manjarabad Taluk, Ragi in Belur Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Channarayapatna and Arsikere Taluks where insufficiency was felt.
(g) Available except in Channarayapatna and Arsikere Taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Sufficient rainfall in Mudigere, Koppa, and Narasimharajapura Taluks.
(b) Transplantation of Paddy in Sringeri, MudigereKoppa andN.R Pura Taluks, Ragi Coriander, Chillies and Avare in Kadur Taluk was in progress.
(c) Standing crops were fair
(d) Harvesting of paddy in Kadur Taluk was in progress.
(e) Progress was fair in 4 taluks,
(f) Sufficient except in Tarikere Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) Slight rainfall in Shimoga, Bhadravathi, Thirthahalli, Shikaripur and Sagar Taluks.
(b) Transplantation of Paddy in Shimoga Bhadravathi, Thirthahalli and Shikaripur Taluks was in progress.
(c) Standing Crops were fair.
(d) Nil,
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Slight rainfall in Chitradurga, Haribar and Davanagere Taluks.
(b) Sowing of Kharif crops was in progress in most of the Taluks.
(c) Standing Crops were fair in Molakalmuru, Hosadurga, Challekere and Haribar Taluks where Kharif crops were withering for want of rain.
(d) Harvesting of Gidda Ragi in Molakalmur Taluk, G. Nut and Ragi in Challakere Taluks Sugarcane in Hiriyur Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available except in some villages of Hosadurga Taluk where scarcity for fodder was felt.
(h) Generally healthy.

10 Bellary District.—

(a) Light showers in Siruguppa, Sandur and Harapanahalli Taluks.
(b) Sowing of Kharif crops in Siruguppa, Hadagalli, Kudligi and Harapanahalli Taluks was in progress.
(c) Nil
(d) Nil,
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Kudligi Tq. where insufficiency of water was felt.
(g) Available.
(h) Generally healthy

11 Bijapur District.—

(a) Light showers in most of the Taluks.
(b) Sowing of G.nut K Jowar and K. Jowar and Sajje in Bilgi Taluk K. Jowar and Sajje in Badami Taluk. G.nut in Jamkhandi Taluk was in progress.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) Light showers in Hukkeri, Belgaum, Parasgod and Raibagh Taluks
(b) Sowing of Kharif Jowar in Raibagh Taluk, Kharif Crops in Hukkeri Taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 2 Taluks,
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District —

(a) Light showers in most of the Taluks.
(b) Sowing of K Jowar in Kalghatgi, Gadag, Nargund, Dharwar, Shiggaon, Haveri and Hubli, Taluks. Paddy in Hirekerur Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 Taluks
(f) Sufficient except in Gadag Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy except for the prevalance of Cattle disease at one village of Nargund Taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Sirsi, Mundgod, Yellapur, Honnavar, Kumta, Ankola and Siddapur Taluks.
(b) Transplantation of Paddy in Sirsi, Mudgod, Yellapur, Kumta and Ankola Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Epizootic Aptha at 2 villages of Yellapur Taluks.

15 Gulbarga Districts,—

(a) Light showers in Afzalpur, Gulbarga, Yadgir, Shahapur and Shorapur Taluks.
(b) Sowing of Kharif crops in Yadgir and Shorapur taluks wasjin progress.
(c) Standing crops were fair except in Yadgir taluk were Kharif crops were affected by cater piller.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

16 Raichur District.—

(a) Light showers only in Manvi, Gangavathi and Kustagi Taluks.
(b) Transplantation of Paddy in Manvi Taluk was in progress,
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 8 Taluks,
(f) Sufficient.
(g) Available.
(h) Generally healthy,

17 Bidar District.—

(a) Slight Rainfall in Bhalki Humnabad and Aurad Taluks,
(b) Sowing of Khariff crops in Humnabad Taluks was in progress.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Udipi, Bantwal and Coondapur Taluks.
(b) Transplantation of 1st Paddy crop in Puttur and Coondapur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy

19 Coorg District —

(a) Light showers in Mercara, Somwarpet and Virajpet Taluks
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

91 M. GANGARUDRAIAH *For Director of Statistics.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Notification dated 6th August 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY DATED 31ST JULY 1965.

**No. VS. 31/65-66** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1964- and 1963 were nil attacks nil deaths and 7 attacks with nil deaths respectively.

A total of 23 attacks with 6 deaths from Smallpox was reported for the entire State viz., from the taluks of Mandya, Gourbidnur, Mulbagal *as against* 24 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 82 attacks with 27 deaths from Cholera was reported for the entire State *viz* from the taluks of Shimoga, Coondapur, Raichur, Honnali Bhadravathi and from the towns of Shimoga and Coondapur during the week *as against* 147 attacks with 43 deaths reported during the corresponding week of the last year.

A total of one attack with nil deaths from K.F. Disease was reported from Shimoga district, *as against* one attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever relapsing fever, Infectious Hepatitas and Influenza in epdemic from, *as against* nil attacks with nil deaths during the corresponding week of the previousyear.

The total mortality from Bangalore Corporation amounted to 241 (78 in hospitals) for the week *as against* 202 (58 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13. 1 (8. 8 excluding hospital deaths) per mill of population (mid-year estimated) *as against* 11. 1 (7. 9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 9 were due to Smallpox, 3 due to other fevers, 23 due to Dysentery and Diarrhoea, 6 due to Consumption and 200 due to all other causes *as against* 16 due to other fevers, 18 due to Dysentery and Diarrhoea, 3 due to Consumption and 165 due to all other causes reported during the corresponding week of the previous year.

The reports for Mysore and K. G. F. Cities have not been received.

The total mortalityfor Belgaum city amounted to 17 (1 in hospitals) for the week *as against* 16 (2 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 6. 4 (6. 0 exoluding hospital deaths) per mille of population (mid-year estimated) *as against* 6. 1 (5. 4 exoluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers, 1 due to Consumption and 13 due to all other causes, *as against* 3 due to other fevers, 1 due to Dysentery and Diarrahoea and 12 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 9 (nil in hospitals) for the week *as against* 7 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of (3. 0 exoluding hospital deaths) per mille of population (mide-year estimated) *as against* 2. 4 (nil exoluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, one due to Consumption and 7 due to all other causes *as against* 7 due to all other causes reported during the corresponding week of the previous year,

11785 ....., *for Dy Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY SEPTEMBER 23, 1965 (BHADRAPADA 11, SAKA ERA 1887) | No. 35

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

#### PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the week ending Wednesday the 4th August 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | Water Supply | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | | | | (From 3-6-1965) | | | | |
| 1. *Bangalore District.* | | | | | | | | | |
| 1 | 10.8 | 14.9 | 62.9 | 146.2 | ... | Good | ... | Available except in some villages of Ramanagaram and Kanakapura Taluks | Sufficient |
| 2. *Kolar District.* | | | | | | | | | |
| | 5.3 | 13.9 | 62.8 | 143.6 | Fair | | ... | Available except in some villages of Bagepalli taluk. | |
| 3. *Tumkur District.* | | | | | | | | | |
| | 7.2 | 11.1 | 117.3 | 123.9 | Fair except in Koratagere and C. N. Halli Taluks where it was reported that the crops were withering for want of rain. | Good except for the prevalence of "Black Quarter" at one village of Koratagere Taluk. | | Available | |
| 4. *Mysore District.* | | | | | | | | | |
| | 3.8 | 13.6 | 87.3 | 149.5 | Fair except in Chamarajnagar Taluk where it was reported that the jola crop was withering for want of rain. | Good | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 5. *Mandya District.* | | | | | | | | |
| | 1.4 | 7.1 | 28.4 | | Fair except in Malavally and K. R. Pet Taluks where it was reported that the crops were withering for want of rain. | Good | | | |
| | 6. *Hassan District.* | | | | | | | | |
| | 27.9 | 36 6 | 373.8 | 424.6 | Fair except in Arasikere taluk where it was reported that the crops were withering for want of rain. | Good | ... Available except in Arasikere tq. | Sufficient except in Arasikere Taluk. | (6) |
| | 7. *Chickmagalur District.* | | | | | | | | |
| 5 | 157.3 | 136.5 | 1011.8 | 954.2 | Fair except in Chickmagalur taluk where it was reported that the crops were withering for want of rain. | Good | | | |
| | 8. *Shimoga District* | | | | | | | | |
| 6 | 212.7 | 155.6 | 1391.3 | 1049.5 | Fair | | | | |
| | 9. *Chitradurga District.* | | | | | | | | |
| | 8.4 | 12.0 | 74.0 | 133.7 | Fair except in Challakere and Molkalmuru Taluks where it was reported that thecrops were withering for want of rains. | Good | | | |
| | 10. *Bellary District.* | | | | | | | | |
| | 10.2 | N.A. | 126.4 | N.A. | Fair except in Hospet, Kudligi, Sandur and Harpanahalli taluks where crops were withering for want of rains. | Good | ... Available except in Kudligi Taluk. | | |
| | 11. *Bijapur District.* | | | | | | | | |
| | 2.5 | N.A. | 151.3 | N.A. | | ... Good except for the prevalence of "Throat disease" at one village of Sindgi Taluk. | Available | do | |
| | 12. *Belgaum District.* | | | | | | | | |
| | 37.1 | N.A. | 237.4 | N.A | Fair except in Ramadurg tq. where it was reported that the G. Nut crop was affected by pest. | Good | | | |
| | 13. *Dharwar District.* | | | | | | | | |
| | 31.8 | N.A. | 265.3 | N.A. | Fair | ... Good except for the prevalence of cattle disease at one village of Navalgund Taluk. | Available | | |
| | 14. *North Kanara District.* | | | | | | | | |
| 7 | 357.4 | N.A. | 1735.3 | N.A. | Fair | ... Good except for the prevalence of "H. S. disease" at 2 villages of Mundgod Taluk. | Available | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 15. *Gulbarga District.* | | | | | | | | |
| — | 4.1 | N.A. | 311.4 | N.A. | Fair except in Yadgir Taluk where it was reported that the kharif crops were affected by pest. | Good | ... Available | do | (14) |
| | 16. *Raichur District.* | | | | | | | | |
| — | 0.4 | N.A. | 128.5 | N.A. | Fair except in Koppal taluk where it was reported that the crops were withering for want of rain. | | ... Available except in Koppal Tq. | | |
| | 17. *Bidar District.* | | | | | | | | |
| | 3.5 | N.A. | 425.6 | N.A. | Fair | | ... Available | | |
| | 18. *South Kanara District.* | | | | | | | | |
| 7 | 455.6 | N.A. | 2179.1 | N.A. | Fair | | | do | |
| | 19. *Coorg District.* | | | | | | | | |
| 7 | 124.2 | N.A. | 993.2 | N.A. | Fair | ... Good | ... Available | do | (16) |

Remarks :—(1) Refers to 6 Taluks. (2) Refers to 7 Taluks. (3) Refers to 9 Taluks. (4) Refers to 9 Taluks. (5) Refers to 6 Taluks. (6) Refers to 7 Taluks. (7) Refers to 8 Taluks. (8) Refers to 8 Taluks. (9) Refers to 7 Taluks. (10) Refers to 6 Taluks. (11) Refers to 6 Taluks. (12) Refers to 12 Taluks. (13) Refers to 8 Taluks. (14) Refers to 4 Taluks. (15) Refers to 3 Taluks. (16) Refers to 2 Taluks.

M. GANGABUDRIAH, For *Director of Statistics*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 4th August 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) Slight rainfall in Ramanagaram, Magadi and Devanahalli taluks.
(b) Sowing of Ragi in Doddaballapur taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Devanahalli and Kanakapura taluks where insufficiency was felt.
(g) Available except in Ramanagaram and Kanakapura taluks where scarcity for fodder was felt.
(h) Generally Healthy.

2 Kolar District.—
(a) No rainfall during the week except in Bagepalli taluk.
(b) Sowing of Ragi in Malur taluk was in progress.
(c) Standing crops were fair except in Bagepalli and Chintamani taluks where K. crops were withering for want of rain
(d) Nil
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available except in Bangarpet, Bagepalli and Malur Tqs. where scarcity for fodder was felt.
Generally Healthy.

3 Tumkur District.—
(a) Light showers in Chicknayakanahalli, Tiptur Gubbi and Sira Taluks.
(b) Sowing of Groundnut Ragi and Jowar in Tumk. taluk, Ragi in Madhugiri and Gubbi taluks K. Jowar, Greengram, Blackgram and Castor Chicknayakanahalli taluk was in progress.
(c) Fair except in Chicknayakanahalli and Pavagada taluks, where K. Crops were withering for want of rain.
(d) Harvesting of Ragi in Chicknayakanahalli and Pavagada tqs. G. Nut in Turuvekere taluk was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Turuvekere taluk where insufficiency of water was felt.
(g) Available except in Chicknayakanahalli and Tiptur taluks where scarcity for fodder was felt.
(h) Generally Healthy.

4 Mysore District.—
(a) Slight rainfall in T. Narasipur, K R. Nagar and Heggadadevanakote taluks.
(b) Transplantation of paddy in T. Narasipur, K R. Nagar, Hunsur and Gundlupet Taluks was in progress.
(c) Standing Crops were fair except in K R. Nagar and Gundlupet taluks where Kharif Crops were withering for want of rain.
(d) Harvesting of G. nut in Hunsur taluk, Jowar in T.-Narapur taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Kollegal, Gundlupet and Yelandur taluks where insufficiency was felt.
(g) Available.
(h) Generally Healthy.

5 Mandya District.—
(a) No rainfall during the week except in Nagamangala taluk.
(b) Transplantation of Sugarcane in Maddur taluk, Paddy and Sugarcane in Srirangapatna taluk was in progress.
(c) Fair except in Malavalli taluk where Jowar and Sesamum and Sugarcane in K. R. Pet taluk withering for want of rain.
(d) Harvesting of Sugarcane and Kar Paddy in Maddur taluk, Sugarcane in Srirangapatna taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Nagamangala and Krishnarajapet taluks where insufficiency was felt.
(g) Available except in Nagamangala and Krishnarajapet taluks where scarcity for fodder was felt.
(h) Generally Healthy.

6 Hassan District.—
(a) Light showers in most of the taluks.
(b) Sowing and Transplantation of Ragi and Paddy in Belur taluk, Paddy in Arkalgud and Manjarabad taluks was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Channarayapatna and Arsikere taluks where insufficiency of water was felt.
(g) Available except in Channarayapatna, Holenarasipur and Arsikere taluks where scarcity for fodder was felt.
(h) Generally Healthy.

7 Chickmagalur District.—
(a) Sufficient rainfall in N. R. Pura, Koppa and Mudigere taluks and light showers in Chickmagalur, Kadur and Tarikere taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Paddy in Kadur Tq. was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Tarikere taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

8 Shimoga District.—
(a) Sufficient rainfall in Shimoga, Thirthahalli Shikaripur and Bhadravathi taluks.
(b) Transplantation of Paddy in Thirthahalli and Shikaripur Taluks Ragi and Paddy in Bhadravathi taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) Light showers in most of the taluks.
(b) Sowing and Transplantation of Kharif Crops was in progress in most of the Taluks.
(c) Fair except in Haribar and Challakere taluks, where Kharif crops were withering for want of rain.
(d) Harvesting of Sugarcane in Hiriyur taluk Groundnut and Gidda Ragi in Chellakere taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Molakalmuru taluk where insufficiency of water was felt.
(g) Available except in Hosadurga and Molakalmuru Tqs. where scarcity for fodder was felt.
(h) Generally Healthy.

10 Bellary District.—
(a) Light showers in Sandur, Hadagalli, Mallapuram, Harapanahalli and Kudligi taluks.
(b) Sowing of Kharif Crops in Sandur, Harapanahalli and Kudligi taluks was in progress
(c) Fair except in Harapanahalli, Kudligi and Hospet taluks where K. crops were withering for want of rain.
(d) Nil.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Kudligi taluk where insufficiency of water was felt.
(g) Available except in Kudligi and Hospet taluks where scarcity for fodder was felt.
(h) Generally Healthy.

11 Bijapur District.—
(a) Slight rainfall in Muddebihal, Badami, Bilgi Mudhol taluks.
(b) Sowing of Groundnut, K. Jowar and Sajje in Bilgi taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of "Throat disease at one village of Sindagi taluk.

12 Belgaum District.—
(a) Slight rainfal in Gokak, Parasgad, Belgaum, Raibagh, Hukkeri and Ramdurg taluks.
(b) Sowing of Navane and Sajje in Ramdurg taluk was in progress,
(c) Fair except in Ramdurg taluk where Groundnut crop was affected by pest.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—
(a) Light showers in most of the taluks.
(b) Sowing of Kharif Jowar in Hubli and Shiggon tqs. G. nut, and Jowar in Haveri taluk was in progress.
(c) Fair except in Nargund Tq. where K. Crops were withering for want of rain.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at two villages of Navalgund taluk.

14 North Kanara District.—
(a) Sufficient rainfall in most of the taluks.
(b) Transplantation of Paddy in Yellapur, Mundgod, Siddapur and Kumta taluks was in progress.
(c) Standing crops were fair.
(d) Nil.

(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of Cattle disease at 2 villages of Mundgod Taluk.

15 Gulbarga District.—

(a) Light showers in Gulbarga, Sedam and Yadgir tqs
(b) Nil.
(c) Fair except Yadagir taluk where Kharif crops were badly in need of rain.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—

(a) No rainfall during the week except in Kustagi tq.
(b) Sowing and Transplantation of Kharif crops in Sindhanoor taluk, Paddy in Manvi taluk, was in progress.
(c) Fair except in Sindhanoor and Yelburga tqs. where crops were withering for want of rain.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

17 Bidar District.—

(a) No rainfall during the week except in Humnabad taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Humnabad taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

18 South Kanara District.—

(a) Sufficient rainfall in all of the taluks.
(b) Transplantation of I Crop paddy was almost completed in most of the taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

19 Coorg District.—

(a) Sufficient rainfall in Virajpet and Somwarpet tuluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

M. GANGARUDRAIAH, For *Director of Statistics.*

## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

Notification dated 13th August 1965.

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 7th August 1965.*

No. VS 32/SPH/65-66. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during the years 1963 and 1964 were 28 attacks with one death and nil with nil deaths respectively

A total of 35 attacks with 15 deaths from Small-pox was reported for the entire State, *viz.*, from the City of Bangalore from the talaks of Mangalore, Coondapur, Udipi, Bellary, Manvi, Mandya, Maddur and Sorab *as against* 29 attacks with 3 death reported during the corresponding week of the previous year.

A total of 33 attacks with 9 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Shimoga, Bhadravathi and from the towns of Shimoga and Tarikere and from the City of Mysore, during the week *as against* 76 attacks with 16 deaths reported during the corresponding week of the last year.

A total of nil attack with nil death from K. F. Disease was reported from Shimoga District *as against* 1 attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever, infectious Hepatics and Influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 253 (104 in hospitals) for the week *as against* 168(95 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.0 (8.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.2 (4.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers 37 due to dysentery and Diarrhoea, 12 due to consumption and 203 due to all other causes, *as against* 10 due to other fevers, 19 due to dysentery and Diarrhoea, 2 due to consumption and 137 due to all other causes reported during the corresponding week of the previous year.

The reports for Myrore city and K. G. F. have not been received.

The total mortality for Belgaum City amounted to 15 ( 5 in hospitals) for the week *as against* 12 ( nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.7 (3.8 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 4.6 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 3 were due to other fevers, 2 due to Dysentery and Diarrhoea, 1 due to consumption and 9 due to all other causes, *as against* 12 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 24 (18 in hospitals) for the week *as against* 10 ( 2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.1 (2.0 excluding hospital deaths) per mille of population (mid year estimated) *as against* 3.4 ( 2.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 24 were due to all other causes. *as against* 1 due to Dysentery and Diarrhoea and 9 due to all other causes reported during the corresponding week of the previous year.

102 ....., *Deputy Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 30th July 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 30th July 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mankathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice—I Sort | Mankathi | 100 kg. | 128 00 |
| II Sort | Guddu | " | 126 00 |
| III Sort | Suggi | " | 123 00 |
| Ragi | ... | Moore of 39·14 kg | ... |
| Cane Jaggery | I Sort | 100 kg. | 85 00 |
| " | II Sort | " | 45 00 |
| Cocoanuts | Unhusked | 1,000 Nuts | 350 to 540 00 |
| " | Husked | " | 340 to 530 00 |
| Copra | ... | 100 kg. | 290 to 310 00 |
| Cocoanut Oil | I Class | 10 kg. | 51 60 |
| " | II Class | " | 49 60 |
| Cashew Kernels | ... | ... | ... |
| Cashew Nuts | ... | 100 kg. | 80 to 92 00 |
| Cardamoms | Mysore | 10 kg. | 250 to 300 00 |
| " | Coorg | " | 210 to 290 00 |
| Malabar Black Pepper | ... | 50 kg. | 216 00 |
| Tobacco | Chewing | 100 kg. | 400 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | ... |
| " | Husked Old | 50 kg. | 825 to 885 00 |
| " | " New | " | 865 00 |
| Chillies | Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 6 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·99 kg. | 26 to 27 00 |
| Cotton Seeds | ... | " 64 kg. | 16 to 25 00 |
| Horsegram | ... | " 93·07 kg. | 57 to 59 00 |

Dy. Commr.

Dated 6th August 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 6th August 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | Mankathi | 100 kg. | No Stocks |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Rice— I Sort | Mankathi | " | |
| II Sort | Guddu | " | |
| III Sort | Suggi | " | |
| Ragi | ... | Moore of 39·14 kg. | |
| Cane Jaggery | I Sort | 100 kg. | 80 00 |
| " | II Sort | " | 45 00 |
| Cocoanuts | Unhusked | 1000 Nuts | 340 to 530 00 |
| " | Husked | " | 330 to 520 00 |
| Copra | ... | 100 kg. | 310 00 |
| Cocoanut Oil | I Class | 10 kg. | 54 00 |
| " | II Class | " | 50 00 |
| Cashew Kernels | ... | 100 kg. | 83 to 93 00 |
| Cardamoms | Mysore | 10 kg. | 250 to 300 00 |
| " | Coorg | 10 kg. | 240 to 290 00 |
| | | " | |
| Malabar Black Pepper | ... | 50 kg. | 226 to 233 00 |
| Tobacco | Chewing | 100 kg. | 400 to 640 00 |
| " | Snuff | " | 760 to 800 00 |
| " | Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | ... |
| " | Husked Old | 50 kg. | ... |
| " | " New | " | 242 to 283 00 |
| Chillies | Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " | Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | Chewing | Per 1 kg. | 4 to 6 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 28 50 |
| Cotton Seeds | ... | " 64·00 kg. | 16 50 |
| Horsegram | ... | " 93·07 kg. | 59 to 60 00 |

Dy. Commr.

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY SEPTEMBER 9, 1965 (BHADRAPADA 18, SAKA ERA 1887) | No. 36

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the week ending Wednesday the 11th August 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | Remarks |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—6—1965)

1. Bangalore District.

| | | | | | |
|---|---|---|---|---|---|
| 3 | 56.2 | | ... Good | ... Available | Sufficient |

2. Kolar District.

| | | | | | |
|---|---|---|---|---|---|
| | | Fair | Good | ... Available | Sufficient |

3. Tumkur District.

| | | | | | |
|---|---|---|---|---|---|
| | | | Good | ... Available except in some parts of Chiknayakanahalli taluk where scarcity for fodder was felt. | do |

4. Mysore District.

| | | | | | | |
|---|---|---|---|---|---|---|
| | 11.2 | 105.6 | Fair except in Chamarajanagar and Gundulpet taluks where it was reported that the Jowar Crop was was withering for want of rain. | Good | ... Available | Sufficient except in Kollegal tq. (a) |

5. Mandya District.

Good

6. Hassan District.

Good

7. Chickmagalur District.

| | | |
|---|---|---|
| Fair | ... Good | |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Conditions of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—6—1965).

**8. Shimoga District.**

... Good

**9. Chitradurga District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| | 10.1 | 121.6 | 143.2 | Fair | Good | Sufficient |

**10. Bellary District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| 3 | 70.8 | N.A. | 210.9 | N.A. | Good except for the prevalance of "Black Quarter" and "Haemmarahalgic Septicaemia diseases in some villages of Siruguppa taluk. | Available |

**11. Bijapur District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| ... | | | | | Good except for the prevalance of Glanders Disease at one village of Bagawadi taluk. | Available |

**12. Belgaum District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| | 27.6 | N.A. | 165.8 | N.A. | Fair except in Ramdurg taluk where it was reported that the Kharif Jowar crop was affected by pest. | Good | do |

**13. Dharwar District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| | 42.8 | N.A. | 283.7 | N.A. | Good except for the prevalence of "Cattle disease" at wo village of Navalgund Taluk. | Available |

**14. North Kanara District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| | 88.8 | N.A. | 1603.9 | N.A. | Fair | Good except for the prevalance of cattle disease at one villages of Mundgad taluk. | Available |

**15. Gulbarga District.**

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 23.7 | N.A. | 370.3 | N.A. | Fair except in Yadgir Tq. where it was reported that the Kharif Crops were affected by Catter Pillar. | Good | Sufficient | ... (14) |

**16. Raichur District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| | | N.A. | 164.6 | N.A. | | Good | | |

**17. Bidar District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| | | N.A. | 766.5 | N.A. | | Good | | |

**18. South Kanara District.**

Good

**19. Coorg District.**

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4 | 10.8 | N.A. | 1003.9 | N.A. | do | Good | .... Available | do ... (18) |

REMARKS.— (1) Refers to 7 Taluks. (2) Refers to 8 Taluks. (3) Refers to 8 Taluks (4) Refers to 10 Taluks. (5) Refers to 6 Taluks.
(6) Refers to 2 Taluks. (7) Refers to 6 Taluks. (8) Refers to 8 Taluks. (9) Refers to 7 Taluks. (10) Refers to 8 Taluks.
(11) Refers to 4 Taluks. (12) Refers to 12 Taluks. (13) Refers to 7 Taluks. (14) Refers to 4 Taluks. (15) Refers to 7 Taluks.
(16) Refers to 2 Taluks. (17) Refers to 8 taluks. (18) Refers to 9 taluks.

M. GANGARUDRAIAH, For *Director*.

General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 11th August 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing and Transplantation.
(c) ,, Standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Magadi, Kanakapura, Devanahally, Nelamangala and Ramanagaram, taluks.
(b) Sowing of Ragi in Nelamangala taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient expect in Kanakapura Taluk where insufficiency was felt.
(g) Available except in Kanakapura Taluk.
(h) Generally healthy.

2 Kolar District.—

(a) Sufficient rainfall in most of the Taluks.
(b) Sowing of Ragi in Malur, and Srinivasapur taluks, Ragi and paddy in Bangarpet Taluk, Ragi and Pulses in Gowribidanur taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 7 Taluks.
(f) Sufficient except in Sidlaghatta Tq. where insufficiency was felt.
(g) Available except in Siddlaghatta and Bagepally Taluks where scarcity for fodder was felt.
(h) Generally healthy.

3 Tumkur District.—

(a) Light showers in Pavagada, Gubbi, Tiptur, Chicknayakanahally and Turevekere Taluks.
(b) Sowing and Transplantation of Kharif Crops was in progress in most of the taluks.
(c) Standing crops were fair.
(d) Harvesting of Summer Paddy in Tumkur and Turuvekere taluks was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Turuvekere taluk where insufficiency was felt.
(g) Available except in Tiptur and Chicknayakanahalli taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of Black quarter in some parts of Tumkur Taluk.

4 Mysore District.—

(a) Light showers in most of the Taluks.
(b) Transplantation of Paddy in Mysore, T. Narasipur, Nanjangud, K. R. Nagar and Hunsur Taluks, K, Crops in Chamarajanagar and Kollegal Taluks was in progress.
(c) Fair except in Mysore, K R. Nagar and Gundlupet Taluks where K. Crops were withering for want of rains.
(d) Harvesting of Jowar in Gundlupet, Mysore, T, Narasipur, Nanjangud and Kollegal Taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Gundlupet, Heggadevanakote, Mysore and Kollegal Taluks where insufficiency was felt.
(g) Available exceept in Mysore Taluks where scarcity for fodder was felt.
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Srirangapatna, Maddur, Malavalli and Nagamangala Taluks.
(b) Sowing and Transplantation of paddy and Sugarcane in Srirangapatna Taluk, Ragi and Paddy in Malavalli Taluk, Sugarcane in Maddur and Pandavapura Taluks was in progress.
(c) Fair except in Nagamangala Taluk where Jola and Ragi was withering for want to rains.
(d) Harvesting of Sugarcane in Srirangapatna and Maddur taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Nagamangala Taluk where insufficiency was felt.
(g) Available except in Nagamangala taluk, where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Hassan and Belur Taluks.
(b) Transplantation of Ragi and paddy in Belur Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in Narasimharajapura, Chickmagalur, Kopp Tarikere and Sringeri Taluks.
(b) Transplantation of Paddy in Koppa and Sringeri Taluks was progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Tarikere Taluk where insufficiency o water was felt.
(g) Available except in Chickmagalur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—

(a) Slight rainfall in Bhadravathi, Honnali and Thirthahalli, Taluks.
(b) Transplantation of Paddy in Thirthahalli and Bhadravathi, Taluks was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Slight rainfall in most of the Taluks.
(b) Sowing of Ragi, Navane and Cotton in Holakere Taluks, Navane, Cotton, Sajje and Horsegram in Chitradurga Tq. K. Crops in Challakere, Hosadurga and Haribar taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Gidda Ragi in Challakere and Molakalmuru Taluk, Sugarcane in Hiriyur Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of Black Quart at two villages of Challakere Taluk.

10 Bellary District.—

(a) Sufficient rainfall in Sandur, Siruguppa, Harapanahal Hospet and Kudligi Taluks.
(b) Sowing of K. Crops in Harapanahalli Taluk, Navane and Cotton in Hadagalli taluk. Navane, Ragi, Horsegram and Sajje in Hospet taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available except in Hospet tq. where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of Haemorrhagic Septiciaemia and Black quarter in some villages of Siruguppa taluk.

11 Bijapur District.—

(a) Light showers in Bagewadi, Badami, indi, Muddebihal, Mudhol, Sindagi and Hungund taluks.
(b) Sowing of Kharif Crops were almost completed in most of the taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of Epizootic Apthe at one village of Sindagi Taluk.

12 Belgaum District.—

(a) Slight rainfall in Hukkeri, Raibagh and Gokak.
(b) Sowing of Kharif Crops in Gokak Taluk, Sajje and Navane in Raibagh taluk was in progress.
(c) Fair except in Raibagh taluk, where K. Jowar and G. nut was affected by pest.
(d) Nil
(e) Progress was fair in 2 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 Dharwar District.—

(a) Adequate rainfall in Gadag, Shiggon, Kalghatgi, Nargund Mundargi and Shirahatti Taluks.
(b) Sowing of Kharif Jowar was almost completed in most of the Taluks.
(c) Fair except in Dharwar tq. where K. Crops was affected by grass hoppers.
(d) Nil.
(e) Progress was fair in 7 Taluks.
(f) Sufficient except in one village of Gadag Taluk. where insufficiency of water was felt.
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy.

14 North Kanara District.—

(a) Light showers in Yellapur, Karwar, Siddapur, Haliyal and Mundagod taluks.
(b) Transplantation of Paddy in Mundged and Yallapur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Cattle disease at one village of Mundged taluk.

15 Gulbarga District.—

(a) Light showers in Sedam, Chincholi and Yadgir Taluks.
(b) Nil.
(c) Satnding crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

1 Raichur District.—

(a) Normal rainfall in Yelburga, Gangawathi, Sindhanur and Kustagi taluks.
(b) Sowing of Kharif Crops in Gangavathi taluk and Transplantation of paddy in Manvi Taluk was in progress.
(c) Fair except in Sindhanoor taluk where K. Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

17 Bidar District.—

(a) No rainfall during the week except in Humnabad Taluks.
(b) Sowing of Kharif, Jowar, Mung, Blackgram, Groundnut, Sajje, and Tur, in Humnabad taluk was in progress.
(c) Fair except in Bhalki taluk where crops were affected by pest.
(d) Nil.
(e) Progress was fair in Humnabad taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Sufficient rainfall in Bantwalgadi, Puttur and Coondapur taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District —

(a) Slight rainfall Virajpet and Somwarpet Taluks
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, *For Director of Statistics.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, THE 14TH AUGUST 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 21 attacks with 5 deaths from Small-pox was reported for the entire State, *viz.*, from the taluks of Sorab, Coondapur Mandya, T. Narasipur, Srinivasapura, and Kunigal *as against* 3 attacks with nil deaths reported during the corresponding week of the previous year.

A total of 16 attacks with 8 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Shimoga, Coondapur and Bhadravathi and from the town of Shimoga during the week *as against* 99 attacks with 39 deaths reported during the corresponding week of the last year.

A total of 2 attacks with 1 death from K. F. Disease was reported from Shimoga district, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 253 (79 in hospitals) for the week *as against* 234 (79 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.7 (9.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.8 (8.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 3 were due to Small-pox, 22 due to Dysentery and Diarrhœa, 6 due to Consumption and 222 due to all other causes, *as against* 19 due to other fevers, 34 due to Dysentery and Diarrhœa, 1 due to Consumption and 180 due to all other causes reported during the corresponding week of the previous year.

The reports of Mysore City and K. G. F. have not yet been received.

The total mortality for Belgaum city amounted to 34 (13 in hospitals) for the week *as against* 8 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.8 (7.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.1 (3.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 1 due to Dysentery and Diarrhœa, 1 due comsumption and 30 due to all other causes, *as against* 8 due to all other causes only reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 51 (22 in hospitals) for the week *as against* 17 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.2 (9.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5.9 (5.9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers and due to all other causes *as against* 3 due to consumption and 14 due to all other causes reported during the corresponding week of the previous year.

S. D. NARAYANA GOWDA,
104 *Dy. Director of Public Health,*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY SEPTEMBER 16, 1965 (BHADRAPADA 25, SAKA ERA 1887) | No. 37

## PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 18th August 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | (10) |
| | | | | | (From 3-6-1965) | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 2 | 24.1 | 20.1 | 145.4 | 132.9 | Fair | ... | Available | Sufficient | ( ) |
| | 2. *Kolar District.* | | | | | | | | |
| 2 | 28.3 | 19.5 | 163.4 | 178.9 | Fair except in Gudibanda taluk where it was reported that the crops were in need of immediate rains. | Good | ... Available | do | (2) |
| | 3. *Tumkur District.* | | | | | | | | |
| 2 | 17.8 | 17.8 | 178.7 | 151.4 | Fair | ... | Available except in some villages of Chickanayakanahalli and Tiptur taluks where scarcity for fodder was felt. | do | |
| | 4. *Mysore District.* | | | | | | | | |
| 2 | 23.5 | 14.1 | 128.5 | 146.5 | Fair except in Hunsur, Gundlupet, Krishnarajanagar Chamarajanagar and Mysore Taluks where it was reported that the crops were withering for want of rains. | Good | ... Available | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 5. *Mandya District.* | | | | | | | | |
| 3 | 27.3 | 13.4 | 76.5 | 132.8 | Fair except in K. R. Pet Taluk where it was reported that the sugarcane crop was withering for want of rains. | Good | | | |
| | 6. *Hassan District.* | | | | | | | | |
| — | 0.5 | 17.9 | 316.4 | 307.7 | Fair except in Belur and Arasikere taluks where it was reported that the crops were withering for want of rain. | Good | ... Available except in Arasikere tq. where it was reported that scarcity for fodder was felt. | Sufficient except in Belur and Arsikere Taluks. | (5) |
| | 7. *Chickmagalur District.* | | | | | | | | |
| 2 | 13.4 | 73.3 | 1080.0 | 1140.7 | Fair except in Chickmagalur taluk where it was reported that the crops were not fair due to non-receipt of timely rains. | Good | ... Available except in Chikanayakanahalli Taluk. | Sufficient | ... |
| | 8. *Shimoga District* | | | | | | | | |
| 2 | 22.8 | 84.8 | 1818.1 | 1324.6 | Fair | | ... Available | Sufficient | (6) |
| | 9. *Chitradurga District.* | | | | | | | | |
| | 21.1 | 13.3 | 146.5 | 162.5 | Fair | Good except for the prevalence of "Black Quarter" at 2 Villages of Challakere Taluk. | Available | | (7) |
| | 10. *Bellary District.* | | | | | | | | |
| | 23.6 | N.A. | 232.1 | N.A. | Fair except in Kudligi, and Hospet, taluks where it was reported that the crops were in need of urgent rains. | Good | | | (8) |
| | 11. *Bijapur District.* | | | | | | | | |
| | 18.2 | N.A. | 230.3 | N.A. | | ... Good except for the prevalence of "Glander disease" at one village of Sindgi Taluk. | Available | | (9) |
| | 12. *Belgaum District.* | | | | | | | | |
| 2 | 12.6 | N.A. | 303.1 | N.A. | Fair except in Ramadurg tq. where it was reported that the Kharif Jower crop was affected by pest. | Good | ... Available | | |
| | 13. *Dharwar District.* | | | | | | | | |
| | 13.5 | N.A. | 254.1 | N.A. | | ... Good except for the prevalence of cattle disease at 2 villages of Naragund Taluk. | Available | | |
| | 14. *North Kanara District.* | | | | | | | | |
| | 88.3 | N.A. | 1736.9 | N.A. | | ... Good except for the prevalence of cattle disease at one village of Mundgod Taluk. | Available | do | (12) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | 15. *Gulbarga District.* | | | | | | | |
| 1 | 7.1 | N.A. | 351.5 | N.A. | Fair except in Yadgir Taluk where it was reported that the kharif crops were affected by pest. | Good ... | Available | do | (13) |
| | | 16. *Raichur District.* | | | | | | | |
| | 14.2 | N.A. | 177.8 | N.A. | Fair except in Manvi taluk where it was reported that the Kharif crops was not fair due to non receipt of timely rains. | ... | Available | do | (14) |
| | | | | | Not Received. | | | | |
| | | 18. *South Kanara District.* | | | | | | | |
| 5 | 165.8 | N.A. | 2616 1 | N.A. | Fair | | | | (15) |
| | | 19. *Coorg District.* | | | | | | | |
| 2 | 16 3 | N.A. | 923.0 | N.A. | Fair | ... Good | ... Available | do | (16) |

Remarks :—(1) Refers to 4 Taluks. (2) Refers to 7 Taluks. (3) Refers to 10 Taluks. (4) Refers to 5 Taluks. (5) Refers to 4 Taluks. (6) Refers to 7 Taluks. (7) Refers to 8 Taluks. (8) Refers to 7 Taluks. (9) Refers to 8 Taluks. (10) Refers to 4 Taluks. (11) Refers to 14 Taluks. (12) Refers to 8 Taluks. (13) Refers to 8 Taluks. (14) Refers to 7 Taluks. (15) Refers to 4 Taluks. (16) Refers to 1 Taluk.

M. GANGABUDRIAH, For *Director of Statistics*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 18th August 1965.

(a) Denotes :—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of Standing Crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations.
(f) " Water Supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Devanahalli, Magadi, Ramanagaram and Kanakarura Taluks.
(b) Sowing of Kharif Crops was nearing completion in most of the Taluks.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available except in some parts of Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

2 Kolar District.—

(a) Slight rainfall in Chintamani, Srinivasapur, Gouribidanur, Bagepalli and Gudibanda Taluks.
(b) Sowing and Transplantation of Paddy in Chintamani Taluk, Ragi in Srinivasapur and Gauribidanur Taluks was in progress.
(c) Standing crops were fair
(d) Nil
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Gudibanda Taluk where insufficiency of water was felt.
(g) Available except in Bagepalli and Gudibanda Taluks where scarcity for fodder was felt.
(h) Generally Healthy.

3 Tumkur District.—

(a) Beneficial rainfall in most of the Taluks
(b) Sowing and Transplantation of Ragi Jowar and Avare in Chiknayakanahalli taluk Ragi, Jowar, G. Nut and Pulses in Tumkur Taluk, Ragi in Turuvekere and Gubbi Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Yada Ragi in Turuvekere and Tumkur Taluks was in progress.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Turuvekere Taluk where insufficiency was felt.
(g) Available except in Chiknayakanahalli and Tiptur taluks where scarcity for fodder was felt.
(h) Generally Healthy.

4 Mysore District.—

(a) Beneficial to the Standing Crops in T. Narasipur, Kollegal, Hunsur, Mysore, Haggadevanakote, Chamarajanagar and Yelandur Taluks.
(b) Sowing and Transplantation of Ragi and Paddy in T. Narsipur Taluk, Ragi in Kollegal and Yelandur Taluks, Paddy in Hunsur Gundlupet and K. R. Nagar taluks Ragi, Horsegram and G. Nut in Chamarajanagar Taluk was in progress.
(c) Standing crops were fair except in Hunsur, Gundlupet, K. R. Nagar and Chamarajanagar Taluks where Kharif crops were withering for want of urgent rains.
(d) Harvesting of Jowar in Gundlupet and Mysore Taluks was in progress.
(e) Progress was fair in 5 taluks.

(f) Sufficient except in Kollegal, Hunsur Gundlupet and Mysore taluks where insufficieney of water was felt.
(g) Available except in Hunsur and Mysore Taluks where scarcity for fodder was felt.
(h) Generally Healthy.

5 Mandya District.—

(a) Beneficial to the standing crops in Srirangapatna, Maddur and Malavalli Taluks.
(b) Sowing and Transplantation of Paddy and Sugarcane in Srirangapatna Taluk, Paddy in Maddur and Malavalli Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane, in Srirangapatna Maddur and Pandavapura Taluks was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in K. R. Pet Taluk where insufficiency was felt.
(g) Available except in K. R. Pet Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week except in Channarayapatna and Arsikere Taluks.
(b) Sowing of Paddy and Ragi in Channarayapatna and Belur Taluks, Ragi in Arsikere Taluk was in progress.
(c) Fair except in Arsikere Taluk where crops were affected by pest.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Channarayapatna and Arsikere taluks where insufficiency was felt.
(g) Available except in Arsikere taluk where scarcity for fodder was felt.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) Beneficial in Mudigere, Tarikere, Chickmagalur and Narasimharajapura taluks.
(b) Transplantation of Paddy in Koppa Taluk was in progress.
(c) Fair except in Chickmagalur Taluk where K. Crops were affected by pest.
(d) Harvesting of Sugarcane in Kadur Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Tarikere and Chickmagalur Taluk where insufficiency was felt.
(g) Available.
(h) Generally Healthy.

8 Shimoga District.—

(a) Beneficial to the standing crops in Shikaripur, Thirthahalli and Bhadravathi taluks.
(b) Transplantation of Paddy was in progress in Bhadravathi taluk. Same was nearing completion in Shikaripur and Thirthahalli Taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) Sufficient rainfall in Hosadurga, Hiriyur, Molakalmur, Holalkere, Challakere and Davangere Taluks.
(b) Sowing and Transplantation of Paddy in Molakalmuru Taluk Navane Horsegram G. Nut and Paddy in Hiriyur, Taluk, Cotton, Navane and Paddy in Harihar Taluk, Navane, Horsegram, Sajje, G. Nut and Cotton in Challakere Taluk was in progress
(c) Standing crops were fair.
(d) Harvesting of Gidda Ragi in Molakalmuru Taluk, Sugarcane in Hiriyur Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Black Quarter in some parts of Challakere Taluk.

10 Bellary District.—

(a) Sufficient rainfall in Hadagalli, Mallapuram, Kudligi and Harapanahalli taluks.
(b) Sowing of Navane, Horsegram and Sajje in Hospet Taluk Navane and Cotton in Hadagalli taluks was in progress
(c) Fair except in Hospet taluk where Sugarcane was affected by pest and in Kudligi Taluk crops were urgently in need of rains.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Kudligi taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) Moderate rainfall in Bilgi, Sindagi, Mudhol, Bagewadi and Badami taluks.
(b) Sowing of Cotton in Mudhol taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy except for the prevalence of Epizootic Aptha at one village of Sindagi taluk.

12 Belgaum District.—

(a) Slight rainfal in Belgaum, Gokak, and Ramdurg taluks.
(b) Sowing of Kharif crops was in progress in Gokak Taluk
(c) Fair except in Ramdurg taluk where Groundnut crop was affected by pest.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District.—

(a) Beneficial to the standing crops in most of the Taluks.
(b) Sowing of G. Nut and K. Jowar in Nargund taluk, K. Jowar in Navalgund taluk, G. Nut, K. Jowar and Navane in Mundargi taluk, cotton in Ranebennur taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 10 taluks.
(f) Sufficient.

during the corresponding week of the previous year, giving a calculated death rate of 9.0 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 5.5 ( 5.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of death 28 were due to all other causes *as against* 1 due to other fevers, 1 due to Dysentery and Diarrhoea and 14 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 37 ( 21 in hospitals) for the week *as against* 3 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.9 (6.0 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 1.1 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 1 was due to other fevers, 1 due to Dysentery and Diarrhoea, 2 due to consumption and 33 due to all other causes, *as against* 3 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 31 (20 in hospitals) for the week *as against* 8 ( nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.5 (3.7 excluding hospital deaths) per mille of population (mid year estimated) *as against* 2.8 ( nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 4 were due to other fevers, 1 due to Dysentery and Diarrhoea and 26 due to all other causes *as against* 8 due to all other causes reported during the corresponding week of the previous year.

113 ....., *Deputy Director.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Notification dated 2nd September 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY THE 28TH AUGUST 1965.

**No. VS. 35/SPH/65--66.** The State remained free from plague during the week as in the previous week Comparative figures for the corresponding week during 1963 and 1964 were 5 attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 34 attacks with 13 deaths from Smallpox was reported for the entire State *viz.*, from the taluks of Doddballapur, T. Narsipura, Krishnarajpet, Bellary, Manvi and Kudligi *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

A total of 34 attacks with 12 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Shimoga and Bhadravathi and from the towns of Shimoga and Bhadravathi and from the city of Davangere during the week *as against* 35 attacks with 13 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K.F. Disease was reported from Shimoga District, *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epdemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 267 (96 in hospitals) for the week *as against* 326 (131 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14. 4 (9 3 excluding hospital deaths) per mile of population (mid-year estimated) *as against* 17. 9 (10. 7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 7 were due to other fevers, 31 due to Dysentery and Diarrhoea, 10 due to Consumption and 216 due to all other causes *as against* 19 due to other fevers, 27 due to Dysentery and Diarrhoea, 15 due to Consumption and 265 due to all other causes reported during the corresponding week of the previous year.

The reports for Mysore and K. G. F. have not been received.

The total mortality for Belgaum city amounted to 37 (1 in hospitals) for the week *as against* 14 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 13. 9 (7. 5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5. 4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Malaria, 3 due to other fevers, 1 due to Dysentery and Diarrhea, 2 due to Consumption and 30 due to all other causes. *as against* 1 due to other fevers, 1 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 46 (40 in hospitals) for the week *as aaginst* 14 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15. 5 (2. 0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.8 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers, one due to Consumption and 42 due to all other causes *as against* 14 due to all other causes reported during the corresponding week of the previous year.

119 ....., *Dy. Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

(g) Available except in Mundargi taluk, where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of cattle disease at one village of Navalgund taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Mundgod, Honnawar, Kumta, Ankola, Haliyal, Yellapur, Karwar and Siddapur taluks.
(b) Transplantation of Paddy in Mundgod and Yellapur taluks was in propress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 7 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of Cattle disease at one village of Mundgod taluk.

15 Gulbarga District.—

(a) Sufficient rainfall in Sedam, Shorapur, Yadgir, Chincholi and Gulbarga taluks.
(b) Sowing of Kharif crops was almost completed in most of the taluks.
(c) Fair except in Yadagir taluk where Kharif crops were withering for want of rains.
(d) Harvesting of green gram was in progress in Yadgir taluk.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Chincholi taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy except for the prevalence of Blackquarter at one village of Yadgir taluk.

16 Raichur District.—

(a) Sufficient rainfall in Kushtagi, Yelburga and Sindhanoor Taluks.
(b) Sowing and Transplantation of Paddy in Manvi taluk, Kharif crops in Yelburga, Sindhnoor and Gangavathi taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.— Reports not received.—

18 South Kanara.—

(a) Sufficient rainfall in Puttur, Belthangadi, Karkala and Coondapur Taluks.
(b) Completed.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—

(a) Sufficient rainfall in Somwarpet Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director of Statistics*.

## Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of April 1965.

| Rainfall | | | | Nave Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

1. Bangalore District.

... ... ...

2. Kolar District.

62 ...

3. Tumkur District.

65 ...

4. Mysore District.

68 28 ... 48
(Avg. of 2 taluks) (Avg. of 2 taluks)

5. Mandya District.

Scanty 75 50

6. Hassan District.

... 69 43

7. Chickmagalur District.

... 56 44

8. Shimoga District.

| | | | | | |
|---|---|---|---|---|---|
| | | 62 | 62 | | G. nut—62, Arecca—75 Pulses—56. |

9. Chitaldurga District.

| | | | | | |
|---|---|---|---|---|---|
| Excessive | | ... | ... | | |

10. Bellary District.

| | | | | | |
|---|---|---|---|---|---|
| | | 52 (Avg. of 3 tqs.) | 47 (Average of 2 talukS) | 56 50 | 58 (Avg. of 3 Tqs.) |

11. Bijapur District.

| | | | | | |
|---|---|---|---|---|---|
| ... | ... | 62 | ... | | Cotton—37, Wheat—37. |

12. Belgaum District.

| | | | | | |
|---|---|---|---|---|---|
| Normal | | 53 | 41 | | Wheat—40, Cotton—34, Chillies—44, Tobacco—44. |

13. Dharwar District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | 43 | 43 | 43 | Wheat—41. Cotton—40, G. nut—46. Safflower—37. |

14. North Kanara District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | 51 | 46 | 53 | Coconut—50. Betelnut—47, Pepper—45, G. nut—50. |

15. Gulbarga District.

| | | | | | |
|---|---|---|---|---|---|
| Scanty | | | ... ... | | |

16. Raichur District.

| | | | | | |
|---|---|---|---|---|---|
| Scanty | | | ... .. | | |

17. South Kanara District.

| | | | | | |
|---|---|---|---|---|---|
| Normal | ... | ... | ... | ... | |

18. Bidar District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | 60 | ... | | |

19. Coorg District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | ... | — | ..... | |

M. GANGARUDRIAH,
For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for April 1965.

Note.—(a) Denotes Conditions of Water Supply
(b) ,, Sowing/Transplantation.
(c) ,, Standing Crops.
(d) ,, Harvest.
(e) ,, Fodder and Pasture
(f) ,, Cattle.
(g) ,, Rainfall.
(h) ,, Damage to crops.
(i) ,, Remarks.

1 Bangalore District.—

(a) Sufficient
(b) Nil.
(c) Generally fair
(d) Nil
(e) Available
(f) Generally healthy.
(g) Deficient.
(h) Nil
(i) Refers to 7 taluks.

2 Kolar District.—

(a) Sufficient.
(b) Nil.
(c) Standing Crops such as paddy, Sugarcane and Chillies were fair.
(d) Harvesting of Sugarcane was in progress.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy was in progress in Chicknayakanhalli taluk.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Koratagere taluk and Paddy in Koratagere and Madhugiri taluks was in progress.
(e) Available
(f) Generally healthy.
(g) Deficient
(h) Nil.
(i) Refers to 8 taluks,

4 Mysore District.—

(a) Sufficient.
(b) Sowing of jowar and G. nut in Gundlupet taluk was in progress. Jowar was completed in Chamarajanagar, Kollegal and Mysore taluks.
(c) Standing Crops were fair.
(d) Nil
(e) Available.
(f) Generally healthy.
(g) Normal
(h) Nil
(i) Refers to 7 taluks.

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Kar-Paddy and Ragi in Malavalli taluk, Sugarcane in Maddur taluk and sowing of jowar in Pandavapura taluk were in progress.
(c) Standing Crops were fair.
(d) Sugarcane was being harvested in Mandya and Maddur taluks.
(e) Available.
(f) Generally Healthy.
(g) Scanty
(h) Nil
(i) .....

6 Hassan District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Scanty.
(h) ...
(i) Refers to 5 taluks.

7 Chickmagalur District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Scanty
(h) .....
(i) Refers to 5 taluks.

8 Shimoga District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) .....
(i) .....

9 Chitradurga District.—

(a) Sufficient.
(b) Sowing of G. nut and transplantation of Paddy in Challakere taluk was in progress.
(c) Generally fair.
(d) Hervesting of paddy in Challakere, Molakalmuru and Chitradurga taluks and Picking up of Cotton in Davanagere taluk was in progress.
(e) Available.
(f) Good except for the prevalence of "Black Quarter" at 1 village of Challakere taluk.
(g) Excessive.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Sufficient except in some parts of Siruguppa taluk.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Cotton in Harapanahalli and Hadagalli taluks Sugarcane and paddy in Kudligi and Siruguppa taluks was in progress.
(e) Available.
(f) Good except for the prevalence of Cattle disease in some villages of Siruguppa taluk.
(g) Scanty.
(h) Nil.
(i) Refers to 6 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Scanty.
(h) Nil
(i) .....

12 Belgaum District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal.
(h) Nil
(i) .....

13 Dharwar District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi, Jowar and Cotton had been completed.
(e) Available.
(f) Generally Good.
(g) ...
(h) Nil.
(i) Refers to 3 taluks.

14 North Kanara District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi crop and Sugarcane was nearing completion in all the taluks.
(e) Available.
(f) Good except for the prevalence of cattle disease at 1 village of Mundgod taluk.
(g) Scanty.
(h) Nil.
(i) ...

15 Gulbarga District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Scanty.
(h) Nil.
(i) ...

16 Raichur District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Scanty.
(h) Nil.
(i) Refers to 7 taluks.

17 Bidar District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Normal.
(h) Nil.
(i) Refers to 3 taluks.

18 South Kanara District—

(a) Insufficient except in Puttur and Bantwal taluks.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available except in Belthangadi and Udipi taluks.
(f) Generally Good.
(g) Deficient
(h) Nil
(i) ..

19 Coorg District—

(a) Sufficient.
(b) Nil.
(c) Nil.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal.
(h) Nil.
(i) ...

.....

For *Director of Statistics.*

## OFFICE OF THE DEPUTY COMMISSIONER. MANGALORE (S. K.)

Dated 13th August 1965

Statement showing the Wholesale Prices of various commodities for the Week ending 13th August 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Maskathi | 100 kg. | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice— I Sort | ... Maskathi | " | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moora of 39·14 kg. | |
| Cane Jaggery | ... I Sort | 100 kg. | 60 00 |
| " | ... II Sort | " | 45 00 |
| Cocoanuts | ... Unhusked | 1000 Nuts | 340 to 550 00 |
| " | ... Husked | " | 380 to 540 00 |
| Copra | ... | 100 kg. | 290 to 300 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 52 00 |
| | II Class | " | 50 00 |
| Cashew Kernels | ... | | |
| Cashew Nuts | ... | 100 kg. | 87 to 93 00 |
| Cardamoms | ... Mysore | 10 kg. | 250 to 300 00 |
| " | ... Coorg | 10 kg. | 240 to 290 00 |
| | | " | |
| Malabar Blac-Pepper | ... | 50 kg. | 222 to 224 00 |
| Tobacco | ... Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | ... |
| " | ... Husked Old | 50 kg. | ... |
| " | ... " New | " | 314 to 378 00 |
| Chillies | ... Kumpta | | ... |
| " | ... Local | 10 kg. | 20 to 25 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 28 to 29 00 |
| Cotton Seeds | ... | " 64·00 kg. | 26 50 |
| Horsegram | ... | " 93·07 kg. | 69 00 |

.....
*Dy. Commr.*

Dated 20th August 1965

Statement showing the Wholesale Prices of various commodities for the week ending 20th August 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Maskathi | 100 kg. | |
| II Sort | ... Guddu | " | No Stocks |
| III Sort | ... Suggi | " | |
| Rice—I Sort | ... Maskathi | 100 kg. | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... ... | Moora of 39·14 kg. | ... |
| Cane Jaggery | ... I Sort | 100 kg. | 80 00 |
| " | ... II Sort | " | 45 00 |
| Cocoanuts | ... Unhusked | 1,000 Nuts | 340 to 550 00 |
| " | ... Husked | " | 380 to 540 00 |
| Copra | ... | 100 kg. | 290 to 300 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 52 00 |
| " | ... II Class | " | 50 00 |
| Cashew Kernels | ... ... | | ... |
| Cashew Nuts | ... ... | 100 kg. | 87 to 93 00 |
| Cardamoms | ... Mysore | 10 kg. | 250 to 300 00 |
| " | Coorg | " | 240 to 290 00 |
| Malabar Black Pepper | ... ... | 50 kg. | 222 to 224 00 |
| Tobacco | .. Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | ... |
| " | ... Husked Old | 50 kg. | ... |
| " | ... " New | " | 314 to 378 00 |
| Chillies | ... Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 28 to 29 00 |
| Cotton Seeds | ... | " 64 kg. | 26 50 |
| Horsegram | ... | " 93·07 kg | 69 00 |

.....
*Dy. Commr.*



## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH. BUREAU OF EPIDEMIOLOGY, IN MYSORE, BANGALORE.

Notification dated 23th August 1965.

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 21st August 1965.*

**No.VS 84/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks and nil deaths respectively.

A total of 13 attacks with 7 deaths from Small-pox was reported from the entire State, *viz.*, from the taluks of Coondapur, Gokak, Chickballapur, Dodballapur and Kunigal and from the city of Kolar Gold Fields, *as against* 12 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 9 attacks with 5 deaths from Cholera was reported for the entire State, *viz.* from the taluk of Honnali and from the town of Shimoga during the week *as against* 42 attacks with 14 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* 1 attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever, infectious Hepatites and Influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 290 (117 in hospitals) for the week *as against* 377(163 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.7 (9.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 20.7 (12.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 39 were due to Dysentery and Diarrhoea, 17 due to consumption and 234 due to all other causes, *as against* 26 due to other fevers, 33 due to dysentery and Diarrhoea, 10 due to consumption and 309 due to all other causes reported during the corresponding week of the previous year.

The report for Mysore city has not been received.

The total mortality for K. G. F city amounted to 28 (28 in hospitals) for the week *as against* 16 (nil in hospitals)

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY SEPTEMBER 23, 1965 (ASVIJA 1, SAKA ERA 1887 | No.

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

Weekly Weather and Crop Report for the week ending Wednesday the 25th August 1965.

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—6—1965)

**1. Bangalore District.**

... Good ... Available except in some parts of Kanakapur Tq. Adequate

**2. Kolar District.**

Good ... Sufficient except in Gudibande Tq. Sufficient

**3. Tumkur District.**

Good ... Available except in some parts of Tiptur and C. N. halli Taluks.

**4. Mysore District.**

12.6 15.5 141.4 Fair except in K. R. Nagar, Hunsur and Chamarajanagar Tqs. where it was reported that the dry crops were withering for want of rain. Good

**5. Mandya District.**

25 25.9 169 110.3 Fair except in K.R. Pet Taluk where it was reported that the crops were withering for want of rain. Good ... Available except in Nagamangala and K. R. Pet Tqs. Adequate except in (5) Nagamangala and K. R Pet Tqs.

**6. Hassan District.**

Fair except in Arasikere and Belur Tqs where it was reported that the crops were in need of urgent rains Good ... Available except in Arasikere Taluk Sufficient except in (5) Arasikere, Belur and Channarayapatna Tqs.

| No. of rainy days in the week | Rainfall in Millimetres: During the week — Actual | Rainfall in Millimetres: During the week — Normal | Rainfall in Millimetres: Since the beginning of the season — Actual | Rainfall in Millimetres: Since the beginning of the season — Normal | Conditions of: Crop | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3—6—1965). | | | | |
| | | | | | 7. Chickmagalur District. | | | | |
| | | | | | Fair except in Chickmagalur Taluk where it was reported that the crops were not fair due to insufficient rainfall | Good | ... Available except in Chickmagalur Tq. | Sufficient except in Arasikere Taluk | |
| | | | | | 8. Shimoga District. | | | | |
| | | | | | ... Good | | ... Sufficient except in Channagiri Taluk | | (7) |
| | | | | | 9. Chitradurga District. | | | | |
| | | | | | ... Good | | | | |
| | | | | | 10. Bellary District. | | | | |
| | | | | | Fair except in Kudligi taluk where it was reported that the crops were withering for want of rain and in Hospet tq. jowar crop was affected by pest. | Good | | | |
| | | | | | 11. Bijapur District. | | | | |
| | | | | | Fair except in Mudhol Tq. where it was reported that the kharif crops were withering for want of rain. | Good | | | |
| 37.7 | N.A. | 340.8 | N.A. | | 12. Belgaum District. | | | | |
| | | | | | Good except for the prevalence of "Epizootic Aphtha" at 8 villages of Gokak Tq. and other cattle disease at 2 villages of Ramdurg Taluk. | Available | | | |
| | | | | | 13 Dharwar District. | | | | |
| | | | | | Good except for the prevalence of "Cattle disease" at 8 villages of Navalgund Taluk. | Available | | | |
| | | | | | 14. North Kanara District. | | | | |
| | | | | | Good | | | | |
| | | | | | 15. Gulbarga District. | | | | |
| | | | | | Good except for the prevalence of "Black Quarter" at one village of Yadgir Tq. | | | | |
| 2 | 47.5 | N.A. | 985.6 | N.A. | Fair | 16 Raichur District. | | | |
| | | | | | Good | | ... Do | | (15) |
| | | N.A | 681.0 | N.A. | Fair | 17. Bidar District. | | | |
| | | | | | Good | | ... Do | | ... (16) |
| | | | | | | 18. South Kanara District. | | | |
| | | | | | Good | | .. Do | | |
| | | | | | | 19. Coorg District. | | | |
| 9 | 79.6 | N.A. | 1282.9 | N.A. | do | Good | ... Available | Do | ... (18) |

REMARKS.— (1) Refers to 4 Taluks (2) Refers to 8 Taluks, (3) Refers to 8 Taluks, (4) Refers to 10 Taluks, (5) Refers to 6 Taluks.
(6) Refers to 4 Taluks, (7) Refers to 7 Taluks, (8) Refers to 8 Taluks, (9) Refers to 7 Taluks. (10) Refers to 7 Taluks
(11) Refers to 4 Taluks, (12) Refers to 11 Taluks, (13) Refers to 8 Taluks, (14) Refers to 6 Taluks. (15) Refers to 6 Taluk,
(16) Refers to 1 Taluk. (17) Refers to 6 taluks, (18 Refers to 9 taluks.

M. GANGARUDRAIAH, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 25th August 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing and Transplantation.
(c) ,, Condition of Standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Moderate rainfall in Ramanagaram, Magadi, Devanahally and Kanakapur taluks.
(b) Sowing and Transplantion of Paddy in Ramanagaram taluk, Paddy and Ragi in Devanahalli taluk., K. Crops in Kanakapura Tq, was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 Taluks,
(f) Sufficient.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—

(a) Sufficient rainfall in Srinivaspur, Gudibanda Gowribidanur, Mulbagal, Chintamani and Bangarpet taluks.
(b) Sowing and Transplantation of Ragi in Gowribidanur taluk, Paddy in Mulbagal Taluk, Ragi and Paddy in Malur Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Gudibanda Taluk where insufficiency was felt.
(g) Available except in Gudibanda taluk where scarcity for fodder was felt.
(h) Generally healthy.

3 Tumkur District.—

(a) Sufficient rainfall in most of the taluks.
(b) Sowing and Transplantation of Ragi in Chicknayakanahalli, Turuvekere, Gubbi and Tumkur taluks, Ragi, Paddy, Jowar and Navane in Madhugiri Tq. was in progress.
(c) Standing crops were fair.
(d) Harvesting of Summer Paddy in Chicknayakanahalli Tq, Yada Ragi in Pavagada taluk was in progress.
(e) Progress was fair in 7 Taluks.
(f) Sufficient except in Turuvekere taluk where insufficiency of water was felt.
(g) Available except in Chicknayakanahalli and Tiptur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District.—

(a) Moderate rainfall in K. R. Nagar, T. Narasipur, Kollegal Mysore, Hunsur and Yelandur taluks.
(b) Sowing and Transplantation of Ragi and Paddy in T. Narasipur Taluk Ragi in Kollegal and Yelandur Taluks, paddy in Hunsur Taluk was in progress.
(c) Fair except in K R. Nagar, Hunsur. Chamarajanagar and Gundlupet Taluks where K. Crops were withering for want of rains.
(d) Harvesting of Jowar in Mysore and Gundlupet Taluk was in progress,
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Kollegal, Mysore, Hunsur and Gundlupet, Taluks where insufficiency was felt.
(g) Available, except in Mysore and Hunsur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

5 Mandya District.—

(a) Sufficient rainfall in Maddur, Srirangapatna Nagamangala and Malavalli Taluks.
(b) Sowing and Transplanation of paddy in Maddur and Malavalli Taluks, Paddy Ragi Sugarcane in Srirangapatna Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur and Srirangapatna taluks was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Nagamangala Taluk where insufficiency of water was felt.
(g) Available except in Nagamangala taluk, where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Arsikere Channarayapatna and Belur Taluks.
(b) Transplantation of Ragi and paddy in Channarayapathna and Belur taluks was in progress.
(c) Fair except in Alur, Channarayapatna and Belur tqs. where K. Crops were in need of urgent rains.
(d) Harvesting of Potatoes in Alur Tq. was in progress.
(e) Progress was fair in 8 taluks.
(f) Sufficient except in Arsikere and Channarayapatna taluk where insufficiency was felt.
(g) Available except in Arsikere taluk where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Sufficient rainfall in Chickmagalur, Tarikere. Mudigeri Sringeri and Koppa taluks
(b) Transplantation of Paddy in Koppa Taluk was in progress.
(c) Fair except in Kadur taluk where K. Crops were withering for want of rains
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Tarikere and Kadur Taluks where insufficiency of water was felt.
(g) Available except in Kadur Tq. where scarcity for fodder was felt
(h) Generally healthy.

8 Shimoga District.—

(a) Moderate rainfall in Shimoga, Shikaripur. Bhadravathi, Channagiri and Honnali taluks.
(b) Transplantation of Paddy in Shikaripur taluk, was nearing completion.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Channagiri taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy

9 Chitaldrug District.—

(a) Moderate rainfall in most of the Taluks.
(b) Sowing and Transplantation of Ragi, Navane, Cotton, White Jowar and Horsegram in Chitradurga Taluk, Navane, Horse gram, Sajje, G.Nut and Cotton in Challakere taluk. Navane Cotton, Horsegram and G. Nut in Hiriyur taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Gidda Ragi in Challakere taluk and Molakalmuru Taluks, G. Nut and and Same in Davanagere taluk, Sugarcane in Hiriyur Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

10 Bellary District.—

(a) Sufficient rainfall in Sandur, Harapanahalli. Mallapuram. Kudligi, Hospet and Hadagalli Taluks.
(b) Sowing and Transplantation of Paddy in Kudligi Taluk, Navane and Horsegram in Hospet taluk was in progress,
(c) Fair except in Hospet taluk where Sugarcane and Jowar was affected by pest.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

11 Bijapur District.—

(a) Sufficient rainfall in Bagewadi. Badami, Sindgi, Indi, Mudhol and Biligi taluks.
(b) Sowing of Cotton in Bagewadi and Mudhol taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) Slight rainfall in Gokak, Ramdurg and Belgaum Taluks.
(b) Sowing of Cotton in Sampagon taluk, Kharif Crops in Gokak Taluk was in progress.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 9 Taluks
(f) Sufficient
(g) Available.
(h) Generally healthy except for the previlance of Epizootic Aptha in some parts of Gokak taluk and cattle disease at two villages of Ramdurg Taluk.

18 Dharwar District.—

(a) Moderate rainfall in most of the taluks.
(b) Sowing of K. Jowar and Navane in Mundargi taluk, Cotton in Nargund Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 10 Taluks.
(f) Sufficient except in some parts of Gadag Taluk, where insufficiency was felt.
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the privalance of cattle disease at one village of Hubli Taluk and three villages of Navalgund taluk.

14 North Kanara District -

(a) Sufficient rainfall in Haliyal, Karwar, Supa, Kumta, Mundgod Yellapur, Honnawar and Siddapur, taluks.
(b) Completed.
(c) Fair except in Haliyal taluk where paddy was affected by pest.
(d) Nil.
(e) Progress was fair in 7 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Cattle disease at one village of Mundged taluk.

15 Gulbarga District.—

(a) Sufficient rainfall in Sedam, Chincholi Chitapur and Afzalpur taluks.
(b) Completed.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the previlance of Black Quarter at one village of Yadgir taluk.

16 Raichur District.—

(a) Moderate rainfall in Manvi, Kustagi, Gangawathi, and Yelburga, taluks.
(b) Sowing and Transplantation of paddy in Manvi Taluk, Cotton in Sindhanoor taluk K. Crops in Gangavathi taluk was in progress.
(c) Standing crops were Fair
(d) Nil.
(e) Progress was fair in 4 Taluks
(f) Sufficient,
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) Moderate.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in one taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Sufficient rainfall during the week.
(b) Completed.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—

(a) Sufficient rainfall in Mercara and Somwarpet Taluks.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.



M. GANGARUDRAIAH, For *Director*.

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 27th August 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 27th August 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice— I Sort | ... | Maskathi | " | No Stocks | |
| II Sort | ... | Guddu | " | | |
| III Sort | .. | Suggi | " | | |
| Ragi | ... | | Moora of 89·14 kg. | | |
| Cane Jaggery | ... | I Sort | 100 kg. | 80 | 00 |
| " | ... | II Sort | " | 45 | 00 |
| Coconnuts | ... | Unhusked | 1000 Nuts | 350 to 550 | 00 |
| " | ... | Husked | " | 340 to 540 | 00 |
| Copra | ... | | 100 kg. | 295 to 305 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 62 | 00 |
| | | II Class | " | 50 | 00 |
| Cashew Kernels | | | | | |
| Cashew Nuts | ... | | 100 kg. | 87 to 93 | 00 |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 | 00 |
| | ... | Coorg | 10 kg. | 240 to 290 | 00 |
| | | | " | | |
| Malabar Black Pepper | .. | ... | 50 kg. | 222 to 224 | 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | ... | |
| " | ... | Husked Old | 50 kg. | ... | |
| " | ... | " New | " | 814 to 878 | 00 |
| Chillies | ... | Kumpta | | ... | |
| | ... | Local | 10 kg. | 20 to 25 | 00 |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES. | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | | | Bag of 69·92 kg. | 28 to 29 | 00 |
| Cotton Seeds | .. | | " 64·00 kg. | 26 | 50 |
| Horsegram | ... | | " 98·07 kg. | 59 | 00 |

.....

*Dy. Commr.*



Dated 3rd September 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 3rd September 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Rice—I Sort | ... | Maskathi | 100 kg. | No Stocks | |
| II Sort | ... | Guddu | " | | |
| III Sort | ... | Suggi | " | | |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 95 | 00 |
| " | ... | II Sort | " | 45 | 00 |
| Coconnuts | ... | Unhusked | 1,000 Nuts | 350 to 550 | 00 |
| " | ... | Husked | " | 340 to 550 | 00 |
| Copra | ... | | 100 kg. | 800 to 825 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | ... | |
| " | ... | II Class | " | 50 | 00 |
| Cashew Kernels | ... | ... | | ... | |
| Cashew Nuts | ... | ... | 100 kg. | 87 to 93 | 00 |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | 2 1 to 316 | 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 30 to 65 | 00 |
| " | ... | Husked Old | 50 kg. | ... | |
| " | ... | " New | " | 806 to 878 | 00 |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 20 to 25 | 00 |
| " | ... | Kasaragod | " | ... | |
| RETAIL PRICES. | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| CATTLE FOOD. | | | | | |
| Groundnut Oil Cake | | | Bag of 69.92 kg. | 28 to 29 | 00 |
| Cotton Seeds | ... | | " 64 kg. | 26 | 50 |
| Horsegram | ... | | " 98·07 kg. | 64 | 00 |

.....

*Dy. Commr.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 30th September 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | ... | 44·00 | 80·00—85·00 | 38·00 | 83·00 | 88·00 | 43·00—44·00 | 45·00—47·00 | ... | 84 60 | 48·00 |
| | (b) Medium ... | ... | 84·00 | 25 00—81·00 | 88·00—84 00 | 82·00 | 87 00 | 40·00—41·00 | | ... | 38·50 | 88·00 |
| | (c) Coarse ... | ... | ... | 28·00—26 00 | ... | 81 00 | 86·00 | 87·00 | 40·00 | ... | ... | 86·00 |
| 2 Rice ... | (a) Fine ... | ... | 68·00—78·00 | 74 00—78·00 | 75·00—77·00 | 70·00 | 74·00 | 68·00—69·00 | 72·00—73·00 | 73·00 | 71 00 | 74·00 |
| | (b) Medium ... | ... | 60·00—64·00 | 62·00—66·00 | 72 00 - 73·00 | 65·00 | 65·00 | 64·00 | ... | 69·00 | 65·50 | 69·00 |
| | (c) Coarse ... | ... | 58·00—62·00 | 54·00—60 00 | 64·00—66 00 | 60·00 | | 60·00—61·00 | 65 00—68·00 | 61·00 | 58·00 | 66·00 |
| 3 Wheat ... | White ... | ... | 89·00 | 48·00—60·00 | 50·00 | 42·00 | 65·00 | 42 00 | 60 00 | 48·00 | 46 00 | 67·00 |
| Wheat Flour | " ... | ... | .. | 65·00—75·00 | ... | - | | 45·00 | 65·00—70·00 | 55·00 | 53·50 | ... |
| 4 Jowar ... | " ... | ... | 39 00—45·00 | 42·00—44·00 | 41·00—42·00 | 41·00 | 4000. | 40·00 | | 36·00 | 42·00 | 41·00 |
| 5 Bajra ... | ... | | 82·00—87·00 | ... | 88·00—84·00 | ... | 89·00 | | 40 00 | ... | ... | 81·00 |
| 6 Barley ... | ... | ... | 140·00 | | ... | ... | ... | 150·00—180·00 | ... | ... | ... | ... |
| 7 Maize ... | ... | ... | | 85·00—40·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... | ... | 85·00—88·00 | ... | 84·00 | 88·50 | 88·00 | 88·00—40·00 | 40·00 | 87·00 | 87 50 | 81·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | .. | ... | 20·00—25·00 | ... | ... | ... | ... | | 28·00 | 23·00 | |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | ... | ... | | ... | 88 00 | |
| (iii) Papaya | ... | ... | 40·00—15·00 | ... | ... | ... | ... | ... | | ... | 45·00 | |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | 40·00 | ... | | ... | ... | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... | ... | 50·00—54·00 | 55·00—60·00 | 71·00—72·00 | 55·00 | 49·00 | 55·00 | 55·00—60·00 | 58·00 | 57 00 | 59·00 |
| 2 Arhar (Tur.) ... | ... | | 88·00 | ... | 65·00—67·00 | 68·00 | 55·00 | 60·00 | ... | 42·00 | 48·00 | ... |
| 3 Mung ... | ... | ... | 54·00—68·00 | 60·00—65·00 | 65·00 | 75·00 | 80·00 | 55·00—60·00 | 60·00 | 52·00—54·00 | 59·00 | ... |
| 4 Urd ... | ... | ... | ... | 65 00—72·00 | 58·00—55·00 | ... | ... | 70·00 | 85·00—90·00 | 74·00—75·00 | 80·00 | ... |
| 5 Masur ... | ... | ... | ... | ... | ... | ... | 60·00 | ... | 95·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... | ... | 58·00—62·00 | 66·00—75·00 | 40·00—42·00 | ... | 57·00 | 65·00—70·00 | 70 00 | | 60·00 | ... |
| (ii) Horsegram | ... | ... | 35·00—36·00 | 40·00—42·00 | 34 00—36·00 | 36·00 | 88·00 | 34·00—37·00 | 40·00 | 44 00 | 31·00 | 35·00 |
| (iii) Cowpea ... | ... | ... | 45·00—75·00 | 55·00—60·00 | 48 00—50·00 | ... | 50·00 | 60 00—70·00 | 65·00—70·00 | ... | 72·00 | 46 00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 105·00—110·00 | 98·00—120·00 | 115·00 | 100·00 | 90·00—110·00 | 115·00 | 115 00—130 00 | 85 75 | 110·00 | 100·00 |
| | (b) Sort II ... | ... | — | 90·00—95·00 | 100·00 | 95·00 | 90·00—100·00 | 80·00 | | 80·00 | 90·00 | 85 00 |
| 2 Sugar refined | D. 24 ... | ... | 114·55—119·00 | 119·00—130·00 | ... | 118·00 | 118·00 | 115·00 | 114 | 120 50 | 134·00 | 116·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 40·00—70·00 | 80·00—85·00 | 68·00 | 60·00 | 65·00 | ... | 60·00—75 | 70·00 | 72·70 | 61·00 |
| | (b) Machine shelled | ... | 75·00—85·00 | 92·00—98·00 | 90·00—92·00 | ... | 90·00 | ... | ... | ... | 87·50 | 94·00 |
| Groundnut Oil | ... | ... | 200·00 | 190·00—200·00 | 180·00—190·00 | ... | 185·00 | 220·00 | 180·00 | 173·00 | 186·00 | 190·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 87·00—89·00 | 42·00 | 40·00 | ... | | ... | ... | 38·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 423·00 | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 96·00 | 78·00—100·00 | ... | ... | 96·00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | 200·00 | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 68·00 | | 60·00 | 65·00—70·00 | ... | ... | 60·50 | 54·00 |
| Castor Oil ... | ... | ... | ... | 200·00—210·00 | 170·00—190·00 | 220·00 | 160·00 | 195·00 | 180·00 | 175·50—60·00 | 180·00 | 180·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | 100·00 | ... | ... | ... | 93·00 | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per (thousand) | 185·00—285·00 | 200·00—280·00 | 220·00—230·00 | 200·00—260·00 | 300·00 | 180·00—280·00 | 250 00—280·00 | 400 00 | 250·00 | 225·00 |
| | (b) Copra | per quintal | 255·00 | 210·00—240·00 | | ... | ... | 220·00—230·00 | | 275·00 | 800·00 | 244·00 |
| Coconut Oil... | ... | ... | 229·00 | 275·00—285·00 | 850·00 | 345·00 | 290·00 | 800·00 | 890·00 | ... | ... | 318·00 |
| Coconut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 300·00 | ... | 800·00 | ... | 260·00 | ... | 312·00 | ... | ... | 322·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | | ... | ... | ... | ... | ... | ... | ... | 244·00 |
| | iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | per gross | ... | | ... | ... | ... | ... | ... | | ... | ... |
| 2 Plantains ... | ... | Do | 3·00—6·00 | 5·00—7·00 | 8·00 | 3·00—5·00 | ... | 3·25—3·00 | ... | | 6·00 | 5 00 |
| 3 Oranges ... | ... | Do | ... | 18·00—30·00 | ... | 5·00—15·00 | ... | ... | ... | | 15·00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 150 00—260·00 | ... | ... | ... | ... | | ... | ... |
| 5 Cashew Kernels, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 22·00—27·00 | 23·00—30·00 | 30·00—40.00 | 25·00 | 37·00 | 35·00 | 26·00 | | 33·00 | 30·00 |
| 2 Onions ... | ... | | 18·00—26·50 | 30·50—35·00 | 30·00—40·00 | 18·00 | 32·00 | 35·00 | 20·00—22·00 | | 25·00 | 25·00 |
| 3 ..... | ... | | ... | ... | ... | ... | ... | | ... | | ... | ... |
| 4 ..... | ... | | ... | ... | ... | ... | | 800·00—850·00 | ... | | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | | ... | ... | ... | ... | 630·00 | | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 700·00 - 750·00 | 700·00—800·00 | ... | ... | 800·00—850 00 | 900·00—950·00 | | 610·00 | 840 00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | — | | ... | 150·00 |
| | (b) Lint ... | ... | ... | ... | ... | | ... | | | | ... | 245·50 |
| | (c) Seed ... | ... | ... | | 42·00—45·00 | | | | | | | 88·50 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 Jute Loose ... | (b) White— | | | | | | | | | | | | | | | ... |
| | (i) Top | | | | | | | | | | | | | | | ... |
| | (ii) Middle | | | | | | | | | | | | | | | ... |
| | (iii) Bottom | | | | | | | | | | | | | | | |
| | (b) Brown— | | | | | | | | | | | | | | | ... |
| | (i) Top ... | | | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | | |
| 8 Pucca Baled | (i) Lightings | Per bale | | | | | | | | | | | | | | |
| | (ii) First Mills. | | | | | | | | | | | | | | | |
| | (iii) First Exports | | | | | | | | | | | | | | | |
| Sann hemp ... | ..... | | | | | | | | | | | | | | | ... |
| 4 Mesta ... | (i) Top ... | | | | | | | | | | | | | | | ... |
| | (ii) Middle | | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf ... | | | | | | | | | | | | 500·00 | | | 245·00 |
| | (ii) Fuller | | | | | | | | | | | | | | | ... |
| | (b) Virginia | | | | | | | | | | | | | | | ... |
| | (i) Leaf ... | | | | | | | | | | | | | 909·00 | | |
| | (ii) Fuller ... | | | | | | | | | | | | | | | ... |
| VIII. Livestock— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 850·00—680·00 | ... | 500·00 | 300·00—875·00 | ... | 370·00—503·10 | ... | 160·00—265·00 | 410·00—510·00 | 225·00 |
| | (b) ,, II ... | Do ... | 245·00—500·00 | ... | 800·00—850·00 | 250·00—350·00 | ... | 220·00—385·00 | 80·00—160·00 | 110·00—200·00 | 260·00—340·00 | 190·00 |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 320·00—460·00 | | 100·00—120·00 | 125·00—200·00 | ... | 86·00—45·00 | ... | ... | ... | 250·00 |
| | (b) ,, II ... | Do ... | 250·00—319·00 | ... | 125·00—150·00 | ... | ... | 25·00—40·00 | ... | ... | ... | 170·00 |
| 2 Milch cattle— | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 360·00—580·00 | ... | 150·00—200·00 | 100.00—250.00 | ... | 160·00—300·00 | ... | 109·00—130·00 | 390·00—470·00 | 300·00 |
| | (b) Class II ... | Do ... | 275·00—410·00 | ... | 100·00—150·00 | 75·00—150·00 | ... | 120·00—140·00 | 90·00—113·00 | 80·00—100·00 | 250·00—360·00 | 100·00 |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 395·00—518·00 | ... | 300·00 | 190·00—200·00 | ... | 190·00—800·00 | ... | 245·00—450·00 | 800·00—890·00 | 160·00 |
| | (b) Class II ... | Do ... | 250·00—372·00 | ... | 100·00—150·00 | 100·00—150·00 | ... | 180·00—165·00 | ... | 160·00—320·00 | 180·00—280·00 | 125·00 |
| 8 Sheep ... | ..... | Do ... | 25·00—84·00 | ... | 85—00 60·00 | 85·00—50·00 | ... | 80·00—90·00 | 45·00—70·00 | 40·00—75·00 | 20·00—50·00 | 89·00 |
| IX. Livestock products.— | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. | ... | ... | ... | ... | ... | 2·50 | 40·00 | | | ... |
| | (b) ..... | Do | ... | ... | ... | ... | ... | 1·75 | 1.50 | | ... | ... |
| 2 Hides.— | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do | 3·00—2·50 | ... | ... | 1·00 | ... | 1·10—1·75 | 1·00 | | ... | 3·00 |
| | (b) ..... | Do | ... | ... | ... | | ... | ... | 1·08 | | | ... |
| Tanned ... | (a) ..... | Do | ... | ... | ... | 6·60 | ... | 7·00—8,50 | 4·12 | | ... | 4·80 |
| | (b) ..... | Do | ... | ... | ... | | ... | ... | ... | | ... | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do | 1·69—2·25 | ... | ... | ·85 | ... | 1·70—2·60 | 1·28 | | ... | ... |
| | (b) ..... | Do | ... | ... | ... | ... | ... | ... | 1·00 | | ... | ... |
| Tanned ... | (a) ..... | Do | ... | ... | ... | 6·75 | ... | 4·75—6·00 | 4·12 | | ... | 4·80 |
| | (b) ..... | Do | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 3 Skins.— | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Each | 4·00—5·00 | ... | | 4·60 | 5·25 | 3·80—5·00 | 5·00—5·25 | | 5·50 | ... |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| Tanned ... | (a) ..... | Do | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | (b) ..... | Do | ... | ... | ... | | ... | ... | | | ... | ... |
| (ii) Sheep-skins— Raw. | (a) ..... | Each | 5·50—6·00 | ... | ... | 3·60 | 5·50 | 3·50—5·00 | 4·00—4·45 | | 3·50 | ... |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| Tanned ... | (a) ..... | Do | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | (b) ..... | Do | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 4 Ghee ... | (a) Agmark | Do | ... | 8·00—9·00 | ... | ... | ... | ... | 8·00 | | | ... |
| | (b) Ungraded | Do | ... | 6·00—7·00 | ... | ... | ... | ... | ... | | | 6·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X. Fodder.— | | | | | | | | | | | | |
| 1 Bran | (a) Wheat ... | Quintal | 89.00 | ... | ... | ... | ... | 80·00—81·00 | ... | 85·00 | 80—00 | 85·00 |
| | (b) Paddy ... | Cart load | 44,00 | ... | | ... | ... | 20 00—22 00 | ... | ... | 50—00 | ... |
| 2 Straw ... | (a) Ragi ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | | | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | 89 00 | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 405,00 | ... | 175·00—250 00 | 160·00 | ... | 150·00—160·00 | 225.00—220,00 | 178·00—182·00 | 180·00 | 164·00 |
| 2 Tamarind ... | ..... | ... | 60.00—110.00 | 90·00—100·00 | 73 00—80·00 | 95·00 | ... | 80·00—100 00 | 90,00—100,00 | 94·00—105·00 | 116·00 | 62.00 |
| 3 Dry Chillies ... | ..... | ... | 260·00—350·00 | 250·00—300·00 | 225·00—275·00 | 300·00 | ... | 250·00—300·00 | 300,00 - 350,00 | 178·00—310·00 | 310·00 | 335·00 |
| 4 Garlic ... | ..... | ... | 90·00— 95·00 | 60·00—65·00 | 100·00 | 82·00 | ... | 80·00—100·00 | 100.00 | ... | 115 00 | 85·50 |
| 5 Pepper ... | ..... | ... | 0 ,00—320,00 | ... | 450·00 | 420·00 | | 330·00 | ... | 400·00—480·00 | 300·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,600·00—2,000·00 | ... | 1,600·00—2,000·00 | 1 900·00 | ... | 1,500·00—1,560·00 | 1800,00 | ... | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | |
| 3 Seedlac ... | ..... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5 Rubber ... | Raw ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | | ... | | ... | ... | ... | ... | ... | | ... |
| 8 ..... | ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 38·00 | 42·00—44·00 | 84·00—85·00 | 47·00 | ... | ... | 42 00 | ... | 38·00 |
| | (b) Medium | | 37·00 | 38·00—40·00 | ... | 40·00 | ... | ... | 38 00 | ... | 36·00 |
| | (c) Coarse | | 36·00 | 36·00—36 00 | ... | ... | ... | ... | ... | ... | 35·00 |
| 2 Rice | (a) Fine | | 66·00 | 72·00—80·00 | 78·00—79·00 | 76·00 | ... | ... | 72·00 | ... | 78 00 |
| | (b) Medium | | 60·00 | 60·00—66·00 | 64·00—65·00 | 68·00 | ... | ... | 68 00 | ... | 77·00 |
| | (c) Coarse | | 56·00 | 55·00—57·00 | 61·00—63·00 | ... | ... | ... | ... | ... | 54·00 |
| 3 Wheat | White | | 55·00 | 49·00—60·00 | 45·00—54·00 | 55·00 | ... | ... | 58·00 | ... | 48·00 |
| Wheat Floor | White | | 80·00 | 48·00—58·00 | 40·00—68·00 | ... | ... | ... | ... | ... | 54·10 |
| 4 Jowar | White | | 44·00 | 44·00—46 00 | 37·00—41·00 | 36 00 | ... | ... | 42·00 | ... | ... |
| Bajra | ... | | ... | 51·00—52·00 | 52·00—55·00 | ... | ... | ... | 31·00 | ... | |
| Barley | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maize | ... | | ... | ... | 25·00 | ... | ... | ... | ... | ... | |
| Ragi | ... | | 37·00 | 42·00—43 00 | ... | ... | ... | ... | ... | ... | 48·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | | | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | ... | | ... | ... | ... | ... | ... | ... | 20·00 |
| (ii) Tapioca | ... | | ... | | ... | ... | ... | ... | | ... | ... |
| iii) Papaya | ... | | | | ... | ... | ... | ... | 22·00 | ... | ... |
| (iv) Groundnut cake flour | ... | | ... | 38·00—40·00 | ... | ... | ... | ... | 38·00 | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 58·00 | 48·00—50·00 | 46·00 | 53·00 | ... | ... | 48 00 | ... | 63·00 |
| 2 Arhar (Tur) | ... | | 49·00 | ... | 54·00—55·00 | 42·00 | ... | | 45·00 | ... | 89 00 |
| 3 Mung | ... | | 55·00 | ... | 45·00—48·00 | 45·00 | ... | ... | 40·00 | ... | 62·00 |
| 4 Urd | ... | | 62·00 | ... | 42 00—43·00 | 60·00 | ... | ... | 52·00 | ... | 82·00 |
| 5 Masur | ... | | 50·00 | | 38·00—40·00 | ... | ... | ... | ... | ... | ... |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | ... | | | ... | ... | ... | ... | ... | 85·00 |
| (ii) Horsegram | ... | | 38·00 | 35·00—39 00 | 33·00—34·00 | ... | ... | ... | | ... | 46·00 |
| (iii) Cowpea | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 76·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 125 00 | 120·00—125·00 | 120·00—125·00 | | ... | ... | ... | ... | 76·00—120·00 |
| | (b) Sort II | | 115·00 | 110·00—115·00 | 100·00—110·00 | | | ... | 126·00 | ... | ... |
| 2 Sugar Refined | D. 24 | | ... | ... | 116·50 | .. | ... | | 117·00 | ... | ... |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 60 00 | 55·00—69·00 | 68·00 | 69·00 | ... | ... | 71·00 | | ... |
| | (b) Machine shelled. | | ... | 88·00—95·00 | 74·00—75·00 | ... | ... | ... | | | 93·00 |
| Groundnut Oil | ... | | 214·00 | 182·00—185 00 | 185·00—189·00 | 188·00 | ... | ... | 87·00 | | 197·00 |
| Groundnut Oil-cake. | — | | 50 00 | ... | 38·00—39·00 | ... | ... | ... | ... | | |
| 2 Sesamum | (a) White | | 120·00 | ... | | ... | ... | ... | | | 45·00 |
| | (b) Black | | 100·00 | ... | 90·00—91·00 | ... | ... | ... | 94·00 | | |
| Sesamum Oil | ... | | 866·00 | | .. | ... | ... | ... | ... | | .. |
| Sesamum Oil cake. | ... | | ... | .. | ... | .. | ... | ... | 66·00 | | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 6 | Castor seed | ... ... | ... | ... | 55·00 | ... | ... | ... | 64·00 | ... | |
| | Castor Oil ... | ... ... | ... | ... | — | 56·00 | ... | ... | ... | ... | 177·00 |
| | Castor Oilcake | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard. | (a) Black ... ... | 110·00 | ... | 99·00—100·00 | ... | ... | ... | ... | ... | ... |
| | | (b) Yellow ... ... | 115·00 | ... | — | ... | ... | ... | ... | ... | 120·00—185·00 |
| | Mustard Oil ... | ... ... | ... | ... | — | ... | ... | ... | ... | ... | ... |
| | Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold .. | 90·00 | | 65·00—69·00 | 65·00 | ... | ... | 57·00 | ... | |
| | | (b) Brown small ... | ... | ... | — | ... | ... | ... | ... | ... | ... |
| | Linseed Oil ... | | | ... | ... | ... | ... | | ... | ... | ... |
| | Linseed Oil-cake, | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Tarla ... | ... ... | | | ... | ... | ... | ... | ... | ... | ... |
| 7 | Cocoanut ... | (a) Nuts ... (Per | 380·00 | ... | 275·00—285·00 | 250·00 | ... | ... | 210·00 | ... | 290·00—300·00 |
| | | (b) Copra ... thousand) | 262·00 | ... | 240·00—244·00 | ... | ... | ... | ... | ... | 400·00—500·00 |
| | Cocoanut Oil ... | per Quintal | 820·00 | 325·00—330·00 | 289·00 | 321·00 | ... | ... | ... | ... | 294·00 |
| | Cocoanut Oil-cake | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | 66·00 |
| 8 | Other Oil seeds | (i) Nigerseed... ... | 88·00 | | ... | 62·00 | ... | ... | 51·00 | ... | ... |
| | | (ii) Safflower ... | ... | | 49·00 | ... | ... | ... | ... | ... | ... |
| 9 | Vegetable Oil | (i) Vanaspathi | 330·00 | | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Refined oil | ... | | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Safflower Oil | | | 175·00—180·00 | ... | ... | ... | ... | ... | 273·00 |
| 10 | Other Oils ... | | | | | | | | | | |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | |
| 1 | Mangoes ... | per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains ... | Do ... | 7·00 | 6·00—8·00 | 6·75 | 4·00 | | | 6·00 | ... | 9·00 |
| 3 | Oranges | Do ... | ... | ... | ... | ... | | | 21·00 | ... | ... |
| 4 | Dates | | | | ... | ... | | | ... | ... | ... |
| 5 | Cashew kernels, etc | | 600·00 | ... | ... | ... | | | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | |
| 1 | Potatoes ... | per quintal | 25·00 | 23·00—25·00 | 55·00—60·00 | | | | | ... | 40·00 |
| 2 | Onions ... | .. | 18·00 | 23·00 | 25·00—25·00 | | | | | ... | 25·00 |
| 3 | Beans ... | ... ... | ... | ... | ... | ... | | | | ... | ... |
| 4 | Tomatoes ... | ... ... | ... | ... | ... | ... | | | | ... | ... |
| | (iii) Nuts | | | | | | | | | | |
| 1 | Cashewnuts ... | ... ... | — | ... | ... | ... | | | | ... | 200·00—550·00 |
| 2 | Arecanuts ... | ... ... | 443·00 | ... | 445·00—450·00 | 505·00 | | | | ... | 600·00 |
| VI. | Fibres.— | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... ... | ... | ... | ... | ... | | | | ... | ... |
| | | (b) Lint ... ... | ... | ... | ... | ... | | | | ... | ... |
| | | (c) Seed ... | | ... | 87·00 | ... | | | | ... | ... |
| 2 | Jute :—Loose | (a) White | | | | | | | | | |
| | | (i) Top ... ... | | ... | ... | ... | | | | ... | ... |
| | | (ii) Middle ... ... | | ... | ... | ... | | | | ... | ... |
| | | (iii) Bottom | | ... | ... | ... | | | | ... | ... |
| | | (b) Tossa— | | | | | | | | | |
| | | (i) Top ... | | ... | ... | ... | | | | ... | ... |
| | Pucca Baled Jute | (ii) Middle ... | | ... | ... | ... | | | | ... | ... |
| | | (iii) Bottom ... | | ... | ... | ... | | | | | ... |
| | | (i) Lightlugs... Per bale | | ... | | ... | | | | ... | ... |
| | | (ii) First Mills ... | | | ... | ... | | | | ... | ... |
| | | (iii) First Exports ... | | | | ... | | | | ... | ... |
| | | ... ... | | | ... | ... | | | | ... | ... |

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | ... | | | | | | | |
| | (ii) Middle | | | | ... | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | |
| | (i) Leaf | | 150·00 | | ... | ... | | | | | | 6·0.00 |
| | (ii) Pulah | | | | ... | | | | | | | ... |
| | (b) Virginia— | | | | | | | | | | | ... |
| | (i) Leaf | | 870 00 | | | ... | ... | | | | | |
| | (ii) Pulah | | | | ... | ... | ... | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 450·00 | 300·00—400·00 | 500 00—800·00 | ... | 875'00 | | 865'00 | | | |
| | (b) Class II | Do | 850·00 | 200·00—260·00 | 200·00—400·00 | ... | 800·00 | | 287·00 | .. | | |
| (ii) Buffalo bulls | (a) Class I | Do | 150'00 | 200·00—260 00 | 200 00—300·00 | ... | ... | | 485·00 | ... | | |
| | (b) Class II | Do | ... | 150·00—200·00 | 100·00—160·00 | ... | ... | | 325·00 | ... | | |
| 2 Milch cattle— | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 145.00 | 150·00—200·00 | 150·00—250·00 | ... | 125·00 | | 150·00 | ... | | |
| | (b) Class II | Do | 120·00 | 150·00—175.00 | 100·00—150·00 | ... | 45·00 | | 100.00 | ... | | |
| (ii) Buffaloes | (a) Class I | Do | 850·00 | 200·00—275·00 | 200·00—250·00 | ... | 800 00 | | 425·00 | ... | | |
| | (b) Class II | Do | 800·00 | 125·00—175·00 | 100·00—200·00 | ... | 200·00 | | 275·00 | ... | | |
| 3 Sheep | ... | Do | 30·00 | 34·00—45.00 | 40·00—45·00 | ... | 35·00 | | 55 00 | ... | | |
| IX. Livestock products.— | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per kg. | | | | ... | | | | | | - |
| | (b) ..... | Do | | | | ... | | | | | | |
| 2 Hides— | | | | | | | | | | | | ... |
| (i) Cow hides— Raw. | (a) ..... | Do | | | 1·00 | 1·15 | | | | | | ... |
| | (b) ..... | Do | | | ... | 0·76 | | | | | | |
| Tanned ... | (a) ..... | Do | | | 6·25 | 4·44 | | 6·25 | | | | ... |
| | (b) ..... | Do | | | 6·00 | ... | ... | | | | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do | | | 1·00 | 1·15 | | | | | | ... |
| | (b) ..... | Do | | | 0·80 | 0·76 | | | | | | ... |
| Tanned | (a) ..... | Do | | 4.00 | 6·20 | 4·44 | | | | | | 8·50 |
| | (b) ..... | Do | | 3.75 | 6·00 | ... | | | | | | |
| 3 Skins— | | | | | | | | | | | | ... |
| (i) Goatskins— Raw | (a) ..... | Do | | | 6·50—7·50 | 3—3·25 | | | | | | ... |
| | (b) ..... | Do | | ... | ... | ... | ... | | ... | | | |
| Tanned ... | (a) ..... | Do | | ... | 7·00—8·50 | ... | ... | | ... | | | ... |
| | (b) ..... | Do | | ... | ... | | ... | | | | | ... |
| (ii) Sheepskins— Raw. | (a) White | Do | ... | ... | 6·50—7 00 | 4 00—4·50 | ... | | | | | ... |
| | (b) Black | Do | | ... | ... | | — | | ... | | | |
| Tanned | (a) ..... | Do | ... | ... | ... | ... | ... | | ... | | | ... |
| | (b) ..... | Do | | ... | | ... | | 0·00 | | | | |
| 4 Ghee | (a) Agmark | Do | — | ... | ... | ... | ... | | ... | | ... | ... |
| | (b) Upgraded | Do | ... | 5·00 | 6·25 | ... | | 6·50 | ... | | ... | ... |
| X. Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | Per quintal | | 5·50 | | ... | ... | | ... | | ... | ... |
| | (b) Paddy | Per cart-load | | | ... | ... | ... | .. | ... | ... | ... | ... |
| 2 Straw | (a) Ragi | Do | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola | er quintal | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | |
| 1 | Turmeric ... | ... ... | 176 00 | 140·00—150.00 | 115·00—120·00 | 211·00 | ... | | ... | ... | |
| 2 | Tamarind ... | ... ... | 85·00 | 60.00—65·00 | 58·00—60·00 | ... | 50·00 | | 45·00 | ... | 120.00 |
| 3 | Dry Chillies ... | ... ... | 850·00 | 220·00—320 00 | 230·00—260·00 | 810·00 | 800·00 | | 250 00 | ... | 300.00 |
| 4 | Garlic ... | ... ... | 90·00 | ... | 68·00—70 00 | ... | 125·00 | | 85·00 | ... | 160,00 |
| 5 | Pepper ... | ... ... | 885·00 | ... | ... | ... | 400·00 | | ... | | 275.00 |
| 6 | Cardamom ... | ... ... | 1,004·00 | ... | ... | ... | ... | | ... | ... | 1200,00—1500,00 |
| XII | Miscellaneous— | | | | | | | | | | |
| 1 | Timber ... | ... Per C.F. | ... | ... | ... | ... | ... | | .. | ... | |
| 2 | Stick-lac ... | ... ... | ... | ... | ... | ... | ... | | | ... | |
| 3 | Seed-lac ... | ... ... | ... | ... | ... | ... | ... | | ... | | |
| 4 | Shellac ... | ... ... | ... | ... | ... | ... | ... | | ... | ... | |
| 5 | Rubber ... | Raw ... ... | ... | ... | ... | ... | ... | | ... | ... | |
| 6 | Myrobalan ... | ... ... | ... | ... | ... | ... | ... | | ... | ... | |
| 7 | Jute manufactures | (a) Hessian 40", 10 oz. Per 100 yds. | ... | ... | ... | ... | ... | | ... | ... | |
| | | (b) Sacking B Twills. Per 100 bags. | ... | ... | ... | ... | ... | | ... | ... | |
| 8 | ..... | ... ... | ... | ... | ... | ... | ... | | ... | ... | |
| 9 | ..... ... | ... ... | ... | ... | ... | ... | ... | | ... | ... | |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 30th September 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals— | | | | | | | | | | | | |
| 1 Paddy | Coarse | Per Rupee | ... | 3·0 | ... | ... | 2·6 | 2·6 | ... | ... | 2·6 | 2·4 |
| 2 Rice | Do | ... | 1·5 | 2·0 | 1·8 | 1·4 | 1·5 | 1·5 | 1·5 | 1·7 | 1·7 | 1·8 |
| 3 Wheat | White | ... | 2·5 | 2·0 | 2·0 | 1·8 | ... | 2·2 | 1·4 | 2·0 | 2·2 | 1·8 |
| 4 Wheat Flour | Do | ... | ... | 1,25 | 1·5 | ... | ... | 2·1 | 1·6 | 1·8 | 1 | 1·7 |
| 5 Jowar | Do | ... | 2·0 | 2,75 | 2·4 | 1·8 | 2·6 | 2·8 | 2·5 | 2·2 | 2·8 | 2·8 |
| 6 Bajra | ... | ... | 2·0 | ... | ... | ... | 2·5 | ... | ... | ... | ... | 2·4 |
| 7 Barley | ... | ... | 2·5 | ... | ... | ... | ... | ·700 | ... | ... | ... | ,800 |
| 8 Maize | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| 9 Ragi | ... | ... | 0·7 | 2·5 | 2·9 | 2.0 | 2.6 | 2 | 2·5 | 2·6 | 2·8 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·7 |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 11 Subsidiary Food Crops— | | | | | | | | | ... | ... | | |
| (i) Sweet potatoes. | ... | ... | ... | 4·0 | 2·2 | ... | ... | ... | ... | 2·4 | 3·6 | ... |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·7 | ... |
| (iii) Papaya ... | ... | ... | 2·8 | ... | ... | ... | ... | ... | ... | ... | 5·50 | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram | (a) Whole ... | ... | 1·2 | 2·0 | 1·3 | 1·4 | 2 | 1·7 | 1·6 | 1·4 | 1·8 | ... |
| | (b) Split (without skin). | ... | 1·6 | 1·5 | ... | 1·2 | 1·8 | 1·5 | 1·5 | 1·3 | 1·5 | 1·5 |
| | (c) Flour ... | ... | ... | ... | ... | ... | ... | 1·4 | 1·4 | 1.2 | ... | 1·5 |
| 2 Arhar (Tur) | (a) Whole ... | ... | ... | ... | 1·5 | ·850 | 1,6 | 1·5 | ... | 1·5 | 2·1 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ·750 | ... | 1·1 | 1 | 0·9 | 1 | 1·1 |
| 3 Moong | (a) Whole ... | ... | 1·3 | 1·25 | ... | 1·1 | ... | 1·6 | ... | ... | 1·4 | 1·6 |
| | (b) Split (without skin). | ... | ... | 1 | ... | 1 | 1·2 | 1·2 | 1·5 | ... | 1·2 | ... |
| | | | | | | | | 1·3 | 1·1 | | | |
| 4 Urd | (a) Whole ... | ... | ... | 1 | ... | 1 | ... | | | 7·60 | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | 0·9 | ... | ·8 | ... | 1 | ·820 | ·800 | ·860 | ·850 |
| 5 | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1 | | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare | (a) Whole ... | ... | 1·3 | 1·5 | 2 | ... | 2 | 1·5 | 1·4 | ... | 1·3 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | ... | ... | 1·4 | 1·3 | ... | 1·1 | ... |
| (ii) Horsegram | ... | ... | 2·3 | 3 | 2·3 | 2·4 | 2·3 | 2·6 | 2·2 | 2·3 | 3·0 | 2·1 |
| (iii) Cowpea ... | ... | ... | 1·3 | 2 | 2·0 | ... | 2 | 1·5 | 1·5 | ... | 1·2 | 1·3 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I ... | ... | 0·825 | 0·803 | 0·800 | ·09 | ... | ·888 | ·810 | ·800 | 3·50 | ,900 |
| | (b) Sort II ... | ... | ... | 0·909 | 1 | ... | 1 | 1·1 | ... | 1 | ·950 | 1·1 |
| Sugar refined | D. 24 ... | ... | | 0·909 | | ·847 | ... | ·869 | ·840 | ·800 | ·750 | ·880 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·5 | ·5 | ·5 | ·4 | ·5 | ·5 | ·5 | ·5 | ·5 | ·5 |
| 2 Sesamum oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·275 |
| 3 Castor oil | ... | ... | ·5 | ·8 | ·6 | ... | ... | ·7 | ·5 | ·5 | 60 | ·880 |
| 4 Mustard oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·5 |
| 5 Linseed oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil | ... | ... | ·250 | ·859 | ·285 | ·345 | ·625 | ·888 | ·226 | ·889 | ·250 | ·285 |
| 7 Vanaspati | ... | ... | ... | ... | ·807 | ... | ... | ... | ... | ·420 | ·259 | ·240 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined Oil | ... | ... | ... | ... | ... | ... | ·840 | ... | ... | ·5 | ... | ... |
| (ii) Saffl.ower f | ... | ... | ... | ... | ... | ... | ·884 | ... | ... | | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | ... | Per Dozen | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 2 Plantains | ... | Do | 50—60 | 25—75 | 75—81 | 40—85 | ... | 81—75 | | 87 | ·96 | ·50 |
| 3 Oranges | ... | Do | ... | 75—2·50 | 2—3 | 87—1·50 | ... | ... | | 2·25 | 3 00 | |
| 4 Dates | ... | ... | ... | ... | ·500 | ... | ... | ... | | ... | ... | ... |
| 5 Cashew kernals | | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 6 ..... | | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes | ... | ... | 3·4 | 3·5 | | 2·2 | 2,7 | | 5,3 | | | 3·0 |
| 2 Onions | ... | ... | 3·3 | 3 | | 1·5 | ... | 2·5 | 3 | | | 2,2 |
| 3 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts | ... | ... | ... | ... | ... | ... | ... | ... | ,166 | | | ,160 |
| 2 Arecanuts | ... | ... | ... | ·120 | ·125 | ... | ... | 111·117 | 100.111 | | | ,8 |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | ... | ... | 5.00 | 5·09 | | 3·15 |
| VII Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 80·125 | 1·00 | 62.75 | ... | 0·65 | 40·65 | 75.89 | 1.09 | 1·1 | ... |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·200 | ·888 | ,80 | ... | ... | ... | ... | ,096 | ... |
| | (b) Ungraded ... | ... | ... | ... | ... | ... | ... | ... | ... | ·125 | ·144 | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·60 | 3·00 | 2·25 | 2·50 | 2·25 | 2·25 | 2.25 | 1.75 | 2·00 | 0·110 |
| | (ii) B Grade | Do | 2·50 | 2·50 | 1.50 | 2·25 | ... | 1·75 | 2.06 | 1·50 | 1·75 | 2·00 |
| | (iii) C Grade | Do | 1·50 | 2·00 | ... | 2·00 | ... | 1·50 | 1.88 | 1·25 | 1·62 | 1.92 |
| 4 Mutton ... | ... | ... | ·266 | ·300 | ·833 | ·266 | ,235 | ·252 | ,250 | ·833 | ·270 | ·280 |
| 5 Beef ... | ... | ... | ·800 | ... | ... | ... | ... | | ,888 | | | ·570 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | 6·6 | ... | ·5 | ·5 | ... | ·5 | ·5 | ·5 | ·5 | ·5 |
| 2 Tamarind ... | ... | ... | 1 | 1 | 1 | ·1 | 1·1 | 1 | 1 | 1 | ·9 | 1·2 |
| 3 Dry chillies ... | ... | ... | ·8 | ·8 | ·8 | ·4 | ·8 | ·8 | ·8 | ,239 | ,760 | ,270 |
| 4 Garlic ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | ,815 | ·1 | ·9 | ·9 |
| 5 Pepper ... | ... | ... | ·8 | ... | ·2 | ·2 | ... | ·2 | ·2 | ·2 | ·2 | ·2 |
| 6 Cardamom ... | ... | ... | ·052 | ... | ·052 | ... | ,088 | 0 70 | ,056 | ·071 | ·058 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 9·50 | 8 | 8 | 8 | 10 | 11 | 10 | 10 | 10 | 11 |
| 2 Kerosene oil ... | ... | Per Litre | ... | 48 | 86 | 0·40 | ... | ·59 | 66 | 55 | 0·62 | 64 |
| 3 Firewood/ Charcoal. | ... | Quintal | ... | 6—8 | ·6 | ... | ... | 9·50 | 4.8 | ... | 6.25 | 6·37 |
| 4 Coarse cloth ... | ... | Per metre | 1·60 | 90 | ... | 1·25 | ... | 120—140 | ... | 1,60 | 1·40 | 1·60 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | ... | ... | 2—2·5 | ... | ... | 2·9 | ... | ... | ... | 2·8 |
| Rice ... | Do ... | ... | 1·6 | 1·2—1·5 | 1.4 | 1·4 | 1·7 | ... | 1·8 | ... | 1.6 |
| 2 Wheat ... | White ... | ... | 1·4 | 1·8—1·7 | 1.9 | 1.6 | 1·6 | ... | 1.6 | ... | 2 |
| Wheat Flour... | Do ... | ... | 1·2 | 1.8—2 | ... | ... | 2·5 | ... | 2 | ... | 2 |
| 3 Jowar ... | Do ... | ... | 2 | 1·8—1·8 | 2.6 | 2 | 2.7 | ... | 2 | ... | ... |
| 4 Bajra ... | ... | ... | ... | 2.25 | 2.8 | ... | ... | ... | 2·8 | ... | ... |
| 5 Barley ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Maize ... | ... | ... | ... | ... | 8 | ... | ... | ... | ... | ... | ... |
| 7 Ragi ... | ... | ... | 2·5 | 2·25 | ... | ... | ... | ... | ... | ... | 2 |
| 8 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Subsidiary Food Crops.— | | | | | | | | ... | | | 4 |
| (i) Sweet potatoes. | ... | ... | ... | ... | ... | ... | 4 | ... | ... | ... | |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iv) Groundnut cake flour | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1.6 | 2 | 1·4 | 1.8 | ... | ... | ... | ... | 1·6 |
| | (b) Split (without skin). | ... | 1·8 | 1.5 | 1·8 | ... | ... | ... | ... | ... | 1·8 |
| | (c) Flour ... | ... | 1·2 | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | ... | 15.16 | ... | ... | ... | ... | 1·6 | ... | ... |
| | (b) Split (without skin) | ... | ·1 | 1.2 | 1·2 | 1 | 1·2 | ... | 1·2 | ... | 1.1 |
| 3 Moong ... | (a) Whole ... | ... | 1·3 | ... | ... | 1·2 | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | ... | 1 | 1. | 1 | 1·4 | ... | ... | 1.8 | ... | 1.2 |
| 4 Urd ... | (a) Whole ... | ... | 1·2 | 1·1 | ... | 1·5 | ... | ... | 1,6 | ... | 1·8 |
| | (b) Split (without skin). | ... | ·888 | ... | ... | 6·50 | 7·40 | ... | ·909 | ... | ... |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | ... | 1 | 2·2 | 1·3 | ... | ... | ... | 1·2 | ... | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | ... | ... | 2.2 | ... | ... | ... | 2 | ... | 1·4 |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | 1·4 | ... | ... |
| (ii) Horsegram | ... | ... | 2.5 | 2·2—2.5 | 2.6 | ... | ... | ... | ... | ... | ... |
| (iii) Cowpea ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·666 | ·725 | ·900 | ·800 | ·740 | ... | ... | ... | ·809 |
| | (b) Sort II ... | ... | ·770 | ·769 | ·950 | ... | ·769 | ... | ·759 | ... | ·892 |
| 2 Sugar refined | D 24 ... | ... | ... | ... | ·850 | ... | ... | ... | ·950 | ... | ·889 |
| IV. Oils.— | | ... | | | | | | | | | |
| 1 Groundnut oil | ... | ... | 4·90 | ·6 | ·5 | ... | ·5 | ... | ·8 | ... | ·5 |
| 2 Sesamum oil ... | ... | ... | ·250 | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·285 | ... | ·950 | ... | ·285 | ... | ·860 | ... | ·985 |
| 7 Vanaspati ... | ... | ... | ·865 | ... | ... | ... | ... | ... | ... | ... | ·880 |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) Refined Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ..... | ... | ... | ... | ... | '5 | ... | ... | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | | Per Dozen | .. | ... | ... | ... | ... | | ... | ... | |
| 2 | Plantains ... | | Do | 6·00 | 65 | 44·62 | 40·00 | 65 | | 62 | ... | 25·1 |
| 3 | Oranges ... | | Do | 1·60 | ... | ... | ... | ... | | 2·69 | ... | ... |
| 4 | Dates | | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 5 | Cashew kernals | | ... | 1·60 | | ... | ... | ... | | ... | ... | ... |
| 6 | ..... | | .. | ... | ... | .. | ... | ... | | ... | ... | ... |
| (ii) | Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | | ... | 1·6 | 2·5—3 | | 1·5 | 2 | | 1·4 | ... | ·4 |
| 2 | Onions ... | | ... | 2·1 | 3 | | 3 | 2 | | 3 | ... | 2·5 |
| 3 | ..... | | ... | ... | ... | | ... | ... | | ... | ... | ... |
| (iii) | Nuts | | | | | | | | | | | |
| 1 | Cashewnuts ... | | ... | | | | ... | | | | ... | 1·60 |
| 2 | Arecanuts | | | 100—120 | ... | | ·150 | ·138 | | ·175 | | 2 00 |
| VI | Tobacco ... | Leaf | Per kg | 7·69 | ... | | 2·62 | 7·00 | | ... | ... | 6 50 |
| VII | Live-stock products— | | | | ... | | | | | | | |
| 1 | Milk ... | ... | ... | ... | | | | ·58 | | ·68 | ... | 62 |
| 2 | Ghee ... | (a) Agmark ... | ... | ... | ... | | | ... | ... | ... | ... | 2 85 |
| | | (b) Ungraded ... | ... | ·300 | ... | ·75 | | 1·65 | ... | ·12 | | ... |
| 3 | Eggs ... | (i) A Grade | Per Dozen | ... | 2·50 | 1 50 | 2·75 | 1·80 | ... | 2·50 | ... | 2·50 |
| | | (ii) B Grade | Do | ... | 2·00 | 1 87 | 1·65 | 1·75 | ... | ... | ... | ... |
| | | (iii) C Grade | Do | ... | ·180 | ... | 1 25 | ... | ... | ... | | ... |
| 4 | Mutton ... | ... | ... | ·880 | ·807 | ·880 | ·470 | ... | ... | ·800 | ... | 2·85 |
| 5 | Beef ... | ... | ... | ... | ·666 | ... | ·980 | ... | ... | ·800 | ... | ... |
| VIII. | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | ·5 | ... | 6 | ·5 | ... | ... | ... | ... | 4 |
| 2 | Tamarind ... | ... | ... | ·9 | 1·5 | ... | ·7 | ... | ... | 1 | ... | 8 |
| 3 | Dry chillies ... | ... | ... | ·8 | ... | 275 | ·8 | ·8 | ... | 250 | ... | 858 |
| 4 | Garlic ... | ... | ... | ·6 | ·1 | ... | 7·50 | ·8 | ... | | ... | 606 |
| 5 | Pepper ... | ... | ... | ·8 | ... | ... | ... | ·2 | ... | ... | ... | ·0 |
| 6 | Cardamom ... | ... | ... | ... | ... | ·089 | ... | ... | ... | ... | ... | ·088 |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | 10 | ... | ... | 7 | 18 | ... | 10 | ... | 12 |
| 2 | Kerosene oil ... | ... | Per Litre | 48 | ... | 45 | ... | 45 | ... | 87 | ... | 56 |
| 3 | Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | 9·00 | ... | 7·50 | ... | 6·50 |
| 4 | Coarse cloth ... | ... | Per Metre | 6·50 | ... | ... | ... | ... | ... | ·88 | ... | ·95 |

.....

For *Chief Marketing Officer.*

Printed by the Superintendent of Printing, Stationery and Publications at the Govt Press Bangalore

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY OCTOBER 7, 1965 (ASVIJA 15, SAKA ERA 1887) | No. 39

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### PART IV—WEATHER AND CROP REPORT.

## Weekly Weather and Crop Report for the week ending Wednesday the 1st September 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3-6-1965) | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 2 | 19.5 | 28.2 | 199.4 | 239.9 | | ... Good | ... Available except in some parts of Kanakapura Taluk. | Sufficient | |
| | 2. *Kolar District.* | | | | | | | | |
| 2 | 31.3 | 23.8 | 213.7 | 235.2 | | | ... Available except in Gudibanda Taluk. | | |
| | 3. *Tumkur District.* | | | | | | | | |
| | 6.9 | 16.9 | 244.2 | 190.5 | | | Available except in Tiptur and Chikkanayakanahalli Taluk. | | |
| | 4. *Mysore District.* | | | | | | | | |
| | 1.6 | 17.6 | 144.8 | 228.7 | Fair except in Chamarajanagar, Krishnarajanagar and Hunsur Taluks where it was reported that the crops were withering for want of rain. | Good | ... Available except in Hunsur Tq. | Sufficient except in Hunsur Taluk. | (4) |
| | 5. *Mandya District.* | | | | | | | | |
| 1 | 13.8 | 19.6 | 146.0 | 162.5 | Fair except in K. R. Pet Taluk where it was reported that the crops were withering for want of rain. | Good | ... Available except in K. R. Pet and Nagamangala Tqs. | Sufficient except in K.R. pet & Nagamangala Tqs. | (5) |
| | 6. *Hassan District.* | | | | | | | | |
| — | Nil | 16.4 | 463.6 | 440.3 | Fair except in Belur and Arasikere taluks where it was reported that the crops were badly in need of urgent rains and crops were poor in Hassan Taluk. | Good | ... Available except in Arkalgud and Arasikere taluks. | Sufficient except in Arsikere taluk. | (6) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | 7. *Chickmagalur District.* | | | | | | | |
| 3 | 40.7 | 52.9 | 1146.8 | 1355 8 | Fair ... | Good ... | Available except in Kadur Taluk. | Adquate except in Kadur & Arsikere Tqs. | (7) |
| | | 8. *Shimoga District* | | | | | | | |
| 3 | 11.6 | 56.9 | 1307.9 | 1391.9 | Fair | | ... Available | Sufficient | (8) |
| | | 9. *Chitradurga District.* | | | | | | | |
| | 2.3 | 12.0 | 163.8 | 192.8 | Fair | | | | |
| | | 10. *Bellary District.* | | | | | | | |
| | 29.8 | N.A. | 284.0 | N.A. | Fair except in Kudligi taluk where it was reported that the crops were in need of urgent rains. | Good | | | |
| | | 11. *Bijapur District.* | | | | | | | |
| | 5.9 | N.A. | 279.9 | N.A. | Fair except in Mudhol taluk where it was reported that the kharif crops were withering for want of rains. | Good | | | |
| | | 12. *Belgaum District.* | | | | | | | |
| | 3.4 | N.A. | 339.5 | N.A. | Fair | ... Good except for the prevalence of "Epizootic Aphtha" at one village of Gokak taluk and other cattle diseases at two villages of Ramdurg taluk. | Available | | (12) |
| | | 13. *Dharwar District.* | | | | | | | |
| | 7.8 | N.A. | 315.7 | N.A. | Fair except in Haveri taluk where it was reported that the crops were badly in need of urgent rains. | Good except for the prevalence of cattle disease at 2 villages of Navalgund Taluk. | Available | | |
| | | 14. *North Kanara District.* | | | | | | | |
| | 62.4 | N.A. | 1946.5 | N.A. | Fair ... | Good ... | Available | do | (14) |
| | | 15. *Gulbarga District.* | | | | | | | |
| | 18.8 | N.A. | 404.3 | N.A. | Fair except in Yadgir Taluk where it was reported that the crops were affected by post. | Good except for the prevalence of Black Quarter at one village of Yadgir Tq. | Available | do | (15) |
| | | 16. *Raichur District.* | | | | | | | |
| | 23.3 | N.A. | 260.2 | N.A. | Fair except in Manvi taluk where it was reported that the crops were affected due to non-receipt of rains. | Good except for the prevalence of cattle disease at one village of Sindhanoor Tq. | Available | do | |
| | | 17. *Bidar District.* | | | | | | | |
| Nil | Nil | N.A. | 545.2 | N.A. | Fair | ... Good | ... Available | Adequate | (16) |
| | | 18. *South Kanara District.* | | | | | | | |
| 6 | 96.0 | N.A. | 2798.2 | N.A. | Fair | ... Good | ... Available | Sufficient | (17) |
| | | 19. *Coorg District.* | | | | | | | |
| 5 | 44.0 | N.A. | 1316.8 | N.A. | Fair | ... Good | ... Available | do | (18) |

Remarks :—(1) Refers to 5 Taluks. (2) Refers to 6 Taluks. (3) Refers to 6 Taluks. (4) Refers to 7 Taluks. (5) Refers to 5 Taluks. (6) Refers to 5 Taluks. (7) Refers to 5 taluks. (8) Refers to 7 Taluks. (9) Refers to 8 Taluks. (10) Refers to 7 Taluks. (11) Refers to 6 Taluks. (12) Refers to 5 Taluks. (13) Refers to 12 Taluks. (14) Refers to 9 Taluks. (15) Refers to 7 Taluks. (16) Refers to 1 Taluks. (17) Refers to 5 Taluks. (18) Refers to 2 Taluks.

M. GANGABUDRIAH, For *Director of Statistics*

# General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 1st September 1965.

(a) Denotes :—Rainfall.
(b) " Sowing and Transplantation.
(c) " Condition of Standing Crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations.
(f) " Water Supply.
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week except in Devanahalli, Ramanagaram, Kanakapura and Channapatna Tqs.
(b) Transplantation of paddy and ragi in Devanahalli Taluk, Ragi in Ramanagaram Taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

2 Kolar District.—

(a) Moderate rainfall in Malur, Gudibanda, Mulbagal, Srinivasapur and Chintamani Taluks.
(b) Sowing of Ragi and Paddy in Malur Taluk was in progress.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available except Gudibanda Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

3 Tumkur District.—

(a) No rainfall during the week except in Gubbi and Madhugiri Taluks.
(b) Sowing of Horsegram in Madhugiri and Pavagada Taluks was in progress.
(c) Standing Crops were fair, except in Tiptur and Chicknayakanahalli Taluks where crops were withering for want of rains.
(d) Harvesting of Gidda Ragi in Madhugiri and Pavagada Taluks, Paddy in Chicknayakanahally Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available except in Chicknayakanahalli and Tiptur taluks where scarcity for fodder was felt.
(h) Generally Healthy.

4 Mysore District.—

(a) No rainfall during the week except in Kollegal and Haggadadevanakote Taluks.
(b) Sowing and Transplantation of Paddy in Nanjangud and Hunsur Taluks, Paddy and Pulses in Mysore Taluk, Ragi in Kollegal Taluk was in progress.
(c) Fair except in Chamarajanagar, K. R. Nagar, Hunsur and Gundlupet Taluks where crops were withering for want of rains.
(d) Harvesting of G. Nut in Hunsur Taluk, Jowar in Gundlupet Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Hunsur, Kollegal and Gundlupet Taluks where insufficiency of water was felt.
(g) Available except in Hunsur and Mysore Taluks where scarcity for fodder was felt.
(h) Generally Healthy.

5 Mandya District.—

(a) No rainfall during the week except in Srirangapatna and Malavalli Taluks.
(b) Transplantation of Paddy, Ragi and Sugarcane in Srirangapatna Taluk, Paddy in Malavalli and Maddur Taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Srirangapatna and Maddur Taluks was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Nagamangala taluk where insufficiency was felt.
(g) Available except in Nagamangala Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy was held up for want of rain in Hassan and Arkalgud Taluks.
(c) Fair except in Hassan, Arkalgud, Belur and Alur Taluks where crops were in need of urgent rains.
(d) Harvesting of potato in Hassan and Alur Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Arsikere, Arkalgud and Belur Taluks where insufficiency of water was felt.
(g) Available except in Arsikere, Belur and Arkalgud taluks where scarcity for fodder was felt.
(h) Generally Healthy.

7 Chickmagalur District.—

(a) Slight rainfall in Narasimharajapura, Tarikere, and Mudigere Taluks.
(b) Completed.
(c) Fair except in Kadur Taluk where Kharif Crops were withering for want of rains.
(d) Harvesting of cordamum in Mudigere Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Kadur and Tarikere Taluks where insufficiency of water was felt.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

8 Shimoga District.—

(a) No rainfall during the week except in Bhadravathi and Thirthahalli taluks.
(b) Transplantation of Paddy is nearing completion in Thirthahalli taluk.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—

(a) No rainfall during the week except in Molakalmuru and Davangere taluks.
(b) Sowing and Transplantation of Ragi in Hosadurga Taluk, Paddy in Molakalmuru Taluk, Navane, Horsegram, G. Nut Sajje, Cotton and Paddy in Challakere Taluk, Tobacco in Harihar Taluk Horsegram in Holalkere taluk was in progress.

(c) Standing Crops were fair.
(d) Harvesting of Gidda Ragi in Molakalmuru and Challakere taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

10 Bellary District.—

(a) Moderate rainfall in Kudligi, Mallapuram, Sandur, Hadagalli and Hospet taluks.
(b) Sowing and Transplantation of Paddy in Kudligi and Siruguppa taluks, Navane, Sajje and Horsegram in Hospet taluks was in progress.
(c) Fair except in Hospet taluk where Sugarcane was affected by pest and jowar was affected by grasshoppers.
(d) Nil.
(e) Progress was fair in 6 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

11 Bijapur District.—

(a) Light showers in Hunugund, Sindagi, Muddebihal, Bagewadi and Bilgi taluks.
(b) Sowing of Cotton in Bagewadi and Bilgi taluks was in progress.
(c) Standing crops were fair except in Mudhol taluk where kharif crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—

(a) No rainfall during the week, except in Belgaum and Hukkeri taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of Epizootic Aptha at one village of Gokak taluk, cattle disease at one village of Ramdurg taluk.

13 Dharwar District.—

(a) Light showers in most of the Taluks.
(b) Sowing of cotton in Hirekerur, Mundargi, Haveri and Gadag taluks was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 10 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at 2 villages of Navalgund taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Mundgod, Sirsi, Honnawar, Haliyal, Supa and Yellapur, taluks.
(b) Transplantation of Paddy in Supa and Yellapur taluks was in progress.
(c) Fair except in Haliyal taluk where paddy crops was affected by pest.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—

(a) Light showers in Yadagir, Shorapur, Afzalpur, Chincholi and Aland taluks.
(b) Sowing of cotton in Shorapur taluk was in progress.
(c) Fair except in Yadagir taluk where Kharif crops were in need of urgent rains.
(d) Harvesting of green gram in Yadagir, Shorapur and Chincholi taluks was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of Black quarter at one village of Yadagir taluk.

16 Raichur District.—

(a) Light showers in Yelburga, Gangavathi, Lingasugur, Sindhnoor and Kushtagi, Taluks.
(b) Sowing and Transplantation of Kharif crops in Gangavathi taluk, Paddy in Manvi taluk was in progress.
(c) Fair except in Manvi taluk where kharif crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil,
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Humnabad taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Sufficient rainfall in most of the taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—

(a) Light showers in Mercara and Somwarpet Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Mercara taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, *For Director of Statistics*

# Weekly Weather and Crop Report for the week ending Wednesday the 8th September 1965.

| No of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

**(From 3—6—1965)**

## 1. Bangalore District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | ... Good | ... Available except in Anekal Taluk | Sufficient | |

## 2. Kolar District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| nill | nill | | | Good | ... Available except in Gudibande Tq. | Adequate | |

## 3. Tumkur District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 22.7 | 238.4 | 222.5 | Fair except in Pavagada, Turuvekere, Sira, Tiptur, Koratagere and Chiekanyakana halli Taluks where it was reported that the crops were withering for want of rains. | Good except for the prevalence of "Block Quarter" at one village. | Available except in Tiptur and C. N. halli Taluks. | |

## 4. Mysore District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | crops were withering in most of the Tqs for want of rain. | Good | ... Available except in Hunsur Taluk | Adequate except (4) in Hunsur and Kollegal Tqs. |

## 5. Mandya District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | Fair except in K. R. Pet and Nagamangala Tqs, where it was reported that the crops were withering for want of rain. | Good | ... Available except in Nagamangala and K. R. Pet Tqs. | Sufficient except in (5) K. R. Pet Tqs. |

## 6. Hassan District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | Fair | Good | | |

## 7. Chickmagalur District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | Fair | Good | ... Available except in Kadur Tq. | Sufficient except in (6) Tarikere and Kadur Taluks |

## 8. Shimoga District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | Fair except in Shimoga Taluk where it was reported that the crops were withering for want of rains | Good | | Sufficient except in (7) Channagiri Taluk. |

## 9. Chitradurga District.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | Fair except in Harihar Taluk where it was reported that the crops were withering for want of rains | Good | ... Available except in Hosadurga Tq. | |

| No. of rainy days in the week | Rainfall in Millimeters | | | | Conditions of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

From 3—6—1965).

**10. Bellary District.**

| | | | | |
|---|---|---|---|---|
| Fair Except in Kudligi and Siruguppa talukas where it was reported that the crops were withering for want of rain. | Good | ... | Available execept in Kudligi Taluk | Sufficient except in Kudligi Taluk. |

**11. Bijapur District**

| | | | | |
|---|---|---|---|---|
| Fair except in Mudhol Tq. where it was reported that the kharif crops were withering for want of rain. | Good | | | |

**12. Belgaum District.**

| | | | | |
|---|---|---|---|---|
| Fair except in Raibagh taluk where it was reported that crops were withering for want of rain. | Good except for the prevalence cattle diease at one village of Ramdurg Taluk. | | Available | |

**13. Dharwar District.**

| | | | | |
|---|---|---|---|---|
| | Good except for the prevalence of "Cattle disease" at 1 villages of Hanagal Taluk. | | Available | |

**14. North Kanara District.**

| | | | | |
|---|---|---|---|---|
| | Good | | | |

**15. Gulbarga District.**

| | | | | |
|---|---|---|---|---|
| Fair except in Yadgir taluk where it was reported that the khairf crops where withering for want of rain. | Good | | | |

**16 Raichur District.**

| | | | | |
|---|---|---|---|---|
| Fair except in Manvi and Sindhanur taluks where it was reported that the kharif crops were withring for want of rain. | Good | | | |

**17. Bidar District.**

| | | | | |
|---|---|---|---|---|
| | Good | | | |

**18. South Kanara District.**

| | | | | |
|---|---|---|---|---|
| N.A. | 2696.8 | N.A. | Good | |

**19. Coorg District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 6 | 49.6 | N.A. | 1876.4 | N.A. | do | Good | ... Available | Do | ... (18) |

REMARKS.— (1) Refers to 6 Taluks. (2) Refers to 6 Taluks. (3) Refers to 6 Taluks. (4) Refers to 8 Taluks. (5) Refers to 6 Taluks
(6) Refers to 6 Taluks. (7) Refers to 6 Taluks. (8) Refers to 7 Taluks. (9) Refers to 6 Taluks. (10) Refers to 7 Taluks
(11) Refers to 7 Taluks. (12) Refers to 18 Taluks. (13) Refers to 8 Taluks. (14) Refers to 7 Taluks. (15) Refers to 6 Taluk.
(16) Refers to 1 Taluk. (17) Refers to 5 taluks. (18 Refers to 3 taluks.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 8th September, 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing and Transplantation.
(c) ,, Condition of Standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week except in Nelamangala Taluk
(b) Transplantation of Paddy in Nelamangala taluk, Ragi and Paddy in Devanahalli taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Sowing of Paddy in Mulbagal Taluk, Horsegram in Gouribidanur Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Gudibanda Taluk where insufficiency of water was felt.
(g) Available except in Gudibanda taluk where scarcity for fodder was felt.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week except in Turuvekere and Kunigal taluks.
(b) Transplantation of Paddy in Kunigal Taluk was in progress. Sowing of Horsegram was held up for want of rain in Pavagada Taluk.
(c) Standing crops were fair except in Chicknayakanahalli, Pavagada, Turuvekere and Tiptur Taluks, where K Crops were withering for want of rains.
(d) Harvesting of Paddy in Chicknayakanahalli and Kunigal Taluks, Yada Ragi in Pavagada taluk was in progress.
(e) Progress was fair in 4 Taluks
(f) Sufficient except in Turuvekere taluk where insufficiency of water was felt.
(g) Available except in Chicknayakanahalli and Tiptur Taluk where scarcity for fodder was felt.
(h) Generally healthy. except for the prevalance of Black Quarter at one village of Tiptur Taluk.

4 Mysore District.—

(a) Light showers in Chamarajanagar, Heggadadevanakote and Mysore Taluks.
(b) Sowing and Transplantation of Paddy in Nanjangud and Hunsur Taluks, Pulses in Mysore Taluk was in progress.
(c) Fair except in T. Narsipur, Chamarajanagar, Heggadadevanakote, K. R Nagar, Hunsur, and Mysore Taluks where K. Crops were withering for want of rains.
(d) Harvesting of Groundnut in Heggadadevanakote and Hunsur Taluks, Jowar in Gundlupet Taluks was in progress
(e) Progress was fair in 8 taluks.
(f) Sufficient except in Gundlupet, Hunsur and Mysore, Taluks where insufficiency of water was felt,
(g) Available, except in Hunsur and Mysore taluks where scarcity for fodder was felt.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy in Maddur, and Malavalli Taluks paddy, Ragi, and Sugarcane in Srirangapatna taluk, Ragi in Nagamangala Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur, Pandavapura and Srirangapatna taluks was in progress.
(e) Progress was fair in 1 Taluk.
(f) Sufficient.
(g) Available except in Nagamangala taluk, where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week except in Manjarabad Taluk
(b) Transplantation of crops was held up for want of rain in Hassan and Arsikere Taluks.
(c) Fair except in Arsikere and Holenarsipur Taluks where K. Crops were withering for want of rains.
(d) Harvesting of Potato was in progress in Hassan Taluk.
(e) Progress was fair 8 in taluks.
(f) Sufficient except in Arsikere and Holenarasipur Taluks where supply of water was insufficient.
(g) Available except in Arsikere and Holenarasipur Taluks where scarcity for fodder was felt,
(h) Generally healthy.

7 Chickmagalur District.—

(a) No rainfall during the week except in Koppa Taluk,
(b) Transplantation of Paddy in Koppa Taluk was in progress.
(c) Fair except in Kadur taluk, where crops were withering for want of rains.
(d) Harvesting of Cardamum in Mudigere Taluk was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Tarikere and Kadur Taluks where insufficiency of water was felt.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week except in Hosanagar Taluk.
(b) Nil.
(c) Fair except in Honnali, Hosanagar and Shimoga Taluks where K Crops were withering for want of rains.
(d) Harvesting of Same and Coriander in Honnali tq. was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Channagiri and Hosanagar Taluks where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

9 Chitaldrug District.—

(a) No rain during the week except in Molakalmuru Taluk.
(b) Sowing and Transplantation of Paddy, Navane and Horsegram in Molakalmuru Taluks, Paddy in Challakere Taluk, Tobacco in Haribar Taluk was in progress.
(c) Fair except in Challakere, Haribar and Hosadurga Taluks where K. crops were withering for want of rains.
(d) Harvesting of Gidda Ragi in Molakalmuru and Challakere Taluks, Jowar and Ragi in Chitradurga Taluk, G. Nut in Hosadurga Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available except in Hosadurga Taluk where scarcity for fodder was felt.
(h) Generally healthy.

10 Bellary District.—

(a) Light Showers in Mallapuram, Sandur and Kudligi, Taluks.
(b) Nil.
(c) Fair except in Sirugappa, Kudligi and Harpanahalli Taluks where K. Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Sirugappa Tq. where insufficiency of water was felt.
(g) Available except in Kudligi Tq. where scarcity for fodder was felt.
(h) Generally healthy.

11 Bijapur District.—

(a) No rainfall during the week except in Bagewadi Taluk.
(b) Sowing of Cotton in Badami, Muddebihal, Bilgi, and Bagewadi Taluks was in progress.
(c) Standing Crops were fair except in Mudhol Taluk where K. Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No rainfall except in Belgaum, Sampagaon and Hukkeri Taluks.
(b) Transplantation of Tobacoo in Hukkeri Taluk was in progress
(c) Fair Except in Raibagh, Ramdurg, and Sampagaon Taluks, where K. Crops were withering for want of urgent rains.
(d) Nil.
(e) Progress was fair in 8 Taluks
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalance of cattle disease at one village of Ramdurg.

13 Dharwar District.—

(a) Light showers in Kalghatgi, Navalgund, Ron, Hangal, Haver and Hirekerur taluks.
(b) Sowing of Cotton in Nargund, Ron, Mundargi, Gadag, Haveri and Hirekerur Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
e) Progress was fair in 12 Taluks.
(f) Sufficient except in Gadag Taluk where insufficiency of water was felt.
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of cattle disease at 8 villages of Navalgund Taluk and one village of Hangal taluk.

14 North Kanara District.—

(a) The rainfall received was beneficial to the Standing Crops in Mundgod, Supa, Siddapur, Karwar, Sirsi, and Yellapur Taluks.
(b) Transplantation of Paddy was nearing completion in Supa Taluk.
(c) Fair except in Haliyal Taluk where it was reported that the paddy Crop was affected by pest.
(d) Nil.
(e) Progress was fair in 5 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—

(a) No rainfall during the week except in Chincholi Taluk
(b) Nil.
(c) Fair except in Afzalpur and Yadgir Taluks where crops were withering for want of rains
(d) Harvesting of Sesamum and Greengram in Chincholi Taluk. Greengram in Sedam Taluk was in progress
(e) Progress was fair in 5 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

16 Raichur District.

(a) No rainfall during the week.
(b) Nill
(c) Fair except in Manvi and Sindhnoor Taluks, where K. Crops were withering for want of rains
(d) Nil
(e) Progress was fair in 2 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week
(b) Nil.
(c) Fair except in Aurad Taluk where Crops were withering for want of rains
(d) Harvesting of greengram in Aurad Taluk was in progress
(e) Progress was fair in one taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) There was sufficient rainfall in Coondapur, Puttur, Buntwa Udipi and Mangalore Taluks
(b) Nill
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy

19 Coorg District.—

(a) Light showers in Mercara and Somwarpet Taluks
(b) Transplantation of Paddy was completed in Mercara taluk.
(c) Standing Crops were fair.
(d) Harvesting of Cardamom in Mercara Taluk was in progress
(e) Progress was fair in one taluk
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of May 1965.

| Rainfall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal. | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

## 1. Bangaloro District.

... 59 58
Avg. of 2 tqs. Avg. of 2 tqs.

## 2. Kolar District.

62 ...

## 3. Tumkur District.

68 ...

## 4. Mysore District.

... ...
(Avg. of 2 taluks)

## 5. Mandya District.

62 50

## 6. Hassan District.

63 ...

## 7. Chickmagalur District.

... ... ...

## 8. Shimoga District.

63 88

## 9. Chitradurga District.

75 50

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| 10. Bellary District. | | | | | | | | | |
| | | | 51 (Avg. of 4 tqs.) | ... | | | | | |
| 11. Bijapur District. | | | | | | | | | |
| | | | 62 | ... | | | | | |
| 12. Belgaum District. | | | | | | | | | |
| | | | 43 | 43 | | | | | Cotton-42 Tobacco-8 7, Chillies 4 4. |
| 13. Dharwar District. | | | | | | | | | |
| | | | 45 | 49 | | | | | Wheat 88 Cotton-40, G. nut-89. Chillies-87. |
| 14. North Kanara District. | | | | | | | | | |
| ... | | | 54 | 47 | | | 68 | | Cocoinut-53. Bittlenut-50, G. nut-50. |
| 15. Gulbarga District. | | | | | | | | | |
| ... | | | ... | ... | | | | | |
| 16. Raichur District. | | | | | | | | | |
| | | | 37 | .. | | | | | |
| 17. Bidar District. | | | | | | | | | |
| | | | 37 | ... | | | | | |
| 18. South Kanara District. | | | | | | | | | |
| | | | 60 | ... | | | | | |
| 19. Coorg District. | | | | | | | | | |
| ... | | | ... | ..... | | | | | |

M. GANGARUDRIAH,
For *Director of Statistics.*

## Statement showing Monthly Weather and Crop Report for May 1965.

Note.—(a) Denotes Conditions of Water Supply
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops.
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient
(b) Nil.
(c) Generally fair
(d) Ni
(e) Sufficient
(f) Gene ally healthy.
(g) Deficient.
(h) Nil
(i) Refers to 8 taluks.

2 Kolar District.—

(a) Sufficient except in Gudibanda Tq. where the supply of water was insufficient.
(b) Nil.
(c) Good except in some parts of Gudibanda Tq. where paddy crop was affected by pest.
(d) Nil
(e) Available.
(f) Good except for the prevalence of cattle disease at 3 villages of Gudibanda town.
(g) Deficient.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy and Yadaragi in Pavagada taluk, sowing of Jola, Greengram in Chicknayakanahalli taluk and ragi in Koratagere taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of ragi in Pavagada and Tumkur taluks, Paddy and Sugarcane in Kunigal taluk was in progress.
(e) Available
(f) Good except for the prevalence of "Rinder pest" at 3 villages of Tiptur taluk.
(g) Normal
(h) Nil.
(i) .....

4 Mysore District.—

(a) Insufficient.
(b) Sowing of jowar was almost completed in 7 taluks.
(c) Standing Crops were fair.
(d) Suga cane was being harvested in Yelandur taluk
(e) Available.
(f) Generally healthy.
(g) Normal
(h) Nil
(i) Refers to 6 taluks

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Sugarcane in Mandya and Maddur taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Kar-Ragi and Kar-Paddy in Srirangapatna tq. was in progress.
(e) Available.
(f) Generally Healthy.
(g) Deficient
(h) Nil
(i) .....

6 Hassan District.—

(a) Sufficient except in Hassan taluk.
(b) Nil.
(c) Standing crops were fair
(d) Kar-paddy was harvested in Alur taluk.
(e) Available.
(f) Generally healthy
(g) Scanty.
(h) ...
(i) Refers to 5 taluks.

7 Chickmagalur District.—

(a) Sufficient except in Tarikere taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Deficient
(h) .....
(i) Refers to 6 taluks.

8 Shimoga District.—

(a) Sufficient.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Scanty
(h) .....
(i) .....

9 Chitradurga District.—

(a) Sufficient except in some parts of Davanagere taluk where insufficiency of water was felt.
(b) Nil
(c) Generally fair except in Haribar taluk where ragi crop was partly affected by pest.
(d) Harvesting of paddy and G. nut was in progress throughout the District.
(e) Available.
(f) Generally healthy.
(g) Scanty.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Sufficient except in some parts of Siruguppa taluk.
(b) Sowing of Mungari crops was in progress in some parts of Siruguppa and Harpanahalli taluks.
(c) Generally fair.
(d) Completed
(e) Available.
(f) Good except for the prevalence of Cattle disease in some parts of Sandur and Siruguppa taluks.
(g) Scanty.
(h) Nil
(i) Refers to 7 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Nil
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Nil.
(h) Nil
(i) ...

12 Belgaum District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Nil
(e) Available.
(f) Generally healthy
(g) Normal
(h) Nil
(i) Nil

1 Dharwar District.—
(a) Adequate.
(b) Sowing of Mungari paddy in Hangal, Haveri and Kalghatgi taluks was in progress.
(c) Nil.
(d) Nil.
(e) Available.
(f) Generally healthy except for the prevalence of cattle disease at 2 villages of Haveri taluk.
(g) Normal
(h) Nil.
(i) Refers to 13 taluks.

14 North Kanara District—
(a) Adequate.
(b) Sowing of kharif paddy was in progress through out the district.
(c) Good
(d) Harvesting of Rabi paddy in Supa taluk was in progress and the same was completed in all the taluks.
(e) Available.
(f) Generally healthy
(g) Scanty.
(h) Nil.
(i) .....

15 Gulbarga District—
(a) Adequate.
(b) Nil.
(c) Nil.
(d) Harvesting of Rabi crops was completed throughout the district.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) .....

16 Raichur District—
(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of G. nut in Manvi and Sindnoor taluks wa progress.
(e) Available.
(f) Generally healthy.
(g) Deficient
(h) Nil.
(i) Refers to 6 taluks.

17 Bidar District—
(a) Adequate.
(b) Nil.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Nil.
(h) Nil.
(i) Refers to 2 taluks.

18 South Kanara District—
(a) Sufficient except in South Kanara where insufficiency of water was felt.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Deficient
(h) Nil.
(i) ...

19 Coorg District—
(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) Nil.
(i) ...

....,
For *Director of Statistics.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 10th September 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 10th September 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | No Stocks |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Rice— I Sort | ... | Maskathi | " | |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Ragi | ... | | Moora of 89·14 kg. | |
| Cane Jaggery | ... | I Sort | 100 kg. | 70 00 |
| " | ... | II Sort | " | 45 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 350 to 550 00 |
| " | ... | Husked | " | 340 to 580 00 |
| Copra | ... | | 100 kg. | 300 to 325 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | ... |
| | | II Class | " | 50 00 |
| Cashew Kernels | ... | | | |
| Cashew Nuts | ... | | 100 kg. | 67 to 93 00 |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 00 |
| " | ... | Coorg | 10 kg. | 240 to 290 00 |
| | | | " | |
| Malabar Black Pepper | ... | ... | 50 kg. | 220 to 210 00 |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 |
| " | ... | Snuff | " | 760 to 800 00 |
| " | ... | Beedi | " | 860 to 900 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 20 to 40 00 |
| " | ... | Husked Old | 50 kg. | ... |
| " | ... | " New | " | ... |
| Chillies | ... | Kumpta | | ... |
| " | ... | Local | 10 kg. | 22 to 27 00 |
| " | ... | Kasaragod | " | ... |

RETAIL PRICES.

| | | | | |
|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 00 |
| | | Snuff | " | 5 to 7 00 |
| | | Beedi | " | 7 00 |

CATTLE FOOD.

| | | |
|---|---|---|
| Groundnut Oil Cake | Bag of 69·92 kg. | 28 to 29 00 |
| Cotton Seeds | " 64·00 kg. | 27 to 29 00 |
| Horsegram | " 93·07 kg. | 62 to 64 00 |

.....
*Dy. Commr.*

Dated 27th September 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 11th September 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | No Stocks |
| II Sort | ... | Guddu | " | |
| III Sort | ... | Suggi | " | |
| Rice—I Sort | ... | Maskathi | 100 kg. | 132 00 |
| II Sort | ... | Guddu | " | 128 00 |
| III Sort | ... | Suggi | " | 126 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... |
| Cane Jaggery | ... | I Sort | 100 kg. | 75 00 |
| " | ... | II Sort | " | 45 00 |
| Cocoanuts | ... | Unhusked | 1,000 Nuts | 330 to 600 00 |
| " | ... | Husked | " | 350 to 590 00 |
| Copra | ... | | 100 kg. | 300 to 325 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | ... |
| " | ... | II Class | " | 50 00 |
| Cashew Kernels | ... | ... | | ... |
| Cashew Nuts | ... | ... | 100 kg. | 75 to 85 00 |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 00 |
| " | ... | Coorg | " | 240 to 290 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | ... |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 00 |
| " | ... | Snuff | " | 760 to 800 00 |
| " | ... | Beedi | " | 860 to 900 00 |
| Arecanuts | ... | Unhusked | 1,000 Nuts | 25 to 47 00 |
| " | ... | Husked Old | 50 kg. | 815 to 857 00 |
| " | ... | " New | " | ... |
| Chillies | ... | Kumpta | | ... |
| " | ... | Local | 10 kg. | 22 to 27 00 |
| " | ... | Kasaragod | " | ... |

RETAIL PRICES.

| | | | | |
|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 6 00 |
| | | Snuff | " | 5 to 7 00 |
| | | Beedi | " | 7 00 |

CATTLE FOOD.

| | | |
|---|---|---|
| Groundnut Oil Cake | Bag of 69.92 kg. | 27 to 28 00 |
| Cotton Seeds | " 64 kg. | 26 50 |
| Horsegram | " 93·07 kg. | 62 to 66 00 |

.....
*Dy. Commr.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 15th October 1963.**

**Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 44·00 | 38·00—86·00 | 39·00 | 31·00 | 38·00 | 44·00 | 47·00 | ... | 38·00 | 43·00 |
| | (b) Medium | | 34·00 | 30·00—32·00 | 35 00 | 32·00 | 37 00 | 41·00 | ... | ... | 33·00 | 37·00 |
| | (c) Coarse | | ... | 26·00—29 00 | ... | 30 00 | 36·00 | 36·00 | 44·00 | ... | ... | 36·00 |
| 2 Rice | (a) Fine | | 76·00—78·00 | 78·00—78·00 | 79·00—80·00 | 70·00 | 75·00 | 67·00—68·00 | 74·00 | 78·00 | 71 00 | 75·00 |
| | (b) Medium | | 60·00—64·00 | 64·00—66·00 | 76·00 | 64·00 | 67·00 | 66·00 | ... | 70·00 | 66·10 | 69·00 |
| | (c) Coarse | | 58·00—62·00 | 58·00—55·00 | 65 00 | 54·00 | 65·00 | 61·00—62·00 | 68·00 | 63·00 | 58·00 | 64·00 |
| 3 Wheat | White | | 39·00 | 42·00—46·00 | 42·00 -50·00 | 42·00 | 39 00 | 42·00 | 60 00 | 44·00 | 46·00 | 67·00 |
| Wheat Flour | ,, | | .. | 52·00—58·00 | 43·00—48·00 | .. | 40·00 | 47·00 | 70·00 | 51·00 | 58·50 | ... |
| 4 Jowar | ,, | | 39·00—45·00 | 39·00—41·00 | 38·00—34·00 | 40·00 | 39·00 | 40·00 | 43·00 | 37·60 | 48·00 | 42·00 |
| 5 Bajra | | | 32·00—37·00 | ... | ... | ... | 40·00 | ... | ... | ... | ... | 33·00 |
| 6 Barley | | | 160·00 | ... | ... | ... | ... | 150·00—180·00 | ... | ... | ... | ... |
| 7 Maize | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi | | | 36·00—38·00 | 39·00—41·00 | 34·00—35·00 | 39·00 | 37·00 | 38·00—42·00 | 40·00 | 37·00 | 37 00 | 38·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | 30·00 | 20·00—25·00 | 35·00—40·00 | ... | ... | ... | 30—00 | 27·00 | 25·00 | ... |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya | | | 40·00—50·00 | ... | 35·00 | ... | ... | ... | ... | ... | 36·00 | ... |
| (iv) Ground-nut cake flour. | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | | | 60·00—64·00 | 42·00—45 00 | 67·00 | 66·00 | 49·00 | 55·00 | 53·00—60·00 | 54·00 | 57 00 | 59·00 |
| 2 Arhar (Tur.) | | | 68·00 | ... | 72·00—73·00 | 69·00 | 56·00 | 60·00 | ... | 90·00 | 49 00 | 79·00 |
| 3 Mung | | | 51 00—69·00 | 60·00—65·00 | 65·00 | ... | 80·00 | 55·00—60·00 | 60·00 | 50·00—58·00 | 59·00 | ... |
| 4 Urd | | | ... | ... | 42·00—48 00 | 76·00 | ... | 70·00—75·00 | 82·00—90·00 | 75 00—76·00 | 80·00 | ... |
| 5 Masur | | | ... | ... | ... | ... | 60·00 | ... | 95·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | | | 68·00—62·00 | 60·00—65·00 | 44·00—48·00 | ... | 57·00 | 65·00—70 00 | 65·00—70·00 | ... | 60·00 | ... |
| (ii) Horsegram | | | 35·00 | 40·00 - 42·00 | 33 00—35·00 | 36·00 | 33·00 | 35·00—37·00 | 40·00 | 44·00 | 31·00 | 35·00 |
| (iii) Cowpea | | | 45·00—75·00 | 65·00—70·00 | 50 00—52·00 | ... | 60·00 | 60 00—70·00 | 70·00 | ... | 72·00 | 46 00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | a Sort I | | 110·00—115·00 | 100·00—115 00 | 100 00 | 95·00 | 90·00—110·00 | 120·00 | 130·00—135·00 | 68·00 | 140·00 | 110·00 |
| | b Sort II | | ... | 98·00—100·00 | 100·00 | 85 00 | 95·00 | 90·00 | .. | 75·75 | 110·00 | 95 00 |
| 2 Sugar refined | D 24 | | 114·50—119·00 | 110·00—120·00 | ... | 118 00 | 116·00 | 116·00 | 114·00 | 121 00 | 124·00 | 116·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P Rs. P |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 40·00—70·00 | 25·00—82·00 | 63·00 | 48·00 | 65·00 | ... | 55·70 | 75·00 | 65·00 | 62·00 |
| | (b) Machine shelled | ... | 75·00—85·00 | 100·00—115·00 | 95·00 | ... | 90·00 | ... | ... | ... | 88·00 | 95·00 |
| Groundnut Oil | ... | ... | 173·00—179·00 | 200·00—205·00 | 180·00—190·00 | ... | 175·00 | 200·00 | 175·00—180·00 | 176·00 | 186·00 | 184·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 86·00—88·00 | 42·00 | 40·00 | 40·00 | ... | ... | 42·00 | 38·75 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | 116·00 | ... | 96·00 | ... | 200·00 | ... | 96·00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 59 00 | ... | ... | 65·00 | ... | ... | 60·00 | 58·00 |
| Castor Oil ... | ... | ... | ... | 210·00—220 00 | 170·00—180·00 | 220·00 | 160·00 | 160·00 | 185·00 | 178·50—50·00 | 180·00 | 178·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | 100·00 | ... | ... | ... | 93·00 | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per (thousand) | 190·00—300·00 | 325·00—380 00 | 280 00 | 190·00—285·00 | 300·00 | 150·00—600·00 | 260 00 | 450·00 | 290·00 | 218·00 |
| | (b) Copra ... | per quintal | 210·00 | 360·00—370·00 | ... | ... | ... | 280·00 | ... | 280·00 | 305·00 | 245·00 |
| Cocoanut Oil... | ... | ... | 840·00—860·00 | 285·00—300·00 | 850·00 | 220·00 | 290·00 | 800 00 | 892·00 | 285·00 | 295·00 | 320·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 600·00 | ... | 300·00—350·00 | ... | 280·00 | ... | 881·00 | 280·00 | 300.00 | 322·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 241·00 | ... | ... |
| | iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 4·00—6·00 | 4·00—8·00 | 6·00 | 4·00 | ... | 8·00—8·00 | ... | 7·50 | 6·00 | 4·62 |
| 3 Oranges ... | ... | Do | ... | 14·00—25·00 | 20·00—25·00 | 15·00 | ... | 7·00—15·00 | ... | 17·50 | 16·00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 150·00—300·00 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 22·00—26·00 | 20·00—25·00 | 50·00—50.00 | 22·00 | 87·00 | 35·00—45·00 | 24·00—25·00 | 58·00 | 30·00 | 38·00 |
| 2 Onions ... | ... | ... | 18·00—26·00 | 35·00—40·00 | ... | 24·00 | 81·00 | 35·00 | 22·00 | 27·00 | 22·00 | 25·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | 600·00 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 600·00—700·00 | 650·00—750·00 | ... | ... | 650·00—900 | 950·00—1,000·00 | 710·00—800·00 | 680·00 | 828·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (c) Seed ... | ... | ... | | 42·00—44·00 | ... | ... | ... | 40·00 | ... | ... | 86·00 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 Jute Loose ... | (a) White— | | | | | | | | | | | | |
| | (i) Top ... | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | |
| | (i) Top ... | ... | | | ... | | | | | | | | |
| | (ii) Middle | ... | | | ... | | | | | | | | |
| | (iii) Bottom | ... | | | ... | | | | | | | | |
| 8 Pucca Baled Jute. | (i) Lightings | Per bale | | | ... | | | | | | | | |
| | (ii) First Mills. | ... | — | — | ... | ... | | | ... | ... | | — | |
| | (iii) First Exports. | ... | ... | — | ... | ... | | | ... | ... | | ... | |
| Sann hemp ... | ..... | ... | ... | ... | ... | ... | | | — | .. | | ... | |
| 4 Mesta ... | (i) Top ... | — | ... | — | ... | ... | | | ... | ... | | ... | |
| | (ii) Middle | ... | ... | ... | ... | ... | | | ... | ... | | ... | |
| | (iii) Bottom | ... | — | — | ... | ... | | | ... | - | | ... | |
| ... | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf ... | ... | ... | ... | ... | ... | | | 500·00 | 909·00 | ... | 282·00 | |
| | (ii) Pulah ... | ... | ... | ... | — | ... | | | ... | ... | .. | 162·00 | |
| | (b) Virginia | ... | ... | ... | ... | ... | | | ... | ... | ... | ... | |
| | (i) Leaf ... | ... | ... | ... | ... | — | | | ... | ... | ... | ... | |
| | (ii) Pulah ... | ... | ... | ... | ... | ... | | | ... | ... | ... | ... | |
| VIII. Livestock— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 340·00—615·00 | ... | 500·00 | 300·00—400·00 | | | ... | 150·00—250·00 | 400·00—520·00 | 245·00 | |
| | (b) „ II ... | Do ... | 235·00—540·00 | ... | 300·00—400·00 | 200·00—300·00 | | | 100·00—175·00 | 100·00—195·00 | 280·00—350·00 | 210·00 | |
| (ii) Buffalo bulls. | (a) „ I ... | Do ... | 300·00—490·00 | ... | 100·00—150·00 | ... | | | ... | ... | ... | 210·00 | |
| | (b) „ II ... | Do ... | 262·00—375·00 | ... | 125·00—150·00 | 150·00—400·00 | | | ... | ... | ... | 180·00 | |
| 2 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 293·00—483·00 | ... | 150·00—200·00 | 100·00—260·00 | | | ... | 110·00—160·00 | 850·00—460·00 | 140·00 | |
| | (b) Class II ... | Do ... | 220·00—260·00 | ... | 100·00—150·00 | 100·00—250·00 | | | 100·00 | 90·00—120·00 | 200·00—320·00 | 85·00 | |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 380·00—495·00 | ... | 300·00 | 75·00—150·00 | | | ... | 285·00—480·00 | 280·00—320·00 | 170·00 | |
| | (b) Class II ... | Do ... | 240·00—370·00 | ... | 100·00—150·00 | 100·00—250·00 | | | ... | 170·00—300·00 | 170·00—250·00 | 115·00 | |
| 8 Sheep ... | ..... | Do ... | 80·00—90·00 | ... | 40·00—90·00 | ... | | | 50·00—80·00 | 40·00—80·00 | 20·00—60·00 | 40·00 | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | ... | ... | ... | | | ... | 4·00 | | | | ... |
| | (b) ..... | Do ... | ... | ... | ... | | | ... | 8·50 | | | | ... |
| 2 Hides.— | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | 3·00—4·50 | .. | ... | 1·00 | | 1·20—1·75 | 1·08 | | | | 3·00 |
| | (b) ..... | Do ... | ... | ... | ... | ... | | ... | 1·00 | | | | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·50 | | 7·00—8·50 | 4·12 | | | | 4·00 |
| | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | | | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·00—2·50 | ... | ... | ·85 | | 1·75—2·50 | 1·08 | | | | 3·40 |
| | (b) ..... | Do ... | — | ... | ... | ... | | ... | 1·00 | | | | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·75 | | 4·80—6·00 | 3·50 | | ... | | 4·35 |
| | (b) ..... | Do ... | ... | ... | ... | ... | | ... | ... | | ... | | ... |
| 3 Skins.— | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Each ... | 4·00—5·00 | ... | ... | 4·60 | | 3·00—5·00 | 5·20 | | 5·60 | | 1·90 |
| | (b) ..... | Per kg. | ... | ... | ... | ... | | ... | ... | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | | 7·00—14·25 | ... | | ... | | 2·90 |
| | (b) ..... | Do ... | ... | ... | ... | ... | | .. | ... | | ... | | ... |
| (ii) Sheep-skins— Raw. | (a) ..... | Each . | 4·00—7·00 | ... | ... | 3·60 | | 3·50—5·00 | 4·65 | | 3·40 | | 2·00 |
| | (b) .. ..... ..... | Per kg. | ... | ... | ... | ... | | ... | ... | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | | | | | ... | | 2·55 |
| | (b) .. ..... | Do ... | ... | ... | ... | ... | | 8·00—24·00 | | | ... | | ... |
| 4 Ghee ... | (a) Agmark | Do ... | ... | 6·50—7·50 | ... | ... | | ... | 8·00 | | 8·50 | | ... |
| | (b) Ungraded | Do ... | ... | 6·00—7·00 | ... | ... | | ... | 7·25 | | 7·25 | | 6·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | 89.00 | ... | ... | ... | ... | 80·00—81·00 | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | 84'00 | ... | ... | ... | ... | 2·000—22 00 | ... | 94 00 | ... | 84·00 |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | 98 00 | ... | 26·00 |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 210·00 | 180·00—200·00 | 175·00—250 00 | 200·00 | 140·00 | 150·00—160·00 | 230·00 | 175·00—177·00 | 180·00 | 162·00 |
| 2 Tamarind ... | ..... | ... | 60.00—110.00 | 90·00—100·00 | 70·00—80·00 | 100 00 | 91·00 | 80·00—100·00 | 95·00—100 00 | 94'00—103·00 | 91·00 | 66.00 |
| 3 Dry Chillies ... | ..... | ... | 265·00—865·00 | 250·00—300·00 | 230·00—275·00 | 300·00 | 270 00 | 250·00—300·00 | 250,00 | 120·00—200·00 | 300·00 | 325·00 |
| 4 Garlic ... | ..... | ... | 91·00— 95·00 | 65·00—70·00 | 100 00 | 83·00 | 75 00 | 80·00—100·00 | ... | 166·00—170·00 | 100 00 | 85·50 |
| 5 Pepper ... | ..... | ... | 800·00—820,00 | ... | 460·00 | 400·00 | 810 00 | 880·00—840 00 | 400·00 | 425·00—500·00 | 800·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,650·00—2,000·00 | ... | 1,600·00—2,000·00 | 1,260·00 | 1,800·00 | 1,500·00—1,600·00 | 1,800,00 | ... | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Stick-lac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Myrobolans ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg | |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 88 00 | 42·00—43 00 | 84·00—85 00 | 46·00 | ... | ... | 41·00 | 85·00 | 88·00 | |
| | (b) Medium | | 87·00 | 40·00—42 00 | ... | 41·00 | ... | ... | 34·00 | 84·0 | 86 00 | |
| | (c) Coarse | | 33·00 | 34·00—89 00 | ... | ... | ... | ... | ... | ... | 82·00 | |
| 2 Rice | (a) Fine | | 66·00 | 70 00—83·00 | 78·00—79·00 | 75·00 | 70·00 | ... | 71·00 | 64·00 | 78 00 | |
| | (b) Medium | | 60·00 | 65·00—67·00 | 64·00—65·00 | 64·00 | 61·00 | ... | ... | 60 00 | 77·00 | |
| | (c) Coarse | | 56·00 | 55·00—60·00 | 61·00—62·00 | ... | 53·00 | ... | 58 00 | ... | 60·00 | |
| 3 Wheat | White | | 55·00 | 50·00—60·00 | 44·00—54·00 | 54 00 | 41·00 | ... | 52·00 | 70·00 | 48·00 | |
| Wheat Floor | White | | 75 00 | 47·00—59·00 | 40·00—46 00 | ... | 51 00 | ... | ... | 54·00 | 53 00—54·00 | |
| 4 Jowar | White | | 46·00 | 45·00—50 00 | 38 00—41·00 | 44·00 | 43·00 | ... | 43·00 | ... | 62·00 | |
| 6 Bajra | | | ... | 40·00—41·00 | 33·00 | ... | 82·00 | ... | 81·00 | ... | ... | |
| 6 Barley | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 7 Maize | | | ... | 82·00—87·00 | 25·00—26·00 | ... | ... | ... | ... | ... | 86 00 | |
| 8 Ragi | | | 87·00 | 40·00—44·00 | ... | ... | ... | ... | 81·00 | 41·00 | 45·00 | |
| 9 Other cereals | | | | | | | | | | | | |
| (i) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet Potatoes | | | ... | 20·00—25·00 | ... | ... | ... | ... | ... | ... | 23·00 | |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iii) Papaya | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iv) Groundnut cake flour | | | ... | 38·00—40·00 | ... | ... | ... | ... | 38·00 | ... | ... | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | | | 58·00 | 47·00—50·00 | 45·00—47 00 | 52·00 | 43·00 | ... | 48·00 | 63·00 | 63·00 | |
| 2 Arhar (Tur) | | | 52·00 | ... | 53·00—54·00 | 43·00 | ... | ... | 50·00 | 60 00 | 68 00 | |
| 3 Mung | | | 61·00 | ... | 45·00—46·00 | 44·00 | 44 00 | ... | 40·00 | 60 00 | 70·00 | |
| 4 Urd | | | 64 00 | ... | 41·00—42 00 | 59·00 | 58·00 | ... | 51·00 | 70·00 | 60·00 | |
| 5 Masur | | | 60·00 | ... | 39·00—40·00 | ... | 59 00 | ... | ... | ... | 64·00 | |
| 6 Other pulses | | | | | | | | | | | | |
| (i) Avare | | | ... | ... | 38·30—39·00 | ... | ... | ... | 86·25 | ... | 70·00 | |
| (ii) Horsegram | | | 85·00 | 85·00—88 00 | 38·00—84·00 | ... | ... | ... | ... | 85·00 | 45·00 | |
| (iii) Cowpea | | | ... | ... | ... | ... | ... | ... | ... | ... | 62·00 | |
| III. Sugar and Gur | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 125 00 | 150·00 | 135·00—130 00 | 117·00 | 122 00 | ... | 125·00 | 110·00 | 150·00 | |
| | (b) Sort II | | 122·00 | 145·00 | 100·00—112·00 | 112·00 | 112·00 | ... | ... | 95 00 | 119·00 | |
| 2 Sugar Refined | D. 24 | | ... | 120·00 | 116·60 | ... | | ... | 117·00 | 118·00 | 117·00 | |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 70 00 | 58·00—68·00 | 50·00—65·00 | 67·00 | 78·00 | ... | 71·00 | 60 00 | 90·00 | |
| | (b) Machine shelled. | | 100·00 | 88·00—90·00 | — | ... | ... | ... | ... | ... | ... | |
| Groundnut Oil | | | 193 00 | 200·00 | 186·00—197·00 | 188·00 | 210 00 | ... | ... | 225·00 | 197·00 | |
| Groundnut Oil-cake. | | | 47 00 | 41·00 | 89·00—40·00 | ... | ... | ... | 87·00 | 41·00 | 45·00 | |
| 2 Sesamum | (a) White | | 125 00 | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) Black | | 120·00 | ... | 88·00—89·00 | ... | 72·00 | ... | 94·00 | 90 00 | ... | |
| Sesamum Oil | | | 866·00 | ... | ... | ... | ... | ... | ... | 266 00 | ... | |
| Sesamum Oil cake. | | | ... | ... | ... | ... | ... | ... | 56·00 | 68·00 | ... | |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| 6 | Castor seed ... | ... ... | ... | ... | 55·00—66·00 | ... | ... | ... | ... | ... | ... |
| | Castor Oil ... | ... ... | ... | ... | ... | ... | 150·00 | ... | ... | ... | 176·00 |
| | Castor Oilcake | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard. | (a) Black ... ... | 100·00 | ... | 99·00—100·00 | ... | ... | ... | ... | ... | ... |
| | | (b) Yellow ... ... | 125·00 | ... | ... | ... | ... | ... | ... | ... | 185·00 |
| | Mustard Oil ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oil-cake. | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold ... | ... | ... | 66·00 | 63·00 | ... | ... | 57·00 | ... | ... |
| | | (b) Brown small ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil-cake, | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Toria ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Cocoanut ... | (a) Nuts ... (Per | 290·00 | ... | 275·00—285·00 | 250·00 | 250·00 | ... | 208·00 | 280·00 —800 | 290·00—800·00 |
| | | (b) Copra ... thousand) | 805·00 | ... | 241·00—245·00 | ... | ... | ... | ... | 200·00 | 400·00—500·00 |
| | Cocoanut Oil ... | ... per Quintal | 325·00 | ... | 290·00—300·00 | 321·00 | 380·00 | ... | ... | 334·00 | 303·00 |
| | Cocoanut Oil-cake | ... ... | ... | ... | ... | ... | ... | ... | ... | 65·00 | 65·00 |
| 8 | Other Oil seeds | (i) Nigerseed... ... | 90·00 | ... | ... | 62·00 | ... | ... | 55·00 | ... | ... |
| | | (ii) Safflower ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | Vegetable Oil | (i) Vanaspathi ... | 325·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Refined oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Safflower Oil ... | ... | ... | | ... | ... | ... | ... | ... | 270·00 |
| 10 | Other Oils ... | | | | | | | | | | |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | |
| 1 | Mangoes ... | ... Per gross | ... | ... | ... | ... | | | 6·25 | 4·00—6·00 | 4·00—6·00 |
| 2 | Plantains ... | ... Do ... | 7·50 | 6·00—8·00 | 6·75 | 4·00 | | | 22·00 | 9·00 | ... |
| 3 | Oranges ... | ... Do ... | ... | ... | ... | ... | | | ... | ... | ... |
| 4 | Dates ... | ... ... | ... | ... | ... | ... | | | ... | 140·00 | ... |
| 5 | Cashew kernels, etc. | ... ... | 600·00 | ... | ... | ... | | | ... | | ... |
| | (ii) Vegetables— | | | | | | | | | | |
| 1 | Potatoes ... | per quintal ... | 28·00 | 30·00—37·00 | 55·00—60·00 | | | | | 24·00 | 24·00 |
| 2 | Onions ... | ... ... | 25·00 | 20·00—25·00 | 24·00—25·00 | | | | | 26·00 | 24·00 |
| 3 | Beans ... | ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| 4 | Tomatoes ... | ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | (iii) Nuts— | | | | | | | | | | |
| 1 | Cashewnuts ... | ... ... | ... | ... | ... | ... | ... | | | ... 200·00—550·00 | |
| 2 | Arecanuts ... | ... ... | 490·00 | ... | 445 00 | 505·00 | 725·00 | | | 800 00—620·00 | 500·00 |
| VI. | Fibres.— | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... ... | ... | ... | ... | ... | ... | | 94·00 | ... | ... |
| | | (b) Lint ... ... | ... | ... | ... | ... | ... | | 172·00 | ... | ... |
| | | (c) Seed ... ... | 44·00 | 50·00 | ... | ... | ... | | 36·00 | ... | ... |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | |
| | | (i) Top ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | (ii) Middle ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | (iii) Bottom ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | (b) Tossa— | | | | | | | | | |
| | | (i) Top ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | Pucca Baled Jute | (ii) Middle ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | (iii) Bottom ... ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | (i) Lightinge... Per bale | ... | ... | ... | ... | ... | | | ... | ... |
| | | (ii) First Mills ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | (iii) First Exports. ... | ... | ... | ... | ... | ... | | | ... | ... |
| | | ... ... | ... | | ... | ... | | | | ... | ... |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf | | 445·00 | | | | | | | | 500·00—700·00 | 650·00 | |
| | (ii) Pulah | | | | | | | | | | 820,460 | | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf | | 590 00 | | | | | | | | 600.00 | | |
| | (ii) Pulah | | | | | | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 340·00 | 300·00—400·00 | 500 00—800·00 | | 875·00 | | | 350·00 | | | |
| | (b) Class II | Do | 250·00 | 200·00—250·00 | 200·00—400·00 | | 350·00 | | | 290 00 | | | |
| (ii) Buffalo bulls | (a) Class I | Do | 160·00 | 250·00—250 00 | 200 00 - 300·00 | | | | | 445·00 | | | |
| | (b) Class II | Do | | 100·00—200·00 | 100 00—150·00 | | | | | 325·00 | | | |
| 2 Milch cattle.— | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 160.00 | 150·00—200·00 | 150·00—250·00 | | 125·00 | | | 165·00 | 180·00 | | |
| | (b) Class II | Do | 90·00 | 150·00—175.00 | 100·00—150·00 | | 100·00 | | | 115.00 | | | |
| (ii) Buffaloes | (a) Class I | Do | 300·00 | 200·00—275·00 | 200·00—250·00 | | 450 00 | | | 428·00 | 250 00 | | |
| | (b) Class II | Do | 280·00 | 125·00—175·00 | 100·00—200·00 | | 140·00 | | | 275·00 | | | |
| 3 Sheep | | Do | 40·00 | 35·00—45.00 | 40·00—45·00 | | 35·00 | | | 52 00 | 45·00—84 00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | Per kg. | | | | | | | | | | | |
| | (b) | Do | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | Do | 1·00 | 1·50 | 1·15 | | | | | | 150·00 | | |
| | (b) | Do | ·75 | | 0·75 | | | | | | | | |
| Tanned | (a) | Do | 4·00 | 6·25 | 4·44 | 5·25 | | | | | | | |
| | (b) | Do | 3·75 | | | | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | 1·00 | 1·50 | 1·15 | | | | | | 1.00 | | |
| | (b) | Do | ·75 | | 0·75 | | | | | | 1.25 | | |
| Tanned | (a) | Do | 4.00 | 6·50 | 4·44 | 5·25 | | | | | | | |
| | (b) | Do | 3.75 | | | | | | | | | | |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— Raw | (a) | Do | | | 3—3·25 | | | | | | 4—5 | 3·50 | |
| | (b) | Do | | | | | | | | | | | |
| Tanned | (a) | Do | 6.50 | | | | | | | | | | |
| | (b) | Do | 6·00 | | | | | | | | | | |
| (ii) Sheepskins— Raw. | (a) White | Do | | | 4·50 | | | | | | 250 00 0 | 4·00 | |
| | (b) Black | Do | | | | | | | | | | | |
| Tanned | (a) | Do | 6·00 | | | 6·50 | | | | | | | |
| | (b) | Do | 5·50 | | | | | | | | | | |
| 4 Ghee | (a) Agmark | Do | | | | | | | | | | | |
| | (b) Upgraded | Do | 5·62 | | | | 6·00 | | | | 7·00 | | |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | | | | | | | | | | | |
| | (b) Paddy | Per cart-load | | | | | | | | | | | |
| 2 Straw | (a) Ragi | Do | | | | | | | | | | | |
| | (b) | | | | | | | | | | | | |
| 3 Stalks | (a) Jola | er quintal | | | 28·00 | | | | | | | | |
| | (b) | | | | | | | | | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 180 00 | 140·00—150.00 | 118 00—125·00 | 213·00 | 115·00 | ... | ... | 175·00 | 280·00 |
| 2 | Tamarind ... | ... | ... | 80·00 | 50,00—65·00 | 58·00—60·00 | ... | 50·00 | ... | ... | 95·00 | 120·00 |
| 3 | Dry Chillies ... | ... | ... | 270 00 | 250·00—300 00 | 235·00—260·00 | 305·00 | 260·00 | ... | 225·00 | 180·00 | 300·00 |
| 4 | Garlic ... | ... | ... | 110·00 | 50·100—100·00 | 68·00—70·00 | ... | 110 00 | ... | 88·00 | 115·00 | 150 00 |
| 5 | Pepper ... | ... | ... | 826·00 | ... | ... | ... | 850·00 | ... | ... | 300·00 | 275·00 |
| 6 | Cardamom ... | ... | ... | 1,260·00 | ... | ... | ... | ... | ... | ... | 1,400·00 | 1340·00—1500·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th October 1965.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Cities: Bangalore | Chitradurga | Hassan | Kolar | Mandya | Mysore | Tumkur | Bellary |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| **Cereals** | | | | | | | | | | | |
| 1 Ragi | Coarse | Per Rupee | 1·6 | ... | 1·5 | ... | 2·6 | 2·6 | ... | 2·6 | 2·4 |
| Rice | Do | | 2·0 | 2·0 | | 1·4 | 1·5 | 1·6 | 1·6 | 1·5 | 1·3 |
| Wheat | White | | 2·0 | 2·5 | 2·0 | 1·8 | 2·5 | 2·2 | 1·4 | 2·1 | 2·0 |
| 4 Wheat Flour ... | Do | ... | | 2·75 | | | 2·3 | 2·0 | 1·8 | 1·7 | |
| 5 Jowar ... | Do | ... | 2·0 | 2·5 | 2·3 | 1·8 | 2·6 | 2·3 | 2·5 | 3·0 | 2·1 |
| Bajra | | ... | | 2·7 | 1·8 | ... | 2·5 | | ... | .. | 1·7 |
| 7 Barley ... | | | 0.7 | | | | | 7 | | | 0.8 |
| 8 Maize | | | ... | | | ... | 2·5 | ... | | ... | |
| 9 Ragi ... | | | 2·1 | 2·5 | 2·8 | 1·9 | 2.6 | ·,1 | 2·5 | 2· | 2·6 |
| 10 Other cereals... | | | ... | | | .. | ... | | ... | ... | |
| (i) | | | ... | ... | | ... | .. | | | | |
| ... | | | | .. | | ... | ... | . | ... | | |
| 11 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet potatoes. | | | ... | 4·0 | | ... | ... | | 2, | 3·7 | ... |
| (ii) Tapioca | | | ... | | | ... | ... | | .. | 2·5 | |
| (iii) Yams | | | 2·8 | | | ... | .. | | | | |
| (iv) Fresh rice cake flour | | | ... | | | ... | ... | | | ... | |
| **II Pulses—** | | | | | | | | | | | |
| 1 Arhar (Tur) | (a) Whole | | 1·2 | 2·0 | 1·3 | 1·7 | 2·0 | | 1·7 | ... | ... |
| | (b) Split (without skin) | | 1·6 | 1·75 | ... | 1·6 | | | 1·6 | 1·6 | 1·5 |
| | (c) Flour | | ... | 2 | .. | 1·1 | 1·8 | | 1·4 | ... | 0·5 |
| 2 Gram (Bengal) | (a) Whole | | ... | ... | 1·4 | 0·5 | | | | 2 | |
| | (b) Split (without skin) | | 1·3 | 1 | .. | ... | 1.6 | | 1·2 | 1 | 1·1 |
| 3 Moong ... | (a) Whole | | ... | 1·3 | 1·6 | 1 | ... | | 1·- | 1·6 | 1·7 |
| | (b) Split (without skin) | | ... | 1 | | 1 | 1·2 | | 1·1 | 1·2 | |
| 4 Urd ... | (a) Whole | | .. | ... | 1·8 | ... | | | | 1·1 | ... |
| | (b) Split (without skin) | | ... | 0·9 | ... | | | | 0·9 | 0·8 | 0·5 |
| 5 Masur | (a) Whole | | ... | ... | ... | | ... | | 1·0 | ... | |
| | (b) Split (without skin). | | ... | ... | ... | .. | 1·6 | | 1,5 | | .. |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare | (a) Whole | ... | 1·5 | 1·3 | | 2 | 2 | | | .. | . |
| | (b) Split (without skin). | ... | 1·0 | 1,2 | ... | .. | ... | 1·4 | | | |
| (ii) Horsegram | | ... | 2·0 | 2·2 | 2·4 | 2·5 | 2 | 2·6 | | | 2·2 |
| (iii) Cowpea | | | 1·2 | 1·3 | ... | 1·5 | | 1·5 | | | 1·8 |
| **III. Sugar and Gur—** | | | | | | | | | | | |
| I Gur ... | (a) Sort I .. | ... | 0·800 | 0·825 | 1·2 | ·800 | 1 | ·800 | | | ·875 |
| II Sugar refined | (b) Sort II .. | ... | 0·910 | ... | 0.847 | 1.0 | | 1·0 | | | 1·1 |
| | D 24 - | ... | 0·889 | ... | ... | | | ·869 | | | ·830 |

H—C

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | — | ... | ·600 | 540 | .400 | ·655 | ·540 | ·500 | ·560 | ·600 | ·600 | ·520 |
| 2 Sesamum oil ... | ... | — | — | ... | ... | ... | ... | — | — | ... | ... | ·575 |
| 3 Castor oil ... | .. | ... | ·300 | .500 | .400 | .500 | ... | ·620 | ·560 | ·550 | ·880 | ·600 |
| 4 Mustard oil ... | ... | ... | — | ... | | ... | ... | ... | ... | ... | ... | .. |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·8·0 | ·250 | ... | ·285 | ·838 | ·888 | ·250 | ·400 | ·250 | 280 |
| 7 Vanaspati ... | ... | ... | ... | ... | ... | ·285 | ... | ... | ... | ... | .. | 3 0 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) ... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 2 Plantains ... | ... | Do | 25—75 | 25—75 | 40—1.25 | 75—81 | ... | 31—75 | | 90 | ·96 | ·60 |
| 3 Oranges ... | ... | Do | 75—2.50 | — | 50—1150 | 2.50—3·50 | ... | 75—1·50 | | 2·25 | 1 50 | ... |
| 4 Dates ... | ... | ... | ... | ... | ... | ·500 | ... | ... | | ... | | |
| 5 Cashew kernals | ... | ... | ... | ... | ... | ... | ... | ... | | ... | .. | .. |
| 6 ..... | - | | ... | ... | ... | ... | ... | ... | | ... | .. | .. |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | | | | 2 | | 2·5 | | | | 2·5 |
| 2 Onions ... | ... | | | | | 1·8 | | 2 5 | | | | .8 |
| 3 ..... | .. | ... | ... | ... | ... | ... | | ... | ... | | | .. |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | — | ... | ... | ... | ... | ... | | ... | ... | | | .160 |
| 2 Arecanuts ... | .. | .. | ... | 120 | ·183 | ... | | ·117 | .100 | | | 3.20 |
| VI. Tobacco ... | Leaf — | Per kg. ... | ... | ... | ... | ... | | ... | ... | | | ... |
| VII. Live stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 60 90 | | 62.75 | 60 | 0·65 | 40—66 | 80 | | 65 | 80 |
| 2 Ghee ... | (a) Agmark ... | — | .. | | ... | .180 | ... | ... | ,125 | | ,145 | ... |
| | (b) Ungraded ... | ... | ... | | ... | ·200 | ... | ... | ... | ·300 | .. | .. |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3 40 | | 2·60 | 2·60 | 2·25 | 2·50 | 2.25 | 2.40 | 2·00 | 2.40 |
| | (ii) B Grade | Do | 2·50 | | 1.50 | 2·25 | 2·· 0 | 2·00 | 2,00 | 2·00 | 1·75 | 2·10 |
| | (iii) C Grade | Do | 1·50 | | 75 | 2·00 | 1.75 | 1·75 | 1.88 | 1·75 | 1·62 | ... |
| 4 Mutton ... | ... | ... | ·296 | | ·295 | ·250 | .297 | ·250 | .250 | ·880 | ·250 | ·880 |
| 5 Beef ... | ... | ... | ·800 | | | | | | ,888 | ... | | ·570 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·5 | .5 | ·5 | ·4 | | ·5 | .5 | ·6 | 6 | 6 |
| 2 Tamarind ... | ... | ... | 1 | 1 | 1 | ·8 | ·7 | 1 | 1 | 1 | 1 | ·1 |
| 3 Dry chillies ... | ... | ... | ·8 | ·8 | ·3 | ·4 | ·8 | ·8 | .8 | 8 | ... | .3 |
| 4 Garlic ... | ... | ... | 1 | ·5 | 1 | ... | 1.8 | 1 | .9 | ·7 | ·1 | ·9 |
| 5 Pepper ... | ... | ... | ... | ... | ·3 | ·2 | ·3 | .8 | ·2 | ·8 | 8 | ·2 |
| 6 Cardamom ... | ... | ... | ·052 | ... | ·062 | ... | .055 | 0 70 | .056 | ... | ·056 | .. |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 8 | 8 | 8 | 10 | 11 | 10 | 10 | 10 | 11 |
| 2 Kerosene oil ... | ... | Per Litre | 50 | 55 | 40 | ·40 | 40 | ·50 | 55 | 48 | 0·52 | 35 |
| 3 Firewood/ Charcoal, | ... | Quintal | — | 6—8 | 6·00 | ... | 5.00 | 8·00 | 5 00 | 6.70 | 6.50 | 6·50 |
| 4 Coarse cloth ... | ... | Per metre | 1·65 | 80 | — | 1·35 | 1.00 | 1·20—1·40 | ... | — | 1·50 | 1·06 |

| Commodities | Variety/Quality | Units | Centres | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | | Belgaum | | Bijapur | | Dharwar | | Bidar | | Gulbarga | | Raichur | | South Kanara | | Coorg | |
| | | | 14 | | 15 | | 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | |
| | | | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. | kg. | gr. |
| I Cereals.— | | | | | | | | | | | | | | | | | | | | |
| 1 Paddy | Coarse | | ... | | | | 2 8 | | ... | | ... | | ... | | 2·8 | | 2·3 | | 2·7 | |
| 2 Rice | Do | | | 1·6 | | 1·6 | | 1,4 | | 1 4 | | 2·8 | ... | | 1 7 | | 1,6 | | 1,5 | |
| 3 Wheat | hite | | | 1·5 | | 1,6 | | 1,9 | | 1 6 | | 1·6 | ... | | 1,5 | | 1,7 | | 2 | |
| 4 Wheat Flour | Do | | ... | | ... | | ... | | ... | | | 2 | ... | | 2,5 | | 1·8 | | 2 | |
| 5 Jowar | Do | | | 2 | | 2 | | 2,5 | | 2 | | 2 | .. | | 2,7 | | | | .. | |
| 6 Bajra | ... | | ... | | | 2·3 | | 2·9 | ... | | | 2·8 | ... | | | | ... | | ... | |
| 7 Barley | ... | | ... | | ... | | ... | | ... | | ... | | ... | | | | ·5 | | ... | |
| 8 Maize | ... | | ... | | | 2·8 | | 3 | .. | | ... | | ... | | | | .. | | | |
| 9 Ragi | ... | | | 2·2 | | 2·2 | | | ... | | ... | | | | | | | | | |
| 10 Other cereals | ... | | ... | | ... | | ... | | ... | | ... | | .. | | | | 2 | | 2 | |
| (i) ..... | ... | | ... | | ... | | ... | | ... | | ... | | .. | | | | ... | | ... | |
| (ii) ..... | ... | | ... | | ... | | ... | | ... | | ... | | .. | | | | | | | |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | | | | | | | | | 4 | |
| (i) Sweet potatoes. | ... | | ... | | ... | | ... | | .. | | ... | | ... | | 4 | .. | | | | |
| (ii) Tapioca | ... | | | | ... | | .. | | ... | | ... | | ... | | | | | | | |
| (iii) Papaya | ... | | ... | | ... | | .. | | ... | | | | | | | | ... | | | |
| (iv) Groundnut cake flour | ... | | ... | | ... | | ... | | .. | | ... | | ... | | | | ... | | | |
| | | | ... | | ... | | | | | | | | | | | | | | | |
| II. Pulses.— | | | | | | | | | | | | | | | | | | | | |
| 1 Gram | (a) Whole | | ... | | 1·5 | | ... | 2 | | 1·4 | .. | | ... | | 1·8 | | 1,3 | | 1·6 | |
| | (b) Split (without skin). | | ... | | 1·8 | | | 1·6 | | 1·3 | .. | | ... | | ... | | 1·3 | | 1·2 | |
| | (c) Flour | | ... | | 1·8 | | ... | | ... | | .. | | ... | | ... | | 1,8 | | ... | |
| 2 Arhar (Tur) | (a) Whole | | ... | | ,1 | | ... | 1·6 | ... | | | 1 6 | ... | | 2 | | 1,2 | | ... | |
| | (b) Split (without skin) | | ... | | 1 | | | 1·2 | | 1·2 | | 1,2 | ... | | 1 | | 1 | | 1·1 | |
| 3 Moong | (a) Whole | | ... | | 1·8 | | ... | | ... | | 1·2 | | ... | | .. | | 1,4 | | ... | |
| | (b) Split (without skin). | | ... | | 1 | | ... | 1·2 | | 1 | | 1·2 | | | 1,4 | | 1·2 | | .. | |
| 4 Urd | (a) Whole | | ... | | | | ... | | | | | 1·6 | ... | | 1,5 | | 1,2 | | 1·5 | |
| | (b) Split (without skin). | | ... | | ·8 | | ... | | ... | | ·7 | | ·9 | ... | | | ·9 | | ... | |
| 5 Masur | (a) Whole | | ... | | 1,2 | | ... | | ... | | | | | | | | | | | 1,4 |
| | (b) Split (without skin). | | ... | | ... | | | | ... | | 1·2 | | 1,2 | ... | | | 1·2 | | .. | |
| 6 Other pulses— | | | | | | | | | | | | | | | | | | | | |
| (i) Avare | (a) Whole | | ... | | | | ... | 2,2 | | ... | | ... | ... | | 2·8 | | | | | 1·3 |
| | (b) Split (without skin). | | — | | ... | | ... | | ... | | | | ... | | 1·4 | | | | — | |
| (ii) Horsegram | | | ... | | 2 2 | | ... | 2,6 | | ... | | ... | ... | | | | 2,2 | | | 1,4 |
| (iii) Cowpea | | | ... | | | | .. | | ... | | | ... | ... | | | | | | | 1,4 |
| III Sugar and Gur— | | | | | | | | | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | ... | | ·666 | | ·666 | ·800 | | ·800 | | ·710 | ... | | | | ·801 | | | |
| | (b) Sort II | | ... | | ·740 | | ·800 | ·9 0 | ... | | | 769 | ... | | | | 1 | | | ·8 0 |
| 2 Sugar refined | i) 24 | | ... | | | | ,833 | ·850 | ... | | .. | | ... | | | | ,849 | | | ·8 0 |
| IV. Oils.— | | | | | | | | | | | | | | | | | | | | |
| 1 Groundnut oil | | | ... | | ·490 | | ,500 | ,575 | | ,500 | | ,471 | ... | | | | ,490 | | ·589 | |
| 2 Sesamum oil | | | ... | | ·250 | | ... | | | | ... | | ... | | ... | | ,807 | | ... | |
| 3 Castor oil | | | ... | | | | ... | | ... | | ... | | ... | | ... | | | | ,44 | |
| 4 Mustard oil | | | ... | | | | ... | | ... | | ... | | ... | | ... | | | | ... | |
| 5 Linseed oil | | | ... | | | | ... | | ... | | ... | | ... | | ... | | | | ... | |
| 6 Coconut oil | | | ... | | ·280 | | ... | ·250 | | ,250 | | ·585 | ... | | ·800 | | ,812 | | ·607 | |
| 7 Vanaspati | | | ... | | ·800 | | ... | | ... | | ... | | | ... | | | ,271 | | ·250 | |

| | | | 14 | 15 | 16 | 17 | 18 | 1 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 | Cocoa Pu | | | | | | | | | | |
| | a) | ... | ... | ... | ... | | | | | | |
| | b) | ... | | ... | ... | | | | | ... | ... |
| V. | Fruits, Vegetables and Nuts | | | | | | | | | | |
| (a) | Fruits – | | | | | | | | | | |
| 1 | Mangoes | Per Dozen | | | ... | | | | | | ... |
| 2 | Pineapples | Do. | | 50 | 44-60 | | | | | 25,81 | 25 - 1 0 |
| 3 | Oranges | Do. | | ... | | | | | | 76.160 | |
| 4 | Plantains | | | ... | ... | ... | | | | | |
| 5 | Cashewkernels | | ... | | ... | ... | | | | ,200 | |
| 6 | ... | | ... | | | ... | | | | ... | ... |
| (b) | Vegetables | | | | | | | | | | |
| 1 | Potatoes | | 2·8 | 2·7 | 1 5 | 2 6 | 1.6 | | | ·9 | ·1 |
| 2 | Onions | | 3 | 1 | ·8 | 3.7 | 2,5 | | | 3.8 | 2·3 |
| 3 | ... | | ... | ... | | ... | | | | | ... |
| (c) | Nuts | | | | | | | | | | |
| 1 | Groundnuts | | | | ... | ... | | | | | |
| 2 | Arecanuts | | ,200 | | ,160 | ... | ·183 | | | | 200 |
| VI. | Eggs | Per Dozen | 6 | | 2 62 | ... | | | | 1.50 | 6 60 |
| VII. | Live-stock products – | | | | | | | | | | |
| 1 | Ghee | (a) Agmark ... | ... | ... | | 85 | ·0 | | | ·98 | 90 | ... |
| 2 | Chee | b) Ungraded ... | ... | ·186 | ... | | 175 | | | ,125 | ,129 | |
| 3 | Eggs | (i) A Grade | Per Dozen | 2.00 | 2 56 | 2 75 | 2 50 | | | | 2 00 | 2·50 |
| | | (ii) B Grade | Do. | 1.96 | 3·00 | 2·0 | 1 87 | | | ... | 1.00 | 1 10 |
| | | (iii) C Grade | Do. | 1.50 | 1·75 | 1.50 | | | | 2.00 | | 1 25 |
| 4 | Butter | | | ·893 | ·285 | ... | 333 | | | ·333 | ,235 | 2 ·· |
| 5 | Beef | | ... | | ·666 | | | | | ·60 | ,666 | ... |
| VIII. | Condiments and Spices – | | | | | | | | | | | |
| 1 | Turmeric | ... | | ·6 | ·5 | | | | | | ,5 | ... |
| 2 | Tamarind | ... | | 1 | ·1 | | 1 | | | | ,8 | ·8 |
| 3 | Dry chillies | ... | | 3 | ·3 | | ·3 | | | | ·4 | ·3 |
| 4 | Garlic | | | ·8 | ·1 | | ·6 | | | | ,8 | ·6 |
| 5 | ... | | | ... | | | ·2 | | | ... | ,8 | ·2 |
| 6 | Condiments | | | 065 | | | | | | ... | ,058 | 065 |
| (a) | Miscellaneous – | | | | | | | | | | | |
| 1 | Salt | | | 10 | | | 10 | | 10 | 15 | 12 | |
| 2 | Kerosene oil | | Per Litre | ·66 | | | ·46 | | | ·45 | ·56 | |
| 3 | Firewood (soft) | | Per Kg. | | | | 9·00 | | 7·00 | 5 00 | ... | |
| 4 | Coarse cloth | | Per Metre | 1 00 | | | | ... | ·38 | ·87 | ·63 | |

179 40 s c

For *Chief Marketing Officer.*

Printed by the Director of Printing, Stationery and Publications at the Government Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, OCTOBER 14, 1965 (ASVIJA 22, SAKA ERA 1887) | No. 40

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

Weekly Weather and Crop Report for the week ending Wednesday the 15th September 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of* | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season* | | | | | | |
| | Actual | Normal | Actual | Normal | | | | Water Supply | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | **(From 3-6-1965)** | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 6.9 | 35.4 | 263.1 | 330.1 | | Fair except in Ramanagaram taluk where it was reported that the crops where failed due to non receipt of rains. | Good | ... | Available except in Kanakapura Taluk. | Sufficient (1) |
| | 2. *Kolar District.* | | | | | | | | |
| 1 | 14.2 | 32.9 | 250.2 | 293.8 | Fair except in Gawribidanur taluk where it was reported that the crops were withering for want of rain. | Good | | | |
| | 3. *Tumkur District.* | | | | | | | | |
| 7.7 | 24.1 | 237.1 | 230.0 | | Crops were withering in most of the taluks for want of rain. | Good | ... | Available except in Chickanayakana halli and Tiptur Taluk. | Sufficient (3) except in Turuvekere Taluk. |
| | 4. *Mysore District.* | | | | | | | | |
| 1 | 26.2 | 15.4 | 172.8 | 169.9 | Crops were withering in most of the taluks for want of rain. | Good | ... | Available except in Kollegal Tq. | Sufficient (4) except in Kollegal, Hunsur, Gundlupet and Yelandur Tks. |
| | 5. *Mandya District.* | | | | | | | | |
| 3.2 | 24.4 | 123.3 | 216.5 | | Fair except in K. R. Pet Taluk where it was reported that the crops were withering for want of rains. | Good | ... | Available except in K. R. Pet Taluk. | Sufficient (5) except in K.R. pet Tq. |
| | 6. *Hassan District.* | | | | | | | | |
| 1 | 12.3 | 23.3 | 591.1 | 606.6 | Crops were withering in most of the taluks for want of rains. | Good | ... | Available except in H. N. Pur and Arkalgud taluks. | Sufficient (6) except in Belur, Holenaraipur, Channarayapatna and Arkalgud tks. |
| | 7. *Chickmagalur District.* | | | | | | | | |
| 9.7 | 34.5 | 228.4 | 1384.3 | | Fair except in Chikkamagalur taluk where it was reported that the crops were withering for want of rains and also affected by pest. | Good | ... | Available except in Chickamagalur and Kadur Taluks. | Sufficient (7) except in Kadur Taluk. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | 8. *Shimoga District.* | | | | | | | |
| 1 | 6.9 | 22.2 | 556.3 | 604.9 | Fair except in Honnali Taluk where it was reported that the crops were withering for want of rains. | Good | ... Available | Sufficient | (8) |
| | | 9. *Chitradurga District.* | | | | | | | |
| | 2.0 | 18.6 | 135.4 | 223.2 | Fair | | ... Available except in Hosadurga Taluk. | Sufficient | |
| | | 10. *Bellary District.* | | | | | | | |
| | 14.4 | N.A. | 293.1 | N.A. | Fair except in Sandur, Siruguppa, Kudligi and Harapanahalli Taluks where crop was withering for want of rains. | Good | Available except in Kudligi Taluk. | Sufficient except in Kudligi Taluk. | |
| | | 11. *Bijapur District.* | | | | | | | |
| 1 | 3.2 | N.A. | 305.6 | N.A. | Fair except in Badami Mudhol and Hungund Taluks where kharif crops were withering for want of rains. | Good | | | |
| | | 12. *Belgaum District.* | | | | | | | |
| | 3.0 | N.A. | 307.4 | N.A. | Fair except in Raibagh and Ramdurg taluks where it was reported that the G. nut and Jowar crops were withering for want of rain. | Good | ... Available | | |
| | | 13. *Dharwar District.* | | | | | | | |
| 1 | 15.4 | N.A. | 380.1 | N.A. | Fair except in Shiggaon and Kundgol Taluks where it was reported that the kharif crops were withering for want of rains. | Good | | | |
| | | 14. *North Kanara District.* | | | | | | | |
| | 12.1 | N.A. | 1409.4 | N.A. | Fair except in Haliyal, Yellapur and Siddapur Taluks where it was reported that the crops were withering for want of rains. | Good | ... Available | | |
| | | 15. *Gulbarga District.* | | | | | | | |
| 1 | 14.9 | N.A. | 442.5 | N.A. | Fair except in Chincholi Taluk where it was reported that the G. nut crop was not fair. | Good | ... Available | Sufficient | (13) |
| | | 16. *Raichur District.* | | | | | | | |
| 1 | 18.4 | N.A. | 282.7 | N.A. | Fair except in Kushtagi Manvi and Sindhanur Taluks where it was reported that the crops were withering for want of rain. | Good | ... Available | Sufficient | (14) |
| | | 17. *Bidar District.* | | | | | | | |
| | | Not Received | | | | | | | |
| | | 18. *South Kanara District.* | | | | | | | |
| 3 | 34.4 | N.A. | 2336.2 | N.A. | Fair | ... Good | ... Available | Sufficient | (15 |
| | | 19. *Coorg District.* | | | | | | | |
| 3 | 16.7 | N.A. | 2312.6 | N.A. | Fair | ... Good | ... Available | Sufficient | |

Remarks :—(1) Refers to 5 Taluks. (2) Refers to 10 Taluks. (3) Refers to 8 Taluks. (4) Refers to 8 Taluks. (5) Refers to 6 Taluks. (6) Refers to 7 Taluks. (7) Refers to 7 taluks. (8) Refers to 7 Taluks. (9) Refers to 8 Taluks. (10) Refers to 7 Taluks. (11) Refers to 11 Taluks. (12) Refers to 8 Taluks. (13) Refers to 4 Taluks. (14) Refers to 6 Taluks. (15) Refers to 6 Taluks.

SYED MAHMOOD, For *Director of Statistics.*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 15th September 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder/Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) No rainfall during the week except in Magadi, Nelamangala and Devanahalli Taluks.
(b) Transplantation of paddy in Devanahalli, Ramanagaram and Kanakapura Taluks was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

2 Kolar District.—
(a) Light showers in Srinivasapur, Chintamani, Mulbagal and Bangarpet Taluks.
(b) Sowing and Transplantation of Paddy in Srinivasapur, Chintamani Mulbagal, Malur and Bangarpet Taluks was in progress.
(c) Fair except in Gudibanda Taluk where it was reported that the K. Crops were withering for want of rains
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Gudibanda Taluk where the supply of water was insufficient.
(g) Available except in Gudibanda Tq. where scarcity for fodder was felt.
(h) Generally Healthy.

3 Tumkur District.—
(a) Slight rainfall in Pavagada, Madhugiri, Chiknayakanahalli and Turuvekere Taluks.
(b) Sowing and Transplantation of Horsegram in Pavagada Taluk, Paddy in Kunigal Taluk, Ragi in Tiptur Taluk was in progress.
(c) Fair except in Madhugiri, Tiptur, Chiknayakanahalli and Turuvekere Taluks where K. Crops were withering for want of rains.
(d) Harvesting of Yada Ragi in Pavagada and Chiknayakanahally Taluks Paddy in Kunigal Taluk, was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Turuvekere Taluk where insufficiency of water was felt.
(g) Available except in Tiptur and Chiknayakanahalli taluks where scarcity for fodder was felt.
(h) Generally Healthy.

4 Mysore District.—
(a) Moderate rainfall in Kollegal, Yelandur, Chamarajanagar, K. R. Nagar, Hunsur and Gundlupet Taluks.
(b) Sowing and Transplantation of Ragi in Kollegal Taluks, Paddy and Tobacco in Hunsur Taluk was in progress.
(c) Fair except in Chamarajanagar, K. R. Nagar, Hunsur and T. Narsipur Taluks where crops were withering for want of rains.
(d) Harvesting of G. Nut in Hunsur Taluk, Jowar in Gundlupet Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Kollegal, Hunsur and Gundlupet Taluks where insufficiency of water was felt.
(g) Available except in Hunsur Taluk where scarcity for fodder was felt.
(h) Generaliy Healthy.

5 Mandya District.—
(a) No rainfall during the week except in Krishnarajapet, Pandavapura, and Maddur Taluks.
(b) Transplantation of Paddy and Sugarcane in Srirangapatna Taluk, Paddy in Malavalli and Maddur Taluks was in progress.
(c) Fair except in Krishnarajapet Taluk where Crops were withering for want of rains.
(d) Harvesting of Sugarcane in Srirangapatna, Pandavapura and Maddur Taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Krishnarajapet Taluk where insufficiency of water was felt.
(g) Available except in Krishnarajapet Taluk where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—
(a) Light showers in Belur, Arkalgud, Hassan, Manjarabad and Channarayapatna Taluks.
(b) Transplantation of Paddy was held up for want of rain in Arkalgud, Hassan and Alur Taluks.
(c) Fair except in Belur, Arkalgud, Holenarsipur and Alur Taluks where crops were withering for want of rains.
(d) Harvesting of Irrigated Ragi in Belur and Arkalgud Taluks, Potato in Hassan Taluk, Sugarcane and G. Nut in Channarayapatna Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Belur, Arkalgud, Manjarabad, Holenarasipur and Channarayapatna Taluks where insufficiency was felt.
(g) Available except in Arkalgud and Holenarasipur taluks where scarcity for fodder was felt.
(h) Generally Healthy.

7 Chickmagalur District.—
(a) No rainfall during the week except in Chickmagalur and Kadur Taluks.
(b) Nil.
(c) Fair except in Sringeri, Chickmagalur, Koppa and Kadur Taluks where K. Crops were withering for want of rains.
(d) Harvesting of cardamom in Mudigere Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Tarikere, Mudigere and Kadur Taluks where insufficiency of water was felt.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

8 Shimoga District.—
(a) Light Showers in Shimoga, Bhadravathi, Channagiri, Shikaripur and Honnali Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Same and Coriander in Honnali Tq. was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Channagiri Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally Healthy.

9 Chitradurga District.—
(a) No rainfall during the week except in Molakalmuru and Chitradura Taluks.
(b) Sowing and Transplantation of Paddy in Molakalmuru and Challakere Taluks, Tobacco in Harihar Taluk was in progress.

(c) Fair except in Haribar, Challakere and Hosadurga Taluks where Crops were withering for want of rains.
(d) Harvesting of Irrigated Ragi and Coriander in Chitradurga Taluk, Ragi in Challakere Taluk Same and Ragi in Davanagere Taluk, G. Nut in Holalkere Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available except in Hosadurga Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of Black Quarter at 1 village of Challakere Taluk.

10 Bellary District.—
(a) No rainfall during the week except in Siruguppa and Kudligi Taluks.
(b) Transplantation of Paddy in Siruguppa and Kudligi Taluks was in progress
(c) Fair except in Sandur, Siruguppa and Kudligi Taluks where crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Kudligi Taluk where insufficiency of water was felt.
(g) Available except in Kudligi Taluk where scarcity for fodder was felt.
(h) Generally Healthy.

11 Bijapur District.—
(a) No rainfall during the week except in Bagewadi, Indi and Badami Taluks.
(b) Sowing of Cotton was nearing completion in Badami, Indi and Bagewadi Taluks.
(c) Standing crops were fair except in Badami, Muddebihal and Mudhol Taluks where K. crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

12 Belgaum District.—
(a) No rainfall during the week, except in Belgaum Taluk.
(b) Sowing and Transplantation of Tobacco in Hukkeri Taluk, Cotton in Ramdurg Taluk was in progress.
(c) Fair except in Ramdurg and Raibagh Taluks where crops were withering for want of rains.
(d) Harvesting of Jowar in Ramdurg Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—
(a) Light showers in Hirekerur, Navalgund, Nargund and Shiggon Taluks.
(b) Sowing of cotton in Gadag, Hirekerur, Navalgund, Nargund and Ron Taluks was in progress.
(c) Fair except in Nargund, Hanagal, Shiggon and Dharwar taluks where crops were in need of urgent rains.
(d) Harvesting of Same in Saiggon and Dharwar Taluks was in progress.
(e) Progress was fair in 10 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at one village of Hangal Taluk.

14 North Kanara District.—
(a) Light showers in some of the Taluks.
(b) Nil.
(c) Fair except in Haliyal taluk where paddy crops was affected by pest.
(d) Nil.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—
(a) No rainfall during the week except in Yadgir and Chincholi Taluks.
(b) Sowing of cotton was held up for want of rains in Yadagir taluk.
(c) Fair except in Yadgir and Chincholi Taluks where crops were in need of urgent rains.
(d) Harvesting of Blackgram in Yadgir Taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—
(a) No rainfall during the week except in Lingasugur and Yelburga Taluks.
(b) Nil.
(c) Fair except in Sindhnoor, Manvi and Kustagi Taluks where K. Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—
Not received.

18 South Kanara District.—
(a) Moderate rainfall in Udipi, Puthur, Coondapur and Bantwal Taluks.
(b) Transplantation of Paddy in Buntwal Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—
(a) Light showers in Mercara, Virajpet and Somwarpet Taluks.
(b) Transplantation of Paddy was completed in Mercara Taluk.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in some parts of Mercara Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

SYED MAHMOOD, For *Director of Statistics*.

OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES

### Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 30th October 1963

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, fair average quality is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 40·00—42·00 | 34·00—37·00 | 39·00 | 33·00 | 38·00 | 45·00 | 47·00 | | 43·00 | 48·00 |
| | (b) Medium ... ... | | 37·00—38·00 | 28·00—32·00 | 35·00 | 33·00 | 37·00 | 41·00 | 46·00 | ... | 34·00 | 38·00 |
| | (c) Coarse ... ... | | ... | 24·00—27·00 | ... | 27·00 | 36·00 | 36·00 | 46·00 | ... | ... | 36·00 |
| 2 Rice ... | (a) Fine ... ... | | 70·00—74·00 | 72·00—78·00 | 78·00—80·00 | 79·00 | 80·00 | 87·00—89·00 | 72·00—74·00 | 72·00 | 71·00 | 76·00 |
| | (b) Medium ... ... | | 64·00—67·00 | 64·00—67·00 | 67·00—76·00 | 67·00 | 78·00 | 66·0 | 65·00—68·00 | 69·00 | 66·00 | 70·00 |
| | (c) Coarse ... ... | | 58·00—60·00 | 55·00—58·00 | 60·00 | 62·00 | 68·00 | 61·00—62·00 | 63·00—65·00 | 65·00 | 59·00 | 65·00 |
| 3 Wheat ... | White ... ... | | 70·00—72·00 | 41·00—46·00 | 39·00—50·00 | 41·00 | 58·00 | 40·00—42·00 | 60·00 | 43·00 | 46·00 | 65·00 |
| Wheat Flour | " ... ... | | | 49·00—52·00 | 54·0 | | 60·00 | 47·00 | 70·00 | 52·00 | 58·00 | ... |
| 4 Jowar ... | " ... ... | | 36·00—38·00 | 39·00—41·00 | 35·00—39·00 | 40·00 | 39·00 | 40·00—45·00 | 39·00—40·00 | 38·00 | 48·00 | 41·00 |
| 5 Bajra ... | ... ... | | | ... | 38·00—34·00 | - | 40·00 | | | ... | ... | 38·00 |
| 6 Barley ... | ... ... | | 170·00 | ... | ... | ... | ... | 150·00—180·00 | ... | ... | ... | ... |
| 7 Maize ... | ... ... | | ... | ... | ... | ... | 40·00 | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... ... | | 36·00—38·00 | 37·00—39·00 | 35·00—36·00 | 42·00 | 36·00 | 37·00—42·00 | 39·00—40·00 | 36·00 | 16·00 | 38·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | | ... | ... | ... | ... | | ... | ... | | | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | | ... | ... | | | |
| 10 Subsidiary Food Crops. | | | | | | | | | | | | |
| (i) Sweet potatoes | ... | | 20·00—25·00 | 20·00—25·00 | 25·00—35·00 | | 37·00 | ... | ... | 28·00 | 25·00 | |
| (ii) Tapioca | ... ... | | ... | | | | ... | | | ... | 38·00 | |
| (iii) Papaya | ... ... | | 40·00—45·00 | ... | 40·00—50·00 | | | ... | ... | | 50·00 | |
| (iv) Ground-nut cake flour | ... ... | | ... | ... | ... | | 37·00 | ... | ... | ... | | |
| II. Pulses (Whole pulses) — | | | | | | | | | | | | |
| 1 Gram ... | ... ... | | 60·00—67·00 | 42·00—46·00 | 75·00 | 56·00 | 55·00 | 58·00 | 60·00 | 58·00 | 58·00 | 66·00 |
| 2 Arhar (Tur) ... | ... | | 70·00 | | 67·00 | 70·00 | ... | 60·00 | ... | 90·00 | 49·00 | 80·00 |
| 3 Mung ... | ... ... | | 60·00—70·00 | 60·00—61·00 | 66·00 | .. | 75·00 | 55·00—60·00 | 62·00 | 51·00—52·00 | 60·00 | |
| 4 Urd ... | ... ... | | ... | .. | 42·00—46·00 | 90·00 | ... | 78·00 | 90·00 | 74·00—76·00 | 80·00 | ... |
| 5 Masur ... | ... ... | | | ... | ... | ... | ... | ... | 90·00—95·00 | ... | | |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... ... | | 62·00—62·00 | 60·00—65·00 | 44·00—48·00 | ... | ... | 65·00 | 65·00—70·00 | | 60·00 | |
| (ii) Horsegram | ... ... | | 29·00—31·00 | 40·00—42·00 | 35·00—36·00 | 36·00 | 33·00 | 35·00—38·00 | 45·00 | 42·00 | 31·00 | 35·00 |
| (iii) Cowpea ... | ... ... | | 59·00—68·00 | 65·00—72·00 | 50·00—52·00 | ... | 50·00 | 60·00—70·00 | 70·00 | ... | 71·00 | 46·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | a) Sort I ... ... | | 105·00—120·00 | 115·00—125·00 | 115·00—125·00 | 110·00 | 100·00—110·00 | 125·00 | 120·00—140·00 | 80·00 | 120·00 | 110·00 |
| | (b) Sort II ... ... | | .. | 105·00—110·00 | 110·00—115·00 | 1·0·00 | 95·00.. 100·00 | 100·00 | | 72·00 | 115·00 | 87·00 |
| 2 Sugar refined | D. 24 ... ... | | 114·00—121·00 | 115·00—120·00 | ... | 116·00 | 115·00 | 116·00 | 114·00 | 120·00 | 125·00 | 116·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | ... | 40·00—75·00 | 29·00—34·00 | 60·00—63·00 | 50·00 | 40·00—50·00 | ... | 60·00—80·00 | 65·00 | 65·00 | 62·00 |
| | (b) Machine sheiled | ... | 75·00—85·00 | 100·00—116·00 | ... | ... | 80·00—90·00 | ... | 65·00—70·00 | ... | 87·00 | 95·00 |
| Groundnut Oil | – | ... | 177·00—182·00 | 200·00—210·00 | 175·00—185·00 | 420·00 | 180·00 | 185·00 | 180·00 | 175·00 | 186·00 | 185·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 87·00—89·00 | 43·00 | 87·00 | 40·00 | ... | | 42·00 | 39·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | 95·00 | 85·00—90·00 | ... | ... | 95·00 | ... |
| | (b) Black | ... | ... | ... | 100·00 | ... | 120·00 | ... | | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 205·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Castor Seed .. | ... | ... | ... | ... | 58·00—59·00 | ... | ... | 65·00 | | ... | 59·00 | 52·00 |
| Castor Oil ... | ... | ... | 180·00—190·00 | 200·00—224·00 | 180·00—190·00 | 420·00 | 160·00 | 160·00 | 165·00 | 178·00 | 180·00 | 182·00 |
| Castor Oilcake | – | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 4 Rape and Mustard | (a) Black | ... | ... | ... | ... | ... | 100·00 | ... | ... | ... | 99·00 | |
| | (b) Yellow | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | .. | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per thousand) | 200·00—320·00 | 325·00—350·00 | 220·00—230·00 | 250·00 | 200·00 | 200·00—240·00 | 240·00—260·00 | 425·00 | 275·00 | 220·00 |
| | (b) Copra | | 260·00—270·00 | 370·00—850·00 | | ... | 240·00 | 180·00—240·00 | ... | 285·00 | 310·00 | 240·00 |
| Cocoanut Oil... | ... | ... | 340·00—360·00 | ... | 350·00—360·00 | 260·00 | 290·00 | 300·00—320·00 | 400·00 | 285·00 | ... | 328·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 485·00 | ... | ... | ... | 270·00 | ... | 341·00 | 275·00 | 300.00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 240·00 | ... | ... |
| | iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | ... | 4·00—8·00 | 6·00 | 4·10 | ... | 3·00—8·00 | 12·00 | 7·00 | 6·50 | 4·50 |
| 3 Oranges ... | ... | Do | ... | 15·00—25·00 | 20·00—25·00 | 15·00—20·00 | ... | 9·00—20·00 | ... | 17·00 | 15·00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 130·00—150·00 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 23·00—25·00 | 25·00—30·00 | 30·00—50.00 | 30·00 | 25·00 | 35·00—40·00 | 15·00 | 56·00 | 35·00 | 42·00 |
| 2 Onions ... | ... | | 19·00—20·00 | 32·00—35·00 | 25·00—35·00 | 26·00 | 25·00 | 30·00—35·00 | 14·00 | 26·00 | 26·00 | 25·00 |
| 3 ..... | .. | | ... | ... | ... | ... | | ... | | | ... | ... |
| 4 ..... | ... | | ... | ... | ... | ... | | | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | – | | ... | ... | 400·00 | | | ... | 610·00 | | | |
| 2 Arecanuts ... | ... | ... | ... | 600·00—675·00 | 650·00—750·00 | ... | 605·00—700·00 | 850·00—900 | 1,000·00 | 660·00—780·00 | 695·00 | ... |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas | ... | ... | ... | 95·00—98·00 | | | | | ... | | |
| | (b) Lint | ... | | ... | | | | | | | | ... |
| | (c) Seed | | | | 42·00—44·00 | | | | | | | 81·00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 Jute Loose ... | (a) White— | | | | | | | | | | | | | | | | |
| | (i) Top ... | — | | | | | | | | | | | | | | | |
| | (ii) Middle | — | | | | | | | | | | | | | | | |
| | (iii) Bottom | — | | | | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | | |
| | (i) Top ... | — | | | | ... | ... | | | | | | | ... | | | |
| | (ii) Middle | — | | | | ... | ... | | | | | | | ... | | | |
| | (iii) Bottom | — | | | | ... | ... | ... | | | | | | ... | | | |
| 3 Pucca Baled Jute. | (i) Lighting | Per bale | | | | .. | ... | | | | | | | | | | |
| | (ii) First Mills. | ... | | | | ... | .. | ... | ... | | | | | — | | | |
| | (iii) First Exports. | ... | | | | ... | — | ... | - | | | | | ... | | | |
| Sann hemp ... | ..... | .. | | | | ... | — | ... | ... | | | | | ... | | | |
| 4 Mesta ... | (i) Top ... | — | | | | ... | — | ... | ... | | | | | ... | | | |
| | (ii) Middle | ... | | | | ... | ... | ... | ... | | | | | ... | | | |
| | (iii) Bottom | — | | | | — | ... | ... | ... | | | | | - | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | | | |
| | (i) Leaf ... | — | ... | | | — | — | ... | ... | | 400·00—500,00 | | 397·00· | | ... | | |
| | (ii) Pulab | ... | | | | — | ... | ... | ... | | ... | | ... | | | | |
| | (b) Virginia | ... | | | | ... | ... | ... | ... | | ... | | ... | | ... | | |
| | (i) Leaf ... | — | ... | | | ... | ... | ... | ... | | ... | | ... | | ... | | |
| | (ii) Pulab ... | — | ... | | | ... | ... | ... | ... | | ... | | ... | | ... | | |
| VIII. Livestock— | | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 300·00—600·00 | ... | 500·00 | 300·00—350·00 | ... | 360,00—500 00 | | ... | 160·00—300·00 | 420·00—580·00 | | 240·00 | | | |
| | (b) ,, II ... | Do ... | 225·00—528·00 | ... | 300 00—350·00 | 150·00—275 00 | ... | 325,00—350,00 | | 125·00—190·00 | 120·00—200·00 | 300·00—400·00 | | 200·00 | | | |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 316·00—465·00 | ... | 100 00—120·00 | | ... | 80.00—45,00 | | | ... | ... | | 200·00 | | | |
| | (b) ,, II | Do ... | 250·00—350·00 | ... | 120·00—150·00 | | ... | 25.00—40,00 | | 100.00—160,00 | ... | ... | | 175·00 | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 240·00—495·00 | ... | 150·00—200·00 | 175 00—225.00 | ... | 160.00—300,00 | | ... | 130·00—180 00 | 350 00—450·00 | | 135·00 | | | |
| | (b) Class II ... | Do | 200·00—350·00 | ... | 100·00—150·00 | 90·00—125·00 | ... | 120.00—150 00 | | 87 00 | 90·00—125·00 | 280·00—350·00 | | 75·00 | | | |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 350·00—468·00 | ... | 300·00 | 250·00—325 00 | ... | 190.00—310.00 | | ... | 240·00—300·00 | 300·00—375·00 | | 170·00 | | | |
| | (b) Class II ... | Do ... | 220·00- 368·00 | ... | 100·00—150 00 | 125·00—200·00 | ... | 130·00—170.00 | | ... | 150·00—250 00 | 185·00—275·00 | | 110·00 | | | |
| 8 Sheep ... | ..... | Do ... | 20·00—85·00 | ... | 40·00—50·00 | 40.00—60,00 | ... | 80,00—92,00 | | 80·00 | 45·00—85·00 | 18 00—55·00 | | 40·00 | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | 3.00—4.50 | ... | ... | ... | | 2.50 | | ... | ... | ... | | ... | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | | 1.80 | | 1.00 | ... | ... | | ... | | | |
| 2 Hides.— | | | | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do ... | ... | .. | ... | 1·00 | ... | 1·25—1·80 | | 4·12 | ... | ... | | 3·00 | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | | ... | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6 50 | ... | 7·00—8.50 | | ... | ... | ... | | 4·00 | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | .. | | .. | .. | ... | | ... | | | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·00—2 50 | ... | ... | ·85 | ... | 1·75—3·50 | | 3·50 | .. | ... | | 3·87 | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | | ... | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·75 | ... | 4·80—6 00 | | 5·00 | | ... | | 4·31 | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | | ... | | | |
| 8 Skins.— | | | | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Per Skin | 4·00—6·00 | ... | ... | 4·60 | ... | 3·50—5·00 | | 4 50 | | 5·40 | | ... | | | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | | ... | | ... | | ... | | ... | | | |
| Tanned ... | (a) ..... | Do ... | ... | | ... | ... | ... | ·14 | | ... | | ... | | ... | | | |
| | (b) ..... | Do ... | ... | .. | ... | ... | ... | ... | | ... | | ... | | ... | | | |
| (ii) Sheep-skins— Raw. | (a) ..... | Per Skin | 4·00—7 00 | ... | ... | 8·60 | ... | 3·25—5·00 | | 4·50 | | 3 50 | | ... | | | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | | ... | | ... | | ... | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | | | ... | | | | ... | | | |
| | (b) ..... | Do ... | | ... | ... | ... | ... | | | ... | | | | ... | | | |
| 9 Ghee ... | (a) Agmark | Do ... | ... | 8·00—9·00 | ... | ... | ... | | | | | | | 6 00 | | | |
| | (b) Ungraded | Do ... | ... | 6·00—7·00 | ... | ... | ... | | | | | | | | | | |

| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| Fodder.— | | | | | | | | | | | |
| 1 Bran | (a) Wheat ... Quintal | 40·00 | ... | ... | ... | ... | 30·00—31·00 | .. | | | ... |
| | (b) Paddy ... Cart load | 37·00 | ... | ... | ... | ... | 20·00—22·00 | | | | 31·00 |
| 2 Straw ... | (a) Ragi .. ... | | ... | ... | ... | ... | ... | ... | | | ... |
| | (b) ..... ... | ... | | | | ... | ... | ... | ... | | ... |
| 3 Stalks ... | (a) Jola ... ... | ... | ... | ... | ... | ... | ... | ... | 39 00 | .. | ... |
| XI. Condiments and Spices.— | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 Turmeric | ..... ... | 120·00—150·00 | 172·00—195·00 | 16·00 | 200·00 | 140·00 | 150·00—160·00 | 220·00 | 178·00—176·00 | 189·00 | 162·00 |
| 2 Tamarind ... | ..... ... | 50.00—100.00 | 105·00—120·00 | 70·00—80·00 | 100·00 | 80·00 | 80·00—100·00 | 100·00 | 82·00—95·00 | 78·00 | 65.00 |
| 3 Dry Chillies ... | ..... ... | 260·00—880·00 | 280·00—250·00 | 280·00—250·00 | 200·00 | 250·00 | 250·00—300·00 | 250,00 | 210·00 | 315·00 | 300·00 |
| 4 Garlic ... | ..... ... | 90·00 | 65·00—90·00 | 100·00 | 100·00 | 84·00 | 100·00—120·00 | 100·00 | 105·00 | 150·00—168·00 | 99·00 |
| 5 Pepper ... | ..... ... | 320,00 | ... | 400·00—420·00 | 425·00 | 810·00 | 880·00—840·00 | 400·00 | 400·00—450·00 | 300·00 | 87·00 |
| 6 Cardamom | ..... ... | 1,400·00—2,000·00 | ... | 1,500·00—1,600·00 | 1,800·00 | 1,600·00 | 1,500·00—1,600·00 | 1,800,00 | ... | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | |
| 1 Timber ... | —— Per C.F. | .. | ... | ... | .. | | ... | | | . | |
| 2 Sticklac ... | ... ... ... | ... | ... | ... | | ... | | | | | |
| 3 Seedlac ... | ..... ... | ... | | | ... | ... | ... | | | ... | |
| 4 Shellac ... | ..... ... | ... | ... | .. | ... | ... | ... | | | ... | |
| 5 Rubber ... | Raw ... ... | ... | ... | ... | ... | ... | ... | | | ... | |
| Myrtle L.1 ... | ..... ... | ... | ... | ... | ... | ... | ... | | | ... | |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. Per 100 yds. | ... | ... | .. | .. | | ... | | | ... | |
| | (b) Sacking B. Twills. Per 100 bags. | | ... | | .. | | .. | | | | ... |
| 8 ..... ... ... | ..... ... ... | | ... | | . | | ... | | | | ... |
| ..... ..... | ..... ... | | | | | | | | | | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 38·00 | 42·00—44·00 | ... | 45·00—50.00 | 38.00 | ... | ... | 36 00 | 38·00 |
| | (b) Medium | | 37·00 | 40·00—42·00 | ... | 40.00—50.00 | ... | ... | 37·00 | 32·00 | 36·00 |
| | (c) Coarse | | 36·00 | 38·00—39 00 | ... | ... | ... | ... | 35.00 | | 35 00 |
| 2 Rice | (a) Fine | | 66·00 | 75 00—80·00 | ... | 75·00 | 68·00 | | 70·00 | 70·00 | 78·00 |
| | (b) Medium | | 60·00 | 70 00—75·00 | ... | 64·00 | 59·00 | ... | 57.00 | 59 00 | 76 00 |
| | (c) Coarse | | 58·00 | 69·00—68·00 | ... | ... | 54·00 | ... | ... | ... | 54·00 |
| 3 Wheat ... | White | | 56·00 | 44·00—58·00 | ... | 54 00 | 46·00 | ... | 68.00 | 52·00 | 48·00 |
| Wheat Flour ... | White | | 75 00 | 45·00—58 00 | ... | ... | ... | ... | ... | ... | 54·00 |
| 4 Jowar | White | | 46·00 | 40·00—46 00 | ... | 44·00 | 45·00 | ... | ... | 42.00 | 58·00 |
| Bajra ... | ... | | ... | 30·00—31·00 | ... | ... | 33·00 | ... | ... | 31.00 | |
| Barley ... | ... | | ... | | ... | ... | ... | ... | ... | | ... |
| 7 Maize ... | ... | | | ... | ... | ... | ... | ... | ... | | ... |
| Ragi ... | ... | | 38·00 | 38·00—40·00 | ... | ... | ... | | ... | 42·00 | 45·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | | ... | ... | ... | ... | ... | ... | | |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | | ... | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 30·00 |
| (ii) Tapioca ... | ... | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (iii) Papaya ... | ... | | ... | ... | ... | ... | ... | ... | ... | | |
| (iv) Groundnut cake flour | ... | | ... | ... | ... | ... | ... | ... | ... | 38·00 | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram ... | ... | | 58·00 | 48·00—51·00 | ... | 58·00 | 62·00 | ... | 69 00 | 45·00 | 63·00 |
| 2 Arhar (Tur) | ... | | 52·00 | ... | ... | 48·00 | 85 00 | ... | 72·00 | 51·00 | 88 00 |
| 3 Mung ... | ... | | 68·00 | ... | ... | 45·00 | ... | ... | 56·00 | 41 00 | 70·00 |
| 4 Urd ... | ... | | 60·00 | ... | ... | 60·00 | 95·00 | ... | 68 00 | 55·00 | 80·00 |
| 5 Masur ... | ... | | 60·00 | ... | ... | ... | 75·00 | ... | ... | ... | 81·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare ... | ... | | ... | ... | ... | ... | ... | ... | | | 90·00 |
| (ii) Horsegram... | ... | | 86·00 | 88·00—89 00 | ... | ... | ... | ... | 86 00 | 84·00 | 45·00 |
| (iii) Cowpea ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 76·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I | | 145 00 | 110.00—120.00 | ... | | ... | ... | 128·00 | 185·00 | 150·00 |
| | (b) Sort II | | 130·00 | 105.00—110.00 | ... | | ... | ... | ... | 112·00 | 110·00 |
| 2 Sugar Refined | D. 24 | | ... | ... | ... | | ... | ... | 117·00 | 116·00 | 117·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | | 65 00 | 67·00—66 00 | ... | | 62·00 | ... | 60·00 | 61·00 | 90·00 |
| | (b) Machine shelled. | | 110·00 | 82·00—92·00 | ... | ... | 90.00 | ... | ... | | 125.00 |
| Groundnut Oil | ... | | 190 00 | 160·00—162.00 | ... | | 200 00 | ... | 460 00 | 172·00 | 197·00 |
| Groundnut Oil-cake. | | | 40 00 | ... | ... | ... | ... | ... | | 41·00 | 45·00 |
| 2 Sesamum ... | (a) White | | ... | ... | ... | ... | 90·00 | ... | 95·00 | 91 00 | ... |
| | (b) Black | | 110·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| Sesamum Oil... | ... | | 260·00 | ... | ... | | ... | ... | ... | 265·00 | ... |
| Sesamum Oil-cake. | ... | | ... | ... | ... | | ... | ... | 66 00 | 66·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed ... | ... | ... | ... | ... | ... | 55·00 | 52·00 | ... | 54·00 | ... | |
| | Castor Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 176·00 |
| | Castor Oilcake | ... | ... | ... | ... | ... | ... | | ... | ... | ... | |
| 4 | Rape and Mustard. | (a) Black ... | ... | 100·00 | ... | ... | | ... | ... | ... | ... | ... |
| | | (b) Yellow ... | ... | 125·00 | ... | ... | ... | ... | ... | ... | ... | 180·00—140·00 |
| | Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5 | Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | 57·00 | ... | |
| | | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | Linseed Oil-cake. | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Coconut ... | (a) Nuts ... | (Per | 300·00 | ... | ... | 250·00 | 280·00 | ... | 208·00 | 310·00 | 290·00—300·00 |
| | | (b) Copra ... | thousand) | 280·00 | ... | | | 280·00 | | | 295·00 | 300·00 |
| | Coconut Oil ... | ... | per Quintal | 385·00 | 810·00—820·00 | ... | 321·00 | 320·00 | | | 316·00 | 294·00 |
| | Coconut Oil-cake | ... | ... | ... | ... | ... | ... | | ... | ... | 65·00 | 61·00 |
| 8 | Other Oil seeds | (i) Nigerseed... | ... | 75·00 | ... | | 31·00 | 69·00 | | 50·00 | | ... |
| | | (ii) Safflower ... | ... | ... | ... | ... | ... | ... | | ... | | ... |
| 9 | Vegetable Oil | (i) Vanaspathi | ... | 303·00 | ... | ... | 148·00 | 400·00 | | | | ... |
| | | (ii) Refined oil | | ... | ... | ... | ... | ... | | ... | | ... |
| | | (iii) Safflower Oil | ... | ... | ... | | ... | ... | | ... | | ... |
| 10 | Other Oils ... | | | | | | | | | | | |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | ... | per gross | ... | ... | ... | ... | | ... | ... | ... | ... |
| 2 | Plantains ... | ... | Do ... | 6·75 | 6·00—8·00 | ... | 4 00 | | | 6 60 | 8 50 | 8 50—12·00 |
| 3 | Oranges ... | ... | Do ... | ... | ... | | ... | | | 23·00 | 11·00—14·00 | ... |
| 4 | Dates ... | ... | ... | ... | ... | ... | ... | | | ... | ... | ... |
| 5 | Cashew kernels, etc. | ... | ... | 575·00 | ... | ... | ... | | | ... | 650·00 | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | per quintal | ... | 31·00 | 23·00—35·00 | ... | | | | | 31·00 | 28·00 |
| 2 | Onions ... | ... | ... | 28 00 | 15·00—30·00 | ... | | | | | 30·00 | 24·00 |
| 3 | Beans ... | ... | ... | | ... | ... | ... | ... | | ... | ... | ... |
| 4 | Tomatoes ... | ... | ... | | ... | ... | ... | ... | | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | ... | ... | | ... | ... | | ... | 800·00 | 600·00 |
| 2 | Arecanuts ... | ... | ... | 471·00 | ... | ... | 605·00 | 700·00 | | ... | 600 00 | 650·00 |
| VI | Fibres.— | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | | 89·00 | ... | |
| | | (b) Lint ... | ... | ... | ... | ... | ... | ... | | ... | ... | |
| | | (c) Seed ... | ... | 40·00 | ... | ... | ... | 40·00 | | 31·00 | ... | |
| 2 | Jute :—Loose | (a) White - | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | | ... | ... | |
| | | (ii) Middle ... | ... | .. | .. | ... | ... | ... | | ... | | |
| | | (iii) Bottom ... | ... | .. | .. | ... | ... | ... | | ... | | |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i Top ... | ... | ... | ... | | ... | ... | | ... | | |
| | Pucca baled Jute | (ii) Middle ... | ... | ... | ... | | ... | ... | | ... | | |
| | | (iii) Bottom ... | ... | .. | ... | | ... | ... | | | | |
| | | (i) Lightings... | Per bale | ... | ... | | ... | ... | | | | |
| | | (ii) First Mills | ... | ... | | | ... | ... | | ... | | |
| | | (iii) First Exports | ... | | | | ... | ... | | ... | | |
| | | | ... | .. | | | | ... | | ... | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | | | | 118·00 | | | | | |
| | (ii) Middle .. | | | | | | | 100·00 | | | | | |
| | (iii) Bottom | | | | | | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf ... | | | | 675·00 | | | 400·00 | | | 450·00—500·00 | | ... |
| | (ii) Pulab ... .. | | | | ... | | | ... | | | | | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf ... .. | | | — | ... | | | 625·00 | | | 600·00—7 0.·0 | | ... |
| | (ii) Pulab ... | | | — | ... | | | ... | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 560·00 | 800·00—900·00 | ... | ... | | 850·00 | | 860·00 | | | |
| | (b) Class II ... | Do | 250·00 | 200·00—250·00 | ... | ... | | 100·00 | | 295·00 | ... | | |
| (ii) Buffalo bulls | (a) Class I ... | Do | 175·00 | 200·00—250·00 | ... | ... | | 875·00 | | 650·00 | ... | | |
| | (b) Class II ... | Do | ... | 150·00—200·00 | ... | ... | | ... | | 3:6·00 | ... | | |
| 3 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do | 150·00 | 150·00—200·00 | ... | ... | | ... | | 175·00 | 250·00 | | |
| | (b) Class II ... | Do | 120·00 | 150·00—175·00 | ... | ... | | ... | | 120·00 | 150·00 | | |
| (ii) Buffaloes ... | (a) Class I ... | Do | 800·00 | 200·00—250·00 | ... | ... | | ... | | 480·00 | 2·0·00 | | |
| | (b) Class II ... | Do | 250·00 | 125·00—175·00 | ... | | | ... | | 236·00 | 250·00 | | |
| 5 Sheep ... | ... | Do | 40·00 | 35·00—46.00 | ... | ... | | 85·00 | | 60·00 | 35·00—75·00 | | |
| IX. Livestock products. | | | | | | | | | | | | | |
| 1 Wool (Speaity fine varieties) | (a) ..... | Per Kg. | ... | | | | | | | | | | |
| | (b) ..... | Do | ... | | | | | | | | | | |
| 3 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do | | 2·00 | 1·00 | | | | | | 1·00—2·00 | | ... |
| | (b) ..... | Do | | 1·50 | ... | | | | | | | | |
| Tanned ... | (a) ..... | Do | | 6·00 | 6·25 | | | | | | ... | | ... |
| | (b) ..... | Do | ... | 5·00 | 6·00 | | | | | | | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do | ... | 2·00 | 1·00 | | | | | | 0·90—1.00 | | ... |
| | (b) ..... | Do | | 1·50 | 80·00 | | | | | | ... | | |
| Tanned | (a) ..... | Do | ... | 8.00 | 6·20 | | 6·25 | | | | ... | | ... |
| | (b) ..... | Do | ... | 7·00 | 6·00 | | ... | | | | | | ... |
| 8 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— Raw | (a) ..... | Do | ... | ... | 6·60—7·00 | | | | | | 4·00—6·00 | | 3·50 |
| | (b) ..... | Do | ... | ... | ... | | .. | | | | | | |
| Tanned ... | (a) ..... | Do | .. | 6.00 | 7·00—8·00 | | | | | | ... | | |
| | (b) ..... | Do | | 5·50 | ... | | ... | | | | 275·00—3·00 | | 3·00 |
| (ii) Sheepskins— | (a) White | Do | ... | | 6·50 | | — | | | | | | ... |
| Raw. | (b) Black | Do | | ... | ... | | | | ... | | | | |
| Tanned — | (a) ..... | Do | | 6·00 | | | ... | | .. | | ... | | |
| | (b) ..... | Do | | 5·50 | | | ... | | | | 7·00 | | ... |
| 4 Ghee — | (a) Agmark — | Do | — | ... | ... | | 9·00 | | | ... | 6·00 | | ... |
| | (b) Upgraded ... | Do | | 5·50 | 8·25 | | 6·50 | | ... | | | | |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | Per quintal | ... | | | | | | ... | ... | ... | | ... |
| | (b) Paddy | Per cart-load | ... | | | — | ... | | | ... | ... | | ... |
| 2 Straw ... | (a) Ragi | Do | ... | ... | ... | — | ... | | | ... | - | | ... |
| | (b) ... .. ..... | ... | ... | ... | ... | ... | ... | — | ... | ... | ... | | ... |
| 3 Stalks ... | (a) Jola | Per quintal | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| | (b) ..... | ... | ... | | | ... | ... | ... | ... | ... | ... | | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 200 00 | 140·00—150.00 | ... | 212·00 | 125 00 | | 160·00 | 190·00 | 280·0 |
| 2 | Tamarind ... | ... | ... | 80·00 | 60.00—65·00 | ... | ... | 60 00 | | 40·00 | 56·00 | 120·00 |
| 3 | Dry Chillies ... | ... | ... | 225 00 | 175·00—255 00 | ... | 300 00 | 850 00 | | 230·00 | 980·00 | 300·00 |
| 4 | Garlic ... | ... | ... | 90·00 | ... | ... | ... | 125 00 | | 82 00 | 95·00 | 100 00 |
| 5 | Pepper ... | | ... | 829·90 | ... | ... | ... | 40 00 | | ... | 300·00 | 250·00 |
| 6 | Cardamom ... | ... | ... | 1,180·00 | ... | ... | ... | 1,400·00 | | ... | 1,400·00 | 1100·00—14 0·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | | | | |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | | | | | |
| 3 | Seedlings ... | ... | ... | ... | ... | ... | ... | | | | | |
| 4 | Shellac ... | | ... | ... | ... | ... | ... | | | | | |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | | | | | |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | | | | | |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | | | | | |
| | | (b) Sacking B. Twills. | Per 100 bags. | | ... | ... | ... | | | | | |
| 8 | ..... ..... | ... | ... | ... | ... | ... | ... | | | | | |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | | | | | |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 31st October 1963.

**Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | 2.5 | 2·0 | ... | ... | 2 5 | 2·6 | ... | ... | 2·6 | 2·4 |
| 2 Rice ... | Do ... | ... | 1·6 | 2·5 | 1·6 | 1·4 | 1·6 | 1·6 | 1·4 | 1·7 | 1·7 | 1·3 |
| 3 Wheat ... | White ... | ... | 2·8 | 2·5 | 2·5 | 1·8 | 2·5 | 2·2 | 2 5 | 2 | 2·2 | ... |
| 4 Wheat Flour .. | Do ... | ... | ... | 2·0 | 1·6 | ... | 2·4 | 2·0 | 1 4 | 1·7 | ... | 2·0 |
| 5 Jowar ... | Do ... | ... | ... | 2·5 | 2·5 | 1·8 | 2·5 | 2·8 | 2·2 | 2·1 | 2·8 | 2·4 |
| 6 Bajra ... | ... | ... | ... | ... | 2·8 | ... | 2·5 | ... | ... | ... | ... | 2·7 |
| 7 Barley ... | ... | ... | 0.7 | ... | ... | ... | ... | ... | ... | ... | ... | 0.8 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·5 | 2·8 | 2.8 | 2.8 | 2·4 | 2·2 | 2·6 | 2·8 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | ... | 4·0 | ... | ... | | ... | ... | | 3·7 | ... |
| (ii) Tapioca .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | 2·8 | ... |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| (iv) Groundnut cake flour | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1·7 | 2·5 | ... | ... | 1·7 | 1·6 | 1·6 | | 1·8 | ... |
| | (b) Split (without skin). | ... | 1·5 | 1·75 | ... | 1·4 | 1.6 | 1·4 | 1·5 | | 1·5 | 1·5 |
| | (c) Flour ... | ... | ... | ... | 1·3 | 1·2 | 1·5 | 1·4 | 1·4 | | ... | 1·5 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·4 | 2 | 1·4 | ... | ... | 1 5 | ... | | 2 5 | ... |
| | (b) Split (without skin). | ... | 1·2 | 1 | ... | 1 | 1 | 1·1 | ·9 | | 1 | 1·1 |
| 3 Moong ... | (a) Whole ... | ... | ... | 1·3 | ... | 1·4 | 1·6 | 1·6 | 1·5 | ... | 1·4 | 1 8 |
| | (b) Split (without skin). | ... | ... | 1 | 1·5 | ·1 | 1·2 | 1·2 | 1·2 | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | 1·2 | 1·1 | ... | 1·1 | ... |
| | (b) Split (without skin), | ... | ... | 0·9 | ... | ·7 | 1 | ·9 | ·8 | 0·9 | ·9 | 0·3 |
| 5 Masur | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | 1·2 | ... | 1 | ... | ... | ... |
| 6 Other pulses — | | | | | | | | | | | | |
| (i) Avare .. | (a) Whole ... | ... | 1·4 | 1·5 | 2 | ... | ... | 1·4 | 1·5 | ... | 1 9 | ... |
| | (b) Split (without skin). | ... | 1 | 1 | ... | ... | 1·4 | 1·3 | 1·4 | ... | 1·2 | ... |
| (ii) Horsegram | ... | ... | 2·7 | 2 | 2·5 | 2·4 | 3 | 2·6 | 2·2 | 2·8 | 3 | 2·1 |
| (iii) Cowpea ... | ... | ... | 1·2 | 9 | 1·8 | ... | 2·2 | 1·5 | 1·4 | ... | 1·2 | 1·8 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| I Gur ... | (a) Sort I ... | ... | 1 | 0·850 | ·600 | 1·2 | 1 | ·600—·650 | ·769 | ·750 | ·650 | ·850 |
| II Sugar refined | (b) Sort II ... | ... | ... | 0 950 | 1 | ... | ·900 | ... | ·975 | 1 | ·900 | ·1 |
| | D 24 ... | ... | ... | 0·833 | ... | ... | ·650 | ·840 | ·869 | ·800 | ·760 | ·880 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·600 | ·600 | ·606 | 400 | ·650 | ·606 | ·550 | ·450 | ·600 | ·500 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ·660 | ·500 | ... | ... | ... | ·270 |
| 3 Castor oil ... | ... | ... | ·460 | ·800 | ·100 | ·400 | ... | ·620 | 620 | ·600 | ·880 | ·600 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·400 | ·850 | ... | ·295 | ·280 | ·250 | ·833 | ·400 | ·250 | 275 |
| 7 Vanaspati ... | ... | ... | ·80 | ... | ·295 | ... | ·360 | ... | ... | ·420 | ... | ·270 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) ..... ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·460 | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 4)—85 | 25—75 | 75—85 | 40—1·20 | 75 | 80 | 81—75 | 86 | ·90 | ·47 |
| 3 Oranges ... | ... | Do | ... | 2·50—3·50 | 1·50—2·50 | ·50—2·00 | ... | 2·50 | 66—1·00 | 2·25 | 1·70 | ... |
| 4 Dates ... | ... | ... | ... | ... | ·666 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernals | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | ... | | ... | | | | 2 | 1·6 | | ·2 |
| 2 Onions ... | ... | ... | ... | | 2·8 | | | | 2·8 | 2·3 | | ·8 |
| 3 ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ·250 | ... | ... | ... | ... | ·200—·700 | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | ·120 | ·133 | ... | ... | ·111 | ·100 | ·160 | ... | ·160 |
| VI. Tobacco ... | Leaf | ... | Per kg. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 60·90 | 1·00 | | ... | 46 | 40—66 | 75—80 | ... | 65 | 80 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·175 | | ... | ... | ... | ·125 | ... | ·144 | ·1·0 |
| | (b) Ungraded ... | ... | ... | ·220 | | ... | ·383 | ... | ... | ·300 | ... | |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·15 | 3 | | 3·00 | 2·50 | 2·25 | 2·25 | ... | 2·00 | 2·40 |
| | (ii) B Grade | Do | 2·50 | 2·50 | | 2·50 | 2·00 | 1·75 | 2 13 | ... | 1·75 | 2 16 |
| | (iii) C Grade | Do | 1·50 | 2 | | 2·00 | 1·75 | 1·50 | 2·00 | 2·40 | 1·62 | ... |
| 4 Mutton ... | ... | ... | ·250 | ... | | ·250 | | ·250 | ·250 | ... | ·275 | ·330 |
| 5 Beef ... | ... | ... | ... | ... | | | | | ... | ... | | ·570 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·6 | ·3 | ·5 | ·6 | ·4 | ·5 | ·4 | ·6 | ·6 | ·5 |
| 2 Tamarind ... | ... | ... | 1 | ·9 | 1·3 | ·1 | 1·2 | 1 | ·9 | 1 | 1 1 | ·1 |
| 3 Dry chillies ... | ... | ... | ·250 | ·350 | ·400 | ·388 | ·400 | ·393 | ·266 | ·400 | ... | ·290 |
| 4 Garlic ... | ... | ... | 1 | ·7 | 1 | ... | ... | 9 | ·9 | ·7 | ·1 | ·1 |
| 5 Pepper ... | ... | ... | ·250 | ... | ·229 | ·288 | ·250 | ·277 | ·250 | ·200 | ·360 | ·250 |
| 6 Cardamom ... | ... | ... | 0·40 | ... | 0·62 | 0·55 | 0·60 | 0 70 | 0·56 | ... | 0·56 | 0·60 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 9 | 8 | 8 | 10 | 11 | 10 | 10 | 10 | 11 |
| 2 Kerosene oil ... | ... | Per Litre | 40 | 55—60 | 40 | 44 | 50 | ·50 | 55 | 50 | 0·52 | 54 |
| 3 Firewood/ Charcoal. | ... | Quintal | ... | 6—8 | 6—8 | 5—6 | 5·00 | 8·00 | 5 00 | 5.50 | 5.50 | 5·75 |
| 4 Coarse cloth ... | ... | Per metre | 1·60 | 80 | ... | 1·25 | 1·25 | 1·20—1·39 | ... | ... | 1·45 | 1·06 |

| Commodities | Variety / quality | Units | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | ... | ... | 2—2 5 | ... | ... | 2 8 | ... | 2'8 | 3.3 | 2 7 |
| 2 Rice ... | Do ... | ... | 1·5 | 1·5 | ... | 1 4 | 1·8 | ... | 1 7 | 1,6 | 1,5 |
| 3 Wheat ... | White ... | ... | 1·6 | — | ... | 1.6 | 2·3 | ... | 1,5 | 1,7 | 2 |
| 4 Wheat Flour... | Do ... | ... | ... | 2 | ... | ... | 2 | ... | 2,5 | 1·5 | 2 |
| 5 Jowar ... | Do ... | ... | 2·2 | 1,8 | ... | 2 | 2 | ... | 2,7 | ... | ... |
| 6 Bajra ... | ... | ... | ... | 2—2 8 | ... | ... | 2.7 | ... | ... | ... | ... |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2—2'5 | ... | ... | ... | ... | ... | ... | ... |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | — | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops — | | | | | | | | | | | 4 |
| (i) Sweet potatoes. | ... | — | — | — | ... | ... | ... | ... | ... | ... | |
| (ii) Tapioca ... | ... | ... | ... | — | ... | ... | ... | ... | ... | ... | |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iv) Groundnut cake flour | ... | ... | — | 1·5—2 | ... | ... | — | ... | ... | ... | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1.6 | ... | ... | 1·4 | ... | ... | 1,8 | ... | 1·6 |
| | (b) Split (without skin). | ... | 1·8 | | ... | 1·3 | 1·5 | ... | ... | 1.3 | 1·2 |
| | (c) Flour ... | ... | 1 8 | ... | ... | ... | ... | ... | ... | 1,2 | ... |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | ,1 | ... | ... | ... | ... | ... | 2 | | ... |
| | (b) Split (without skin). | ... | 1,3 | | ... | 1·2 | 1,1 | ... | 1 | 1 | 1,1 |
| 3 Moong ... | (a) Whole ... | ... | 1 | 1 | ... | 1 2 | ... | ... | ... | 1,5 | 1·6 |
| | (b) Split (without skin). | ... | 1,50 | ... | ... | ... | ... | | 1,4 | 1·2 | .. |
| 4 Urd ... | (a) Whole ... | ... | 1·8 | ... | ... | ... | ... | ... | 1,5 | 1,2 | 1·5 |
| | (b) Split (without skin). | ... | ·8 | ... | ... | ·8 | ... | ... | ·7 | ·9 | ... |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | ... | | 1,8 |
| | (b) Split (without skin), | ... | 1.6 | 1·2—1·5 | ... | ... | | ... | ... | | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | | ... | ... | ... | | ... | | ... | 1·4 |
| | (b) Split (without skin). | ... | | ... | ... | ... | | ... | 1·4 | ... | ... |
| (ii) Horsegram | ... | ... | 2 5 | 2·5 | ... | ... | | ... | | 2.2 | 2 |
| (iii) Cowpea ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | 1, |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·666 | ... | ... | ·800 | ·769 | ... | ·725 | ·740 | ·625 |
| | (b) Sort II ... | ... | ·800 | ... | ... | ... | ... | ... | ·980 | ·880 | ·888 |
| 2 Sugar refined | S 24 ... | ... | | ... | ... | ... | ... | ... | | ,847 | ·840 |
| IV. Oils.— | ... | | | | | | | | | | |
| 1 Groundnut oil | ... | ... | ·500 | ,6 0 | ... | ,500 | ,471 | ... | ·00 | ,490 | ·681 |
| 2 Sesamum oil ... | ... | ... | ·250 | ... | ... | | ... | ... | ... | ,867 | ... |
| 3 Castor oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ,444 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | - | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·280 | ... | ... | ,250 | ·285 | ... | ·800 | ,812 | ·66 |
| 7 Vanaspati | ... | ... | ·800 | ... | ... | ... | ·250 | ... | | ,270 | ·260 |

| | | | 14 | 15 | 16 | 17 | 18 | 1 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 Otter oils— | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | | Do | ... | ... | ... | ... | ... | ... | .62 | 25,31 | 25—1·00 |
| 3 Oranges ... | | Do | 62 | 65 | ... | 40 | ... | ... | 2.60 | 1—1·60 | 70 |
| 4 Dates ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | ... | ... | ... | .166 | ... |
| 6 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | |
| 1 Potatoes ... | | ... | 2 5 | 2·5 | ... | 2 5 | 1.6 | ... | 1·4 | 2.8 | 2·8 |
| 2 Onions ... | | ... | 3·3 | 3 | ... | 3.7 | 1 0 | ... | 8 | 3.8 | ... |
| 3 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | | ... | ·225 | ... | ... | ... | | ·182 |
| 2 Arecanuts ... | | ... | .166 | ... | ... | ... | ·133 | ... | ·175 | | ·154 |
| VI. Tobacco ... | Leaf | Per kg. | ... | ... | ... | ... | ... | ... | ... | | ... |
| VII. Live-stock products— | | | | | | | | | | | |
| 1 Milk ... | ... | ... | 1.00 | ... | ... | 65 | ·66 | ... | | 90 | ·62 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·160 | ... | ·175 | ·106 | ... | | .130 | ... |
| | (b) Ungraded ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | 2.00 | 2 00 | ... | 2·50 | 1·80 | ... | | 2 00 | 2·14 |
| | (ii) B Grade | Do | 1.75 | ... | ... | 1 87 | 1.75 | ... | | 1.60 | 2 00 |
| | (iii) C Grade | Do | 1.50 | ... | ... | ... | 1,50 | ... | 2.00 | 1·6 | 1·75 |
| 4 Mutton ... | ... | ... | ·880 | ·235 | ... | ·830 | ... | ... | ·300 | 2·85 | ... |
| 5 Beef ... | ... | ... | ... | ·660 | ... | ... | ... | ... | ·600 | .666 | ... |
| VIII. Condiments and Spices— | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·5 | ... | ... | ·6 | ... | ... | 8 | .5 | ·8 |
| 2 Tamarind ... | ... | ... | 1 | 1·5 | ... | | 1·6 | ... | ·1 | 9 | .8 |
| 3 Dry chillies ... | ... | ... | ·280 | ... | ... | ·2·0 | ·888 | ... | ·250 | ·400 | .888 |
| 4 Garlic ... | ... | ... | ·1 | ·1 | ... | | ·7 | ... | ·8 | .8 | .7 |
| 5 Pepper ... | ... | ... | ·280 | ... | ... | ... | ·250 | ... | | 0 83 | ·860 |
| 6 Cardamom ... | ... | ... | 0·75 | ... | ... | ... | ... | ... | | 0·88 | 0·71 |
| IX. Miscellaneous— | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | ... | ... | | 8 | ... | 10 | 10 | 8 |
| 2 Kerosene oil ... | ... | Per Litre | 60 | ... | ... | | 45 | ... | 87 | 4·1 | 66 |
| 3 Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | 9·00 | ... | 7·50 | 5·00 | 6 60 |
| 4 Coarse cloth ... | ... | Per Metre | 1·00 | ... | ... | ... | ... | ... | ·88 | 87 | ,63 |

.....

For *Chief Marketing Officer.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY OCTOBER 21, 1965 (ASVIJA 29, SAKA ERA 1887) | No. 41

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

### Part IV—Weather and Crop Report.

## Weekly Weather and Crop Report for the week ending Wednesday the 22nd September 1965.

| No of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

**(From 3—6—1965)**

### 1. Bangalore District.

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | | ... Good | ... Available except in some parts of Kanakapura taluk. | Adequate |

### 2. Kolar District.

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | Fair except in Gudibanda taluk. | Good except for the prevalence of cattle disease at one village of Bangarpet taluk. | Available except in Gudibanda Tq. | Sufficient |

### 3. Tumkur District.

| | | | | | | |
|---|---|---|---|---|---|---|
| 47.7 | 283.4 | 296.6 | Fair except in Tiptur Taluks where it was reported that the kharif crops were withering for want of rain. | Good | ... Available except in Chickanayakanahalli and Tiptur taluks. | |

### 4. Mysore District.

| | | | | | | |
|---|---|---|---|---|---|---|
| | | 296.1 | Fair except in Gundlpet Chamarajanagar H, D. Kote, K. R. Nagar and Periyapatna taluks where kharif crops were withering for want of rains. | Good except for the prevalence of Black Quarter at 1 village of Chamarajanagar taluk. | Available except in Hunsur Taluk | Sufficient |

### 5. Mandya District.

| | | | | | | |
|---|---|---|---|---|---|---|
| 248.4 | | | | ... Good | ... Available except in K. R. Pet Tqs. | Sufficient except in (5) K. R. Pet Tqs. |

### 6. Hassan District.

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | Crops were withering want for of rain in most of the taluks. | Good | ... Available except in H, N, Pur, Arkalgud & Arsikere tqs. | Insufficient |

| No. of rainy days in the week | Rainfall in Millimetres: Since the beginning of the week — June | Since the beginning of the season — June | Since the beginning of the season — August | Conditions of: Crops | Conditions of: Pasture | Conditions of: Fodder | Remarks |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3—6—1965).

### 7. Chickmagalur District

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Fair except in Kadur Sringeri & Chickmagalur taluks where it was reported that the crops were affected due to non receipt of rains. | Good | ... Available except in Kadur Tq. | Sufficient except in Kadur and Tarikere taluks. | |

### 8. Shimoga District

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 29.2 | 896.3 | | | Fair except in Hosanagar Shimoga and Honnali taluks where crops were withering for want of rain. | Good | | Sufficient except in (6) Thirthahalli taluk. | |

### 9. Chitradurga District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Fair except in Davanagere Taluk where crops were affected due to non receipt of timely rains. | Good except for the prevalence of "Black quarter" at 1 village of Chitradurga and Hiriyur taluks. | Available | | |

### 10. Bellary District

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 5 | 92.9 | | | N.A. | Fair | Good | | | |

### 11. Bijapur District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 6 | 32.0 | N.A. | 211.1 | N.A. | | ... Good | | | |

### 12. Belgaum District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 4 | 60.1 | N.A. | 407.1 | N.A. | | Good except for the prevalence of "Epizootic Aphtha" at one village of Gokak taluk. | Available | | |

### 13. Dharwar District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 4 | 107.5 | N A. | 467.9 | N.A. | | Good | | | |

### 14. North Kanara District

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 70 4 | N.A. | 2086 3 | | | Good | | | |

### 15. Gulbarga District

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | N.A. | Fair except in Humnabad taluk where Gram crop was affected by insects. | ... Good | | | |

### 16. Raichur District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ... Good | | | |

### 17. Bidar District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Good | | | |

### 18. South Kanara District

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Good | | | |

### 19. Coorg District.

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 4 | 87.2 | N.A. | 1432.6 | N.A. | do | Good | ... Available | Do | ... do |

REMARKS.— (1) Refers to 6 Taluks. (2) Refers to 10 Taluks. (3) Refers to 9 Taluks (4) Refers to 10 Taluks (5) Refers to 6 Taluks (6) Refers to 7 Taluks. (7) Refers to 5 Taluks (8) Refers to 2 Taluks (9) Refers to 6 Taluks. (10) Refers to 4 Taluks (11) Refers to 6 Taluks (12) Refers to 4 Taluks. (13) Refers to 7 Taluk. (14) Refers to 2 Taluks. (15) Refers to 5 Taluks. (16) Refers to 2 Taluks.

General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 22nd September, 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing and Transplantation.
(c) ,, Condition of Standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Moderate rainfall in Nelamangala, Ramanagaram, Devanahalli, Magadi and Kanakapura Taluks.
(b) Transplantation of Paddy in Ramanagaram, Kanakapura and Hoskote taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 Taluks,
(f) Sufficient.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—

(a) Moderate rainfall in most of the Taluks.
(b) Transplantation of Paddy in Srinivasapur, Mulbagal and Bangarpet Taluks was in progress.
(c) Standing crops were fair except in Gudibanda Taluk where crops were not fair due to failure of rains.
(d) Nil.
(e) Progress was fair in 7 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of cattle disease at one village of Bangarpet Taluk.

3 Tumkur District.—

(a) Moderate Rainfall in most of the Taluks.
(b) Sowing and Transplantation of Paddy in Pavagada, Madhugiri Kunigal and Tumkur Taluks, Horsegram, Jola and Ragi in Chicknayakanahalli Taluk was in progrsss.
(c) Fair except in Tiptur Taluk where K. Crops were withering for want of rains
(d) Harvesting of Paddy in Chicknayakanahalli and Kunigal taluks was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Turuvekere taluk where insufficiency of water was felt.
(g) Available except in Chicknayakanahalli and Tiptur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District —

(a) Moderate rainfall in most of the Taluks.
(b) Sowing and Transplantation of Tobacco and Horsegram in Hunsur Taluks. Pulses in Mysore Taluk, Paddy in Kollegal taluk was in progress.
(c) Fair except in Gundlupet, Chamarajanagar Taluks where K, Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Gundlupet, Taluk where the supply of water was insufficient.
(g) Available, except in Hunsur and Mysore taluks where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of Black Quarter at three villages of Chamarajanagar Taluk.

5 Mandya District.—

(a) Moderate rainfall in Mandya, K. R. Pet, Pandavapura, Malavalli and Srirangapatna Taluks.
(b) Transplantation of Paddy in Mandya, Maddur, and Malavalli Taluks Ragi in K. R. Pet Taluk, Sugarcane and Ragi in Srirangapatna, taluk was in progress.
(c) Fair except in Mandya Taluk where crops were withering for want of rains.
(d) Harvesting of Sugarcane in Maddur, Pandavapura and Srirangapatna taluks was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Krishnarajapet Taluk where insufficiency of water was felt.
(g) Available except in Krishnarajapet taluk, where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) Moderate rainfall in Alur, N. R. Pura, Arsikere, Hassan, Belur, Holenarasipur and Arkalgud Taluks.
(b) Sowing of Horsegram in Arsikere and Holenarasipur Taluks was in progress. Transplantation of Paddy was held up for want of rains in Hassan and Arkalgud Taluks.
(c) Fair except in Arsikere, Belur, Holenarsipur and Arkalgud Taluks where crops were withering for want of rains.
(d) Harvesting of Paddy, Jola and G. Nut in Arsikere Taluk, Irrigated Ragi, in Belur, Holenarasipur and Arkalgud Taluks, Potato in Hassan Taluk was in progress.
(e) Progress was fair 5 in taluks.
(f) Sufficient except in Arsikere, Manjarabad, Belur, Channarayapatna, Holenarasipur and Arkalgud Taluks, where insufficiency was felt.
(g) Available except in Arsikere, Holenarasipur and Arkalgud Taluks where insufficiency was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Moderate rainfall in Tarikere, Kadur, Koppa, Mudigere and Chickmagalur Taluks
(b) Nil.
(c) Fair except in Tarikere and Chickmagalur Taluks where crops were withering for want of rains.
(d) Harvesting of Jola in Tarikere Taluk, Cardamom in Mudigere Taluk was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient except in Tarikere, Kadur and Mudigere Taluks where insufficiency of water was felt.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—

(a) Moderate rainfal in Shimoga, Chennagiri, Shikaripur, Bhadravathi and Honnali Taluks.
(b) Nil.
(c) Fair except in Mysore Honnali Taluks where Crops were in need of urgent rains.
(d) Harvesting of Same and Corlander in Honnali tq. was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Sufficient rainfall in most of the Taluks.
(b) Sowing and Transplantation of Jola and Cotton in Chitradurga Taluk. Jowar and Horsegram in Hiriyur Taluk. Paddy and Horsegram in Molakalmur Taluk, Tobacco in Haribar Taluk was in progress.
(c) Standing crops were fair-
(d) Harvesting of Same and Ragi in Davanagere Taluk, Ragi, Jola, Coraindar in Chitradurga Taluk, Sugarcane and Ragi in Hiriyur taluk G. Nut Sesamum and Jola in Hosadurga Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient
(g) Available except in Hosadurga Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of Black Quarter at one village each of Chitradurga, Hiriyur and Challakere Taluks.

10 Bellary District.—

(a) Sufficient in Bellary, Mallapuram, Harapanahalli, Sirugappa and Kudligi Taluks.
(b) Transplantation of Paddy in Kudligi Taluk was in progress
(c) Standing Crops were fair
(d) Nil,
(e) Progress was fair in 3 Taluks.
(f) Sufficient
(g) Available
(h) Generally healthy.

11 Bijapur District—

(a) Moderate rainfall in Bagewadi and Mudhol Taluks.
(b) Nil.
(c) Standing Crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) Moderate rainfall in Belgaum, Raibagh, Hukkeri and Gokak Taluks.
(b) Sowing of Rabi Crops was in progress in Gokak Taluk.
(c) Standing Crops were fair
(d) Nil
(e) Progress was fair in 2 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Epizootic Aptha in some parts of Gokak Taluk.

13 Dharwar District.—

(a) Moderate rainfall in most of the Taluks
(b) Sowing of Cotton in Hubli, Haveri, Gadag, Nargund, Navalgund and Mundargi Taluks was in progress.
(c) Fair except in Byadgi Taluk where G. Nut crop was affected due to non-receipt of rains.
(d) Harvesting of minor millets in Haveri Taluk. Groundnut in Shirhatti Taluk was in progress.
(e) Progress was fair in most of the Taluks.
(f) Sufficient
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy

14 North Kanara District,—

(a) Sufficient rainfall in Sirsi, Kumta, Honnawar, Haliyal, Yellapur and Mundgod Taluks.
(b) Nil.
(c) Fair except in Haliyal Taluk, where paddy Crops were affected by pest.
(d) Nil
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District

(a) Sufficient rainfall in Yadgir, Sedam, Jewargi, and Afzalpur Taluks.
(b) Sowing of Cotton in Yadgir Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Blackgram in Yadagir Taluk Greengram and Blackgram in Sedam Taluk was in progress
(e) Progress was fair in 2 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy

16 Raichur District.—

(a) Sufficient rainfall in Kustagi, Yelburga, Manvi, Sindhnoor and Deodurg Taluks
(b) Sowing of Rabi Cotton in Manvi, Sindhnoor, and Deodurg Taluks was in progress.
(c) Standing Crops were fair.
(d) Nil
(e) Progress was fair in 3 Taluks
(f) Sufficient.
(g) Available
(h) Generally healthy

17 Bidar District.—

(a) Moderate rainfall in Bhalki and Humnabad Taluks.
(b) Nil.
(c) Fair except in Humnabad Taluk where Groundnut was affected by pest.
(d) Harvesting of Blackgram and Greengram in Humnabad Taluk was in progress.
(e) Progress was fair in one taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District —

(a) Moderate in Udipi, Coondapur, Puttur, Belthangadi and Karkala Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of I Crop Paddy in Puttur Taluk was in progress.
(e) Progress was fair in 1 taluk
(f) Sufficient,
(g) Available.
(h) Generally healthy

19 Coorg District,—

(a) Light showers in Somwarpet and Mercara Taluks
(b) Nil.
(c) Standing crops were fair.
(d) Nill.
(e) Nill.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of June 1965.

| Rainfall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | | | | | |
| 1. Bangalore District. | | | | | | | | | |
| ... | ... | ... | | | | | | | |
| | | | | | | | | | |
| 2. Kolar District. | | | | | | | | | |
| | 62 | ... | | | | | | | |
| | | | | | | | | | |
| 3. Tumkur District. | | | | | | | | | |
| | 75 | ... | | | | | | | |
| | | | | | | | | | |
| 4. Mysore District. | | | | | | | | | |
| | 29 (Avg. of 2 taluks) | 31 (Avg. of 2 tqs) | | | | | | 44 (Avg. of 2 tqs.) | |
| | | | | | | | | | |
| 5. Mandya District | | | | | | | | | |
| | 62 | 45 | | | | | | | |
| | | | | | | | | | |
| 6. Hassan District | | | | | | | | | |
| | 88 | 25 | | | | | | | |
| | | | | | | | | | |
| 7. Chickmagalur District. | | | | | | | | | |
| .. | ... | ... | | | | | | | |
| | | | | | | | | | |
| 8. Shimoga District. | | | | | | | | | |
| Normal | 63 | 38 | | | | | | | |
| | | | | | | | | | |
| 9. Chitradurga District. | | | | | | | | | |
| ... | ... | | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | | 10. Bellary District. | | | | | | |
| | | | | 58 (Avg. of 2 tqs.) | ... | | | 58 (Avg of 2 tqs.) | ..... |
| | | | 11. Bijapur District. | | | | | | |
| | Normal | | | ... | ... | | | | |
| | | | 12. Belgaum District. | | | | | | |
| | | | | 43 | 44 | | | | |
| | | | 13. Dharwar District. | | | | | | |
| | | | | 48 | 45 | | | | G. nut 88, Wheat-87, Cotton-40, Chillies-87 |
| | | | 14 North Kanara District. | | | | | | |
| | | | | 52 | 46 | | | | Cocoanut-50, Bittlenut-52, Peppar-45, G. nut-50 |
| | | | 15. Gulbarga District. | | | | | | |
| | | | | ... | ... | ... | | 50 | |
| | | | 16. Raichur District. | | | | | | |
| | | | | 50 | .. | | | 37 | Cotton-44 Navane-37 Gram-37 Tur-32 G. nut-59 |
| | | | 17. Bidar District | | | | | | |
| | | | | ... | | | | | |
| | | | 18. South Kanara District. | | | | | | |
| | Normal | | | ... | ... | ... | | | |
| | | | 19. Coorg District. | | | | | | |
| | | | | ... | ... | | | | |

.....

For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for June 1965.

Note.—(a) Denotes Conditions of Water Supply
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops.
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient except in Doddaballapur taluk
(b) Nil.
(c) Crops were fair except in Doddaballapur taluk.
(d) Nil
(e) Available except in Doddaballapur taluk.
(f) Generally healthy.
(g) Deficient.
(h) Nil
(i) .. ...

2 Kolar District.—

(a) Sufficient except in Gudibanda taluk
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of paddy was in progress
(e) Available.
(f) Generally healthy
(g) Deficient.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient, except in Madhugiri, Pavagada and Tumkur taluks.
(b) Sowing of Mungari Jola and Greengram in Chicknayakanahalli and Pavagada taluks was in progress.
(c) Standing Crops were fair.
(d) Harvesting of paddy in Pavagada, Tumkur and Chicknayakanahalli taluks was in progress
(e) Available.
(f) Generally healthy.
(g) Deficient
(h) Nil.
(i) Refers to 8 taluks

4 Mysore District.—

(a) Sufficient.
(b) Transplantation of Ragi in periyapatna taluk, was in progress.
(c) Standing Crops were fair
(d) Karpaddy was being harvested in Yelandur taluk.
(e) Available.
(f) Generally healthy
(g) Deficient
(h) Nil
(i) Refers to 7 taluks

5 Mandya District.—

(a) Sufficient except in Malavally, Nagamangala and K. R. pet taluks.
(b) Transplantation of paddy was being done in Srirangapatna taluk.
(c) Dry crops were withering for want of rains.
(d) Harvesting of Sugarcane Paddy and Ragi was being done in all the taluks except in Malavally taluk.
(e) Available except in Malavally, K. R. Pet and Nagamangala taluks.
(f) Generally Healthy except for the prevalence of S. H disease in two villages of Maddur taluk.
(g) Deficient
(h) Nil
(i) .....

6 Hassan District

(a) Sufficient except in Holenarasipur taluk.
(b) Nil.
(c) Standing crops were fair
(d) Kar-paddy was being harvested in Alur taluk.
(e) Available except in Alur tq.
(f) Generally health,
(g) Normal
(h) Nil.
(i) Refers to 4 taluks.

7 Chickmagalur District.—

(a) Sufficient except in Tarikere taluk
(b) Sowing and transplantation of paddy was in progress in most of the taluks'
(c) Standing crops were fair.
(d) Nil
(e) Available.
(f) Generally healthy
(g) Deficient
(h) .....
(i) Refers to 5 taluks.

8 Shimoga District.—

(a) Sufficient.
(b) Sowing of Paddy, Ragi, Jowar and cotton had commenced in all taluks.
(c) Standing crops were fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Normal
(h) .....
(i) .....

9 Chitradurga District.—

(a) Sufficient except in Davangere taluk-
(b) Sowing of dry crops was in progress in most of the taluks.
(c) Fair but rains were badly needed for crops.
(d) Harvesting of Summer G. nut in Haribar, Davangere and Challakere taluks was in progress
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Adequate.
(b) Sowing of Kharif crops was in progress in Harapanahalli and Kudligi Taluks.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally healthy.
(g) Scanty.
(h) .....
(i) Refers 7 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Sowing of Kharif seeds was in progress.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) ... ..

12 Belgaum District.—

(a) Adequate
(b) Sowing of Khariff crops was in progress in all the taluks except in Hukkeri and Chikodi taluks where sowing was not taken place due to want of rains.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Deficient
(h) Nil
(i) .....

13 Dharwar District.—

(a) Adequate.
(b) Sowing of paddy was almost completed in all the taluks
(c) Generally fair
(d) Nil.
(e) Completed
(f) Generally healthy
(g) Normal
(h) Nil
(i) Refers to 13 taluks.

14 North Kanara District—

(a) Adequate.
(b) Sowing of kharif paddy was over and transplantation of paddy was in progress.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Normal.
(h) Nil.
(i) .....

15 Gulbarga District—

(a) Adequate.
(b) Sowing of kharif crops in Gulbarga, Chitapur, Yadgir, Shahpur, Afzalpur Aland and Sedam taluks was in progress.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

16 Raichur District—

(a) Adequate.
(b) Sowing of Kharif crops were completed in all the taluks.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

17 Bidar District—

(a) Sufficient.
(b) Sowing of Kharif crops were in progress in all the taluks.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally Good
(g) Normal.
(h) Nil.
(i) .....

18 South Kanara District—

(a) Sufficient
(b) Transplantation of I crop paddy was in progress.
(c) Generally fair.
(d) Nil.
(e) Available
(f) Generally Good.
(g) Normal
(h) Nil.
(i) ... .

19 Coorg District—

(a) Sufficient
(b) Sowing of padpy was almost completed in all the taluks.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal
(h) Nil.
(i) ...

M. GANGARUDRAIH,
For *Director of Statistics.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Dated 18—27th September 1965.

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 18th September*

**No.VS 87/65-5.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths, respectively

A total of 3 attacks with one death from Small-pox was reported for the entire State, *viz.*, from the taluks of Bellary, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 9 attacks with 4 deaths from Cholera was reported for the entire State, *viz.* from the taluks of Shimoga, Kudigi, Kolar during the week *as against* 1 attack with 1 death reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever, infectious Hepatites and Influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 280 (120 in hospitals) for the week *as against* 211 (74 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.2 (8.7 excluding hospital deaths) per mille of population (mid-year estimated *as against* 11.6 (7.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to Small-pox, 3 due to other fevers, 22 due to Dysentery and Diarrhoea, 8 due to consumption and 243 due to all other causes, *as against* 16 due to other fevers, 19 due to dysentery and Diarrhoea, 8 due to consumption and 168 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 47 (38 in hospitals) for the week *as against* 92 (41 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.5 (1.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 18.6 (10.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 5 were due to other fevers, 3 due to Dysentery and Diarrhoea, and 39 due to all other causes *as against* 19 due to other fevers, 3 due to Dysentery and Diarrhoea, 3 due to Consumption, 17 due to all other causes reported during the corresponding week of the previous year.

The report of K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 13 (nil in hospitals) for the week *as against* 11 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.9 (4.9 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 4.2 (4.2 excluding hospital deaths) for the corresponding week of the last year. Classified accoding to causes of deaths, 3 was due to Consumption and 10 due to all other causes, *as against* 3 due to other fevers, 1 due to Dysentery and Diarrhoea, 1 due to consumption and 6 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 30 (16 in hospitals) for the week *as against* 11 (nil in hospital during the corresponding week of the previous year giving a calculated death rate of 10.1 (4.7 excluding hospital deaths) per mille of population (mid year estimated) *as against* 3.8 ( 3.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Consumption and 27 due to all other causes *as against* 11 due to all other causes reported during the corresponding week of the previous year.

132 ....., *For Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY OCTOBER 28, 1965 (KARTHIKA 6, SAKA ERA 1887 | No. 42

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

**PART IV—WEATHER AND CROP REPORT.**

Weekly Weather and Crop Report for the week ending Wednesday the 29th September 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of** | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season* | | | | | | |
| | Actual | Normal | Actual | Normal | | | | Water Supply | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 3-6-1965) | | | | |
| | 1 *Bangalore District.* | | | | | | | | |
| 2.1 | 62.8 | 242.6 | 437.5 | | Fair except in Devanahalli, Hoskote and Channapatna taluks where dry crops were withering for want of rains. | Good | ... | Available except in some parts of Karakapura and Channapatna Taluks. | Adequate except in Channapatna taluk. (1) |
| | 2. *Kolar District.* | | | | | | | | |
| 7.2 | 42.8 | 234.2 | 391.1 | | Fair except in Gudibanda, Chintamani, Chickball-pur and Siddlaghatta taluks where crops were withering for want of rains. | Good | ... | Scarcity for fodder was felt in Gudibanda tq. | Adequate except in Gudibanda taluk. (2) |
| | 3. *Tumkur District.* | | | | | | | | |
| 1 10.4 | 45.7 | 299.0 | 343.4 | | Fair except in Turuvekere taluk where crops were reported to be not fair due to insufficient rainfall. | Good except for the prevalance of "Black Quarter" in one village of Tiptur taluk. | Scarcity for fodder was felt in Tiptur and Chicknayakanahalli taluks. | | Inadequate in Turuvekere taluk. (3) |
| | 4. *Mysore District.* | | | | | | | | |
| 1 31.2 | 34.5 | 270.4 | 328.6 | | Fair except dry crops in K. R. Nagar, Gundlapet, Hunsur and T. Narasipur taluks were reported to be not fair for want of rains. | Good | ... | Available except in some parts of Mysore Tq. | Adequate except in Gundlupet and Yelandur taluks where insufficiency of water was felt. |
| | 5. *Mandya District.* | | | | | | | | |
| 1 18.0 | 36.8 | 196.5 | 278.2 | | Fair except in Nagamangala Taluk where crops were withering for want of more rains. | Good | ... | Available except in Nagamangala and K. R. Pet taluks where scarcity for fodder was felt. | Adequate except in Nagamangala and K.R. pet taluks. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 6. *Hassan District.* | | | | | | | | |
| — | 0.6 | 32 8 | 316.3 | 447.0 | Standing Crops were withering for want of rains in most of the taluks. | Good | ... Scarcity for fodder was felt in Holenarasipur, Arasikere and Arkalgud taluks. | Adequate (4) except in Holenarasipur, Arasikere, Channarayapatna and Arkalgud taluks. | |
| | 7. *Chickmagalur District.* | | | | | | | | |
| 1 | 17.2 | 40.6 | 1241.5 | 1458.8 | Fair except in Chikkamagalur, N. R. Pura and Sringeri taluks where crops were affecte dfor want of rains. | Good | ... Available except in Kadur taluk where scarci y for fodder was felt. | Inadequate water supply was felt in Sringeri, Tarikere and Kadur taluks. | |
| | 8. *Shimoga District* | | | | | | | | |
| 2 | 30.7 | 36 8 | 917.0 | 1374.5 | Fair except in Honnali, Hosanagar and Shimoga taluks where crops were reported to be not fair for want of rains. | Good | | Adequate | (5) |
| | 9. *Chitradurga District* | | | | | | | | |
| | 3.8 | 44.5 | 229.0 | 305.9 | Fair except in Davanagere and Challakere taluks where crops were reported to be not fair for want of more rains. | Good | | | (6) |
| | 10. *Bellary District.* | | | | | | | | |
| | 17.3 | N.A. | 423.1 | N.A. | Fair | ... | Good except for the prevalance of "Black Quarter" in one village of Hadagalli Taluk. | Available | |
| | 11. *Bijapur District.* | | | | | | | | |
| 1 | 5.3 | N.A. | 409 0 | N.A. | Fair | ... | Good | ... Available ... Adequate | (8) |
| | 12. *Belgaum District.* | | | | | | | | |
| 2 | 18.6 | N.A. | 295.0 | N.A. | | ... | Good | ... Available ... Adequate | (9) |
| | 13. *Dharwar District.* | | | | | | | | |
| 3 | 38.3 | N.A. | 484.8 | N.A. | Fair except in Byadagi Taluk where G. nut crops was affected for want of timely rains. | Good | ... Scarci'y for fodder was felt in Mundargi taluk. | Adequate | (10) |
| | 14. *North Kanara District.* | | | | | | | | |
| | 28.6 | N.A. | 2133.0 | N.A. | Fair | ... | Good | ... Adequate | (11) |
| | 15. *Gulbarga District.* | | | | | | | | |
| 1 | 29.6 | N.A. | 550.4 | N.A. | Crops were affected in Chincholi and Aland Taluks for want of timely rains. | Good | ... Available | ... Adequante | (12) |
| | 16. *Raichur District.* | | | | | | | | |
| | 4.6 | N.A. | 446.1 | N.A. | Crops were reported to be not fair in Deodurg taluk for want of rains. | Good | ... Available | ... Adequate | (13) |
| | 17. *Bidar District.* | | | | | | | | |
| Nil | Nil | N. A. | 611.5 | N.A. | Fair | ... | Good | | |
| | 18. *South Kanara District.* | | | | | | | | |
| 2 | 16.8 | N.A. | 3031.8 | N.A. | Fair | ... | Good | ... Available Adequate | (15) |
| | 19. *Coorg District.* | | | | | | | | |
| 3 | 21.5 | N.A. | 2480 0 | N A. | Fair | ... | Good | ... Available Adequate | (16) |

Remarks :—(1) Refers to 6 Taluks (2) Refers to 10 Taluks. (3) Refers to 9 Taluks. (4) Refers to 6 Taluks. (5) Refers to 7 Taluks. (6) Refers to 8 Taluks. (7) Refers to 5 taluks. (8) Refers to 7 Taluks. (9) Refers to 5 Taluks. (10) Refers to 14 Taluks. (11) Refers to 8 Taluks. (12) Refers to 8 Taluks. (13) Refers to 6 Taluks. (14) Refers to 2 Taluks. (15) Refers to 5 Taluks. (16) Refer to 2 Taluks.

SYED MAHMOOD, For *Director of Statistics.*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 29th September 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) No rainfall during the week except in Channapatna and Kanakapur Taluks.
(b) Transplantation of paddy in Ramanagaram Taluk was in progress.
(c) Standing Crops were fair except in Kanakapura, Devanahalli and Hoskote Taluks where K. Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—
(a) Light showers in Srinivasapur, Malur, Chickballapur and Bangarpet Taluks.
(b) Sowing and Transplantation of Paddy in Srinivaspur, and Malbagal Taluks. Horsegram in Bangarpet Taluk was in progress.
(c) Fair except in Sidlaghatta, Gudibanda and Chickballapur Taluks where Kharif Crops were withering for want of urgent rains.
(d) Harvesting of Irrigated Ragi in Chintamani Taluk Potato and Onion in Chickaballapur Taluk was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Gudibanda Taluk where insufficiency was felt.
(g) Available.
(h) Generally healthy except for the prevalance of cattle disease at one village of Bangarpet Taluk.

3 Tumkur District.—
(a) Light showers in Chicknayakanahalli Turuvekere, Madhugiri Gubbi, Tumkur, Kunigal, Tiptur and Sira Taluks.
(b) Sowing and Transplantation of Jola and Horsegram in Chicknayakanahalli Taluk. Paddy in Madhugiri Pavagada, Tumkur and Kunigal Taluks was in progress
(c) Fair except in Turuvekere and Tumkur Taluks where Kharif Crops were in need of urgent rains.
(d) Harvesting of Paddy in Chicknayakanahally Taluk Jola in Pavagada Taluk was in progress.
(e) Progress was fair in 7 Taluks
(f) Sufficient except in Turuvekere Taluk where insufficiency of water was felt.
Available except in Chicknayakanahalli and Tiptur Taluks where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of Black Quarter at one village of Tiptur Taluk.

4 Mysore District.—
(a) Moderate rainfall in Kollegal Heggadadevanakote, Hunsur, Chamarajanagar and T Narasipur Taluks.
(b) Transplantation of Paddy in Kollegal and Chamarajanagar Taluks, Tobacco in Hunsur Taluks was in progress.
(c) Fair except in K. R Nagar, Gundlupet and T. Narsipur Taluks where crops were withering for want of rains.
(d) Harvesting of Irrigated Ragi in Hunsur Taluk, was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Gundlupet Taluk where insufficiency of water was felt.
(g) Available except in some villages of Mysore Taluk where scarcity for fodder was felt.
(h) Generally healthy.

5 Mandya District.—
(a) Moderate rainfall in Nagamangala, Pandavapura Mandya, Srirangapatna and Maddur Taluks.
(b) Transplantation of Paddy in Malavalli and Maddur Taluks, Ragi and Paddy in Mandya Taluk. Sugarcane and Ragi in Srirangapatna Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Pandavapura, Mandya, Srirangapatna and Maddur Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient,
(g) Available except in Nagamangala Taluk where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—
(a) Light showers in Alur and Arkalgud Taluks. Nil in other Taluks.
(b) Transplantation of Paddy was held up for want of rains in Hassan and Arkalgud Taluks.
(c) Fair except in Holenarsipur, Tarikere, Alur and Arkalgud, Taluks where crops were withering for want of rains.
(d) Harvesting of Irrigated Ragi in Holenarasipur and Arkalgud Taluks, Potato in Hassan Taluk, Paddy Jola and G. Nut in Tarikere Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Holenarasipur, Tarikere, Channarayapatna and Arkalgud Taluks where insufficiency of water was felt.
(g) Available except in Holenarasipur, Tarikere and Arkalgud Taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—
(a) No rainfall during the week except in Chickmagalur, Koppa and Mudigere Taluks.
(b) Sowing and Transplantation of Jola, Horsegram and Coriander in Koppa Taluk was in progress.
(c) Fair except in N. R. Pura, Kadur, Chickmagalur, Sringeri, and Mudigere Taluks where crops were withering for want of rains.
(d) Harvesting of Areca in Sringeri Taluk, Cardamum in Mudigere Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Kadur and Mudigere Taluks where insufficiency of water was felt.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—
(a) Light showers in Honnali, Channagiri, Shikaripur and Shimoga Taluks.
(b) Nil.
(c) Fair except in Honnali Taluk where crops were withering for want of rains.
(d) Harvesting of Groundnut in Honnali Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurg District.—
(a) Light showers in Challakere, Hiriyur, Haribar, Chitradurg and Davangere Taluks.
(b) Sowing and Transplantation of Jowar and Horsegram in Hiriyur Taluk, Jowar and Cotton in Chitradurga Taluk, Paddy and Horsegram in Molakalmuru Taluk was in progress.
(c) Fair except in Challakere and Davangere Taluks where Crops were withering for want of rains.
(d) Harvesting of Jola in Hosadurga Taluk, Irrigated Ragi in Challakere Taluk. Ragi and Jola in Chitradurga Taluk, Same, Ragi and G. Nut in Davangere Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

10 Bellary District.—
(a) No rainfall during the week except in Kudligi and Hadagalli Taluks.
(b) Transplantation of Paddy in Kudligi Taluk was in progress and same was nearing completion in Siruguppa Taluk.
(c) Fair except in Sirugnppa Taluk where crops were withering for want of urgent rains.
(d) Harvesting of Yada Ragi in Kudligi Taluk, Groundnut in Harapanahalli Taluk was in progress.
(e) Progress was fair in 4 talukas.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalance of Black Quarter at one village of Hadagalli Taluk.

11 Bijapur District.—
(a) Light showers in Muddebihal, Padami, Bilgi and Mudhol Taluks.
(b) Sowing of Rabi Jowar in Sindagi and Bilgi Taluks, Rabi Crops in Badami and Jamkhandi Taluks. Cotton in Muddebihal Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—
(a) Moderate rainfall in Hukkeri, Ramdurg, Gokak and Raibagh Taluks.
(b) Sowing of Cotton in Ramdurg Taluk. Rabi Crops in Gokak Taluk was in progress.
(c) Standing Crops were fair.
(d) Harvesting of Groundnut and Jowar in Ramdurg Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

13 Dharwar District.—
(a) Moderate rainfall in Shirhatti, Haveri, Mundgod, Byadgi, Naregund, Navalgund, Hangal and Kalghatgi Taluks.
(b) Sowing of Cotton in Hubli, Ron, Mundgod, Naregund, Navalgund, and Gadag Taluks was in progress
(c) Fair except in Byadgi Taluk where Groundnut crop was affected due to non-receipt of rains.
(d) Harvesting of Groundnut in Shiggaon, Shirahatti, Haveri and Hirekerur Taluk was in progress.
(e) Progress was fair in 18 Taluks.
(f) Sufficient.
(g) Available except in Mundged Taluk where scarcity for fodder was felt.
(h) Generally healthy

14 North Kanara District.—
(a) Sufficient rainfall in most of the Taluks.
(b) Nil.
(c) Fair except in Haliyal Taluk where Paddy was affected by pest.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—
(a) Light showers in Chittapur, Gulbarga, Chincholi, Seram and Yadgir Talukas.
(b) Sowing of Rab Crops in Aland, Gulbarga and Chincholi Taluks, Linseed in Seram Taluk, Cotton in Yadgir Taluk was in progress.
(c) Fair except in Aland Taluk where crops were affected by pest.
(d) Harvesting of Blackgram in Chincholi Taluk, Blackgram and Sesamum in Seram Taluk, G. Nut in Yadgir Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—
(a) Light showers in Yelburga, Deodurg, Manvi, Lingasugur and Kustagi Taluks.
(b) Sowing of Rabi Crops in Sindhanoor Taluk, Rabi Cotton and Wheat in Manvi, Lingasugar Taluks, Rabi Cotton, in Kustagi Taluk was in progress.
(c) Standing Crops were fair.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops in Bidar Taluk was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in one Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—
(a) Light showers in Puttur, Coondapur, Bantwal and Udipi Taluks.
(b) Sowing of II Crop Paddy was in progress in Bantwal Taluk.
(c) Standing crops were fair.
(d) Harvesting of I Crop Paddy in Puttur Taluk, Sweet Potato and Paddy in Bantwal Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—
(a) Light showers in Virajpet and Somwarpet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cardamum in Virajpet Taluk was in progress.
(e) Progress was fair in Virajpet Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

SYED MAHMOOD, For *Director*.

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 15th November 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P |
| Cereals,— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | ... | 40·00—42 00 | 84·00—87·00 | 37 C0 | 82·00 | 38·00 | 46·00 | 47·00—48·00 | ... | 40 00 | 44·00 |
| | (b) Medium | ... | 37 00—38·00 | 28 00- 32·00 | ... | 30·00 | 35 00 | 48·00 | ... | ... | 34·00 | 39 00 |
| | (c) Coarse | ... | | 24·00—27·00 | 28·00—34·00 | 29·00 | 34·00 | 41·00 | 45·00—46·00 | ... | ... | 35·00 |
| 2 Rice | (a) Fine | ... | 70·00—74·00 | 78 00—79 00 | 78·00—81·00 | 72·00 | 70·00 | 70·00—71·00 | 74·00 | 72·00 | 70 00 | 76·00 |
| | (b) Medium | ... | 66·00—68·00 | 65·00—68·00 | 66·00—70·00 | 59·00 | 68·00 | 68·00 | | 68·00 | 67·00 | 71·00 |
| | (c) Coarse | ... | 58·00—60·00 | 56·00—59 00 | 60 00—64·00 | 52 00 | 58·00 | 65·00—66·00 | 68·00 | 64·00 | 59·00 | 68 00 |
| 3 Wheat | White | ... | 70 00—72·00 | 42·00—46·00 | 40·00—50 00 | 41·00 | 38·00 | 41·00—46·00 | 60 00 | 44·00 | 47·00 | 66·00 |
| Wheat Flour | " | ... | ... | 51 00—52 00 | 55·00 | 35·00 | 40·00 | 47 00 | 72·00 | 52·00 | 58·00 | ... |
| 4 Jowar | " | ... | 36·00 -52·00 | 39·0 —41·00 | 8 ·00—42·00 | ... | 38·00 | 40 00—42 00 | 42·00 | 38·00 | 44 00 | 42·00 |
| 5 Bajra | ... | ... | ... | ... | 32·00 | | 36·00 | ... | | ... | ... | 32·00 |
| 6 Barley | ... | ... | 170·00 | ... | ... | ... | ... | 169 00 | ... | ... | ... | ... |
| 7 Maize | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi | ... | ... | 31·00—38·00 | 37·00—39·00 | 31·00—34·00 | 42·00 | 35·00 | 38·00—40·00 | 42·00 | 36·00 | 6 00 | 32·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | | ... | ... | ... | | | | ... |
| (ii) ..... | ... | ... | ... | ... | | ... | ... | | | | | |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 20·00—25·00 | 20·00—35·00 | 20·00—30·00 | 20·00 | 36·00 | 35·00 | | 28 00 | 29·00 | |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | ... | ... | | ... | 39 00 | |
| (iii) Papaya | ... | ... | 45·00—46·00 | ... | 42·00—50·00 | ... | ... | ... | | | 46 00 | |
| (iv) Groundnut cake flour | ... | ... | ... | ... | | ... | 36·00 | ... | | .. | | |
| 11. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | ... | ... | 58·00—66·00 | 54·00—53 00 | 76·00 | 56·00 | 55 00 | 58·00—60.00 | 68·00 | 56·00 | 66 00 | 68·00 |
| 2 Arhar (Tur.) | ... | ... | 84·00—54·00 | 105·00—105·00 | 66·00 | 75·00 | | 55·00—60 00 | ... | 91·00 | 49 00 | 78 00 |
| 3 Mung | ... | ... | 60 00—70·00 | ... | 66 00 | 36·00 | 65 00 | 60·00 | 68·00 | 50·00—68·00 | 63·00 | |
| 4 Urd | ... | ... | ... | 78·00—78·00 | 46·00 | 75·00 | ... | 70·00 | 90·00—95·00 | 75 00—77·00 | 80·00 | ... |
| 5 Masur | ... | ... | ... | ... | ... | ... | ... | ... | 95·00 | ... | | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | ... | ... | 52·00—60·00 | 53.00—57·00 | 41.00—48.00 | ... | ... | 65·00—70 00 | 74.00 | | 61·00 | |
| (ii) Horsegram | ... | ... | 29·00—38·00 | 40·00 42·00 | 38.00—34 00 | ... | 32·00 | 35·00—36·00 | 46 00 | 44·00 | 29 00 | 8 00 |
| (iii) Cowpea | ... | ... | 45·00—76·00 | 66·00- 60 00 | 60.00 | ... | 50·00 | 60 00—75 00 | 72·00 | ... | 70·00 | 48 00 |
| 12. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | a Sort I ... | ... | 90·00—110·00 | 116·00—126 00 | 125.00 | 110·00 | ... | 100·00 | 125·00—140·00 | 85 00 | 125·00 | 95·00 |
| | b Sort II ... | ... | ... | 110·00—120·00 | 110.00 | 95·00 | ... | 100·00 | | 75·00 | 90·00 | 85 00 |
| 2 Sugar refined | D 24 ... | ... | 114·55—121·00 | 119·00—120·00 | ... | | 120·00 | 115·00 | 114·00 | 122 00 | 119·00 | 116 00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 40·00—55·00 | 38·00—42·00 | 65·00 | 52·00 | 40·00—54·00 | ... | 65·00—82·00 | 68·00 | 69·00 | 69·00 |
| | (b) Machine shelled | ... | 75·00—85·00 | 98·00—105·00 | 95 00 | ... | 80·00 | ... | 60·00—76 00 | ... | 87·00 | 82·00 |
| Groundnut Oil | ... | ... | 177·00—182·00 | 185·00—195·00 | | 420·00 | 175·00 | 180·00—185·00 | 182·00 | 175·00 | 166·00 | 175·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 89·00 | 42·00 | 186·00 | 45·00 | ... | ... | 42·00 | 87·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | 98·00 | ... | 120·00 | ... | ... | ... | 96·00 | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 95·00 | 60·00—85·00 | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 200·00—210·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | | ... | 54 00 | ... | ... | 65·00 | ... | ... | 59·00 | 52·00 |
| Castor Oil ... | ... | ... | 180·00—190·00 | 190·00—195·00 | 170·00—180·00 | 420·00 | 160·00 | 160·00 | 167·00 | 178·00 | 180·00 | 184·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | 90·00 | ... | ... | ... | 93·00 | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconnut ... | (a) Nuts ... | (Per thousand) | 200·00—340·00 | 325·00—380·00 | 280·00 | 250·00 | 200·00—350·00 | 200·00—350·00 | 225 00—250·00 | 450·00 | 250·00 | 222·00 |
| | (b) Copra ... | ... | 250·00—260·00 | 370·00—395·00 | ... | ... | 270·00 | 240·00—250·00 | ... | 290·00 | 245·00 | 245·00 |
| Coconnut Oil... | ... | ... | 840·00—860·00 | 880.00—840.00 | 850·00 | ... | 810·00 | 820·00 | 400·00 | 285·00 | 8·18 | 820·00 |
| Coconnut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 800.00—850.00 | ... | 270·00 | ... | ... | 278·00 | 800.00 | 825·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 250·00 | ... | ... |
| | iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits. Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | 12 | 4.00—8.00 | 18.00 | ... | ... | ... |
| 2 Plantains ... | ... | Do | 9·00—10·00 | 8·00—9·00 | 8.00—10.00 | 10 | 25 | 8·00—21·00 | ... | 7·50 | 6·50 | 4·50 |
| 3 Oranges ... | ... | Do | 15.00—18.00 | 14.00—25.00 | 20.00—30.00 | 16 | ... | ... | ... | 16·00 | 21·00 | ... |
| 4 Dates ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 28·00—46·00 | 40·00—45·00 | 40—60 | 44 | ... | 50·00—55·00 | 36·00 | 57·00 | 40·00 | 45·00 |
| 2 Onions ... | ... | ... | 17·00—28·00 | 33·00—38·00 | 30—40 | 32 | ... | 25·00—30·00 | 38·00 | 27·00 | 30·00 | 24·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | | ... | ... | ... | 600·00 | .. | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 625 00—675.00 | | ... | 600·700 | 850·00—900 | 1,000·00 | 630·00—750·00 | 620·00 | 828·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... |
| | (c) Yard ... | ... | ... | | 40 00—44·00 | ... | ... | ... | 45·00 | ... | | ... |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Loose ... | (a) White— | | | | | | | | | | | | | |
| | (i) Top ... | — | | | | | | | | | | | | |
| | (ii) Middle | — | | | | | | | | | | | | |
| | (iii) Bottom | — | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | |
| | (i) Top ... | ... | | | | | | | | | | | | |
| | (ii) Middle | ... | | | | | | | | | | | | |
| | (iii) Bottom | ... | | | | | | | | | | | | |
| 3 Pucca Baled Jute. | (i) Lightings | Per bale | | | | | | | | | | | | |
| | (ii) First Mills, | ... | — | — | — | ... | ... | — | ... | — | .. | | | |
| | (iii) First Exports. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | . | | |
| Sann hemp ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 4 Mesta ... | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| | (iii) Bottom | ... | ... | .. | ... | ... | ... | ... | ... | — | ... | — | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | |
| | (i) Leaf ... | ... | ... | ... | ... | — | ... | ... | ... | 500·00 | 809·00 | ... | ... | |
| | (ii) Pulab ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |
| | (b) Virginia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (i) Leaf ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (ii) Pulab ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| VIII. Livestock— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 270·00—598·00 | ... | 550·00 | 160·00 | ... | 370,00—520.00 | 150·00—250·00 | 150·00—260·00 | 415·00—62.·00 | | 220·00 | |
| | (b) ,, II ... | Do ... | 250·00—465·00 | ... | 300·00—400·00 | ... | ... | 230,00—350,00 | 96.00—160,00 | 120·00—200·00 | 315·00—400·00 | | 190·00 | |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 280·00—318·00 | ... | 100 00—120·00 | ... | ... | 80.00—40,00 | ... | ... | ... | | 200·00 | |
| | (b) ,, II ... | Do ... | 195·00—270·00 | ... | 125·00—150·00 | 160 00 | ... | 28.00—40,00 | ... | ... | ... | | 180·00 | |
| 2 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 269·00—860·00 | ... | 150·00—200·00 | ... | ... | 180.00—300.00 | ... | 180·00—250·00 | 340·00—480·00 | | 195·00 | |
| | (b) Class II ... | Do ... | 150·00—220·00 | ... | 100·00—150·00 | ... | ... | 120.00— 160.00 | 96·00—116·00 | 110·00—220·00 | 290·00—380·00 | | 75·00 | |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 315·00—440·00 | ... | 300·00 | 280 00 | ... | 160.00—300.00 | ... | 250·00—500·00 | 320·00—400·00 | | 145·00 | |
| | (b) Class II ... | Do ... | 238·00—365·00 | ... | 100·00—150·00 | ... | ... | 180·00—170.00 | ... | 160·00—320·00 | 170·00—260·00 | | 100·00 | |
| 3 Sheep ... | ..... | Do ... | 25·00—86·00 | ... | 40·00—65·00 | 55·00 | ... | 80,00—90,00 | 70·00 | 40·00—75·00 | 16·00—15·00 | | 89·00 | |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | ... | ... | ... | ... | ... | 2.50 | 4 00 | ... | ... | | ... | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | 1.75 | 1.50 | ... | ... | | ... | |
| 2 Hides.— | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | ... | .. | ... | 1·00 | ... | 1·80—1·75 | 1·08 | ... | ... | | 2·97 | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | 1·00 | ... | ... | | ... | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·60 | ... | 7·00—8.40 | 4·12 | ... | ... | | 4·00 | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·00—2·25 | ... | ... | 85·00 | ... | 1·70—2·60 | ... | ... | ... | | 8·40 | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | — | ... | ... | ... | | ... | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·75 | ... | 486—6·00 | ... | ... | ... | | 4·80 | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |
| 3 Skins.— | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Per Skin | 5·00—6·00 | ... | ... | 4·60 | ... | 3·50—5·00 | 3·50 | ... | 4·00—5 30 | | ... | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | ... | .. | | 8·00 | |
| Tanned ... | (a) ..... | Do ... | ... | — | ... | ... | ... | 7·00—14·00 | ... | ... | ... | | ... | |
| | (b) ..... | Do ... | ... | .. | ... | ... | ... | .. | | ... | ... | | ... | |
| (ii) Sheep-skins— Raw. | (a) ..... | Per Skin | 6·25—7 00 | ... | ... | 3·60 | ... | 3·25—4·75 | 5·00—5.25 | ... | | 3·25 | ... | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | | ... | ... | ... | | .. | |
| | (b) ..... | Do ... | ... | .. | ... | ... | ... | 3·75—24 00 | ... | ... | ... | | 3·00 | |
| 4 Ghee ... | (a) Agmark | Do ... | 7·75 | 8·00—9·00 | ... | ... | ... | — | 8·00 | 8·50 | | | ... | |
| | (b) Ungraded | Do ... | ... | 6·00—6·50 | ... | ... | ... | ... | ... | — | | | 6·00 | |

| 1 | 2 | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| Fodder.— | | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat ... | Quintal | 89·00 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | 38.00—42.00 | — | ... | ... | ... | ... | ... | ... | ... | 35·00 | ... | 35·00 |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... ... | ... | ... | ... | — | ... | — | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 38·00 | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 120·00—150·00 | 80·00—85·00 | 180·00 | 160·00 | 180 00 | 200·00 | 210·00 | 170·00—178·00 | | 180·00 | 164·00 |
| 2 Tamarind ... | ..... | ... | 55.00—105.00 | 95·00—105·00 | 70·00—80 00 | ... | 90·00 | 80·00—100 00 | 95 00 | 98·00—95·00 | | 106·00 | 54.00 |
| 3 Dry Chillies ... | ..... | ... | 259·00—340·00 | 200·00—285·00 | 250·00 | 380·00 | 260 00 | 250·00—300·00 | 300·00—325,00 | 147·00—220·00 | | 310·00 | 200·00 |
| 4 Garlic ... | ..... | — | 90·00—95 00 | 95·00—130·00 | 120 00 | 220·00 | 82·00 | 100·00—120·00 | 100·00 | 150·00—155·00 | | 95 00 | 85·00 |
| 5 Pepper ... | ..... | — | 820,00—825.00 | ... | 860·00 | 400·00 | 810·00 | 330·00—340 00 | 400·00 | 400·00—450·00 | | 800·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,400·00—2,000·00 | ... | 1,500·00 | 1,800·00 | 1,700·00 | 1,500·00—1,800·00 | 1,800,00 | ... | | 1,500·00 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... |
| 2 Stick lac ... | —... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | — | ... | — | .. | — | ... | ... | ... | ... | .. | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Myrobolans ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... |
| ..... | ..... | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | | Belgaum | | Bijapur | | Dharwar | | Bidar | | Gulbarga | | Raichur | | South Kanara | | Coorg | |
| | | | 14 | | 15 | | 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | | 38·00 | 41·00—48·00 | | 35·00 | | .. | | ... | | ... | | 41·00 | | | | | 38·00 |
| | (b) Medium | | | 37·00 | 40·00—41·00 | | ... | | 42.00 | | ... | | .. | | 36.00 | | 37·00 | | | 36·00 |
| | (c) Coarse | | | 35·00 | 36·00—38·00 | | ... | | 38.00 | | | | ... | | | | 36·00 | | | 34·00 |
| 2 Rice | (a) Fine | | | 71·00 | 75·00—82·00 | | 80·00—81·00 | | 78·00 | | 69·00 | | | | 72·00 | | 71·00 | | | 78·00 |
| | (b) Medium | | | 62·00 | 70·00—74·00 | | 69·00—71·00 | | 65·00 | | 60·00 | | .. | | 60.00 | | 67·00 | | | 77·00 |
| | (c) Coarse | | | 54·00 | 68·00—65·00 | | 64·00—66·00 | | | | 54·00 | | ... | | ... | | | | | 64·00 |
| 3 Wheat | White | | | 60·00 | 45·00—56·00 | | 45·00—55·00 | | 58·00 | | 40·00 | | ... | | 50·00 | | 63·00 | | | 48·00 |
| Wheat Flour | White | | | 75·00 | 44·00—48·00 | | 40·00—55·00 | | | | ... | | | | | | 50.00 | | | 54·00 |
| 4 Jowar | White | | | 45·00 | 45·00—47·00 | | 38·00—41·00 | | 41·00 | | 41·00 | | | | 44·00 | | | | | 62·00 |
| Bajra | ... | | | ... | 33·00—35·00 | | 33·00 | | ... | | 31·00 | | | | 34·00 | | ... | | | |
| Barley | ... | | | ... | .. | | | | .... | | ... | | | | | | | | | ... |
| Maize | ... | | | ... | .. | | | | .... | | .. | | | | | | 42·00 | | | 40·00 |
| Ragi | ... | | | 37·00 | 39·00—40·00 | | | | ... | | | | | | | | | | | |
| Other cereals | | | | | | | | | | | | | | | | | | | | |
| (i) ..... | | | | | | | | | | | | | | | | | | | | |
| (ii) ..... | | | | | | | | | | | | | | | | | | | | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | ... | | | ... | | | | | | | | | | 22·00 | | | | | 10·00 |
| (ii) Tapioca ... | ... | ... | | | .. | | | | | | | | | | .. | | | | | 20 00 |
| (iii) Papaya ... | ... | .. | | | | | | | | | | | | | .. | | | | | ... |
| (iv) Groundnut cake flour | ... | .. | | | 36·00—43·00 | | | | | | | | | | 88·00 | | | | | .. |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | | | | | | | | | |
| 1 Gram ... | ... | | | 60 00 | 52·00—58 00 | | 48 00—50·00 | | 51·00 | | 45 00 | | | | 46·00 | | 53·.0 | | | 63·00 |
| 2 Arhar (Tur) | ... | | | 58·00 | ... | | 52 00—53·00 | | 47·00 | | ... | | | | 59·00 | | 73 00 | | | 88 00 |
| 3 Mung ... | ... | | | 55·00 | ... | | 50·00—52·00 | | 49·00 | | 47 00 | | | | 43·00 | | 68 00 | | | 70·00 |
| 4 Urd ... | ... | | | 70·00 | ... | | 41·00—42·00 | | 61·00 | | 58·00 | | | | 55 00 | | 76 00 | | | 60·00 |
| 5 Masur ... | ... | | | 65·00 | | | 39·00—40·00 | | ... | | 60 00 | | | | ... | | | | | 84·00 |
| 6 Other pulses | | | | | | | | | | | | | | | | | | | | |
| (i) Avare ... | ... | | | ... | | | 38 00—39·00 | | | | 43·00 | | | | | | | | | 90·00 |
| (ii) Horsegram... | ... | | | 85·00 | 85 00—88 10 | | 82·00—88·00 | | | | ... | | | | | | 84·00 | | | 44·.0 |
| (iii) Cowpea ... | ... | | | ... | ... | | | | | | ... | | | | ... | | ... | | | ... |
| III. Sugar and Gur | | | | | | | | | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I | ... | | 140 00 | 94,00—96.00 | | 100 00—100·00 | | 113·00 | | 86·00 | | | | 96·00 | | 125 00 | | | 115·00 |
| | (b) Sort II | ... | | 135·00 | 88.00—92.00 | | 92·00—98·00 | | 108·00 | | 72·00 | | | | ... | | 112·00 | | | ... |
| 2 Sugar Refined | D. 24 | ... | | ... | ... | | 116·.0 | | | | ... | | | | 117·00 | | 116·00 | | | 119·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | | | 55 00 | 55·00- 66·00 | | 55·00— 67·00 | | | | 62·00·69·00 | | | | | | 51 00 | | | 9 .·00 |
| | (b) Machine shelled. | | | 102·00 | 85·00— 94·00 | | | | | | .. | | | | | | | | | 125.00 |
| Groundnut Oil | ... | | | 200 00 | 170 00—175.00 | | 174·00—179·00 | | | | 210 00 | | | | | | 177·00 | | | 197·00 |
| Groundnut Oil-cake. | ... | | | ... | ... | | 87·00—88·00 | | | | ... | | | | 46 00 | | 40·00 | | | 45·00 |
| 2 Sesamum ... | (a) White | ... | | 125·00 | ... | | | | | | ... | | | | | | .. | | | ... |
| | (b) Black | ... | | 100·00 | ... | | 90·00—95·00 | | | | 89·00 | | | | 93·00 | | 91 00 | | | — |
| Sesamum Oil... | ... | | | ... | ... | | ... | | | | .. | | | | ... | | 266 00 | | | ... |
| Sesamum Oil-cake. | ... | | | ... | ... | | ... | | | | ... | | | | 56·00 | | 68·00 | | | .. |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 Castor seed ... | ... | ... | ... | ... | ... | ... | 54·00 | ... | ... | 56·00 | ... | .. |
| Castor Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 177·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | 100·00 | ... | 99 00—100·00 | ... | ... | ... | ... | ... | 100·00 | ... |
| | (b) Yellow ... | ... | 185·00 | ... | ... | ... | ... | ... | ... | ... | ... | 120·00—185·00 |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | 70 | [ 63·00 | 64·00 | ... | 57·00 | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per thousand) | 290·00 | ... | 275·00—280 00 | ... | ... | 260·00 | 208·00 | 350·00—460·00 | 290·00—800·00 | ... |
| | (b) Copra ... | | 270·00 | ... | 240·00—245·00 | ... | ... | 200·00 | | 205·00—215·00 | | ... |
| Cocoanut Oil ... | ... | per Quintal | 985·00 | 310·00—315·00 | 800·00 | 821·00 | 840·00 | ... | ... | 320·00 | 294·00 | ... |
| Cocoanut Oil-cake | ... | ... | ... | ... | ... | ... | ... | ... | ... | 69·00 | 66·00 | ... |
| 8 Other Oil seeds | (i) Nigerseed... | ... | 72·00 | ... | ... | 62 00 | 64·00 | ... | 55·00 | ... | ... | ... |
| | (ii) Safflower ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | .. | 803·00 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Safflower Oil | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | 278·00 |
| 10 Other Oils ... | | | | | | | | | | | | |
| V. Fruits, Vegetables and Nuts,— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6·00 |
| 2 Plantains ... | ... | Do ... | 6·50 | 6·00—8·00 | 6·50 | 4·68 | | | 6·50 | ... | ... | |
| 3 Oranges ... | ... | Do ... | ... | ... | ... | ... | | | 28·00 | 11·00—14·00 | ... | |
| 4 Dates ... | ... | ... | .. | ... | ... | ... | | | ... | ... | ... | |
| 5 Cashew kernels, etc. | ... | ... | 580·00 | ... | ... | ... | | | ... | 550·00 | ... | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | per quintal | ... | 36·00 | 32·00—40·00 | 48·00—52·00 | 29·00 | | | 62·00 | 46·00 | 35·00 | |
| 2 Onions ... | ... | ... | 22 00 | 19·00—28·00 | 25·00 | 19·00 | | | 18·00 | 28·00 | 40 00 | |
| 3 Beans ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 4 Tomatoes ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 200·00—550·00 | |
| 2 Arecanuts ... | ... | ... | ... | ... | 440·00—445·0 | 505·00 | 800 00 | ... | ... | 520·00—706·00 | 500·00 | |
| VI Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (c) Seed ... | ... | 60·00 | ... | ... | ... | 39·00 | | ... | ... | ... | |
| 2 Jute :—Loose | (a) White— | | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... | |
| | (b) Tossa— | | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Pucca Baled Jute. | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (ii) First Mills | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (iii) First Exports | ... | .. | .. | | | ... | .. | ... | ... | ... | |
| | ... | ... | | | | | | ... | .. | | .. | |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meata | (i) Top | ... | ... | ... | ... | ... | ... | | | | | | | |
| | (ii) Middle .. | ... | ... | ... | ... | ... | ... | | | | | | | ... |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | 500·00—800 00 | 600·00 |
| | (i) Leaf ... | ... | 575 00 | ... | ... | ... | ... | | | | | | 350·00—450·00 | ... |
| | (ii) Pulab ... | ... | ... | ... | ... | ... | ... | | | | | | .. | ... |
| | (b) Virginia— | | | | | | | | | | | | | ... |
| | (i) Leaf ... | ... | 615,00 | ... | ... | ... | ... | | | | | | 600 00—800.00 | ... |
| | (ii) Pulab ... | ... | ... | ... | ... | ... | ... | | | | | | ... | ... |
| VIII. Livestock.— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 450·00 | 300·00—400·00 | 500.00—800·00 | ... | 250·00 | | | | 850·00 | | ... | ... |
| | (b) Class II ... | Do ... | 400·00 | 200·00—250·00 | 200.00—400.00 | ... | 215·00 | | | | 275 00 | | ... | ... |
| (ii) Buffalo bulls | (a) Class I ... | Do ... | 160·00 | 200·00—250 00 | 300·00 | ... | 295·00 | | | | 450·00 | | ... | .. |
| | (b) Class II ... | Do ... | ... | 150·00—200·00 | 100·00—150·00 | ... | ... | | | | 345·00 | | ... | ... |
| 2 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 160.00 | 150·00—200·00 | 150 00—250.00 | ... | 160·00 | | | | 175·00 | | 280-00 | ... |
| | (b) Class II ... | Do ... | 120·00 | 150·00—175.00 | 100.00—150·00 | ... | 150·00 | | | | 125.00 | | 180·00 | ... |
| (ii) Buffaloes ... | (a) Class I ... | Do ... | 350·00 | 200·00—275·00 | 200.00—250.00 | ... | 350·00 | | | | 450·00 | | 300·00 | ... |
| | (b) Class II ... | Do ... | 320·00 | 125·00—175·00 | 100·00—200·00 | ... | 275·00 | | | | 275·00 | | 200·00 | ... |
| 3 Sheep ... | ... | Do ... | 38·00 | 34·00—45.00 | 40·00—45·00 | ... | 35·00 | | | | 57 00 | | 25·00—66 00 | |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per kg. ... | | | ... | ... | 5·00 | ... | ... | | | | | ... |
| | (b) ..... | Do ... | | | ... | ... | ... | ... | ... | | | ... | | ... |
| 2 Hides— | | | | | | | | | | | | | | |
| (i) Cow hides—Raw. | (a) ..... | Do ... | 2·00 | 1·15 | 1·00 | ... | ... | ... | ... | | ... | | 1·35 | ... |
| | (b) ..... | Do ... | 1·75 | 0·75 | 1·00 | ... | ... | ... | ... | | ... | | ... | ... |
| Tanned ... | (a) ..... | Do ... | 6·00 | 4·44 | 6·25 | 5·25 | ... | ... | ... | | ... | | ... | ... |
| | (b) ..... | Do ... | 5·00 | ... | 6·00 | ... | ... | ... | ... | | ... | | ... | ... |
| (ii) Buffalo hides—Raw. | (a) ..... | Do ... | 2·25 | 1·15 | 1 00 | ... | ... | ... | ... | | ... | | 1.10 | ... |
| | (b) ..... | Do ... | 2·00 | 0·76 | 0·80 | ... | ... | ... | ... | | ... | | ... | ... |
| Tanned ... | (a) ..... | Do ... | 10.00 | 4·44 | 6·20 | 5·25 | ... | ... | ... | | ... | | ... | ... |
| | (b) ..... | Do ... | 8.00 | ... | 6·00 | ... | ... | ... | ... | | ... | | ... | ... |
| 3 Skins— | | | | | | | | | | | | | | |
| (i) Goatskins—Raw | (a) ..... | Do ... | ... | 3·00—3·25 | 6·50—7·50 | ... | ... | ... | ... | | ... | | 5·00 | 3·50 |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| Tanned ... | (a) ..... | Do ... | 6.50 | ... | 7·00—8·00 | ... | ... | ... | ... | | ... | | ... | ... |
| | (b) ..... | Do ... | 5·50 | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| (ii) Sheepskins—Raw. | (a) White | Do ... | ... | 4 00—4·50 | 6·00—7·50 | 7·00 | ... | ... | ... | | ... | | 3·50 | 4·00 |
| | (b) Black | Do ... | ... | ... | ... | ... | .. | ... | ... | | ... | | ... | ... |
| Tanned ... | (a) ..... | Do ... | 6·00 | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| | (b) ..... | Do ... | 5·50 | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| 4 Ghee ... | (a) Agmark ... | Do ... | ... | ... | ... | ... | ... | ... | ... | | ... | | 7·00 | ... |
| | (b) Upgraded ... | Do ... | 5·50 | ... | 6·25 | 6·25 | ... | ... | ... | | ... | | 5·00 | ... |
| X. Fodder.— | | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | Per quintal | ... | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| | (b) Paddy | Per cart-load | ... | ... | ... | ... | .. | ... | ... | | ... | | ... | ... |
| 2 Straw ... | (a) Ragi | Do ... | ... | ... | ... | ... | | | | | ... | | ... | ... |
| | (b) ... ..... ... | | ... | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| 3 Stalks ... | (a) Jola | er quintal | ... | ... | ... | ... | ... | ... | ... | | ... | | ... | ... |
| | (b) ..... ... | ... | ... | | ... | ... | ... | ... | ... | | ... | | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 195 00 | 125·00—180.00 | 140·00—160 00 | ... | ... | ... | 160·00 | ... | 180·00 |
| 2 | Tamarind ... | ... | ... | 95·00 | 58.00 - 60·00 | 60 00—70·00 | ... | ... | | 41·00 | 85·00 | 100·00 |
| 3 | Dry Chillies ... | ... | ... | 270 00 | 235·00—250 00 | 160·00—240 00 | 290·00 | ... | ... | 230·00 | 250·00 | 300·00 |
| 4 | Garlic ... | ... | ... | 105 00 | 69·00—70·00 | 6 8·00—72·00 | .. | | ... | 82·00 | 90·00 | 150 00 |
| 5 | Pepper ... | ... | ... | 310·00 | ... | ... | ... | ... | ... | ... | 300·00 | 275·00 |
| 6 | Cardamom ... | ... | ... | 1,200·00 | ... | ... | ... | ... | ... | ... | 1,480·00 | 1,100·00—1,400·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | .. | .. | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | .. | ... | ... | ... | .. |
| 4 | Shellac ... | ... | ... | ... | .. | .. | | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | .. | | | | ... | ... | . | ... |
| 6 | Myrobalan ... | ... | | ... | ... | . | . | .. | | ... | . | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | .. | ... | . | .. | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | .. | .. | . | .. | ... | ... | ... | ... | ... |
| 8 | ..... | ... | .. | ... | .. | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | . |

## RETAIL PRICES

### Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th November 1963

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities. | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | ... | ... | ... | ... | ... | 2·8 | N.A. | ... | 2·6 | 2·2 |
| 2 Rice ... | Do ... | ... | 1·6 | 2 | 1·4 | 1·4 | 2·5 | 1·5 | ... | 1·8 | 1·8 | 1·8 |
| 3 Wheat ... | White ... | ... | 1·8 | 2·5 | 2·5 | ... | 1·8 | 2 | 1·4 | 2·1 | 2·2 | 1·4 |
| 4 Wheat Flour... | Do ... | ... | ... | 2 | 2 | ... | ... | 2·8 | 1·5 | 1·8 | ... | 1·8 |
| 5 Jowar ... | Do ... | ... | 1·8 | 2·5 | 2·3 | 1·8 | 2·8 | ... | ... | 2 | 2·4 | 2·2 |
| 6 Bajra ... | ... | ... | ... | ... | ... | ... | 2·6 | ... | 2·2 | ... | ... | 2·6 |
| 7 Barley ... | ... | ... | ... | ·250 | ... | ... | 2·4 | ... | ... | ... | ... | ... |
| 8 Maize ... | .. | ... | ... | ... | ... | ... | ... | 2·5 | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·5 | 2·3 | ... | ... | ... | ... | 2·7 | 2·8 | 2·4 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | 2·3 | ... | 2·2 | ... | ... | ... |
| (i) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | — | | | | ... | | 2 6 | ... | 2·4 | 3·2 | ... |
| (ii) Tapioca ... | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya ... | ... | — | 1 6 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1·6 | 1·5 | 1·8 | 1·4 | 1·7 | 1·6 | 1·5 | 1·4 | 1·8 | ... |
| | (b) Split (without skin). | ... | ... | 1·2 | ... | ... | 1·6 | 1·6 | 1.4 | 1·5 | 1·6 | 1·5 |
| | (c) Flour ... | ... | ... | ... | ... | ... | 1·5 | 1·4 | 1 8 | 1 2 | ... | 1·6 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·6 | 1 | 1·5 | ... | ... | 1·6 | ... | 2·8 | 2·1 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ·9 | 1 | 1·1 | ·9 | 1 | 1 | 1·1 |
| 3 Moong ... | (a) Whole ... | ... | 1·4 | ... | 1·5 | 1·1 | 1·6 | 1·5 | 1·4 | ... | 1·4 | 1·7 |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | 1·2 | 1·2 | 1·8 | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | ... | 1·6 | ... | 1 | ... | 1·8 | 1 | ... | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | 9 | ... | ... | 1 | 1 | ·8 | ·8 | ·9 | ·8 |
| 5 | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | 1·2 | ... | | ... | ... | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1·7 | 2 | 2 1 | ... | ... | 1·5 | 1·4 | ... | 1·8 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ... | 1·4 | 1·3 | 1·3 | ... | 1·1 | ... |
| (ii) Horsegram | ... | ... | 2 | 2·5 | 2 | ... | 2 | 2·8 | 2·1 | 2·8 | 3·2 | 2·2 |
| (iii) Cowpea ... | ... | ... | 1·8 | 1·7 | ·2 | ... | 2·2 | 1·5 | 1·3 | | 1·2 | 1·8 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·9—1 | ·750 | ·740 | 1·2 | ... | ·910 | ·888 | ·801 | ·845 | ·910 |
| 2 Sugar refined | (b) Sort II ... | ... | .. | ·810 | ·909 | ... | ... | ... | ·818 | ·9 0 | ·899 | ... |
| | D 12 ... | ... | ·870 | | ... | ... | ·800 | ·869 | ·840 | ·800 | ·760 | ·880 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·555 | ·500 | ·555 | ... | ·660 | ·600 | ·560 | ·600 | ·600 | ·520 |
| 2 Sesamum oil | ... | ... | ... | ... | ... | ... | ... | ... | ·470 | ... | ... | ·275 |
| 3 Castor oil | ... | ... | ·560 | ·600 | ·589 | ... | ... | ·620 | ·560 | ·600 | ·880 | ·600 |
| 4 Mustard oil | ... | ... | ... | ... | | ... | ... | | | | | |
| 5 Linseed oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil | ... | ... | ·986 | ·900 | ... | ... | ... | ... | ... | ... | ... | ... |
| Vanaspati | ... | ... | | | | ... | ·800 | ·333 | ·250 | ·450 | ·280 | ·270 |
| 8 Other oils— | | | ... | ... | ·285 | ... | ·360 | ... | ... | ·420 | ·250 | ·250 |
| i) Refined oil | ... | ... | ... | ... | ·285 | ... | | | | | | |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·500 | ... | ... |
| V Fruits, Vegetables and Nuts— | | | ... | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | ... | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains | ... | Do | ·50—1·50 | ·25—·75 | ·75—·81 | ·80 | 1·00 | ·38—·75 | ... | ... | ... | ... |
| 3 Oranges | ... | Do | 1·25—1·75 | ·75—2·00 | 1·50—2·50 | 1·25 | 2·00 | 75—2·00 | 1—30 | 90 | ·90 | ·50 |
| 4 Dates | ... | ... | ... | ... | ... | ... | ... | | 2—3 | 2·25 | 1·75 | ... |
| 5 Cashew kernels | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes | ... | ... | 2·2 | 2·5 | 2·5 | | | | 2·5 | | | 1·9 |
| 2 Onions | ... | ... | 3·3 | 2·5 | 3·3 | | | | 2·8 | | | ·3 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | — |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts | ... | ... | ... | ... | ·250 | ... | ... | ... | 166 | | | ·166 |
| 2 Arecanuts | ... | ... | ... | ·120 | ·148 | ... | ... | ·111 | ·100 | | | ... |
| VI. Tobacco ... Leaf ... | | Per kg. ... | ... | ... | ... | ... | ... | ... | 5·00 | | | 3·60 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk | ... | Per Litre | 75—90 | 1·00 | 62—75 | ... | 46—63 | 40—65 | 75—80 | ... | 65 | 75 |
| 2 Ghee ... (a) Agmark | ... | ... | ... | ·200 | ·338 | ... | ... | ... | ·125 | ... | ... | ... |
| (b) Ungraded | ... | ... | ... | ·250 | ... | ... | ·285 | ... | ... | ·200 | ... | |
| 3 Eggs (i) A Grade | | Per Dozen | 3·60 | 3·00 | 2·50 | ... | 2·50 | 2·25 | 2·00 | ... | 2·00 | 2·40 |
| (ii) B Grade | | Do | 2·50 | 2·50 | 1·50 | ... | 2·00 | 1·75 | 2·25 | ... | 1·75 | 2·16 |
| (iii) C Grade | | Do | 1·50 | 2·00 | 75 | ... | 1·75 | 1·50 | 2·00 | 2·50 | 1·62 | 2·00 |
| 4 Mutton | ... | ... | ·250 | ·200 | ·338 | ... | ·296 | ·250 | ·250 | ·330 | ·280 | ·330 |
| 5 Beef | ... | ... | ·500 | ... | ... | ... | ... | | | ... | | ·550 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric | ... | ... | 6 | ·4 | ... | ... | ·4 | ·5 | ·4 | ·6 | ·5 | ·5 |
| 2 Tamarind | ... | ... | 1 | ·1 | 1·3 | ... | 1·1 | 1 | ·9 | 1 | 1 | 1·6 |
| 3 Dry chillies | ... | ... | ·800 | ·500 | ·400 | ... | ·450 | ·888 | ·316 | ·3—·4 | ... | ·350 |
| 4 Garlic | ... | ... | 1·1 | ·1 | 1 | ... | ... | 1 | ·9 | ... | ·1 | ·1 |
| 5 Pepper | ... | ... | ·297 | ·100 | ·273 | ... | ·260 | ·277 | ·250 | ·310 | ·360 | ·250 |
| 6 Cardamom | ... | ... | 0·51 | 0·50 | 0·55 | ... | 0·45 | 0 70 | 0·58 | ... | 0·58 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt | ... | ... | 10 | 9 | 8 | | 10 | 10 | 10 | 10 | 10 | 10 |
| 2 Kerosene oil | ... | Per Litre | 40 | 60 | 87 | ... | 50 | 60 | 55 | 60 | 0·52 | 84 |
| 3 Firewood/ Charcoal | ... | Quintal | ... | 6—8 | ·600 | ... | 5·00 | 6·60 | 4,5 | 6,50 | 6.25 | 5·25 |
| 4 Coarse cloth | ... | Per metre | 1·65 | 80 | ... | ... | 1·25 | 1·20—1·80 | 95—1·25 | ... | 1·60 | 1·03 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| I Cereals.— | | | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 1 Paddy ... | Coarse ... ... | ... | ... | 2—2 5 | ... | ... | .. | ... | 2'8 | 2.7 | 2 5 |
| 2 Rice ... | Do ... ... | | 1'4 | 1'5 | 1'8—1'4 | 1 6 | 1'8 | .. | 1'7 | 1,6 | 1.5 |
| 3 Wheat ... | White ... ... | | 1'5 | 1'3 | 1'8—1'9 | ... | 2 | ... | 1.5 | 2. | 2 |
| 4 Wheat Flour... | Do ... ... | ... | | 2 | ... | 2. | ... | ... | 2.5 | 1'6 | 2 |
| 5 Jowar ... | Do ... ... | | 1 6 | 1.8 | 2'5 | ... | 2 | ... | 2,7 | .. | 2 |
| 6 Bajra ... | ... ... | ... | | 2.5 | 2'8 | ... | 2.8 | ... | ... | ... | ... |
| 7 Barley ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Maize ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi .. | ... ... | | 2'5 | 2'5 | ... | ... | ... | ... | ... | ... | ... |
| 10 Other cereals... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 9 | 2,7 |
| (i) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| (ii) Tapioca ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iii) Papaya ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iv) Groundnut cake flour | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| II. Pulses.— | | | | | ... | | ... | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1.5 | | 1'9 | 1'4 | ... | | 1.8 | 1'6 | 1'6 |
| | (b) Split (without skin). | ... | 1'8 | | 1'5 | 1'8 | 1'5 | | ... | 1.4 | 1'2 |
| | (c) Flour ... | ... | 1'8 | ... | ... | ... | ... | ... | ... | 1.8 | ... |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1'8 | ... | 1'5 | ... | ... | ... | 2 | 1'2 | ... |
| | (b) Split (without skin). | ... | ,9 | | 1'1 | 1'2 | 1,2 | | 1 | 9 | 1,1 1 |
| 3 Moong ... | (a) Whole ... | ... | 1'8 | 2 | 1'8 | ... | ... | ... | 1.8 | 1.5 | 1'2 |
| | (b) Split (without skin). | ... | 1 | ... | 1'1 | | ... | | 1'4 | 1'2 | .. |
| 4 Urd ... | (a) Whole ... | ... | 1'8 | ... | ... | ... | ... | ... | 1,5 | 1,2 | 1 |
| | (b) Split (without skin). | ... | '8 | ... | ... | '8 | 1 | ... | '8 | '1 | 1 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | 1,2 | .. | | | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | 1'2 | ... | ... | | | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | ... | ... | 2.2 | ... | ... | ... | 2 | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | 1'4 | ... | ... |
| (ii) Horsegram | ... | ... | 2'8 | 2'2—2'5 | 2,6 | ... | ... | ... | | ... | 2'3 |
| (iii) Cowpea ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ,866 | 1 | 1 | 1 | 1'1 | ... | '725 | ... | '781 |
| | (b) Sort II ... | ... | '719 | ... | ... | ... | ... | ... | '980 | | '819 |
| 2 Sugar refined | D 24 ... | ... | ... | ... | ,850 | ... | ... | ... | | ... | '889 |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | ... | ... | '490 | ... | '675 | '500 | ,471 | ... | '600 | ... | '565 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ,625 | ... | ... | ... | ,840 |
| 3 Castor oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Coconut oil ... | ... | ... | '286 | ... | '225 | '275 | '986 | ... | '800 | ... | '569 |
| 7 Vanaspati ... | ... | ... | '500 | ... | ... | ... | '221 | ... | ... | ... | ,805 |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) Rebined oil | — | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| | (ii) ..... | — | ... | ... | ... | ... | — | — | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | ... |
| 1 | Mangoes ... | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | | 1·10—1·60 |
| 2 | Plantains ... | | Do | ·62 | ·65 | 87—62 | ... | ·87 | ... | ·62 | | ... |
| 3 | Oranges ... | | Do | 2·60 | ... | ... | ... | | 1·25 | 2,60 | | ·125—·222 |
| 4 | Dates ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 5 | Cashew kernels | ... | ... | ·166 | ... | ... | ... | ... | ... | ... | | ... |
| 6 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| (ii) | Vegetables— | | | | | | | | | | | 2·5 |
| 1 | Potatoes ... | | ... | 2·5 | 2·5—3 | 2 | 2·5 | 1·6 | ... | ... | | 2·2 |
| 2 | Onions ... | | ... | 3·2 | ... | 3 | 3 | 2·5 | ... | 3 | | ... |
| 3 | ..... | | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| (iii) | Nuts— | | | | | | | | | | | ·250 |
| 1 | Cashewnuts ... | | ... | ... | | ... | ... | ... | ... | ... | | ... |
| 2 | Arecanuts ... | | ... | ... | ... | ·150 | ... | ... | ... | ·175 | | |
| VI | Tobacco ... | Leaf | Per kg | 5.00 | ... | ... | ... | | 4·00 | ... | 3·50 | 6·50 |
| VII | Livestock products— | | | | | | | | | | | ·62 |
| 1 | Milk ... | ... | ... | 1.12 | ... | ... | ·50 | ·56 | ... | | 90 | |
| 2 | Ghee ... | (a) Agmark ... | ... | ... | ... | ... | ... | ·125 | ... | | ·148 | ... |
| | | (b) Ungraded ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 3 | Eggs ... | (i) A Grade | Per Dozen | 1.75 | ... | 2·25 | 2·50 | 1·80 | ... | | 2 00 | 2·75 |
| | | (ii) B Grade | Do | 1.50 | ... | 1·75 | 1 87 | 1.75 | | | 1.50 | 2 64 |
| | | (iii) C Grade | Do | 1.25 | | 1·25 | 1.75 | 1.60 | ... | 2.00 | 1·80 | 2·50 |
| 4 | Mutton ... | ... | ... | ·288 | ... | ... | ·880 | ... | ... | ·800 | ·265 | ·255 |
| 5 | Beef ... | ... | ... | ... | ... | ... | ... | ... | ... | ·600 | ·300 | — |
| VIII. | Condiments and Spices— | | | | | | | | | | | ·6 |
| 1 | Turmeric ... | ... | ... | ·5 | | ·5 | ·6 | ... | ... | ·1 | ·5 | ·1 |
| 2 | Tamarind ... | ... | ... | 1 | | 1 | 1 | 1·5 | ... | ·950 | ·8 | ·883 |
| 3 | Dry chillies ... | ... | ... | ·450 | | ·880 | ·250 | ·367 | ... | ·8 | ·9 | ... |
| 4 | Garlic ... | ... | ... | ·5 | | ·8 | | ·8 | ... | | ·950 | ·868 |
| 5 | Pepper ... | ... | ... | ·938 | ... | ... | ... | ·250 | ... | | 0·62 | 0·87 |
| 6 | Cardamom ... | ... | ... | 0·83 | ... | ... | 0·80 | ... | ... | | | |
| IX. | Miscellaneous— | | | | | | | | | | | 8 |
| 1 | Salt ... | ... | ... | 18 | ... | ·9 | ... | 10 | ... | 10 | 10 | 55 |
| 2 | Kerosene oil ... | ... | Per Litre | 56 | ... | ... | 45 | 45 | ... | 37 | 49 | 6·20 |
| 3 | Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | 9·00 | ... | 7·50 | 5·00 | |
| 4 | Coarse cloth ... | ... | Per Metre | 1·00 | ... | ... | ... | 1·12 | ... | ·88 | 87 | ... |





.....

For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Dated 6th October 1965,

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY,

THE 25TH SEPTEMBER 1965.

**No. VS 38/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the correspouding week during 1963 and 1964 were nil attacks with nil deaths and 4 attacks with nil deaths respectively.

A total of 17 attacks with 8 deaths from Small-pox was reported for the entire State *viz.*, from the town of Shimoga, the taluks of Bidar, Gangavathi and Mandya *as against* 3 attacks with one death reported during the corresponding week of the previous year.

A total of 14 attacks with 8 deaths from Cholera was reported from the entire State. *viz.*, from the talnks of Davangere and Haribara and from the town of Shimoga, and from the city of K.G.F during the week, *as against* 34 attacks and 7 deaths reported during the correspond. ing week of last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga district, *as against* one attack with nil deaths reported during the corres. ponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 185 (65 in hospitals) for the week *as against* 320 (172 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10 0 (6.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 17. 6 (8.4 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers, 19 due to Dysentery and Diarrhœa, 4 due to Consumption and 161 due to all other causes, *as against* 16 due to other fevers, 25 due to Dysentery and Diarrhœa, 11 due to Cosumption and 268 due to all other causes reported during the corresponding week of the previous year

The total mortality for Mysore city amounted to 42 (1 in hospitals) for the week *as against* 76 (27 in hospitals during the corresponding week of the previous year, giving a calculated death rate of 6. 5 (6. 3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.4 (9.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox 3 due to Typhoid, 7 due to other fevers 10 due to dysentery and diarrhœa, and 21 due to all other causes, *as against* 13 due to other fevers. 13 due to Dysentory and Diarrhoea, 3 due to Consumption and 47 due to all other causes, reported during the corresponding week of the previous year.

The report of K. G. F. City has not been received.

The total mortality for Belgaum city amounted to 23 ( nil in hospitals) for the week *as against* 34 (12 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 8.8 (excluding hospital deaths) per mille of population (mid-year estimated) *as against* 13.0 (8.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 1 due to consumption and 20 due to all other causes, *as against* 1 due to other fevers, 3 due to Dysentery and Diarrhœa, 1 do to consumption and 29 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 33 (10 in hospitals) for the week *as against* 20 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.8 (4.4 excludin hospital deaths) por mille of population (mid-year estimated) *as against* 6.9 (6.9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers and 22 due to all other causes, *as against* 1 due to other fevers, one due to Dysentery and Diarrhoea, one due to consumption and 17 due to all other causes reported during the corresponding week of the previous year.

138 ..... *Director.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 23rd September 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 23rd September 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|
| Paddy—I Sort ... | Maskathi | 100 kg. | 74 | 00 |
| II Sort ... | Guddu | " | 73 | 00 |
| III Sort ... | Suggi | " | 71 | 00 |
| Rice— I Sort ... | Maskathi | " | 132 | 00 |
| II Sort ... | Guddu | " | 121 | 00 |
| III Sort ... | Suggi | " | 126 | 00 |
| Ragi ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery ... | I Sort | 100 kg. | 75 | 00 |
| " ... | II Sort | " | 45 | 00 |
| Cocoanuts ... | Unhusked | 1000 Nuts | 850 to 600 | 00 |
| " ... | Husked | " | 870 to 690 | 00 |
| Copra ... | ... | 100 kg. | 275 to 300 | 00 |
| Coconut Oil .. | I Class | 10 kg. | ... | |
| | II Class | " | 49 | 00 |
| Cashew Kernels .. | | | | |
| Cashew Nuts ... | | 100 kg. | ... | |
| Cardamoms ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper ... | | 50 kg. | 195 to 205 | 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " ... | Snuff | " | 760 to 800 | 00 |
| " ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts ... | Unhusked | 1000 Nuts | 25 to 45 | 00 |
| " ... | Husked Old | 50 kg. | 231 to 267 | 00 |
| " ... | " New | " | ... | |
| Chillies ... | Kumpta | ... | ... | |
| " ... | Local | 10 kg. | 22 to 27 | 00 |
| " ... | Knaraged | " | ... | |
| RETAIL PRICES. | | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | Snuff | " | 5 to 7 | 00 |
| | Beedi | " | 7 | 00 |
| CATTLE FOOD. | | | | |
| Groundnut Oil Cake ... | ... | Bag of 69·92 kg. | 27 to 28 | 00 |
| Cotton Seeds ... | ... | " 64 00 kg. | 25 | 00 |
| Horsegram ... | ... | " 93 07 kg. | 62 to 64 | 00 |

134

.....
*Dy. Commr.*

Dated 1st October 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 1st October 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. | P |
|---|---|---|---|---|
| Paddy—I Sort ... | Maskathi | 100 kg. | 74 | 00 |
| II Sort ... | Guddu | " | 73 | 00 |
| III Sort ... | Suggi | " | 71 | 00 |
| Rice—I Sort ... | Maskathi | 100 kg. | 132 | 00 |
| II Sort ... | Guddu | " | 128 | 00 |
| III Sort ... | Suggi | " | 126 | 00 |
| Ragi ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery ... | I Sort | 100 kg. | 75 | 00 |
| " ... | II Sort | " | 45 | 00 |
| Cocoanuts ... | Unhusked | 1000 Nuts | 850 to 600 | 00 |
| " ... | Husked | " | 870 to 690 | 00 |
| Copra ... | ... | 100 kg. | 275 to 300 | 00 |
| Coconut Oil ... | I Class | 10 kg. | ... | |
| " ... | II Class | " | 49—60 | 00 |
| Cashew Kernels ... | ... | | | |
| Cashew Nuts ... | ... | 100 kg. | No Stock | |
| Cardamoms ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper ... | ... | 50 kg | 195 to 205 | 00 |
| Tobacco ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " ... | Snuff | " | 760 to 800 | 00 |
| " ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts ... | Unhusked | 1000 Nuts | 25 to 45 | 00 |
| " ... | Husked Old | 50 kg. | 231 to 267 | 00 |
| " ... | " New | " | ... | |
| Chillies ... | Kumpta | ... | ... | |
| " ... | Local | 10 kg. | 22 to 27 | 00 |
| " ... | Knaraged | " | ... | |
| RETAIL PRICES. | | | | |
| Tobacco ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | Snuff | " | 5 to 7 | 00 |
| | Beedi | " | 7 | 00 |
| CATTLE FOOD. | | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 27 to 28 | 00 |
| Cotton Seeds ... | | " 64 kg. | 25 | 50 |
| Horsegram ... | | " 93·07 kg. | 62 to 64 | 00 |

.....
*Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, NOVEMBER 4, 1965 (KARTHIKA 13, SAKA ERA 1887 | No. 43

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

ISSUED FOR AND ON BEHALF OF THE GOVERNOR OF MYSORE

## Weekly Weather and Crop Report for the week ending Wednesday the 6th October 1965.

| No of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | Remarks |
|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | |
| | Actual | Normal | Actual | Normal | | Water Supply | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

**(From 30—9—1965)**

### 1. Bangalore District.

| | | | | |
|---|---|---|---|---|
| Crops were withering in most of the taluks for want of rain. | Good | nil | ... Available except in Kanakapura and Ramanagaram tqs. | Adequate except in Devanahalli taluk. (1) |

### 2. Kolar District.

| | | | | |
|---|---|---|---|---|
| Crops were withering in most of the taluks for want of rain. | Good | | | |

### 3. Tumkur District.

| | | | | |
|---|---|---|---|---|
| Crops were withering in most of the taluks for want of rain. | Good | | | |

### 4. Mysore District.

| | | | | |
|---|---|---|---|---|
| Fair except in K. R. Nagar and H.D. Kote taluks where crops were in need of urgent rains. | Good | | ... Available | ... Sufficient except (2) in Yelandur and Kollegal taluks. |

### 5. Mandya District.

| | | | | |
|---|---|---|---|---|
| Fair except in Malavally taluk where it was reported that the Ragi crop was withering for want of rain. | Good | | ... Available except in Nagamangala tq. | Adequate except in Nagamangala tq. (4) |

### 6. Hassan District.

| | | | | |
|---|---|---|---|---|
| Crops were withering in most of the taluks for want of rain. | Good | | ... Available except in Alur Arkalgud H. N. Pur, and Arsikere tqs. | Inadequate |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Conditions of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 30—9—1965).

### 7. Chickmagalur District.

| | | | | |
|---|---|---|---|---|
| Fair except in Sringeri N. R. Pura & Chickamagalur taluks where it was reported that the crops were withefor want of rain. | Good | ... | Available except in Kadur Tq. | Inadequate in most (6) of the taluks. |

### 8. Shimoga District.

| | | | | |
|---|---|---|---|---|
| 86.2 | 23.5 | 80.2 | Fair except in Honnali taluk where crops were withering for want of rains. | Good |

### 9. Chitradurga District.

| | | | |
|---|---|---|---|
| Fair except in Challakere Davanagere tqs where crops were withering for want of rains. | Good except for the prevalence of "Black quarter" at some villages of Challakere taluk. | Available except in some parts of Hosadurga taluk. | Adequate |

### 10. Bellary District.

| | | | | |
|---|---|---|---|---|
| N.A. | Fair except in Bellary tq. where it was reported that the dry crops were failed due to non receipt of rains. Jowar crop was affected by rod pest and sugarcane crop was affected by root pest in Hospet tq. | Good | | |

### 11. Bijapur District.

| | | | | |
|---|---|---|---|---|
| Fair except in Sindigi taluk where it was reported that the crops were in need of urgent rains. | Good | | | |

### 12. Belgaum District.

| | | | | |
|---|---|---|---|---|
| [illegible] | Good except for the prevallance of cattle disease at one village of Ramdurg taluk. | Available | | |

### 13. Dharwar District.

| | | | | |
|---|---|---|---|---|
| Fair except in Hangal and Hirekerur taluks where it was reported that the crops were badly affected due to non receipt of timely rains. | Good | | Sufficient except in Mundargi tq. | (12) |

### 14. North Kanara District.

Good

### 15. Gulbarga District.

... Good

### 16. Raichur District.

... Good (15)

### 17 Bidar District

... Good

| | | |
|---|---|---|
| 18. South Kanara District. | | |
| | Good | Sufficient except in (17) Bantwal, Puthur and Udipi taluks. |
| 19. Coorg District. | | |
| | NOT RECEIVED | |

REMARKS. - 1, Refers to 7 Taluks. (2) Refers to 7 Taluks. (3) Refers to 8 Taluks (4) Refers to 10 Taluks. (5) Refers to 5 Taluks. (6) Refers to 7 Taluks. (7. Refers to 6 Taluks. (8) Refers to 6 Taluks. (9) Refers to 7 Taluks. (10) Refers to 7 Taluks (11) Refers to 5 Taluks. (12) Refers to 13 Taluks. (13) Refers to 5 Taluk. (14) Refers to 8 Taluks. 15) Refers to 6 Taluks (16) Refers to 8 Taluks. (17) Refers to 5 Taluks.

SYED MAHMOOD, For *Director*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 6th October, 1965.

(a) Denotes:—Rainfall.
(b) " Sowing and Transplantation.
(c) " Condition of Standing crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations
(f) " Water Supply.
(g) " Fodder and Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Devanahally, Kanakapura, Ramanagaram and Hoskote Taluks where K. Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 2 Taluks,
(f) Sufficient except in Devanahally Taluk where insufficiency of water was felt.
(g) Available except in Kanakapura Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of "Black Quarter" at one village of Ramanagaram taluk.

2 Kolar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Chintamani, Bagepalli, Gouribidanur, Malur and Bangarpet Taluks where K. Crops were withering for want of rains.
(d) Harvesting of Irrigated Ragi in Chintamani Taluk, Tobacco in Gowribidanur Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week except in Sira Taluk.
(b) Transplantation of Paddy in Tiptur and Kunigal Taluks was in progress.
(c) Fair except in Tiptur, Madhugiri, Turuvekere, Gubbi, Kunigal, C. N. Halli and Sira Taluks where dry crops were withering for want of urgent rains.
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Turuvekere taluk where the supply of water was insufficient.
(g) Available except in Tiptur, Gubbi and Chicknayakanahalli Taluks where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District —

(a) No rainfall during the week except in Kollegal, Chamarajanagar and Hunsur Taluks.
(b) Transplantation of Paddy in Kollegal and Chamarajanagar Taluks, Tobacco in Hunsur Taluk, was in progress.
(c) Fair except in T. Narasipur, K. R. Nagar and Heggadadevanakote Taluks where crops were in need of urgent rains.
(d) Harvesting of Irrigated Ragi in Hunsur Taluk was in progress, and the same was completed in Heggadadevanakote Taluk.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Kollegal and in some villages of Mysore Taluks where insufficiency of water was felt.
(g) Available, except in some villages of Mysore Taluk, where scarcity for fodder was felt.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Srirangapatna Taluk was in progress.
(c) Fair except in Nagamangala and Malavalli Taluks where Ragi crop was affected due to non-receipt of rains.
(d) Harvesting of Sugarcane in Srirangapatna, Maddur and Pandavapura Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Nagamangala Taluk where insufficiency of water was felt.
(g) Available except in Nagamangala Taluk where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week except in Manjarabad, Belur and Arkalgud Taluks.
(b) Transplantation of Paddy was held up for want of rains in Arkalgud Taluks.
(c) Fair except in Arsikere, Belur, Channarayapatna, Alur Arkalgud and Holenarsipur Taluks where crops were withering for want urgent rains.
(d) Harvesting of Paddy, Jola and G. Nut in Arsikere Taluk, Irrigated Ragi, in Belur, Alur and Arkalgud Taluks, Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 8 Taluks,
(f) Sufficient except in Arsikere, Manjarabad, Channarayapatna, Arkalgud and Holenarasipur Taluks where insufficiency was felt.
(g) Available except in Arsikere, Arkalgud and Holenarasipur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) Light showers in Mudigere, Tarikere and Kadur Taluks.
(b) Sowing of Corriander and gram in Kadur Taluk was in progress.
(c) Fair except in Tarikere and N. R. Pura Taluks where Paddy Crop was affected due to insufficient rains.
(d) Harvesting of Cardamom in Mudigere Taluk, Areca in Sringeri Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Mudigere, Sringeri and Kadur Taluks where insufficiency was felt.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—

(a) Moderate rainfall in Shikaripur, Channagiri and Honnali Taluks.
(b) Nil.
(c) Fair except in Honnali Taluk where Crops were withering for want of Sufficient rains.
(d) Harvesting of Groundnut in Honnali Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Light showers in Harihar, Challakere, Chitradurga, Holalkere and Hosadurga Taluks.
(b) Sowing of Horsegram in Challakere Taluk. Bili Jola in Chitradurga and Holalkere Taluks, Bili Jola, Horsegram and Navane in Hosadurga Taluk was in progress.
(c) Fair except in Challakere, Chitradurga, Holalkere and Davanagere Taluks where K. Crops were withering for want of urgent rains.
(d) Harvesting of Gidda-Ragi in Challakere and Holalkere Taluks Jola, and Ragi in Chitradurga Taluk, Ragi Jola, Navane Same and Ground nut in Davanagere Taluk was in progress.
(e) Progress was fair in 4 Taluks
(f) Sufficient
(g) Available,
(h) Generally healthy.

10 Bellary District.—

(a) No rainfall during the week except in Harapanahalli, Taluk
(b) Sowing of Bili-Jola and Cotton in Harpanahalli Taluk, Rab Crops in Hospet Taluk was in progress.
(c) Fair except in Kudligi and Bellary Taluks where K. Crops were withering for want of rains and in Hospet Taluk Jowar was affected by Red Rust, Sugarcane was affected by root garb,
(d) Harvesting of Yada Ragi in Kudligi Taluk, G. Nut in Harapanahalli Taluk, Jowar in Hospet Taluk was in progress,
(e) Progress was fair in 5 Taluks.
(f) Sufficient
(g) Available
(h) Generally healthy.

11 Bijapur District.—

(a) No rainfall during the week.
(b) Sowing of Cotton and Lill-Jawar in Muddebihal Taluk, Rabi Jowar in Bilgi Taluk was in progress,
(c) Standing Crops were fair,
(d) Nil.
(e) Progress was fair in 2 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—

(a) No rainfall during the week except in Ramadurg and Gokak Taluks.
(b) Sowing of Rabi Crops in Gokak Taluk, Rubi Jowar and Cotton in Ramdurg Taluk was in progress.
(c) Standing Crops were fair
(d) Harvesting of G.Nut and Jowar in Ramadurg Taluk was in progress
(e) Progress was fair only in Ramdurg Taluk
(f) Sufficient except in one Village of Ramdurg Taluk where insufficiency of water was felt.
(g) Available
(h) Generally healthy except for the prevalance of cattle disease at one village of Ramdurg Taluk.

13 Dharwar District.—

(a) Light showers in Mundargi, Nargund Hangal. Hirekerur, Haveri, Navalgund, and Shiggon Taluks.
(b) Sowing of Cotton in Hubli, Mundargi, Nargund and Navalgund Taluks. Wheat in Shiggon Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Groundnut in Hirekerur, Haveri and Shiggaon Taluks was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy

14 North Kanara District.—

(a) Sufficient rainfall in Kumta, Mundgod and Sirsi Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District.—

(a) No rainfall during the week.
(b) Sowing of Jowar in Sedam Taluk was in progress.
(c) Standing crops were fair.
(d) Standing crops were fair.
(e) Progress was fair in 1 Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Sowing of Rabi Jowar in Deodurg Taluk, Cotton in Manvi, Taluk. Rabi crops in Kustagi Taluk was in progress.
(c) Standing Crops were fair.
(d) Nil
(e) Progress was fair in 2 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy

17 Bidar District.—

(a) No rainfall during the week.
(b) Sowing of Rabi crops in Aurad and Bidar Taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in one taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District —

(a) No rainfall during the week Except in Puttur Taluk
(b) Transplantation of II crop Paddy was nearing completion in Buntwal Taluk.
(c) Standing crops were fair.
(d) Harvesting of I Crop Paddy in Puttur Bantwal and Udipi Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Puttur, Udipi and Buntwal Taluks where insufficiency of water was felt,
(g) Available.
(h) Generally healthy.

19 Coorg District.—

Reports are not received.

SYED MAHMOOD, For *Director of Statistics.*

Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of July 1965.

| Rain Fall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajara | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

1. Bangalore District.

... ... ...

2. Kolar District.

... ...

3. Tumkur District.

75 60

4. Mysore District.

37 50

5. Mandya District.

62 50

6. Hassan District.

88 88

7. Chickmagalur District.

... ... ...

8. Shimoga District.

63 84

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | | | 10. Bellary District. | | | | | |
| | | | | ... ... | | | | | |
| | | | | 11. Bijapur District. | | | | | |
| | | | | ... ... | | | | | |
| | | | | 12. Belgaum District. | | | | | |
| | | | | 42 | | 89 | | | |
| | | | | 13. Dharwar District. | | | | | |
| | | | | 42 | | 49 | | | G. nut-85, Wheat-37, Cotton-88. |
| | | | | 14. North Kanara District. | | | | | |
| | | | | Excessive | 68 | 49 | | | Cocoanut-50, Bettlnut-52, Pepper-45, G. nut-60 |
| | | | | 15. Gulbarga District. | | | | | |
| | | | | Do ... ... | | | | | |
| | | | | 16. Raichur District. | | | | | |
| | | | | 42 | ... | | | 89 | Navane-87 G. nut-59 Gram-87 Tur-32 Cotton-44. |
| | | | | 17. Bidar District | | | | | |
| | | | | ... ... | | | | | |
| | | | | 18. South Kanara District. | | | | | |
| | | | | 62 | ... | ... | | | |

SIED MAHMOOD,
For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for July 1965.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops.
(i) " Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) Sowing and transplantation of Ragi was in progress.
(c) Generally fair.
(d) Nil.
(e) Sufficient.
(f) Generally good.
(g) Deficient.
(h) Nil
(i) .....

2 Kolar District.—

(a) Sufficientd except in Bangarpet, Chintamani Bagepalli, Gowribioanur and Srinivaspua taluks.
(b) Nil.
(c) Sugarcane and Tobacco crops in Gowribidanur taluk was in progress.
(d) Harvesting of Tobacco was in progress in Gowribidanur taluk.
(e) Inadequate.
(f) Generally good.
(g) Scanty.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.. except in Turuvekere taluk.
(b) Sowing of Ragi G.nut and other croys was in progress in all the taluks except in Tiptur taluk.
(c) Crops were fair.
(d) Harvesting of summer paddy and Yadaragi was in progress in Pavagada, and Turuvekere taluks.
(e) Available.
(f) Good except for the prevelence of cattle desease at Pavagada and Koratagere taluks.
(g) Deficient
(h) Nil.
(i) Sowing of kharif crops was held up in Tiptur taluk due to non receipt of rainfall.

4 Mysore District.—

(a) Sufficient.
(b) Ragi and paddy was being transplanted in Gundlupet, Hunsur and Periyapatna taluks.
(c) Crops were fair.
(d) Ground nut was being harvested in Hunsur taluk.
(e) Available.
(f) Generally healthy
(g) Defecient
(h) Nil
(i) Refers to 7 taluks.

5 Mandya District.—

(a) Sufficient except in K. R. Pet and Nagamangala taluks.
(b) Transplantation of paddy and sugarcane was in progress in Srirangapatna and Pandavapura taluks.
(c) Dry crops were withering for want of rains.
(d) Nil.
(e) Sufficient except in K. R. Pet and Nagamangala taluks.
(f) Generally Healthy.
(g) Scanty.
(h) Nil
(i) .....

6 Hassan District

(a) Sufficient except in Holenarasipur taluk.
(b) Transplantation of paddy was in progress in most of the tqs.
(c) Generally fair except in Holenarasipur taluk.
(d) Nil.
(e) Available except in Holenarasipur taluk.
(f) Generally healthy
(g) Normal
(h) Nil.
(i) Refers to 4 taluks

7 Chickmagalur District.—

(a) Sufficient except in Tarikere taluk.
(b) Transplantation of paddy was in progress.
(c) Geneaally fair.
(d) Nil
(e) Available.
(f) Generally healthy
(g) Normal.
(h) Nil.
(i) Refers to 4 taluks.

8 Shimoga Districts.—

(a) Sufficient.
(b) Sowing of Ragi, Jowar and cotton and transplantation of Paddy, was in progress in all the taluks.
(c) Generally fair.
(d) Nil.
(e) Adequate.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

9 Chitradurga District.—

(a) Sufficient except in Davangere taluk.
(b) Sowing of dry crops was in progress in Harihar, Chitradurga and Holalkere taluks.
(c) Fair except in Molakalmur and Holalkere taluks.
(d) Nil.
(e) Adequate.
(f) Generally healthy.
(g) Scanty.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Sufficient except in Kudligi taluk.
(b) Sowing of Mungari crops was being completed in all the taluks except in Bellary taluk.
(c) Generally fair.
(d) Harvesting of sugarcane was completed in Bellary taluk.
(e) Adequate.
(f) Generally healthy.
(g) Scanty.
(h) Nil.
(i) Refers 7 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Sowing of Kharif seeds was completed.
(c) Generally fair
(d) .....
(e) Adequate.
(f) Generally healthy.
(g) Normal.
(h) .....
(i) .....

12 Belgaum District.—

(a) Adequate
(b) Sowing of Jowar and Navane was completed.
(c) Generally fair.
(d) Nil.
(e) Adequate.
(f) Generally healthy
(g) Normal.
(h) .....
(i) .....

13 Dharwar District.—

(a) Sufficient except in one village of Gadag taluk.
(b) Sowing of kharif Jowar and G. Nut was in progress throughout the District.
(c) Generally fair
(d) Nil.
(e) Adequate.
(f) Good except for the prevalance of cattle disease at one village of Navalgund taluk and in some villages of Kundgol taluk.
(g) Normal
(h).....
(i) Refers to 14 taluks.

14 North Kanara District—

(a) Adequate.
(b) Sowing of kharif crops was completed and transplantation of paddy was in progress in all the taluks.
(c) Generally fair.
(d) Nil.
(e) Adequate.
(f) Generally good
(g) Excessive
(h) .....
(i) .....

15 Gulbarga District—

(a) Adequate.
(b) Sowing of kharif crops was completed in all the taluks.
(c) Generally fair.
(d) Nil.
(e) Adequate.
(f) Generally good.
(g) Excessive.
(h) Nil.
(i) .....

16 Raichur District—

(a) Sufficient except in Koppal taluk.
(b) Kharif Sowing was completed in all the taluks, except in Koppal taluk, transplantation of paddy was in progress in Manvi Taluk.
(c) Generally fair.
(d) Nil.
(e) Available except in Koppal Taluk;
(f) Generally good.
(g) Normal.
(h) Nil.
(i) .....

17 Bidar District—

(a) Sufficient.
(b) Sowing of Kharif crops had been completed.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally Good
(g) Excessive.
(h) Nil.
(i) .....

18 South Kanara District—

(a) Sufficient
(b) Transplantation of I crop paddy was completed in most of the taluks.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal
(h) Nil.
(i) ... .

19 Coorg District—

(a) Sufficient.
(b) Transplanation of paddy was in progress.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal
(h) Nil.
(i) ...

SYED MAHMOOD,
For *Director of Statistics.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Dated 11th September 1965

*Note on the State of Public Health in Mysore State, Week ending Saturday, the 11th September 1965.*

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks nil deaths and nil attacks with nil deaths, respectively.

A total of 12 attacks with 5 deaths from Small-pox was reported for the entire State, *viz.*, from the taluks of Gangavathi and Bhadravathi and from the City of Bangalore *as against* 2 attacks with one death reported during the corresponding week of the previous year.

A total of 12 attacks with 5 deaths from Cholera was reported for the State, *viz.*, from the taluks of Davangere, Bhadravathi, Shimoga, Kudligi, and from the town of Shimoga during the week *as against* 50 attacks with 12 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* one attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever, infectious Hepatities and Influenza in epidemic form, *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 345 (127 in hospitals) for the week *as against* 231 (141 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 18.7 (11.8 excluding hospital deaths) per mille of population (mid-year estimated *as against* 12.7 (7.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers. 40 due to Dysentery and Diarrhoea, 13 due to consumption and 291 due to all other causes, *as against* 28 due to other fevers, 15 due to dysentery and Diarrhoea, 13 due to consumption and 175 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 62 (35 in hospitals) for the week giving a calculated death rate of 12.5 (5.4 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 12 were due to other fevers, 3 due to Dysentery and Diarrhoea, 1 due to Consumption and 46 due to all other causes.

The report for K.G.F. City has not been received.

The report for Belgaum city has not been received.

The total mortality for Mangalore City amouted to 31 (22 in hospitals) for the week *as against* 8 (nil in hospitals) during the corresponding week of the previous year giving a calculated death rate of 10.5 (3.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.8 ( 2.3 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 1 due to Dysentery and Diarrhoea, one due to Consumption and 28 due to all other causes, *as against* 1 due to other fevers, one due to Consumption and 9 due to all other causes reported during the corresponding week of the previous year.

148

T. SHIVALINGAIAH,
*For Director.*

OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 30th November 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| 1. Cereals.— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | ... | 42·00—44·00 | 34·00—38·00 | 37·00 | 35·00 | 39·00 | 45·00—46·00 | ... | 44·00 | 40 00 | 48·00 |
| | (b) Medium ... | ... | 39 00—40·00 | 26 00- 32·00 | 34·00 | 32·00 | 38 00 | 48·00 | ... | 38·00 | 37·00 | 41·00 |
| | (c) Coarse ... | ... | | 24·00—28 00 | ... | 30·00 | 36·00 | 42·00 | ... | 36·00 | ... | 36·00—39·00 |
| 2 Rice ... | (a) Fine ... | ... | 74·00—76·00 | 78 00—78 00 | 60·00—88·00 | 70·00 | 74·00 | 72 00—78·00 | | 76·00 | 71·00 | 74·00—76·00 |
| | (b) Medium ... | ... | 68·00—70·00 | 65·00—70·00 | 77·00—78·00 | 59·00 | 68·00 | 65·0 —70·00 | 66·00 | 72·00 | 67·00 | ... |
| | (c) Coarse ... | ... | 60·00—64·00 | 58·00—60·00 | 66 00—68·00 | 58 00 | ... | 62·00—66·00 | 63·00 | 69·00 | 55·00 | 69·00 |
| 3 Wheat ... | White ... | ... | ... | 44·00—45·00 | 40·00—50 00 | 42·00 | 80·00 | 44·00—45·00 | 45 00 | 64·00 | 47·00 | 60·00 |
| Wheat Flour | ,, ... | ... | ... | 50 00—54·00 | ... | ... | 89·00 | 46 00 | ... | ... | 58·50 | 70·00 |
| 4 Jowar ... | ,, ... | ... | 386·00—52·00 | 69·00—42·00 | 89·00—42·00 | 86 00 | 45·00 | 38.00—40 00 | 86·00 | 42·00 | 48·00 | 48·00 |
| 5 Bajra ... | ... | ... | ... | ... | 82·00—88·00 | ... | 40·00 | ... | ... | 82·00 | ... | ... |
| 6 Barley ... | ... | ... | 169·00 | 880·00—890 00 | ... | ... | ... | 160·00 | ... | ... | ... | ... |
| 7 Maize ... | ... | ... | ... | ... | ... | ... | 46·00 | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... | ... | 37·00—40·00 | 39·00—43·00 | 81·00—84·00 | 12·00 | 36·00 | 39·00—43·00 | ... | 38·00 | 37 00 | 42·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 25·00—40·00 | 20·00—25·00 | 25·00—35·00 | ... | 37·00 | 28,00—34·00 | | ... | 30·00 | ... |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | ... | ... | | ... | 40·00 | ... |
| (iii) Papaya | ... | ... | 45·00—56·00 | ... | 37·00—50·00 | ... | ... | ... | | ... | 45·00 | ... |
| (iv) Ground-nut cake flour. | ... | ... | ... | ... | ... | ... | 37·00 | ... | | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... | ... | 53 00—56·00 | 54·00—59·00 | 75·00 | 56·00 | 55·00 | 60 00—62,00 | 34·00 | 58·00 | 57 00 | 60 00—64·00 |
| 2 Arhar (Tur.) ... | ... | ... | 48 00—54·00 | 105·00—110·00 | 66·00 | 75 00 | ... | 58·00—40 00 | 10·00 | 80·00 | 49 00 | 50·00—51·00 |
| 3 Mung ... | ... | ... | ... | ... | ... | 70·00 | ... | 60·00 | 52·00 | ... | 61·00 | 60·00—62 00 |
| 4 Urd ... | ... | ... | ... | 74·00—78·00 | 42·00—45·00 | 75·00 | ... | 75·00 | 75·00 | ... | 80·00 | 77·00—80 00 |
| 5 Masur ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 95·00 |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... | ... | 59·00—60·00 | 58.00—60·00 | 44.00—48.00 | ... | ... | 65·00—70·00 | 60·00—67·00 | ... | 62 00 | ... |
| (ii) Horsegram | ... | ... | 29·00- 30·00 | 40 00 45·00 | 33.00—34·00 | 36·00 | 32·00 | 32·00—36·00 | 45 00 | 48·00 | 30 00 | 34·00 |
| (iii) Cowpea ... | ... | ... | 45·00—76·00 | 60·00—64·00 | 60.00 | ... | 50·00 | 70 00—80·00 | 66·00 | ... | 70·00 | 45 00 |
| II. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | a Sort I ... | ... | 70·00—90·00 | 105·00—110 00 | 100 00 | 110·00 | 70·00—90·00 | 90·00—115·00 | 65·00—180·00 | 90 00 | 80·00 | 85·00 |
| | (b Sort II ... | ... | ... | 95·00—100·00 | 85.00 | 95·00 | 65 00—70·00 | 80·00 | | 85 00 | 70·00 | 78 00 |
| 2 Sugar refined | D. 24 ... | ... | 114·55—125·00 | 119·00—120·00 | ... | 116·00 | 120·00 | 115·00 | 114·00 | 120 00 | 117·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | ... | 20·00—24·00 | ... | 55·00 | 40·00—60·00 | 60·00—69·00 | 60·00—76·00 | 67·00 | 69·00 | 62·00 |
| | (b) Machine shelled | ... | ... | 100·00—115·00 | 95·00 | ... | 80·85 | ... | 60·00—71·00 | ... | 87·00 | 80·00 |
| Groundnut Oil | ... | ... | 170·00—175·00 | 200·00—210·00 | 180.00—190.00 | 420·00 | 170·00 | 160·00—180·00 | 200·00 | 170·00 | 186·00 | 165·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 89·00 | 42·00 | 86·00 | 45·00 | ... | ... | 40·00 | 87·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | 95·00 | ... | 95·00 | ... | ... | ... | 96·00 | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 110·00 | 70·00—75·00 | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 220·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 54·55 | | | | | | | |
| Castor Oil ... | ... | ... | 170·00—180·00 | 200·00—220 00 | 170·00—180·00 | 400·00 | 160·00 | 65·00 | 40—50 | .. | 59·00 | 52·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | 179·00 | 210·00 | 175 00 | 180·00 | 184·00 |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | 90·00 | ... | ... | ... | ... | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | | ... | ... | ... | 97·00 | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per thousand) | 200·00—360·00 | 320·00—340 00 | 220·00 | 250·00 | 200·00—300·00 | 200·00—320·00 | 200 00—246·00 | 460·00 | 220·00 | 200·00 |
| | (b) Copra ... | ... | 250·00—260·00 | 375·00—385·00 | ... | 260·00 | 270·00 | 250·00—260·00 | ... | 300·00 | 247·00 | 242·00 |
| Cocoanut Oil... | ... | ... | 340·00—360·00 | 330.00—340.00 | 350·00 | ... | 290·00 | 320·00 | 406·00 | 287·00 | 8·2 | 320·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350—00 | ... | 260·00 | ... | 383·00 | 276·00 | 300.00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 250·00 | ... | ... |
| | iii) Safflower oil, | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | 9·00 | 3,00—8.00 | 12 00 | ... | ... | ... |
| 2 Plantains ... | ... | Do | ... | 4·00—9·00 | 8,00 | 7·00 | 24·00 | 8·00—22·00 | 24·98 | 7·62 | 7·00 | 5·25 |
| 3 Oranges ... | ... | Do | ... | 13.00—24.00 | 20.00—25.00 | 28.00 | ... | ... | ... | 16·50 | 20·00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 50·00—200 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernels, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 48·00—55·00 | 45·00—55·00 | 40—55 | | 62 | 70·00—75·00 | 60·64 | 56·00 | 45·00 | 42·00 |
| 2 Onions ... | ... | ... | 17·00—28·00 | 30·00—35·00 | 25—35 | | 80 | 85 | 88·00 | 27·00 | 31·00 | 25·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | 600·00 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 625.00—675.00 | 6?.00—560.00 | ... | 600·700 | 800·00—900 | 1,000·00 | 650 00—750·00 | 682·00 | 775·00 |
| VI. Fibres,— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (c) Seed | ... | ... | ... | ... | ... | ... | ... | 48·00 | ... | ... | ... |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 Jute Loose ... | (a) White— | | | | | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Tossa— | | | | | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Pusca Baled Jute. | (i) Lightings | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) First Mills. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) First Exports. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sann hemp ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Mesta ... | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | |
| | (i) Leaf ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 252·00 |
| | (ii) Pulah ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 164·00 |
| | (b) Virginia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (i) Leaf ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 808·00 | ... | ... | ... |
| | (ii) Pulah ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VIII. Livestock— | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 300·00—600·00 | ... | 500·00 | 180·00 | ... | 375,00—500.00 | ... | 115·00—250·00 | 425·00—580·00 | | 285·00 | | |
| | (b) ,, II ... | Do ... | 290·00—400·00 | ... | 300·00—350·00 | 160·00 | ... | 230,00—350,00 | 120·00—167,00 | 100·00—210·00 | 320·00—480·00 | | 210·00 | | |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 265·00—350·00 | | 100·00—120·00 | 280·00 | ... | 80,00—40,00 | ... | ... | ... | | 220·00 | | |
| | (b) ,, II ... | Do ... | 160·00—250·00 | ... | 125·00—150·00 | ... | ... | 28.00—40,00 | 107·00—177·00 | ... | ... | | 190·00 | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 105·00—350·00 | ... | 150·00—200·00 | 160·00 | ... | 180.00—310.00 | 150,00—250·00 | 185·00—261·00 | 350·00—450·00 | | 125·00 | | |
| | (b) Class II ... | Do ... | 150·00—280·00 | ... | 100·00—150·00 | 140·00 | ... | 120.00—160·00 | 80·00—187·00 | 100·00—200·00 | 285·00—375·00 | | 80·00 | | |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 315·00—350·00 | ... | 300·00 | 180·00 | ... | 165.00—300.00 | ... | 270·00—300·00 | 300·00—330·00 | | 120·00 | | |
| | (b) Class II ... | Do ... | 200·00—250·00 | ... | 100·00—150·00 | 160·00 | ... | 139·00—170.00 | ... | 160·00—325·00 | 150·00—250·00 | | 90·00 | | |
| 3 Sheep ... | ..... | Do ... | 20·00—75·00 | ... | 45·00—80·00 | 55·00 | ... | 80,00—90.00 | 50·00—75·00 | 4·500—80·00 | 20·00—55·00 | | 40·00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | ... | ... | ... | ... | ... | 2.50 | 4·00 | ... | ... | | ... | | |
| | (b) ..... | Do ... | ... | ... | | ... | ... | 1.75 | 2.00 | ... | ... | | ... | | |
| 2 Hides.— | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | ... | .. | ... | ... | ... | 1·85—1·75 | 1·88 | ... | ... | | 3·00 | | |
| | (b) ..... | Do ... | .. | ... | ... | ... | ... | ... | 1·00 | ... | ... | | ... | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | 7·00—8.00 | 4·17 | ... | ... | | 4·00 | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·00—2·25 | ... | ... | ... | ... | 1·75—2·50 | 1·08 | ... | ... | | 3·40 | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | 1·09 | ... | ... | | ... | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | 4·70—6·00 | 3·50 | ... | ... | | 4·80 | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | | |
| 3 Skins.— | | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Per Skin | 4·00—5·00 | ... | ... | ... | ... | 3·50—5·00 | 4·50—5·30 | ... | | 5·50 | ... | | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | 2·00 | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | 7·00—14·00 | ... | ... | ... | | ... | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | 2·97 | | |
| (ii) Sheep-skins— Raw. | (a) ..... | Per Skin | 5·00—6·00 | ... | ... | ... | ... | 3·25—4·50 | 4·25—4.50 | ... | | 3·50 | ... | | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | 2·10 | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | 8·50—24·00 | ... | ... | ... | ... | 8·00 | | |
| Ghee | (a) Agmark | Do ... | 7·75 | 7·00—8·00 | ... | ... | ... | ... | ·00 | ... | | | ... | | |
| | (b) Ungraded | Do ... | 6·75 | 6·00—7·00 | ... | ... | ... | ... | ... | ... | | | 5·50 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X Fodder.— | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| 1 Bran — | (a) Wheat ... | Quintal | 89·00 | ... | ... | ... | ... | ... 25·00 | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | 38.00—42.00 | ... | ... | ... | ... | ... | ... | 38·00 | ... | 35·00 |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 125·00—155·00 | 180·00—150·00 | 175·00—250·00 | 160·00 | 190·00 | 200·00 | 225·00 | 168·00—171·00 | 180·00 | 160·00 |
| 2 Tamarind ... | ..... | ... | 55.00—100.00 | 95·00—100·00 | 7·00—80·00 | ... | 80·00 | 80·00—100·00 | 95·00—100·00 | 92·00—95·00 | 191·00 | 67.00 |
| 3 Dry Chillies ... | ..... | ... | 250·00—345·00 | 225·00—260·00 | 156·00—175·00 | 200·00 | 250·00 | 250·00—300·00 | 200·00—250·00 | 147·00—220·00 | 305·00 | 200·00 |
| 4 Garlic ... | ..... | ... | 90·00—100·00 | 100·00—1·0·00 | 1·0·00 | 220·00 | 110·00 | 80·00—100·00 | 100·00 | 150·00—155·00 | 98·00 | 85·00 |
| 5 Pepper ... | ..... | ... | 320,00—3.5.00 | 295·0·—340·00 | 41·0·00 | 41·0·00 | 8·5·00 | 330·00—340·00 | 400·00 | 400·00—480·00 | ... | ... |
| 6 Cardamom ... | ..... | ... | 1,410·00—2,000·00 | 20·0·—35·00 | 1,600·00—2,000·00 | 1,800·00 | 1,600·00 | 1,500·00—1,600·00 | 1,800,00 | ... | ... | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Myrobolans ... | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 87·00 | 42·00—43 00 | 34·00—65·00 | ... | ... | ... | 86·00 | 87·00 | 89·00 |
| | (b) Medium ... ... | | 86·00 | 37·00—40 00 | ... | 44.00 | ... | ... | 84.00 | 86·00 | 86·00 |
| | (c) Coarse ... ... | | 83·00 | 35·00 86 00 | ... | 40.00 | .. | ... | ... | ... | 88·00 |
| 2 Rice ... | (a) Fine ... ... | | 66·00 | 75 00—82 00 | 81·00—82·00 | 74·00 | 71·00—75·00 | ... | 71·00 | 72·00 | 80·00 |
| | (b) Medium ... ... | | 64·00 | 67·00—72·00 | 69·00—70·00 | 64·00 | 60·00—64·00 | ... | 69.00 | 60·00 | 77 00 |
| | (c) Coarse ... ... | | 60·00 | 58·00—62·00 | 61·00—66 00 | .. | 55·00—57·00 | ... | ... | ... | 60·00 |
| 3 Wheat ... | White ... ... | | 54·00 | 49·00—55·00 | 46·00—60·00 | 58 00 | 55·00 | ... | 49.00 | 62·00 | 48·00 |
| Wheat Flour ... | White ... ... | | 60·00 | 48·00—56 00 | 40·00—48 00 | ... | ... | ... | ... | 56.00 | 64·00 |
| 4 Jowar | White ... ... | | 47·00 | 44·00—46 00 | 38·00—42·00 | 42 00 | 42·00 | ... | 44·00 | ... | ... |
| Bajra ... | ... | | ... | 81·00—82 00 | 28 00—33·00 | ... | 87·00 | ... | 84'00 | ... | ... |
| Barley ... | ... ... | | ... | — | ... | ... | ... | ... | ... | ... | ... |
| 7 Maize ... | ... ... | | — | ... | 33·00 | ... | ... | ... | ... | ... | 36·00 |
| Ragi ... | ... ... | | 37·00 | 34·00—36·00 | ... | ... | ... | ... | ... | 48 00 | 40·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... ... | | — | ... | .. | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... .. | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... ... | | 25·00 | ... | ... | ... | 25·00 | ... | ... | 18·00 | ... |
| (ii) Tapioca ... | ... ... | | ... | ... | ... | ... | ... | ... | .. | ... | ... |
| (iii) Papaya ... | ... | | ... | - | ... | ... | .. | ... | 89·00 | ... | ... |
| (iv) Groundnut cake flour | ... | | ... | ... | ... | ... | 35·00—36·00 | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram ... | ... ... | | 60 00 | 54·00—66 00 | 49 00—57·00 | 52·00 | 52·00—58·00 | ... | 45·00 | 52·00 | 68·00 |
| 2 Arhar (Tur) | ... .. | | 52·00 | ... | 52 00—58·00 | 45·00 | 89 00 | ... | 52·00 | 74·00 | 88 00 |
| 3 Mung .. | ... ... | | 50·00 | ... | 50·00—52·00 | 47·00 | 49·00 | ... | 44·00 | 60·00 | 70·00 |
| 4 Urd ... | ... ... | | 70·00 | ... | 42·00—48·00 | 62·00 | 58 00 | ... | 65 00 | 69·00 | 80·00 |
| 5 Masur ... | ... ... | | 60·00 | ... | 38·00—40·00 | ... | ... | ... | ... | ... | 84·00 |
| 8 Other pulses | | | | | | | | | | | |
| (i) Avare ... | ... ... | | ... | | 38 00—39·00 | ... | ... | ... | ... | ... | 90·00 |
| (ii) Horsegram... | ... ... | | 86·00 | 81·00—84 00 | 82·00—88·00 | ... | ... | ... | ... | 88·00 | 44·00 |
| (iii) Cowpea ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | 74·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | 138 00 | 85,00—90.00 | 90 00—103·00 | 115·00 | 78·00—76 00 | ... | 80·00 | 136·00 | 150 00 |
| | (b) Sort II ... ... | | 135·00 | 76.00—85.00 | 80·00—85·00 | 110·00 | 61·00—64·00 | ... | ... | 120·00 | 120·00 |
| 2 Sugar Refined | D. 24 ... ... | | ... | ... | 116·00—50·00 | | ... | ... | 122·00 | 116·00 | 117·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | ... | 70 00 | 55·00—60·00 | 60·00—65·00 | | ... | ... | 58·00 | 55·00 | 90·00 |
| | (b) Machine shelled. | ... | 120·00 | 85·00—88·00 | — | | 60·00·61·00 | ... | ... | 110·00 | 125.00—850 00 |
| Groundnut Oil | ... | ... | 166 00 | 170·00—171.00 | 170·00—175·00 | | 170 00 | ... | ... | 175·00 | 196·00 |
| Groundnut Oil-cake. | | ... | 40·00 | ... | 86·00—85·00 | | 85·00—86·00 | ... | 82·00 | 42·00 | 45·00 |
| 2 Sesamum .. | (a) White ... | ... | — | ... | ... | | 90·00 | ... | 96·00 | 99.00 | ... |
| | (b) Black ... | ... | 125·00 | ... | 90·00—100·00 | | ... | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | | ... | ... | ... | 285 00 | ... |
| Sesamum Oil cake. | ... | ... | 40·00 | ... | ... | | ... | ... | ... | 42·00 | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 Castor seed | ... | ... | ... | ... | 53·00—54·00 | 54·00 | ... | ... | 57·00 | ... | ... |
| Castor Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 177·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard, | (a) Black ... | ... | 105·00 | ... | 99·00—100·00 | ... | ... | ... | ... | ... | ... |
| | (b) Yellow ... | ... | 115·00 | ... | ... | ... | ... | ... | ... | ... | 120·00—185·00 |
| Mustard Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | 57·00 | ... | ... |
| 5 Linseed | ... (a) Brown bold | ... | ... | ... | 68·00 | 68·00 | 62·00 | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconnut | ... (a) Nuts ... | (Per | 280·00 | ... | 278·00—280·00 | 250·00 | 260·00 | ... | 210·00 | 315·00 | 290·00—300·00 |
| | (b) Copra ... | thousand) | 3:0·00 | ... | 240·00—265·00 | ... | 220·00 | ... | 240·00 | 206·00 | 400·00—500·00 |
| Coconnut Oil | ... | per Quintal | 330·00 | 310·00—315·00 | 325·00 | 321·00 | 360·00 | ... | 326·00 | 318·00 | 300·00 |
| Coconnut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | 66·00 | 66·00 |
| 8 Other Oil seeds | (i) Nigerseed... | ... | 75·00 | ... | ... | 61·00 | ... | ... | 56·00 | ... | ... |
| | (ii) Safflower ... | ... | ... | ... | 51·00 | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 298·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | iii) Safflower Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Other Oils | | ... | ... | ... | ... | ... | ... | ... | ... | ... | 278·00 |
| V. Fruits, Vegetables and Nuts,— | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | |
| 1 Mangoes | ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains | ... | ... | Do ... | 8·25 | 6·00—8·00 | 6·50 | 8 25 | 6·00 | 6·50 | 4·00 | 9·00 |
| 3 Oranges | ... | ... | Do ... | ... | ... | ... | ... | 15·00 | 20·00 | 9·00—12·00 | 6·00 |
| 4 Dates | ... | ... | ... | 90 00 | ... | ... | ... | ... | ... | 125·00 | ... |
| 5 Cashew kernels, etc. | | ... | ... | 80·00 | ... | ... | ... | ... | ... | 550·00 | ... |
| (ii) Vegetables— | | | | | | | | | | | |
| 1 Potatoes | ... | per quintal | ... | 35·00 | 45·00—55·00 | 60·00—61·00 | | | | | |
| 2 Onions | ... | ... | ... | 25 00 | 17·60—30·00 | 26·00 | | ... | 40 00 | 60·00—62·00 | 45·00 |
| 3 Beans | ... | ... | ... | ... | ... | ... | | ... | 28·00 | 80·00—85·00 | 40 00 |
| 4 Tomatoes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | ... | ... | ... | ... | ... |
| 1 Cashewnuts | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arecanuts | ... | ... | ... | 480 00 | ... | 445·00 | 506·00 | ... | ... | 300·00 | 500·00 |
| VI. Fibres — | | | | | | | | | | | |
| 1 Cotton | ... (a) Kapas | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (c) Seed | ... | ... | 46·00 | ... | 41·90 | ... | ... | 88·00 | ... | ... |
| 2 Jute:—Loose | (a) White— | | | | | | | | | | |
| | (i) Top | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Tossa— | | | | | | | | | | |
| | (i) Top | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pucca Jute. | (ii) Middle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) First Mills | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) First Exports. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Sunn Hemp | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meata | (i) Top | | | | ... | ... | | ... | ... | | | ... | ... |
| | (ii) Middle | | | | ... | ... | | ... | ... | | | ... | ... |
| | (iii) Bottom | | | | | | | ... | ... | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf | | 4 ·00 | | .. | ... | | ... | ... | | 550·00—600 00 | 600·00 | |
| | (ii) Pulab | | | | ... | ... | | ... | ... | | 350·00—475·00 | ... | |
| | | | | | | | | | | | ... | ... | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf | | 480·00 | | .. | | | ... | ... | | 650·00—700.00 | ... | |
| | (ii) Pulab | | | | ... | | | | ... | | ... | ... | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 400·00 | 300·00—400·00 | 500.00—800·00 | | | 290·00 | ... | 855·00 | ... | ... | |
| | (b) Class II | Do | 800·00 | 200·00—250·00 | 200.00—400.00 | | | 175·00 | ... | 280 00 | ... | ... | |
| (ii) Buffalo bulls | (a) Class I | Do | 230·00 | 200·00—256 00 | 800·00 | | | 800·00 | ... | 450·00 | ... | ... | |
| | (b) Class II | Do | ... | 150·00—200·00 | 100·00—150·00 | | | 125·00 | ... | 350·00 | ... | ... | |
| 2 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 230.00 | 150·00—200·00 | 150.00—256.00 | | | 125·00 | ... | 176·00 | 150·00—275·00 | ... | |
| | (b) Class II | Do | 150·00 | 150·00—175.00 | 250.00—250·00 | | | 100·00 | ... | 180.00 | 25·00—225·00 | ... | |
| (ii) Buffaloes | (a) Class I | Do | 8:0·00 | 175·00—200·00 | 100.00—230.00 | | | ... | ... | 450·00 | 200·00—275·00 | ... | |
| | (b) Class II | Do | 250·00 | 125·00—175·00 | ... | | | ... | ... | 260·00 | 150·00—250·00 | ... | |
| 3 Sheep | ... | Do | 40·00 | 35·00—45.00 | 40·00—45·00 | | | 85·00 | ... | 50·00 | 35·00—45·00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per kg. | ... | | ... | ... | ... | | ... | ... | ... | ... | |
| | (b) ..... | Do | ... | | ... | ... | ... | | ... | ... | ... | ... | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do | 1·60 | 1 00 | 1·15 | ... | | | ... | ... | 1·25—2 00 | ... | |
| | (b) ..... | Do | 1·00 | ... | ·75 | ... | | | ... | ... | ... | ... | |
| Tanned | (a) ..... | Do | 5·00 | 6·25 | 4·44 | 5·25 | | | ... | ... | ... | ... | |
| | (b) ..... | Do | 4·25 | 6·00 | ... | ... | | | ... | ... | ... | ... | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do | 2·50 | 1·00 | 1 15 | ... | | | ... | ... | 1.25 | ... | |
| | (b) ..... | Do | 2·25 | 0·80 | 0·70 | ... | | | ... | ... | ... | ... | |
| Tanned | (a) ..... | Do | 12.00 | 6·21 | 6·44 | 5·25 | | | ... | ... | ... | ... | |
| | (b) ..... | Do | 10.00 | 6·00 | ... | ... | | | ... | ... | ... | ... | |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— Raw | (a) ..... | Do | 1·25 | 6·50 | 3·00—3·25 | ... | | 6·00 | ... | ... | 3·00 | 3 50 | |
| | (b) ..... | Do | ·75 | ... | ... | ... | | 4·00 | ... | ... | ... | ... | |
| Tanned | (a) ..... | Do | 7.00 | 7·00—8·00 | ... | ... | | ... | ... | ... | ... | ... | |
| | (b) ..... | Do | 5·00 | ... | | ... | | ... | ... | ... | ... | ... | |
| (ii) Sheepskins— Raw. | (a) White | Do | 1·25 | 6·50—7·00 | 4·00—4·50 | ... | | 6·00 | .. | ... | 3·00 | 5·00 | |
| | (b) Black | Do | 1·00 | ... | ... | ... | | 4·00 | ... | ... | ... | ... | |
| Tanned | (a) ..... | Do | 8·00 | ... | ... | ... | | ... | ... | ... | ... | ... | |
| | (b) ..... | Do | 6·00 | ... | ... | ... | | ... | ... | ... | ... | ... | |
| 4 Ghee | (a) Agmark | Do | ... | ... | ... | ... | | ... | ... | ... | 7·10 | ... | |
| | (b) Upgraded | Do | 5·50 | 6 00 | ... | 6·25 | | 6·00 | ... | ... | 6·50 | ... | |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | ... | | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) Paddy | Per cart-load | ... | | ... | ... | ... | ... | ... | ... | ... | ... | |
| 2 Straw | (a) Ragi | Do | ... | | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) ..... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3 Stalks | (a) Jola | Per quintal | ... | | ... | ... | ... | ... | ... | 20 | 20 | ... | |
| | (b) ..... | ... | ... | | ... | ... | ... | ... | ... | ... | .. | ... | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 200 00 | 140·00—160.00 | 185·00—114·00 | ... | 125·00 | ... | 160·00 | 95 00 | 280·00 |
| 2 | Tamarind ... | ... | ... | 80·00 | 60.00 - 70·00 | 58 00—160·00 | ... | 60 00 | .. | 70·00 | 69·00 | 100·00 |
| 3 | Dry Chillies ... | | ... | 220 00 | 150·00—230 00 | 285·00—250 00 | 295·00 | 80·00 | ... | 210 00 | 840·00 | 300·00 |
| 4 | Garlic ... | ... | ... | 72·00 | 50·00—70·00 | 69·00—70·00 | ... | 125·00 | ... | 85·00 | 90·00 | 150 00 |
| 5 | Pepper ... | ... | ... | 821·00 | ... | ... | ... | 400·00 | ... | ... | 812·00 | 275·00 |
| 6 | Cardamom ... | . | ... | 800·00 | ... | ... | ... | 2000·00 | ... | ... | 96·00 - 1,450·00 | 1,100·00—1,100·00 |
| XII | Miscellaneous- - | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | — | ... | ... | ... | ... | ... |
| 6 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | Myrobalan ... | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... ... ..... | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 30th November 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy | Coarse | Per Rupee | 2 8 | 4 | ... | ... | 2·5 | 2·5 | .. | ... | 2·6 | 2·2 |
| 2 Rice | Do | ... | 1·4 | 2 | 1·6 | 1·4 | 1·5 | 1·5 | 1·4 | 1·6 | 1·7 | 1·3 |
| 3 Wheat | White | ... | 2·5 | 2·5 | 2 | 1·7 | ... | 2 | 1·7 | 2 | 2·2 | 1·4 |
| 4 Wheat Flour | Do | ... | ... | 2 | ... | ... | 2·5 | 2 | 1·4 | 1·9 | ... | 1 8 |
| 5 Jowar | Do | ... | 1·8 | 2 5 | 2·4 | 1·8 | 2·8 | 2·5 | 2·2 | 1·1 | 2·4 | 2·2 |
| 6 Bajra | ... | ... | ... | ... | 2·8 | ... | 2·4 | ... | ... | ... | ... | 2·7 |
| 7 Barley | ... | ... | ·569 | ·250 | ... | ... | ... | ·700 | ·400 | ... | ... | ·800 |
| 8 Maize | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi | ... | ... | 2·5 | 2·5 | 2·8 | 2·8 | 2·7 | 2·4 | 2·2 | 2·7 | 2·8 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 8·0 | 6 | | ... | ... | ... | 8·0 | 8·0 | 0·6 | 0 |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | 8·0 | ... | ... | ... | 0·2 | ... |
| (iii) Papaya ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram — | (a) Whole ... | ... | ... | 1·5 | 1·3 | 1·4 | 1·7 | 1·5 | 1·6 | 1·4 | 1·8 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | 1·2 | 1·5 | 1·4 | 1.5 | 1·6 | 1·5 | 1·5 |
| | (c) Flour ... | ... | ... | ... | ... | ... | 1·5 | 1·4 | 1·4 | 1·2 | ... | 1·4 |
| 2 Arhar (Tur) | (a) Whole ... | ... | 1·6 | ... | 1·5 | ... | ... | 1·7 | ... | ... | 1 | 1·2 |
| | (b) Split (without skin). | ... | ... | 1 | ... | ·9 | 1 | 1·1 | ·1 | 1 | | |
| 3 Moong | (a) Whole ... | ... | .. | ... | ... | 1·1 | 1·6 | 1·5 | | ... | 1·4 | 1 7 |
| | (b) Split (without skin). | ... | ... | ... | ... | 7 | 1·3 | 1·2 | 1·5 | ... | 1·2 | ... |
| 4 Urd | (a) Whole ... | ... | ... | 1·5 | ... | 1 | ... | 1·8 | 1·2 | | 1·1 | ... |
| | (b) Split (without skin), | ... | ... | ·8 | ... | 7 | 9 | 1 | ·8 | | ·9 | ·8 |
| 5 Masur | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | 1·2 | ... | 1·2 | .. | ... | ... |
| 6 Other pulses | | | | | | | | | | | | |
| (i) Avare .. | (a) Whole ... | ... | 1·7 | 2 | 2 | ... | 1·4 | 1·5 | 1·4 | ... | 1·8 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ... | ... | 1·8 | 1·8 | ... | 1·5 | ... |
| (ii) Horsegram | — | ... | 2·9 | 2·5 | 2·8 | 2·4 | 8 | 2·2 | 2·8 | 2·4 | 8·2 | 2·4 |
| (iii) Cowpea ... | ... | ... | 1 2 | 1·75 | 1·8 | ... | 2·2 | 1·4 | 1·8 | ... | 1·2 | 1·8 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 1·1 | ·900 | 1 | 1·2 | 1·1 | ·850 | ·1 | ·500 | 1 | ·1 |
| 2 Sugar refined | (b) Sort II ... | ... | ... | ·1 | 1·1 | 1·4 | 1·4 | ... | 1·2 | ·1 | 1·2 | 1 1 |
| | D. 24 | ... | ... | | ... | ... | ·500 | ·840 | 869 | ·900 | ·760 | ·825 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | — | ... | ·556 | ·500 | ·576 | ·400 | ·570 | ·477 | ·500 | ·600 | ·500 | ·580 |
| 2 Sesamum oil ... | ... | — | — | ... | ... | | ... | ·422 | — | ... | — | ·570 |
| 3 Castor oil ... | — | ... | ·500 | ·500 | ·550 | ... | ·650 | ·477 | ·500 | ·600 | ·880 | ·520 |
| 4 Mustard oil ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | .. |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | ·978 | ·800 | ... | ... | ·800 | ·250 | ·338 | 400 | ·250 | .270 |
| Vanaspati ... | ... | ... | ... | ... | ·266 | — | ·360 | ·286 | ... | ·450 | ·280 | .250 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ·285 | .. | .. | ... | ... | ... | ... | .. |
| (ii) ... ..... | ... | ... | ... | ... | ... | ... | ... | .. | ... | ·600 | ... | .. |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | ... | ... | ... | ... | ... | | .. | ... | ... | ... |
| 2 Plantains ... | | Do | 50—80 | 25—80 | 75—87 | 60 | 75 | | 25—75 | 78 | 1·00 | ·56 |
| 3 Oranges ... | | Do | 1·25—1·62 | 2—3·80 | 1·50—3·50 | 1·25 | 2·00 | | 75—2·00 | 2 00 | 2 00 | ... |
| 4 Dates ... | | ... | ... | ... | ·888 | ... | ... | | ... | ... | ... | ... |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| 6 ... ..... | | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | ... | | 2·5 | 1 6 | | 1·4 | 1·4 | 1·6 | | 1·8 |
| 2 Onions ... | | ... | ... | | 2 8 | 1·8 | | 2·5 | 2·8 | 2.2 | | 2.8 |
| 3 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ·260 | ... | ... | ... | 166 | ... | | .160 |
| 2 Arecanuts ... | | ... | ... | 129 | ·163 | ... | ... | ·119 | 1·00 | ·820 | | ... |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | ... | ... | 6·00 | 5·60 | | 5 80 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 70—80 | 1·00 | 62—75 | ... | 46—62 | 40—85 | 60 | ... | 66 | 70 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·150 | ... | ... | ... | ... | ·125 | ... | ... | ... |
| | (b) Ungraded ... | ... | ... | ·200 | ... | ... | ·285 | ... | ... | ·850 | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·60 | 3·00 | 2·60 | ... | 2·10 | 2·25 | 2·10 | ... | 2·00 | 2.40 |
| | (ii) B Grade | Do | 2·50 | 2·60 | 2·00 | ... | 2·00 | 1·75 | 2·15 | ... | 1·75 | 2·16 |
| | (iii) C Grade | Do | 2·00 | 2·00 | 1.50 | ... | 1.75 | 1·65 | 2 12 | 2 50 | 1·62 | 3·00 |
| 4 Mutton ... | ... | ... | 2·50 | ·185 | ·800 | ... | ·297 | ·250 | .250 | ·830 | ·285 | ·830 |
| 5 Beef ... | ... | ... | ·444 | ... | | ... | | | | ... | | ·660 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ... | ·800 | ·500 | ·450 | ·400 | ·490 | .460 | ·600 | ·600 | ... |
| 2 Tamarind ... | ... | ... | ... | ·1 | ·1 | | 1·1 | 1 | ·1 | 1 | ·1 | ·1 |
| 3 Dry chillies ... | ... | ... | ... | ·600 | ·600 | ·880 | ·450 | ·888 | ·850 | ·800 | ... | .400 |
| 4 Garlic ... | ... | ... | ... | ·1 | 1 | | | 1 | ... | ... | ·1 | ·1 |
| 5 Pepper ... | ... | ... | ... | ·100 | ·800 | ·920 | ·260 | ·277 | ·250 | ·810 | ·860 | ·250 |
| 6 Cardamom ... | ... | ... | ... | 0·50 | 0·62 | ... | 0 48 | 0 77 | 0·56 | ... | 0·56 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 9 | 8 | 8 | 10 | 10 | 10 | 10 | 10 | 9 |
| 2 Kerosene oil ... | ... | Per Litre | 60 | — | 87 | 40 | 60 | 50 | 65 | 60 | 60 | 57 |
| 3 Firewood/ Charcoal | ... | Quintal | ... | 6.50—8 | 8—7.50 | ... | 5·00 | 8·60 | 6.00 | 6.00 | 6.50 | 4·75 |
| 1 Coarse cloth ... | ... | Per metre | 1·55 | 90 | ... | ... | 1·25 | 1·10—1·80 | 1—1·50 | ... | 1·46 | 1·06 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg | |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | |
| I Cereals.— | | | | | | | | | | | | |
| 1 Paddy | Coarse | | ... | 2·5 | ... | ... | ... | ... | 2·7 | 2·8 | 2·7 | |
| 2 Rice | Do | | 1·5 | 1·5 | 1·8 | 1·4 | 1·7 | ... | 1·7 | 1·6 | 1·7 | |
| 3 Wheat | White | | 1·6 | ... | 1·9 | ... | 1·9 | ... | 1·5 | 1·8 | 2 | |
| 4 Wheat Flour | Do | | 1·6 | 2 | ... | 1·6 | ... | ... | ... | 1·6 | ... | |
| 5 Jowar | Do | | 2 | 1·8 | ... | ... | 2 | ... | 2 | ... | ... | |
| 6 Bajra | ... | | ... | 2·5 | 2·4 | 2 | 2·7 | ... | 3 | ... | ... | |
| 7 Barley | ... | | ... | ... | ... | ... | ... | ... | ... | ·500 | ... | |
| 8 Maize | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 9 Ragi | ... | | 2·5 | 2·5 | ... | ... | ... | ... | ... | ... | ... | |
| 10 Other cereals— | ... | | ... | ... | ... | ... | ... | ... | ... | 2·1 | 2·6 | |
| (i) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 4 | |
| (ii) Tapioca | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iii) Papaya | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (iv) Groundnut cake flour | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| II. Pulses.— | | | | | | | | | | | | |
| 1 Gram | (a) Whole | | ... | ... | 1·9 | 1·4 | ... | ... | 1·6 | ... | 1·6 | |
| | (b) Split (without skin). | | ... | ... | 1·6 | 1·8 | ... | ... | ... | ... | 1·2 | |
| | (c) Flour | | ... | ... | ... | ... | ... | ... | 1 | ... | ... | |
| 2 Arhar (Tur) | (a) Whole | | ... | ... | 1·1 | ... | ... | ... | ... | ... | ... | |
| | (b) Split (without skin). | | ... | ... | 1·1 | 1·2 | ... | ... | 1 | ... | 1·1 | |
| 3 Moong | (a) Whole | | ... | ... | 1·8 | 1·2 | ... | ... | ... | ... | 1·2 | |
| | (b) Split (without skin). | | ... | 1·2 | 1·1 | ·8 | 1·9 | ... | 1 | ... | 1·1 | |
| 4 Urd | (a) Whole | | ... | ... | ... | ·7 | 1·5 | ... | 1·6 | ... | 1·3 | |
| | (b) Split (without skin). | | ... | ... | ·9 | ... | ·8 | ... | ·7 | ... | 1 | |
| 5 Masur | (a) Whole | | ... | ... | ... | ... | ... | ... | ... | ... | 1·1 | |
| | (b) Split (without skin). | | ... | ... | ... | 1·2 | 1·9 | ... | 1 | ... | ... | |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | (a) Whole | | ... | ... | 2·2 | ... | ... | ... | 2·5 | 1·80 | 1·2 | |
| | (b) Split (without skin). | | ... | ... | ... | ... | ... | ... | 1·8 | ... | 1 | |
| (ii) Horsegram | ... | | 2·5 | ... | 2·6 | ... | ... | ... | ... | 2·2 | 2·1 | |
| (iii) Cowpea | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 1·5 | |
| III Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | ·686 | 1·6 | 1 | 1 | 1·8 | ... | 1 | ·800 | ·676 | |
| | (b) Sort II | | ·766 | 1·1 | 1·2 | ... | 1·5 | ... | ... | 1 | ·800 | |
| 2 Sugar refined | D 24 | | ... | ... | ·850 | ... | ... | ... | ·980 | ·847 | ·888 | |
| IV. Oils.— | | | | | | | | | | | | |
| 1 Groundnut oil | ... | | ·600 | ·600 | ·576 | ·500 | 1·71 | ... | ·600 | ·681 | ·585 | |
| 2 Sesamum oil | ... | | 888 | ... | ... | ... | ... | ... | ... | ·857 | ... | |
| 3 Castor oil | ... | | ... | ... | ... | ... | ·600 | ... | ... | ... | ·444 | |
| 4 Mustard oil | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5 Linseed oil | ... | | ... | ... | ... | ... | ·250 | ... | ... | ... | ... | |
| 6 Cocoanut oil | ... | | ·285 | ... | ·223 | ·225 | ·185 | ... | ·800 | ·812 | ·807 | |
| 7 Vanaspati | ... | | ·200 | ... | ... | ... | ... | ... | ... | ·871 | ... | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Rebined oil | ... | ... | | ... | ... | ... | ... | ... | ... | ... | | ... |
| (ii) ..... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | | | Do | ... | 6 6 | 87—82 | ·87 | 5·00 | ... | 7·5 | 25·81 | 20—90 |
| 3 Oranges ... | | | Do | ... | ... | ... | ... | 1·00 | ... | 2,25 | 1·762 | 5 5 |
| 4 Dates ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | — |
| 5 Cashew kernels | | | ... | '1 6 | | ... | ... | ... | ... | ... | ·217 | ... |
| 6 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | | ... | 2·5 | 2 | 2 | 2 5 | 1 8 | ... | 1 | 1,5 | 1·8 |
| 2 Onions ... | | | ... | 3·3 | 3 | 3 | 3 | 2·5 | ... | 3 | 2,7 | 2·5 |
| 3 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·182 |
| 2 Arecanuts ... | | | ... | ,200 | ... | ·225 | ·225 | ... | ... | ... | | 210 |
| VI. Tobacco ... | Leaf | ... | Per kg | 6.00 | ... | ... | ... | ... | ... | ... | 3·50 | ... |
| VII. Live-stock products etc— | | | | | | | | | | | | |
| 1 Milk ... | | | ... | | ... | ... | 50 | ·56 | ... | ·88 | 90 | ·62 |
| 2 Ghee ... | (a) Agmark ... | | ... | | ·148 | ... | | ·166 | ... | ·125 | ,130 | ... |
| | (b) Ungraded ... | | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Eggs ... | (i) A Grade | | Per Dozen | | 3 50 | 2·50 | 2·575 | 1·50 | ... | 2 50 | 2 00 | 2·60 |
| | (ii) B Grade | | Do | | 3 00 | 1·87 | 2 50 | 1.60 | ... | 2·25 | 1.75 | 2 40 |
| | (iii) C Grade | | Do | | 2·50 | 1·75 | 2 25 | | ... | 2.00 | 1·50 | 1·85 |
| 4 Mutton ... | ... | | ... | | ·285 | ... | ... | ... | ... | ·300 | ·285 | ·265 |
| 5 Beef ... | ... | | ... | | ·665 | ... | ... | ... | ... | ·600 | ,666 | ... |
| VIII. Condiments and Spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | | ... | ·400 | ... | 600 | | ... | ... | ·850 | ,510 | ·850 |
| 2 Tamarind ... | ... | | ... | 1 | 1 | | | ... | ... | ·1 | | 1 |
| 3 Dry chillies ... | ... | | ... | ·800 | ·850 | ·875 | | ... | ... | ·800 | ·444 | ,883 |
| 4 Garlic ... | ... | | ... | ·800 | ·1 | ... | ... | ... | ... | ·1 | ... | ... |
| 5 Pepper ... | ... | | ... | ·338 | ... | ·230 | ... | ... | ... | | ,335 | ·363 |
| 6 Cardamom ... | ... | | ... | 0·82 | ... | 0·80 | ... | ... | ... | | 0·83 | 0 71 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | | ... | 10 | ... | ... | ·8 | 8 | ... | 10 | 9 | 8 |
| 2 Kerosene oil ... | ... | | Per Litre | 50 | ... | 45 | ... | 40 | ... | 87 | 48 | 56 |
| 3 Firewood/ Charcoal | ... | | Quintal | ... | ... | ... | ... | 8 00 | ... | 7·50 | 6 25 | 6 50 |
| 4 Coarse cloth ... | ... | | Per Metre | 1·25 | ... | ... | ... | ... | ... | ·88 | 87 | 62 |

.....

For *Chief Marketing Officer.*

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 8 h October 1965

Statement showing the Wholesale Prices of various commodities for the Week ending 8th October 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Mashathi | 100 kg. | 73 | 00 |
| II Sort | ... | Guddu | " | 72 | 00 |
| III Sort | ... | Suggi | " | 70 | 00 |
| Rice—I Sort | ... | Mashathi | " | 134 | 00 |
| II Sort | ... | Guddu | " | 128 | 00 |
| III Sort | ... | Suggi | " | 126 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 72 | 00 |
| " | ... | II Sort | " | 44 | 00 |
| Coconuts | ... | Unhusked | 1000 Nuts | 850 to 620 | 00 |
| " | ... | Husked | " | 870 to 690 | 0 |
| Copra | ... | ... | 100 kg. | 275 to 300 | 00 |
| Coconut Oil | ... | I Class | 10 kg. | ... | |
| " | | II Class | " | 70 | 00 |
| Cashew Kernels | | | 100 kg. | ... | |
| Cashew Nuts | ... | | 10 kg. | 250 to 270 | 00 |
| Cardamoms | ... | Mysore | " | 240 to 290 | 00 |
| " | ... | Coorg | | | |
| Malabar Black pepper | ... | | 50 kg. | ... | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 0 |
| " | ... | Beedi | " | 850 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 2 to 45 | 00 |
| " | ... | Husked Old | 60 kg | 810 to 850 | 00 |
| " | ... | " New | " | ... | |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 22 to 27 | 00 |
| " | ... | Rasaragod | " | ... | |

RETAIL PRICES.

| | | | | | |
|---|---|---|---|---|---|
| Tobacco | | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |

CATTLE FOOD

| | | | | | |
|---|---|---|---|---|---|
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 26 to 28 | 00 |
| Cotton seeds | ... | ... | " 64 00 kg | 24 | 00 |
| Horsegram | ... | ... | " 93 07 kg. | 61 to 64 | 00 |

144 *Dy. Commr.*

Dated 15th October 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 15th October 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Mashathi | 100 kg. | 73 | 0 |
| II Sort | ... | Guddu | " | 72 | 0 |
| III Sort | ... | Suggi | " | 70 | 00 |
| Rice—I Sort | ... | Mashathi | 100 kg. | 133 | 00 |
| II Sort | ... | Guddu | " | 130 | 00 |
| III Sort | ... | Suggi | " | 128 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 75 | 00 |
| " | ... | II Sort | " | 45 | 00 |
| Coconuts | ... | Unhusked | 1000 Nuts | 860 to 610 | 00 |
| " | ... | Husked | " | 870 to 690 | 00 |
| Copra | ... | ... | 100 kg. | 280 to 310 | 00 |
| Coconut Oil | ... | I Class | 10 kg. | ... | |
| " | ... | II Class | " | 6 | 00 |
| Cashew Kernels | ... | ... | 100 kg. | No Stock | |
| Cashew Nuts | ... | ... | 10 kg. | 240 to 280 | 00 |
| Cardamoms | ... | Mysore | " | 240 to 290 | 00 |
| " | ... | Coorg | | | |
| Malabar Black pepper | ... | ... | 50 kg. | No Stock | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 850 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 26 to 45 | 00 |
| " | ... | Husked Old | 60 kg. | 810 to 856 | 00 |
| " | ... | " New | " | ... | |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 23 to 28 | 00 |
| " | ... | Rasaragod | " | ... | |

RETAIL PRICES.

| | | | | | |
|---|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |

CATTLE FOOD.

| | | | | | |
|---|---|---|---|---|---|
| Groundnut Oil Cake | | | Bag of 69.92 kg. | 26 to 28 | 00 |
| Cotton Seeds | ... | | " 64 kg. | 25 | 50 |
| Horsegram | ... | | " 93·07 kg | 61 to 61 | 00 |

151 *Dy. Commr.*

## MYSORE STATE DEPARTMENT OF HEALTH SERVICES

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY THE 2nd October 1965.

No. VS 40-SPh-65-63 dated 12th October 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks nil deaths and nil attacks with nil deaths respectively.

A Total of 4 attacks with 1 death from Smallpox was reported for the entire State *viz.*, from the taluks of Dodballapur, Mangalore and Kundgal *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 47 attacks with 11 deaths from Cholera was reported for the entire State *viz.*, from the taluk of Chitradurga during the week *as against* 12 attacks with 6 deaths reported during the corresponding week of last year.

A total of 1 attack with nil deaths from K. F. Disease was reported from Shimoga District, *as against* one attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epidemic form *as against* nil attacks with nill deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 234 (50 in hospitals) for the week *as against* 278 (133 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.7 (10.0 excluding hospital deaths) per mille of population (mid-year estimated *as against* 15·3 (8.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 26 were due to Dysentry, and Diarrhoea, 10 due to consumption and 198 due to all other causes, *as against* 5 due to other fevers, 19 due to Dysentry and Diarrhoea, 29 due to Consumption and 225 due to all other causes reported during the corresponding week of the previous year.

The reports for Mysore and K. G. F. Cities have not been received.

The total mortality for Belgaum city amounted to 19 (nil in hospitals) for the week *as against* 29 (9 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 7.2 (7.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 11.1 (7.6 exluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, and 18 due to all other causes *as against* 1 due to other fevers and 28 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 9 (nil in hospitals) for the week *as against* 11 (2 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 3.0 (3.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.8. (3.)1 exluding hospitals deaths) for the corresponding week of the last year. Classified according to causes of deaths, 9 were due to all other causes *as against* 1 due to Consumption and 10 due to all other causes reported during the corresponding week of the previous year.

147 ..... *Dy. Director, Com. Diseases.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, NOVEMBER 11, 1965 (KARTHIKA 20, SAKA ERA 1887 | No. 44

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 13th October 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of** | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season* | | | | | | |
| | Actual | Normal | Actual | Normal | | | Water Supply | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 30-9-1965) | | | | |
| | 1. *Bangalore District* | | | | | | | | |
| Nil | Nil | 34.1 | Nil | | Crops were withering in most of the taluks for want of immediate rains. | Good | ... Available except in Kanakapura, Anekal, Devanahalli and Ramanagaram tqs. | Sufficient | (1) |
| | 2. *Kolar District.* | | | | | | | | |
| Nil | Nil | 28.9 | Nil | | Crops were withering in most of the taluks for want of rain. | Good | ... Available except in Chickballapur and Gudibanda Tqs. | Sufficient except in Chickballapur and Gudibanda taluks. | (2) |
| | 3. *Tumkur District.* | | | | | | | | |
| Nil | 0.4 | 34.7 | 0.4 | | Crops were withering in most of the taluks for want of rain. | Good | ... Available except in Tumkur, C.N Halli and Tiptur Taluks. | Adequate except in Koratagere. Tumkur and Turuvekere Taluks. | (3) |
| | 4. *Mysore District.* | | | | | | | | |
| Nil | Nil | 29.5 | 5.0 | 61.5 | Crops were withering in most of the taluks for want of immediate rains. | | | Sufficient except in Yelandur and Gundlupet Taluks. | (4) |
| | 5. *Mandya District.* | | | | | | | | |
| Nil | Nil | 28.7 | Nil | | Fair but immediate rains were essential for the crops. | Good | ... Available except in Nagamangala, Mandya and K R.Pet Tqs. | Adequate except in Nagamangala, Mandya and K. R. Pet Taluks. | |
| | 6. *Hassan District.* | | | | | | | | |
| Nil | 32.7 | 5.8 | | | Crops were withering in most of the taluks for want of immediate rains. | Good | ... Available except in Arsikere and Arkalgud Tqs. | Insufficient | (5) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 7. *Chickmagalur District.* | | | | | | | | |
| Nil | Nil | 37.1 | 20.4 | 74.7 | Dry crops were withering in most of the taluks for want of rains. | Good | ... Available | Sufficient except in Kadur & Tarikere Tqs. | |
| | 8. *Shimoga District* | | | | | | | | |
| | | 30.7 | 16.8 | | Crops were withering in most of the taluks for want of immediate rains. | Good | ... Available except in Hosanagar Taluk. | Adequate | (6) |
| | 9. *Chitradurga District.* | | | | | | | | |
| | Nil | 30.5 | 1.9 | 57.5 | Crops were withering in most of the taluks for want of rains. | Good | ... | Sufficient | ... |
| | 10. *Bellary District.* | | | | | | | | |
| Nil | Nil | N.A. | | 0.7 | Crops were fading throughout the District for want of immediate rains. | Good | | | |
| | 11. *Bijapur District.* | | | | | | | | |
| Nil | Nil | N.A. | Nil | N.A. | Crops were withering in most of the taluks for want of immediate rains. | Good | | | |
| | 12. *Belgaum District.* | | | | | | | | |
| | 5.7 | N.A. | 18.8 | N.A. | Crops were withering in most of the taluks for want of rains. | Good except for the prevalence of cattle disease at one village of Ramadurga Tq. | Available ... | Sufficient except Ramadurga Taluk. | (9) |
| | 13. *Dharwar District.* | | | | | | | | |
| | 0.3 | N.A. | 13.5 | N.A. | Fair but crops were withering in most of the Tqs. for want of immediate rains. | Good | ... Available | | |
| | 14. *North Kanara District.* | | | | | | | | |
| Nil | N.A. | 17.2 | | N.A. | Rains were urgently required for crops. | Good | | | |
| | 15. *Gulbarga District.* | | | | | | | | |
| | 6.0 | N.A. | 6.0 | N.A. | Fair except in Chincholi and Afzalpur tqs. where crops were affected due to non-receipt of timely rains. | Good | | | |
| | 16. *Raichur District.* | | | | | | | | |
| | Nil | N.A. | Nil | N.A. | Fair except in Sindhanur and Deodurg tqs. where crops were withering for want of rains. | Good | | ... Sufficient | (13) |
| | 17. *Bidar District.* | | | | | | | | |
| Nil | N. A. | | Nil | N.A. | Fair except in Bidar Taluk. | Good | | | |
| | 18 *South Kanara District.* | | | | | | | | |
| Nil | 3.3 | N.A. | 3.9 | N.A. | Fair | ... Good | ... Available | ... Sufficient | (15) |
| | 19. *Coorg District.* | | | | | | | | |
| Nil | Nil | N.A. | Nil | N.A. | Fair | ... Good | ... Available | ... Sufficient | (16) |

Remarks:—(1) Refers to 10 Taluks. (2) Refers to 9 Taluks. (3) Refers to 6 Taluks. (4) Refers to 9 Taluks. (5) Refers to 7 Taluks. (6) Refers to 7 Taluks. (7) Refers to 7 taluks. (8) Refers to 8 Taluks. (9) Refers to 5 Taluks. (10) Refers to 13 Taluks. (11) Refers to 9 Taluks. (12) Refers to 7 Taluks. (13) Refers to 5 Taluks. (14) Refers to 2 Taluks. (15) Refers to 3 Taluks. (16) Refer to 1 Taluk.

SYED MAHMOOD, For *Director of Statistics.*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 13th September 1965.

(a) Denotes :—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of Standing Crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations.
(f) " Water Supply.
(g) " Fodder and Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—
(a) No rainfall during the
(b) Nil.
(c) Standing Crops were fair except in Ramnagaram, Channpatna, Magadi, Kanakapura and Devanahalli Taluks where Crops were witnering for want of rains.
(d) Nil.
(e) Agricultural Operations was held up for want of rain in Kanakapura and Devanahalli Taluks.
(f) Sufficient except in Channapatna and Devanahalli Taluks where the supply of water was insufficient.
(g) .....
(h) Generally healthy.

2 Kolar District.—
(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Mulabagal, Chickballapur, Bagepalli, Gowribidanur, Chintamani and Srinivasapur Taluks where dry crops were withering for want of rains.
(d) Nil.
(e) Agricultural operations was held up for want of rains in most of the Taluks.
(f) Sufficient except in Chickballapur, Gudibanda and Chintamani Taluks were insufficiency of wrter was felt.
(g) Available except in Chickballapur and Gudibanda Taluks where scarcity for fodder was felt.
(h) Generally healthy.

3 Tumkur District.—
(a) No rainfall during the week except in Chicknayakanahalli Taluk.
(b) Nil.
(c) Fair except in Tumkur, Madhugiri, Chiknayakanahalli, Tiptur and Turuvekere Taluks where dry crops were withering for want of urgent rains.
(d) Nil.
(e) Agricultural operations was held up for want of rains in Tumkur, Tiptur and Turuvekere Taluks.
(f) Sufficient except in Tumkur and Turuvekere Taluks where the supply of water was insufficient.
(g) Available except in Tumkur Chicknayakanahalli and Tiptur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District.—
(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Chamarajanagar K. R. Nagar, H. D. Kote and T. Narsipur Taluks where Dry crops were withering for want of urgent rains.
(d) Harvesting of Irrigated Ragi in Hunsur Taluk, was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Gundlupet and T. Narasipur Taluks where in-sufficiency of water was felt.
(g) Available.
(h) Generally healthy.

5 Mandya District.—
(a) No rainfall during the week.
(b) Transplantation of Sugarcane and Paddy Mandya Taluk, Sugarcane in Srirangapatna Taluk was in progress.
(c) Fair except in Malavalli, K. R. Pet and Mandya Taluks where crops were withering for want of rains.
(d) Harvesting of Sugarcane in Pandavapura, Mandya, Maddur and Srirangapatna Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Nagamangala, Krishnarajpet and Mandya Taluks where insufficiency was felt.
(g) Available except in Nagamangala, K, R. Pet and Mandya Taluks where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—
(a) No rainfall during the week.
(b) Transplantation of Paddy was held up for want of rains in Arkalgud and Hassan Taluks.
(c) Fair except in Channarayapatna, Arsikere, Arkalgud and Belur Taluks, where crops were witheriog for want of urgent rains.
(d) Harvesting of Paddy, Jowar and G.Nut in Arsikere Taluk, Dodda Ragi in Belur Taluk was in progress.
(e) Agricultural Operations was held up for want of rains in Hassan, Channarayapatna and Arsikere Taluks.
(f) Sufficient except in Hassan, Channarayapatna, Arsikere, Manjarabad, Arkalgud and Belur Taluks where insufficiency was felt.
(g) Available except Hassan, Arsikere and Arkalgud Taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—
(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Sringeri, Tarikere Mudigere N. R Pura, and Kadur, Taluks where K. crops were withering for want of rains.
(d) Harvesting of Areca in Sringeri Taluk, Jowar in Tarikere Taluks Cardamum in Mudigere Taluk was in progress.
(e) Nil.
(f) Sufficient except in Sringeri, Tarikere and Kadur Taluks where in supply of water was insufficient.
(g) Available except in Kadur Taluk where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—
(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Honnali Shimoga ann Sorab Taluks where crops were withering for want of rains.
(d) Harvesting of Groundnut in Honnali Taluk Jowar in Chaanagiri Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—
(a) No rainfall during the week.
(b) Sowing of Bilijola and Bengalgram in Holalkere Taluk was in progress.
(c) Fair except in Davangere Challakere Holalkere, Hosadurga and Molakalmuru Taluks, where crops were withering for want of rains.
(d) Harvesting of Navane, Same, G.nut and Jowar in Davangere Taluk, Gidda Ragi in Challakere Taluk, Jola in Holalkere and, Hosadurga Taluks, Sugarcane and Ragi in Hiriyur Taluks was in progress.

(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Davanagere and Holalkere Taluks where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

10 Bellary District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops is held up for want of rain in Hospet Taluk.
(c) Fair except in Siruguppa, Harapanahalli Kudligi and Hospet Taluks where crops where crops were withering for want of rains.
(d) Harvesting of Yada Ragi and Sajje in Harpanahalli Taluk, Ragi in Kudligi Taluk, Jowar in Hospet Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

11 Bijapur District.—
(a) No rainfall during the week.
(b) Sowing of Wheat in Mudhol Taluk, Rabi Jowar and Wheat in Sindagi Taluk was held up for want of rain whereas Rabi crops in Badami, Bijapur and Bilgi Taluks were in progress.
(c) Fair except in Sindagi Bijapur and Bagalkote Taluks where Crops were in need of urgent rains.
(d) Nil.
(e) Agricultural Operations were held up for want of rains in most of the Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

12 Belgaum District.—
(a) No rainfall during the week except in Gokak and Hukkeri Taluks.
(b) Sowing of Rabi Crops in Gokak Taluk Rabi Jower in Ramdurg Taluk was in progress.
(c) Standing Crops were fair except in Ramdurg Taluk.
(d) Harvesting of Groundnut in Ramdurg Taluk was in progress
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Ramdurg Taluk where the supply of water was insufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at one village of Ramdurga Taluk.

13 Dharwar District.—
(a) No rainfall during the week except in Naragund Taluk.
(b) Sowing of Cotton was nearing completion in most of the taluk.
(c) Fair except in Nargund, Hangal, Hirekerur, Byadgi and Dharwar Taluks where crops were withering for want of rains and in Mundargi Taluk G. Nut and Jowar were affected by pest.
(d) Harvesting of Groundnut in Gadag, Shirhatti, Hubli, Hirekerur and Dharwar Taluks, G.Nut, Ragi and Navane in Hangal Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient.
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy

14 North Kanara District.—
(a) No rainfall during the week.
(b) Nil
(c) Fair except in Yellapur Taluk where paddy crops was affected due to non receipt of rains.
(d) Harvesting of Areca in Yellapur Taluk Paddy in Kumta, Honnawar and Bhatkal Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at one village of Supa Taluk.

15 Gulbarga District.—
(a) No rainfall during the week except in Sedam and Aland Taluks.
(b) Sowing of Rabi Crops in Chincholi, Shahapur and Gulbarga Taluks Rabi Jowar in Sedam Taluk was in progress.
(c) Fair except in Chincholi and Aland Taluks where crops were slightly affected due to late rains,
(d) Harvesting of Sesamum in Chincholi Taluk Minor Millets in Gulbarga Taluk, Jowar in Sedam Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—
(a) No rainfall during the week,
(b) Sowing of Rabi Jowar in Deodrug Taluk, Rabi Crops in Gangavathi Taluk was in progress.
(c) Fair except in Deodurg, Sindhanoor and Gangavathi Taluks where crops were withering for want of rains.
(d) Harvesting of Sajje in Gangavathi Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Jowar and Gram in Humnabad Taluk was in progress.
(c) Standing crops were fair except in Humnabad Taluk.
(d) Harvesting of Paddy in Humnabad Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Bidar Taluk where the supply of water was insufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—
(a) No rainfall during the week except in Puttur Taluk.
(b) Sowing of II Crop Paddy was in progress in Puttur Taluk.
(c) Standing crops were fair.
(d) Harvesting of I Crop Paddy in Puttur, Karkala and Belthangadi Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Puttur Taluk where the supply of water was insufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient except in Mercara Taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy.

154—sc 40 SYED MAHMOOD, For *Director*.

Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of August 19

| Rain Fall | | | | Naye Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajara | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

1. Bangalore District.

Excessive ... ...

2. Kolar District.

... ...

3. Tumkur District.

70 60

4. Mysore District.

55 60

5. Mandya District.

... 66 44

6. Hassan District.

56 22

7. Chickmagalur District.

... ... ...

8. Shimoga District.

66 86 G.Nut—44, Arecca—62 Pulses—86

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| 10. Bellary District. | | | | | | | | | |
| ... | ... | | | | | | | | |
| 11. Bijapur District. | | | | | | | | | |
| ... | 62 | | | | | | | | |
| 12. Belgaum District. | | | | | | | | | |
| 45 | 44 | | | | | | | | |
| 13. Dharwar District. | | | | | | | | | |
| 45 | 50 | | | | | | | | G. nut—37, Cotton—10 Wheat-37 Chillies—37 |
| 14. North Kanara District. | | | | | | | | | |
| ... | 58 | 49 | | | | | | | Coconut-50. Bittlenut-52, Pepper-45, G. nut-40 |
| 15. Gulbarga District. | | | | | | | | | |
| ... | ... | | | | | | | | |
| 16. Raichur District. | | | | | | | | | |
| 30 | ... | | | | | | | | |
| 17. Bidar District. | | | | | | | | | |
| ... | | | | | | | | | |
| 18. South Kanara District. | | | | | | | | | |
| 56 | ... | ... | | | | | | | |

SYED MAHMOOD,
For *Director of Statistics*

## Statement showing of Monthly Weather and Crop Report for August 1965.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing and Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) Rainfall.
(h) Damage to crops
(i) Remarks.

1 Bangalore District.—

(a) Sufficient.
(b) Sowing of Ragi was completed and transplantation of paddy was in progress.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Excessive.
(h) Nil
(i) .....

2 Kolar District.—

(a) Sufficient.
(b) Sowing operations was just commenced in most of the taluks.
(c) Generally fair.
(d) Harvesting of Tobacco was in progress in Gowribidanur taluk.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of paddy in all the taluks and Ragi in ...ruve-kere and Chicknayakanahalli taluks was in progress.
(c) generally fair,
(d) Harvesting of Yadaragi was nearing completion in Pavagada, Madhugiri and Koratagere taluks and paddy was in progress in Chicknayakanahalli taluk.
(e) Available. Except in some parts of Tiptur and Chicknayakanahalli taluks.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

4 Mysore District.—

(a) Sufficient. Except in Periyapatna taluk and in some parts of Hunsur taluk.
(b) Sowing of paddy and Ragi and pulses was being completed in all the taluks except in Chamarajanagar taluk where he same was held up for want of rains.
(c) Fair except in H D. Kote, Hunsur and Periyapatna taluk where the crops were withering for want of rains.
(d) Harvesting of Ragi and G. nut was being done in Mysore, Gundlupet, Hunsur Periyapatna and H. D. Kote taluks.
(e) Available. Except in some parts of Hunsur and Mysore taluks.
(f) Generally healthy
(g) Scanty.
(h) Nil
(i) Refers to 9 taluks.

5 Mandya District.—

(a) Sufficient except in K. R. Pet and Nagamangala taluks.
(b) Sowing and Transplantation of paddy and sugarcane in all taluks was in progress expect in K R Pet and Nagamigala taluks where Ragi was in progress.
(c) Generally Fair.
(d) Sugarcane was being harvested in all the taluks.
(e) Available.
(f) Generally Healthy.
(g) Scanty.
(h) Crops were withering in most of the taluks for want orain
(i) Refers to 9 taluks

6 Hassan District

(a) Sufficient except in some parts of Arakalgud, Holenarapur and Channarayapatna taluks.
(b) Transplantation of paddy was held up in Hassan and Holenarasipur taluks for want rains.
(c) Generally fair.
(d) Potato was being harvested in Hassan and Alur taluks.
(e) Available except in Holenarasipur taluk.
(f) Generally healthy
(g) Deficient.
(h) Nil.
(i) Refers to 6 taluks

7 Chickmagalur District.—

(a) Adequate except in Kadur and Tarikere taluks.
(b) Transplantation of paddy crop was in progress except in Kadur taluk.
(c) Generally fair except in Kadur Taluk.
(d) .. ...
(e) Available except in Kadur taluk.
(f) Generally healthy
(g) Deficient.
(h) .....
(i) Refers to 6 taluks.

8 Shimoga District.—

(a) Adequate.
(b) Transplantation of Paddy, was completed in all the taluks.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Normal.
(h) Nil.
(i) .....

9 Chitradurga District.—

(a) Adequate.
(b) Sowing of crops was in progress in Davangere, Chitradurga, Molkalmur Harihar and Challakere taluks.
(c) Fair but rains were very essential for the crops.
(d) Harvesting of irrigated Ragi was in progress in most of the taluks.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) .....
(i) .....

10 Bellary District.—

(a) Adequate except in Kudligi taluk. where insufficiency was felt.
(b) Sowing of Mungari crops were in progress in Hospet, Mallapuram and Bellary taluks.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy,
(g) Scanty.
(h) Nil.
(i) Refers 6 taluks

11 Bijapur District.—

(a) Adequate.
(b) Shwing of Kharif crops were completed and cotton was in progress.
(c) Generally fair
(d) Nil
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) Nil
(i) .....

12 Belgaum District.—

(a) Adequate
(b) Sowing of kharif crops was completed and cotton was in progress in Sampgaon and Parasgad taluks.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Good except in Gokak taluk where "Epizootic Aphtha" was prevailing.
(g) Normal.
(h) Nil.
(i) .....

13 Dharwar District.—

(a) Adepuate. Except in some villages of Gadag taluk.
(b) Nil.
(c) Generally fair
(d) Nil,
(e) Available except in Mundargi taluk.
(f) Good except for the prevelance of cattle disease at one village of each of Hangol and Navalgund taluks.
(g) Deficient.
(h) Nil,
(i) .....

14 North Kanara District—

(a) Sufficient.
(b) Transplantation of Kharif paddy was in full swing all over the District.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Good except for the prevalence of cattle disease at four villages of Mundgod taluk.
(g) Normal
(h) Nil
(i) .....

15 Gulbarga District—

(a) Sufficient.
(b) Sowing of kharif crops were completed in all the taluks.
(c) Generally fair.
(d) Harvesting was in progress in Yadgir, Shorapur and Chincholi taluks
(e) Sufficient.
(f) Generally good.
(g) Normal.
(h) Nil.
(i) .....

16 Raichur District—

(a) Sufficient.
(b) Sowing of cotton was in progress in Manvi taluk.
(c) Generally fair.
d) Nil
(e) Sufficient.
(f) Generally good.
(g) Normal.
(h) Crops were affected in Manvi taluk due to excess rains.
(i) Refers to 7 taluks.

17 Bidar District—

(a) Sufficient.
(b) Sowing of kharif crops were completed in all the taluks
(c) Generally fair
(d) Harvesting of green gram in Bidar and Aurad taluk was in progress.
(e) Sufficient.
(f) Generally Good.
(g) Normal.
(h) .....
(i) .....

18 South Kanara District—

(a) Sufficient
(b) Transplantation of paddy was completed in all the taluks.
(c) Generally fair.
(d) Nil.
(e) Sufficient
(f) Generally Good.
(g) Normal
(h) Nil.
(i) .....

19 Coorg District—

(a) Sufficient.
(b) Transplanation of paddy was completed in all the taluks except in Virajpet taluk
(c) Generally fair.
(d) Nil.
(e) Sufficient.
(f) Generally Good.
(g) Normal
(h) Nil.
(i) ...

SYED MAHMOOD,
For *Director of Statistics.*

## OFFICE OF THE DIRECTOR OF HEALTH SERVICE.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY THE 9TH OCTOBER 1965.

The State remained free from plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks and nil deaths respectively.

A total of 20 attacks with 5 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Chitradurga, Challakere and Kanakapura during the week *as against*...attacks with...deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga district, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 195 (102 in hospitals) for the week *as against* 159 (63 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.6 (5.0 excluding hospital deaths) per mille of population (Mid-year estimated) *as against* 8.3 (5,3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to other fevers, 22 due to Dysentery and Diarrhoea, 6 due to consumption and 165 due to all other causes, *as against* 1 due to other fevers, 10 due to Dysentery and Diarrhoea, 8 due to Consumption and 140 due to all other causes reported during the corresponding week of the previous year.

The reports of Mysore and K. G. F. Cities have not been received.

The total mortality for Belgaum city amounted to 13 (2 in hospitals) for the week *as against* 28 (1 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 4.9 (4.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.7 (10.1 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 13 were due to all other causes *as against* 3 due to other fevers, 1 due to Dysentery and Diarrhoea, 1 due to Consumption and 23 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 9 (1 in hospitals) for the week *as against* 13 (nil in hospitals) during the corresponding week of the previous year giving a calculated death rate of 3.0 (2.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.5 (4.5 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 9 were due to all other causes *as against* 1 due to other fever, 1 due to Consumption and 11 due to all other causes reported during the corresponding week of the previous year

The State remained free from Smallpox during the weeks as in the corresponding week of last year.

....., For *Director.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 15th December 1963.**

**Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | ... | 42·00—44·00 | 84·00—85·00 | 87·00 | 82·00 | 89·00 | 48·00 | ... | ... | 39·00 | 43·00 |
| | (b) Medium ... | ... | 89·00—40·00 | 26·00—82·00 | 84·00 | 80·00 | 88·00 | 46·00 | ... | ... | 87·00 | 87·00 |
| | (c) Coarse ... | ... | | 24·00—28·00 | ... | 28·00 | 86·00 | 89·00 | ... | ... | ... | 85·00 |
| 2 Rice ... | (a) Fine ... | ... | 75·00—79·00 | 76·00—80·00 | 80·00—82·00 | 64·00 | 78·00 | 78·00 | 78·00 | ... | 70·00 | 74·00 |
| | (b) Medium ... | ... | 70·00—72·00 | 65·00—70·00 | 70·00—75·00 | 58·00 | 68·00 | 76·00 | 68·00 | ... | 67·00 | 72·00 |
| | (c) Coarse ... | ... | 60·00—62·00 | 55·00—62·00 | 66·00—70·00 | 48·00 | 60·00 | 70·00 | 64·00 | ... | 59·00 | 69·00 |
| 3 Wheat ... | White ... | ... | 40.00 | 42·00—45·00 | 42·00—60·00 | 44·00 | 89·00 | 42·00—45·00 | 41·00 | ... | 47·00 | 65·00 |
| Wheat Flour | " ... | ... | ... | 50·00—58·00 | | ... | 45·00 | 45·00 | 58·00 | ... | 54·50 | |
| 4 Jowar ... | " ... | ... | 86·00—52·00 | 40·00—42·00 | 87·00—42·00 | 86·00 | 40·00 | 40·00—40·00 | 87·00 | ... | 42·00 | 42·00 |
| 5 Bajra ... | ... | ... | | ... | 82·00—88·00 | ... | ... | 85.00—40·00 | ... | ... | ... | 84.00 |
| 6 Barley ... | ... | ... | 170·00 | ... | ... | ... | ... | 160·00 | ... | ... | ... | ... |
| 7 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... | ... | 41·00—42·00 | 89·00—42·00 | 84·00—86·00 | 40·00 | 86·00 | 40·00—45·00 | ... | 56·00 | 89·00 | 81·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops — | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 25·00—80·00 | 20·00—25·00 | 80·00—40·00 | 20·00 | 87·00 | 88·00 | ... | 27.00 | 25·00 | ... |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 88·00 | ... |
| (iii) Papaya | ... | ... | 45·00—56·00 | ... | 85·00 | ... | ... | ... | ... | ... | ... | ... |
| (iv) Ground-nut cake flour. | ... | ... | ... | ... | ... | ... | 85·00 | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... | ... | 58·00—56·00 | 52·00—58·00 | 75·00 | 52·00 | 55·00 | 62·00—65.00 | ... | 55·00 | 58·00 | 60 00 |
| 2 Arhar (Tur.) ... | ... | | 48·00—54·00 | | 65·00 | 75·00 | ... | 60 00 | ... | 88·00 | 48 00 | 85·00 |
| 3 Mung ... | ... | ... | 60.00—70·00 | ... | 67 00 | 70·00 | 55.00 | 66·00 | ... | 50.00—58.00 | 61·00 | ... |
| 4 Urd ... | ... | ... | ... | 75·00—80 00 | 48·00 | 74·00 | ... | 75·00—80·00 | ... | 73·00—75·00 | 80·00 | ... |
| 5 Masur ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... | ... | 50·00—60·00 | 54.00—60·00 | 48.00 | ... | ... | 65·00—75·00 | ... | ... | 62·00 | ... |
| (ii) Horsegram | ... | ... | 29·00—80·00 | 40·00—42·00 | 84·00 | ... | 82·00 | 86·00—87·00 | ... | 44·00 | 80·00 | 85·00 |
| (iii) Cowpea ... | ... | ... | 45·00—80·00 | 55·00—60·00 | 60.00 | ... | 50·00 | 66 00—75·00 | ... | ... | 69·00 | 47·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a Sort I ... | ... | 95·00—105·00 | 105·00—110·00 | 105.00 | 88·00 | 70·00—90·00 | 115·00 | ... | 89·00 | 99·00 | 85·00 |
| | (b) Sort II ... | ... | ... | 95·00—100·00 | 90.00 | 82·00 | 60·00—70·00 | 90·00 | | 88·00 | 60·00 | 70·00 |
| 2 Sugar refined | D 24 ... | ... | 121·55—98·00 | 125·00 | | 121·00 | 123·00 | 120 00 | ... | 122·00 | 117·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | ... | 80·00—84·00 | ... | 61·00 | 40·00—60·00 | 62·00—72·00 | ... | 66·00 | 68·00 | 68·00 |
| | (b) Machine shelled | ... | ... | 95·00—100·00 | 96·00 | ... | 80·00—85.00 | ... | ... | ... | 88·00 | 81·00 |
| Groundnut Oil | ... | ... | 178·00—180·00 | 200·00—210·00 | 180.00—190.00 | 418·00 | 170·00 | 190·00 | ... | 170·00 | 186·00 | 164·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 88·00—89·00 | 40·00 | 85·00 | 45·00 | ... | ... | 42·00 | 38·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... 95·00 | ... | 110·00 | ... | ... | ... | 95 00 | ... |
| | (b) Black ... | ... | ... | ... | | ... | 95·00 | 80·00—85·00 | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | .. | ... | 56 00 | | ... | 65·00—70.00 | ... | .. | 59·00 | 47·00 |
| Castor Oil ... | ... | ... | 170·00—180·00 | 200·00—220·00 | 170·00—180·00 | 390·00 | 160·00 | 179·00 | | 173 00 | 180·00 | 152·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 93·00 | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per thousand) | 210·00—360·00 | 300·00—360·00 | 285·00 | 290·00 | 200·00—350·00 | 180·00—240·00 | ... | 455·00 | 233·00 | 210·00 |
| | (b) Copra ... | ... | 250·00—260·00 | 300·00—375·00 | ... | .. | 270·00 | 250·00—260·00 | ... | 290·00 | 250·00 | 242·00 |
| Coconut Oil... | ... | ... | 340·00—360·00 | 380.00—340.00 | 350·00 | 320.00 | 290·00 | 320·00 | 406·00 | 285·00 | 320.00 | 322·00 |
| Coconut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 65.00—70.00 | ... | ... | ... | ... |
| | (ii) | ... | ... | ... | .. | ... | ... | ... | .. | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350—00 | ... | 260·00 | ... | ... | 277·00 | 300.00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 252·00 | | ... |
| V. Fruits, Vegetables and Nuts.— | (iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per gross | ... | ... | ... | ... | 9·00 | 8,00—7.50 | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 5·00—10·00 | 8.00—8,00 | 6 00—7,00 | 12·00 | 20 00 | 8·00—22·00 | ... | 7·62 | 7·00 | 5 20 |
| 3 Oranges ... | ... | Do | 6.00—8.00 | 12.00—24.00 | 18.00—26.00 | ... | ... | ... | ... | 16·50 | 24·00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 150 00—200 | — | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 44·00—68·00 | 45·00—55·00 | 40—60 | | | 70·00 | ... | 56·00 | 50·00 | 48·00 |
| 2 Onions ... | ... | | 20·00—26·00 | 80·00—85·00 | 25—35 | | | 35 | ... | 27·00 | 38·00 | 26·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 625·00- 675·00 | 600.00—700.00 | ... | 600·700 | 780·00—800 | ... | 600·00—690·00 | 66·00 | 782·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint ... | ... | ... | ... | | | ... | ... | ... | ... | ... | ... |
| | (c) Seed ... | ... | ... | | 42·00—44·00 | ... | | ... | ... | | | ... |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 Jute Loose ... | (a) Grade— | | | | | | | | | | | | | | | | | | |
| | (i) Top | – | | | | | | | | | | | | | | | | | |
| | (ii) Middle | ... | | | | | | | | | | | | | | | | | |
| | (iii) Bottom | – | | | | | | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | | | | |
| | (i) Top ... | – | | | | | | | | | | | | | | | | | |
| | (ii) Middle | – | | | | | | | | | | | | | | | | | |
| | (iii) Bottom | – | | | | | | | | | | | | | | | | | |
| 3 Hessa Baled Jute. | (i) Lightings | Per bale | | | | | | | | | | | | | | | | | |
| | (ii) First Mills. | – | | | | | | | | | | | | | | | | | |
| | (iii) First Exports. | – | | | | | | | | | | | | | | | | | |
| Semi hemp ... | ..... | ... | ... | | | | | | | | | | | | | | | | |
| 4 Mesta ... | (i) Top ... | ... | | | | | | | | | | | | | | | | | |
| | (ii) Middle | ... | | | | | | | | | | | | | | | | | |
| | (iii) Bottom | – | | | | | | | | | | | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | | | | | |
| | (i) Leaf ... | ... | ... | ... | ... | – | | | | | | | | | | | | | |
| | (ii) Pulab ... | – | ... | | | | | | | | | | | | | | | | |
| | (b) Virginia | – | | | | | | | | | | | | | | | | | |
| | (i) Leaf ... | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | |
| | (ii) Pulab ... | – | – | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | |
| VIII. Livestock— | | | | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 250·00—700·00 | – | 500·00 | 160·00 | ... | 370,00—500 00 | ... | 150·00—260·00 | 430·00—620·00 | 340·00 | | | | | | | |
| | (b) II ... | Do ... | 200·00—500·00 | ... | 300·00—350·00 | 150·00 | ... | 240,00—350,00 | ... | 120·00—200·00 | 315·00—415·00 | 219·00 | | | | | | | |
| (ii) Buffalo bulls. | (a) I ... | Do ... | 220·00—340·00 | | 100 00—120·00 | 260·00 | ... | 80.00—45,00 | ... | ... | ... | 225·00 | | | | | | | |
| | (b) II ... | Do ... | 160·00—270·00 | ... | 125·00—150·00 | ... | ... | 30.00—40,00 | ... | ... | ... | 192·00 | | | | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 180·00—300·00 | ... | 150·00—200·00 | 160 00 | ... | 175.00—300.00 | ... | 140·00—250·00 | 340·00—410·00 | 128·00 | | | | | | | |
| | (b) Class II ... | Do ... | 150·00—280·00 | ... | 100·00—150·00 | 140 00 | ... | 100.00 - 150 00 | ... | 105·00—190·00 | 275·00—325·00 | 75·00 | | | | | | | |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 185·00—320·00 | ... | 300·00 | 240·00 | ... | 190.00—300.00 | ... | 280·00—500·00 | 310·00—400·00 | 150·00 | | | | | | | |
| | (b) Class II ... | Do ... | 188·00—290·00 | ... | 100·00—150·00 | 220·00 | ... | 185·00—170.00 | ... | 190·00—350·00 | 190·00—270·00 | 96·00 | | | | | | | |
| 3 Sheep ... | ..... | Do ... | 85·00—70·00 | ... | 40·00—80·00 | 50·00 | ... | 30,00—90.00 | ... | 40·00—75·00 | 20·00—60·00 | 39·00 | | | | | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. | ... | ... | ... | ... | ... | 2.75 | ... | ... | ... | ... | | | | | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | 1.80 | ... | ... | ... | ... | | | | | | | |
| 2 Hides.— | | | | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | 1·50—2·00 | ... | ... | 1·00 | ... | 1·40—1·75 | ... | ... | ... | 3·00 | | | | | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 6·50 | ... | 7·00—8.50 | ... | ... | ... | 4·00 | | | | | | | |
| | (b) ..... | Do ... | | ... | ... | | ... | | ... | ... | ... | ... | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·00—2·50 | ... | ... | 75·00 | ... | 1·80—2·00 | ... | ... | ... | 3·50 | | | | | | | |
| | (b) ..... | Do ... | | ... | ... | ... | ... | | ... | ... | ... | ... | | | | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | 5·25 | ... | 4·75—6·00 | | | ... | 4·25 | | | | | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | | | | | | |
| 3 Skins.— | | | | | | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Per Skin | 5·00—6·00 | ... | | ... | ... | 3·25—4·75 | ... | 4·00—5.00 | 5·50 | ... | | | | | | | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | 3·50—4·00 | | 2·00 | | | | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | 7 50—14·00 | ... | ... | ... | ... | | | | | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | | | | ... | 3·90 | | | | | | | |
| (ii) Sheep-skins— Raw. | (a) ..... | Per Skin | 5·25—6 00 | ... | ... | ... | ... | 3·25—4·25 | ... | 3·00—4·00 | 3·50 | ... | | | | | | | |
| | (b) ..... | Per kg. | ... | ... | ... | ... | ... | ... | ... | 2·50—3·00 | | 2·50 | | | | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | | | | ... | ... | | | | | | | |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | | | | | | | | | | | | |
| Shoes ... | (a) Agmark | Do ... | 7·80 | 7·00—8·00 | ... | 6·50 | ... | 8·50—14 00 | ... | ... | ... | 8·00 | | | | | | | |
| | (b) Ungraded | Do ... | 6·00 | 6·00—7·00 | ... | ... | ... | ... | ... | | 7·50 | ... | | | | | | | |
| | | | | | | | | | | | 6 50 | 6·00 | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Quintal | ... | ... | ... | ... | ... | 25·00 | ... | ... | ... | ... |
| | (b) Paddy | Cart load | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Straw | (a) Ragi | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks | (a) Jola | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric | ..... | ... | 120·00—150·00 | 180·00—135·00 | 175·00—200·00 | 160·00 | 190·00 | 200·00 | ... | 169·00—172·00 | 182·00 | 162·00 |
| 2 Tamarind | ..... | ... | 50.00—105.00 | 95·00—100·00 | 70·00—75·00 | 120.00 | 80·00 | 80·00—100·00 | ... | 90·00—93·00 | 190·00 | 56.00 |
| 3 Dry Chillies | ..... | ... | 250·00—350·00 | 225·00—250·00 | 150·00—175·00 | 180·00 | 240·00 | 200·00—250·00 | ... | 150·00—200·00 | 305·00 | 225·00 |
| 4 Garlic | ..... | ... | 80·00—100·00 | 100·00—110·00 | 100·00 | 200·00 | 100·00 | 80·00—100·00 | ... | 150·00—153·00 | 97·00 | 84·00 |
| 5 Pepper | ..... | ... | 325,00—330.00 | | 450·00 | 400·00 | 320·00 | 340·00—350·00 | ... | 335·00—450·00 | 300 | ... |
| 6 Cardamom | ..... | ... | 1,450·00—2,000·00 | 2350·00—2500·00 | 1,500·00 2,000·00 | 1,800·00 | 1,600·00 | 1,400·00—1,500·00 | ... | ... | 1,500 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac | ..... | ... | ... | ... | ... | ... | ... | - | ... | ... | ... | ... |
| 3 Seedlac | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber | Raw | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Myrobalans | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | — | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | | ... | ... | ... | | ... | ... | ... |
| ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 38·00 | 44·00—46·00 | 34·00—35·00 | 42.00 | ... | 86·00—90·00 | 87·00 | 38·00 | 40·00 |
| | (b) Medium | | 36·00 | 40·00—43·00 | ... | 28.00 | ... | 84 00 | 86.00 | 35·00 | 38·00 |
| | (c) Coarse | | 35·00 | 36·00—39 00 | ... | .. | .. | 80·00 | ... | ... | 68·00 |
| 2 Rice | (a) Fine | | 62·00 | 75 00—82·00 | 82·00—88·00 | 78·00 | 70·00—72·00 | 80·00 | 76·00 | 78 00 | 80·00 |
| | (b) Medium | | 60·00 | 71·00—75·00 | 68·00—76·00 | 65·00 | 61·00—64·00 | 66·00 | 66.00 | 56·00 | 77 00 |
| | (c) Coarse | | 55·00 | 62·00—71·00 | 65·00—61·00 | ... | 56·00—58·00 | 60·00 | ... | ... | 68·00 |
| 3 Wheat | White | | 60·00 | 47·00—57·00 | 58·00—60·00 | 55 00 | | 54·00 | 63.00 | 64·00 | 48·00 |
| Wheat Floor | White | | 65 00 | 48·00—58·00 | 48·00—52·00 | ... | ... | ... | ... | 69.00 | 54·00 |
| 4 Jowar | White | | 40·00 | 43·00—46 00 | 40·00—43·00 | 45·00 | 42·00—44·00 | 45 00 | 48·00 | ... | ... |
| Bajra | ... | | — | 83·00—85·00 | — | ... | 88·00 | 42·00—80·00 | 88·00 | ... | ... |
| Barley | ... | | ... | — | ... | ... | ... | ... | ... | ... | ... |
| Maize | ... | | | ... | 27·00 | ... | ... | ... | ... | .. | 36·00 |
| Ragi | ... | | 85·00 | 88·00—40·00 | ... | ... | ... | ... | ... | 44·00 | 42·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | — | — | ... | — | ... | ... | ... | ... | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | 27·00 | ... | ... | ... | 20·00 | ... | ... | ... | 20·00 |
| (ii) Tapioca | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 20 00 |
| iii) Papaya | ... | | ... | — | ... | ... | ... | ... | 22·00 | ... | ... |
| (iv) Groundnut cake flour | | | ... | 36 00—40·00 | ... | ... | 40·00 | ... | 38·00 | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 60 00 | 56·00—56 00 | 54·00 | 55·00 | 67·00 | 51·00 | 45·00 | 54·00 | 60·00 |
| 2 Arhar (Tur) | ... | | 50·00 | ... | 54·00—55·00 | 48·00 | ... | 78·00—50·00 | 52·00 | 72·00 | 88 00 |
| 3 Mung | ... | | 60·00 | ... | 58·00—60·00 | 54·00 | ... | 58·00 | 43·00 | 63 00 | 70·00 |
| 4 Urd | ... | | 66·00 | ... | 42·00—43·00 | 68·00 | ... | 62·00 | 56 00 | 66·00 | 60·00 |
| 5 Masur | ... | | 58·00 | — | ... | ... | 75 00 | ... | ... | ... | 64·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | ... | | 88 00—89·00 | ... | ... | ... | 86·00 | ... | 90·00 |
| (ii) Horsegram | ... | | 88·00 | 87·00—89 00 | 82·00—83·00 | ... | ... | ... | — | 86·00 | 45·0 |
| (iii) Cowpea | ... | | ... | ... | - | ... | ... | ... | ... | ... | 74·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 185 00 | 85.00—93.00 | 95·00—110·00 | 105·00 | 84·00—88·00 | 85·00 | 85·00 | 184·00 | 150 00 |
| | (b) Sort II | | 185·00 | 78.00—85.00 | 85·00—90·00 | 160·00 | 71·00—75·00 | ... | ... | 120·00 | 110·00 |
| 2 Sugar Refined | D. 24 | | ... | ... | 116·00 | | ... | 118·00 | 122·00 | 116·00 | 123·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 70 00 | 55·00—65 00 | 67·00—70·00 | | ... | 64·00 | 71·00 | 52·00 | ... |
| | (b) Machine shelled. | | 107·00 | 84·00—88·00 | 64·00—68·00 | | — | ... | ... | 105·00 | 90·00 |
| Groundnut Oil | ... | | 180·00 | 170·00—171.00 | 170·00—175·00 | | 180 00 | 175·00 | ... | 175·00 | 197·00 |
| Groundnut Oil-cake. | | | 50·00 | ... | 36·00—38·00 | | 40·00 | 44·00 | 46 00 | 48·00 | 45·00 |
| | | | | | 100·00—110·00 | | | | | | |
| 2 Sesamum | (a) White | | 185·00 | ... | | | ... | ... | 105·00 | ... | ... |
| | (b) Black | | ... | ... | ... | | 98·00 | ... | ... | 91.00 | ... |
| Sesamum Oil | ... | | 860·00 | — | ... | | ... | 185.00 | | 260 00 | ... |
| Sesamum Oil-cake. | ... | | 50·00 | ... | ... | | ... | ... | ... | 61·00 | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 Castor seed ... | ... | ... | ... | ... | 55·00 | 55·00 | ... | ... | 57·00 | ... | |
| Castor Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 177·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | 110·00 | ... | 99·00—100·00 | ... | ... | ... | ... | ... | 120·00—135·00 |
| | (b) Yellow ... | ... | 115·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | 75·00 | ... | 68·00 | 62·00 | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per thousand) | 300·00 | ... | 275·00—280·00 | 250·00 | 260·00 | 180·00 | 210·00 | 310·00—330·00 | 290·00—300·00 |
| | (b) Copra ... | | 290·00 | ... | 240·00—245·00 | ... | 220·00 | 200·00 | 240·00 | 210·00 | 400·00—500·00 |
| Cocoanut Oil ... | ... | per Quintal | 290·00 | 310·00—315·00 | 325·00 | 350·00 | 360·00 | 350·00 | 325·00 | 315·00 | 300·00 |
| Cocoanut Oil-cake | ... | ... | ... | ... | ... | ... | ... | ... | 54·00 | 65·00 | 65·00 |
| 8 Other Oil seeds | (i) Nigerseed... | ... | 75·00 | ... | ... | ... | 64·00 | 66·00 | ... | ... | ... |
| | (ii) Safflower ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 300·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | iii) Safflower Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Other Oils | | ... | ... | ... | ... | ... | ... | ... | ... | ... | 275·00 |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | |
| 1 Mangoes ... | | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | | Do ... | 8·00 | 6·00—8·00 | 6·50 | 4·68 | 4·50—6·00 | ... | 5·00 | 8·00—6·00 | 5·50 |
| 3 Oranges ... | | Do ... | ... | ... | ... | ... | 13·00 | ... | 15·00 | 8·00—14·00 | 11·00 |
| 4 Dates ... | | ... | 85·00 | ... | ... | ... | 80·00 | ... | ... | 100·00 | ... |
| 5 Cashew kernels, etc. | | ... | 6·25 | ... | ... | ... | ... | ... | ... | 560·00 | ... |
| (ii) Vegetables— | | | | | | | | | | | |
| 1 Potatoes ... | | per quintal | 40·00 | 48·00—58·00 | | | | | | | |
| 2 Onions ... | | ... | 28·00 | 15·60—18·00 | | | | | | 68·00—85·00 | 73·00—86·00 |
| 3 Beans ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Tomatoes ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arecanuts ... | | ... | 470·00 | ... | 440·00—445·00 | 508·00 | ... | 430·00 | ... | 350·00 | 200·0—550·0—600·00 |
| VI. Fibres.— | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (c) Seed ... | ... | 46·00 | ... | ... | ... | ... | 22·00 | ... | ... | ... |
| 2 Jute :—Loose | (a) White— | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Tossa— | | | | | | | | | | |
| | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pucca Baled Jute | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) First Mills | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) First Exports | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf | | 455·00 | | | | | 250·00 | | 450·00—510·00 | | | |
| | (ii) Pulab | | | | | | | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf | | 480·00 | | | | | 840·00 | | | | | |
| | (ii) Pulab | | | | | | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 450·00 | 300·00—400·00 | 500.00—800·00 | 150·00—200·00 | | 425·00 | 350·00 | | | | |
| | (b) Class II | Do | 400·00 | 200·00—250·00 | 200.00—400.00 | | | 150·00 | 275·00 | | | | |
| (ii) Buffalo bulls | (a) Class I | Do | 165·00 | 200·00—250·00 | 300·00 | 300·00—310·00 | | 135·00 | 450·00 | | | | |
| | (b) Class II | Do | | 150·00—200·00 | 100·00—150·00 | 140·00—160·00 | | | 345·00 | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 150.00 | 150·00—200·00 | 150.00—250.00 | 90·00—155·00 | | 125·00 | 180·00 | 150·00—300·00 | | | |
| | (b) Class II | Do | 100·00 | 150·00—175.00 | 200.00—250·00 | | | 75·00 | 180.00 | 150·00—250·00 | | | |
| (ii) Buffaloes | (a) Class I | Do | 300·00 | 200·00—275·00 | 200.00—275.00 | | | 300·00 | 450·00 | 200·00—300·00 | | | |
| | (b) Class II | Do | 220·00 | 125·00—175·00 | 100·00—150·00 | | | 175·00 | 275·00 | 150·00—250·00 | | | |
| 3 Sheep | | Do | 35·00 | 34·00—45.00 | 40·00—45·00 | 30·00—35·00 | | 30·00 | 55·00 | 30·00—50·00 | | | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | Per kg. | | | | | | | | | | | |
| | (b) | Do | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— | (a) | Do | 1·75 | 1·00 | 1·15 | | | | | 1·50—2·50 | | | |
| Raw. | (b) | Do | 1·50 | | ·75 | | | | | | | | |
| Tanned | (a) | Do | 6·25 | 6·25 | 4·44 | | | 5·00 | | | | | |
| | (b) | Do | 3·75 | 6·00 | | | | 4·00 | | | | | |
| (ii) Buffalo Hides— | (a) | Do | 2·50 | 1·00 | 1·15 | | | 1 80 | | 1.00—2.50 | | | |
| Raw. | (b) | Do | 2·00 | 0·80 | 0·75 | | | 1.60 | | | | | |
| Tanned | (a) | Do | 8.00 | 6·25 | 4·44 | 5·25 | | 5 00 | | | | | |
| | (b) | Do | 6.50 | 6·00 | | | | | | | | | |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— | (a) | Do | 1·25 | 6·50—7·50 | 8·25 | | | 3 00 | | 3—6 | 8·50 | | |
| Raw | (b) | Do | 1·00 | | | | | | | | | | |
| Tanned | (a) | Do | 7.00 | 7·00—8·50 | | | | | | | | | |
| | (b) | Do | 6·00 | | | | | 10·00 | | | | | |
| (ii) Sheepskins— | (a) White | Do | 1·00 | 6·50—7·00 | 4·00—4·50 | | | 2·75 | | 3—4 | 3·50 | | |
| Raw | (b) Black | Do | ·75 | | | | | 2·00 | | | | | |
| Tanned | (a) | Do | 6·00 | | | 9·00 | | 9·00 | | | | | |
| | (b) | Do | 5·00 | | | | | | | 7·00 | | | |
| 4 Ghee | (a) Agmark | Do | | | | | | | | 6·25 | | | |
| | (b) Upgraded | Do | 5·50 | 6 00 | | 5·00 | | 7 00 | | | | | |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | | | | | | | | | | | |
| | (b) Paddy | Per cart-load | | | | | | | | | | | |
| 2 Straw | (a) Ragi | Do | | | | | | | | | | | |
| | (b) | | | | | | | | | | | | |
| 5 Stalks | (a) Jola | Per quintal | | | | | | | | 25 | | | |
| | (b) | | | | | | | | | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 185 00 | 140·00—160.00 | 140·00—145·00 | ... | 125·00 | 150.00 | 160·00 | 92·00 | 280·00 |
| 2 | Tamarind ... | ... | ... | 80·00 | 60.00—70·00 | 58·00—60·00 | ... | 62 00 | 60.00 | 71·00 | 86·00 | 100·00 |
| 3 | Dry Chillies ... | ... | ... | 250 00 | 125·00—220 00 | 235·00—250·00 | 285·00 | 800·00 | 225.00 | 221 00 | 380·00 | 300·00 |
| 4 | Garlic ... | ... | ... | 90·00 | 55·00—75·00 | 68·00—70·00 | ... | 125·00 | 75.00 | 85·00 | 88·00 | 160 00 |
| 5 | Pepper ... | ... | ... | 820·00 | ... | ... | ... | 875·00 | ... | ... | 310·00 | 260·00 |
| 6 | Cardamom ... | ... | ... | 1,000·00 | ... | ... | ... | 2000·00 | 1800,00 | ... | 1,450·00 | 1,050·00—1,170·00 |
| XII | Miscellaneous | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalans ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |

## RETAIL PRICES

**Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th December 1963.**

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | 2 8 | 4 | ... | ... | 2·5 | 2·4 | ... | ... | 2·6 | 2·2 |
| 2 Rice ... | Do ... | — | 1·4 | 2 | 1·5 | 1·2 | 1·5 | 1·4 | ... | 1·5 | 1·8 | 1·3 |
| 3 Wheat ... | White ... | — | ... | 2.5 | 2 | 1·7 | 2·5 | 2.4 | ... | 2 | 2 2 | 1 4 |
| 4 Wheat Flour ... | Do ... | — | ... | 4 | 1·6 | ... | 2·8 | 2 | ... | 1 8 | ... | 1 8 |
| 5 Jowar ... | Do ... | — | ... | 3·5 | 2·7 | 1·9 | 2·5 | 2·2 | ... | 2 | 2·4 | 2·1 |
| 6 Bajra ... | ... | ... | ... | ... | 2·9 | ... | 2·4 | 2·5 | ... | ... | ... | 2 5 |
| 7 Barley ... | ... | ... | ·6 | ... | ... | ... | ... | | ... | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·25 | 2·8 | 1·6 | 2·7 | 2·2 | ... | 2·7 | 2·8 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 2·3 | 4 | 2.5 | | 2·5 | 2·5 | ... | 2·5 | 3·5 | ... |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·5 | ... |
| (iii) Papaya ... | ... | ... | 2 | ... | ... | ... | — | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 2 | 1·5 | 1·8 | 1· | 1·7 | 1·8 | ... | 1·4 | 1·5 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ... | 1·5 | 1·3 | ... | 1·6 | 1·5 | 1·5 |
| | (c) Flour ... | ... | ... | ... | ... | ... | 1·5 | 1·4 | ... | 1·2 | ... | 1·4 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·7 | ... | 1·5 | ·9 | ... | 1·6 | ... | 1.4 | 1.1 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ... | 1 | 1 2 | ... | 1 | 1 | 1 |
| 3 Moong ... | (a) Whole ... | ... | .. | ... | 1.5 | 1·1 | 1·6 | 1·5 | ... | ... | 1·4 | 1 7 |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | 1·2 | 1·2 | ... | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | ... | 1·5 | 2 | ... | ... | 1·2 | ... | | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | ·8 | ... | | 1 | 1 | ... | | ·9 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | 1·2 | ... | ... | ... | ... | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1·5 | 2 | 2 | ... | ... | 1·4 | ... | ... | 1·8 | ... |
| | (b) Split (without skin). | ... | ... | 1.5 | ... | ... | 1·4 | 1·2 | ... | ... | 1·1 | ... |
| (ii) Horsegram | ... | ... | 2·8 | 2·6 | 2·8 | ... | 8 | 2·6 | ... | 2·8 | ... | 2·4 |
| (iii) Cowpea ... | ... | ... | 1·2 | 1·75 | 2 | ... | 2·2 | 1 4 | ... | ... | ... | 1·8 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ... | ·90 | 800 | 900 | 1·1 | ·970 | ... | ·808 | 1 | ·1 |
| 2 Sugar refined | (b) Sort II ... | ... | 1·1 | ·1 | 1·1 | 1·2 | 1·2 | ·1 | ... | ·1 | 1·8 | 1 1 |
| | D. ... | ... | ... | ... | ... | 826 | ·800 | ·990 | ... | ·800 | ·760 | ·845 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils,— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·556 | ·500 | ·500 | ·500 | ·570 | ·475 | ... | ·500 | ·500 | ·550 |
| 2 Sesamum oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·270 |
| 3 Castor oil | ... | ... | ·560 | ·400 | ·571 | ·860 | ·650 | ·500 | ... | ·700 | ·400 | ·580 |
| 4 Mustard oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil | ... | ... | ·975 | ·800 | ... | ... | ·800 | 833 | ... | ·400 | ·252 | ·275 |
| Vanaspati | ... | ... | ... | ... | ·985 | ... | ·560 | ... | ... | ·500 | ·250 | ·250 |
| 8 Other oils— | | | | | | | | | | | | |
| i) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 50—8 | 25—80 | 75—87 | | 75 | 81·00—75·00 | ... | 78 | 1·00 | ·56 |
| 3 Oranges ... | ... | Do | 1·25—2·50 | 2—3·50 | 1·50—2 | | 2·00 | 75·00—2·00 | ... | 2 00 | 2 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernels | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... |
| 6 ..... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | ... | 2·25 | 2·6 | | | | ... | 1·7 | 2 | 1 7 |
| 2 Onions ... | ... | ... | ... | 2·5 | 2·8 | | | | ... | 2,2 | 3 | 2.6 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ·250 | ... | ... | ... | ... | ·800 | | ... |
| 2 Arecanuts ... | ... | ... | ... | ·120 | ·165 | ... | ... | 0·111—0·117 | ... | ... | | ·160 |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | ... | ... | ... | 5·00 | | 8 60 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 70—89 | 1·00 | 62—75 | 62·00 | 46—62 | 40—55 | ... | ... | 66 | ... |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·150 | ... | ... | ... | ... | ... | ... | ·145 | ·170 |
| | (b) Ungraded ... | ... | ... | ·900 | ... | ... | ·900 | ... | ... | ·800 | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3 60 | 3·00 | 2·50 | 2·25 | 2·10 | 2·25 | ... | ·800 | 2·00 | 2 40 |
| | (ii) B Grade | Do | 2 25 | 2·50 | 2·00 | 1·87 | 2·00 | 1·75 | ... | 2·75 | 1·75 | 2 16 |
| | (iii) C Grade | Do | 1·75 | 2·00 | 1 50 | 1·50 | 1 75 | 1·50 | ... | 2 25 | 1·62 | 2·00 |
| 4 Mutton ... | ... | ... | 2·50 | ·833 | ·300 | ·250 | ·297 | ·250 | ... | ·330 | ·280 | ·880 |
| 5 Beef ... | ... | ... | ... | ... | | | | | ... | ... | | ·560 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·667 | ·500 | ·500 | ·450 | ·400 | ·490 | ... | ·600 | ·800 | ·520 |
| 2 Tamarind ... | ... | ... | 1 | ·1 | ·1 | ·1 | 1·1 | 1 | ... | 1 | ·1 | ·1 |
| 3 Dry chillies ... | ... | ... | ·256 | ·800 | ... | ·310 | ·459 | ·400 | ... | ·800 | ... | ·400 |
| 4 Garlic ... | ... | ... | 1 | ·1 | 1 | | ·1 | 1 | ... | ... | ·1 | ·1 |
| 5 Pepper ... | ... | ... | ·180 | ·100 | ·200 | | ·160 | ·277 | ... | ·800 | ·800 | ... |
| 6 Cardamom ... | ... | ... | 1·60 | 0·50 | 0·71 | | 0 48 | 0·60 | ... | ... | 0·56 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 9 | 8 | 8 | 10 | 10 | ... | 10 | 10 | 9 |
| 2 Kerosene oil ... | ... | Per Litre | 45 | 51 | 87 | 40 | 50 | 50 | ... | 50 | 50 | 87 |
| 3 Fir wood/ Charcoal, | ... | Quintal | ... | 6.50—8 | 8·00 | ... | 5·00 | 8·50 | ... | 4 75 | 6.25 | 5·00 |
| 4 Coarse cloth ... | ... | Per metre | 1·60 | ·90 | ... | 1·80 | 1·25 | 1·15—1·80 | ... | ... | 1·40 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg | |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | |
| I Cereals.— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... ... | | ... | 2—2 5 | 1·2 | ... | ... | ... | 2·7 | 2·8 | 2·2 | |
| 2 Rice ... | Do ... ... | | 1·6 | 1.2—1·5 | 1·6 | 1·4 | 1·6 | 1.5 | 1 7 | 1·6 | 1·2 | |
| 3 Wheat ... | White ... ... | | 1·6 | 1.5—1 75 | ... | 1·5 | 2 | 1,3 | 1·5 | 1·8 | 2 | |
| 4 Wheat Flour... | Do ... ... | | 1·4 | 1.3—2 | 2,1 | ... | ... | ... | ... | 1·5 | 1.1 | |
| 5 Jowar ... | Do ... ... | | 2,2 | 1.8—1.8 | 2·3 | 2 | 2 | 2.1 | 2 | ... | ... | |
| 6 Bajra ... | ... ... | | ... | 2—2.5 | ... | ... | 2·5 | 2.5 | 3 | ... | ... | |
| 7 Barley ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 8 Maize ... | ... ... | | ... | ... | 3 | ... | ... | ... | ... | ... | | 3 |
| 9 Ragi ... | ... ... | | 2·5 | 2—2·5 | ... | ... | ... | ... | ... | | | |
| 10 Other cereals... | ... ... | | ... | ... | ... | ... | ... | ... | ... | 2 | | 2·5 |
| (i) ... ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 11 Subs diary. Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... ... | | | | ... | ... | 4 | ... | ... | | | 4 |
| (ii) Tapioca ... | ... ... | | | | ... | ... | ... | ... | ... | | | 4 |
| (iii) Papaya ... | ... ... | | | | ... | ... | ... | ... | ... | | | |
| (iv) Groundnut cake flour | ... ... | | | | ... | ... | 12.2 | ... | ... | | | |
| II. Pulses.— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... ... | | | | 1·8 | 1·6 | 1·8 | ... | 1·8 | | | 1·6 |
| | (b) Split (without skin). ... | | | | 1·5 | 1·4 | 1·5 | 1,4 | ... | | | 1·2 |
| | (c) Flour ... ... | | | ... | ... | ... | ... | ... | 1 | | | |
| 3 Arhar (Tur) ... | (a) Whole ... ... | | | ... | 1·6 | ... | 1.5 | 1,1 | ... | | | 1.1 |
| | (b) Split (without skin). ... | | | | ,1 | 1·1 | 1·2 | ... | 1 | | | 1·2 |
| 5 Moong ... | (a) Whole ... ... | | | ... | 1·2 | 1·2 | 1,4 | ... | ... | | | 1·2 |
| | (b) Split (without skin). ... | | | 1·2 | 1·1 | 1 | 1·6 | | 1 | | | ... |
| 4 Urd ... | (a) Whole ... ... | | | ... | ... | ... | 1·2 | ... | 1·5 | | | 1 |
| | (b) Split (without skin). ... | | | ... | .9 | ·1 | ·8 | ... | ·7 | | | ... |
| 5 Masur ... | (a) Whole ... ... | | | ... | ... | ... | 1,5 | ... | ... | ... | | 1 |
| | (b) Split (without skin). ... | | | ... | ... | 1·2 | 1·2 | 1.1 | 1 | ... | ... | |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... ... | | | ... | 2.2 | ... | | ... | 2·6 | 1·6 | | 1·2 |
| | (b) Split (without skin). ... | | | ... | ... | ... | | ... | 1·8 | ... | | 1 |
| (ii) Horsegram | ... ... | | 2·6 | 2,2—2,5 | ... | ... | | ... | ... | 2·2 | | 2 8 |
| (iii) Cowpea ... | ... ... | | ... | ... | ... | ... | | ... | ... | ... | ... | |
| III Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | ... | 1 | 900 | 880 | 1 | 1.1 | 1 | ·810 | | ·779 |
| | (b) Sort II ... ... | | ... | 1·5 | 1·2 | ... | 1·1 | ... | ... | 1 | | ·883 |
| 2 Sugar refined | D. 24 ... ... | | ... | ... | ... | ... | ... | ·809 | ·920 | ·847 | | ·800 |
| IV. Oils.— | | | | | | | | | | | | |
| 1 Groundnut oil | ... ... | | | ·800 | ·675 | ·509 | ·525 | ·550 | ·600 | ·491 | | ·540 |
| 2 Sesamum oil ... | ... ... | | ... | ... | | | ... | ·185 | ... | ·357 | | ... |
| 3 Castor oil ... | ... ... | | ... | ... | | ... | ,600 | ... | ... | ... | | ,444 |
| 4 Mustard oil ... | ... ... | | ... | ... | | .. | ... | ... | ... | ... | | ... |
| 5 Linseed oil ... | ... ... | | ... | ... | | ... | ... | ... | ... | ... | | ... |
| 6 Cocoanut oil ... | ... ... | | ... | ... | ·225 | ·250 | ·285 | ·359 | ·800 | ·812 | | ·807 |
| 7 Vanaspati | ... ... | ·580 | ... | ... | | ... | ... | ... | ... | 271 | | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 1 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | 81—87 | ... |
| 2 Plantains ... | | | Do | 75 | 6 6 | 87—82 | 87 | 1·25 | 60 | 60 | 75—1·60 | 1 |
| 3 Oranges ... | | | Do | 2 76 | ... | ... | ... | ... | ... | 2·25 | ·869 | ... |
| 4 Dates ... | | | ... | ... | ... | ... | ... | ... | ... | ... | ·217 | |
| 5 Cashew kernels | | | ... | ·154 | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | | ... | 2·0 | 1·5 | 1·8 | 2 | 1 4 | 1·4 | 1·6 | 1.7 | 1·5 |
| 2 Onions ... | | | ... | 2 8 | 8 | 8 | 3 | 2·5 | 3·0 | 3 | 2.3 | 2·0 |
| 3 ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | | ... | ·210 | ... | ... | ... | ... | ... | ... | ... | ·200 |
| 2 Arecanuts ... | | | ... | ... | ... | ·28 | ... | ... | ... | 175 | ... | ... |
| VI. Tobacco ... | Leaf | | Per kg. | 5 00 | ... | ... | ... | ... | ... | ... | 3 65 | 6 00 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | ... | ... | 1·13 | ... | 88 | ·60 | ·55 | ... | ·88 | 90 | ·62 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ... | ·161 | ... | ... | ·165 | ·180 | ... | ·180 | ... |
| | (b) Ungraded ... | ... | ... | ... | ... | ... | ·208 | ... | ... | ·270 | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | | 2.25 | 2 75 | 2·95 | 2·50 | 1·50 | 3·00 | 2 50 | 2 00 | 2·50 |
| | (ii) B Grade | Do | | 2 00 | 2·50 | 2 00 | 1 87 | 1.60 | 2·50 | 2 25 | 1 75 | 2 40 |
| | (iii) C Grade | Do | | 1.50 | 2·40 | 1·50 | 1 65 | 1·50 | 1·75 | 2 00 | 1 50 | 2·25 |
| 4 Mutton ... | ... | ... | | ·388 | ·261 | ... | ·800 | ... | ... | ·800 | ·285 | ·830 |
| 5 Beef ... | ... | ... | | | ·668 | ... | ·509 | ... | ... | ·600 | ,657 | ... |
| VIII. Condiments and Spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | | ·500 | ... | | ... | ... | ·225 | ·850 | ,500 | ·850 |
| 2 Tamarind ... | ... | ... | | 1 | 1 | | ... | ... | ... | ·1 | ·800 | ,1 |
| 3 Dry chillies ... | ... | ... | | ·400 | ·280 | | ·276 | ... | ·444 | ·800 | ·825 | ,800 |
| 4 Garlic ... | ... | ... | | 1 | ... | | ... | ... | ·8 0 | ·1 | 1 | ·1 |
| 5 Pepper ... | ... | ... | | ·255 | ... | | ... | ... | ·1·1 | | ,800 | ·275 |
| 6 Cardamom ... | ... | ... | | 0·75 | ... | | ... | ... | ·55 | | 0·58 | 0 65 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | | 19 | ... | 8 | 9 | 8 | 10 | 10 | 10 | 8 |
| 2 Kerosene oil ... | ... | ... | Per Litre | 95 | ... | ... | ... | 45 | 46 | 67 | 48 | 66 |
| 3 Firewood/ Charcoal | ... | ... | Quintal | 6·75 | ... | ... | ... | 8·60 | 6·00 | 7·00 | 6·25 | 6 60 |
| 4 Coarse cloth ... | ... | ... | Per Metre | 1·25 | ... | ... | ... | ... | 1·50 | ·58 | 87 | 62 |

.....

For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDING SAT RDAY THE 16TH OCTOBER 1965.

Dated..... 1965.

**No. VS. 42/SPH/65-66.** The State remained free from Pladue during the week as in the previous week. Comparative figures for the corresponding week during the years 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 19 attacks with 2 deaths from Smallpox was reported for the entire State *viz.*, from the town of Bangarpet and from the taluks of Siruguppa and Buntwal *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 11 attacks with 4 deaths from Cholera was reported for the entire State *viz.*, from the taluk of Kanakapura during the week *as against* nil attacks with nil deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 281 (72 in hospitals) for the week *as against* 148 (59 in Hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.2 (11.3 excluding hospital deaths) per mille of population (mid-year estimated *as against* 8.1 (4.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to other fevers, 39 due to Dysentery and Diarrhoea, 13 due to consumption and 225 due to all other causes, *as against* 1 due to other fevers, 8 due to Dysentery and Diarrhoea, 5 due to consumption and 134 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 81 (40 in Hospitals) for the week *as against* 36 (16 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.3 (8,3 excluding Hospital deaths) per mille of population (mid-year estimated), *as against* 7.3 (4.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 3 due to Typhoid, 11 due to other fevers, 11 due to Dysentery and Diarrhoea and 55 due to all other causes, *as against* 10 due to other fevers, 2 due to Consumption and 24 due to all other causes, reported during the corresponding week of the previous year.

The report for K G.F. City has not been received.

The total mortality for Belgaum City amounted to 36 (19 in Hospitals) for the week *as against* 25 (1 in Hospital) during the corresponding week of the previous year, giving a calculated death rate of 13.6 (6.4 excluding Hospital deaths) per mille of population (mid-year estimated) *as against* 9.6 (9.2 excluding Hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 2 due to Dysentery and Diarrhoea, 3 due to Consumption and 30 due to all other causes, *as against* 3 due to other fevers, 2 due to Consumption and 20 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 42 (35 in Hospitals) for the week *as against* 10 (1 in Hospital) during the corresponding week of the previous year, giving a calculated death rate of 14 2 (11.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.4 (3.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 2 due to Dysentery and Diarrhoea, 1 due to Consumption and 37 due to all other causes, *as against* 10 due to all other causes reported during the correspoding week of the previous year.

160 ....., For *Director*.

## NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY THE 23RD OCTOBER 1965.

Dated 29th October 1965.

**No VS. 43/65-66.** The State remained free from plague during the weak as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 7 attacks with 1 death from smallpox was reported for the entire State *viz.*, from the taluks of Kunigal and Bellary *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 28 attacks with 12 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Kanakapura and Hiriyur and from the town of Molakalmuru during the week *as against* one attack with nil deaths reported during the corresponding week of last year.

A total of one attack with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 252 (93 in hospitals) for the week *as against* 127 (35 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13. 6 (8. 6 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7. 0 (5 1 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to smallpox, 1 due to other fevers, 36 due to Dysentery and Diarrhoea, 9 due to consumption and 205 due to all other causes, *as against* 3 due to other fevers, 14 due to Dysentery and Diarrhoea, 6 due to Consumption and 104 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 36 (69 in hospitals) for the week *as against* 85 (57 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.9 (6.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 17. 1 (5. 7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 10 were due to other fevers, 6 due to Dysentery and Diarrhoea. 2 due to Consumption and 51 due to all other causes, *as against* 12 due to other fevers, 2 due to Dysentery and Diarrhoea, 3 due to Consumption and 68 due to all other causes reported during the corresponding week of the previous year.

The report for K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 28 (17 in hospitals) for the week *as against* 23 (1 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 10.6 (4.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.8 (8.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to consumption and 26 due to all other causes, *as against* 1 due to other fevers, and 22 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 5 (nil in hospitals) for the week *as against* 7 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 1.7 (1.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.4 (2.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 5 were due to all other causes *as against* 1 due to Consumption and 6 due to all other causes reported during the corresponding week of the previous year.

163, ....., *For Director of Health Services.*

---

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 22nd October 1965.

**Statement showing the Wholesale Prices of various commodities for the Week ending 22nd October 1965 at Mangalore.**

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskath | 100 kg. | 78 | 00 |
| II Sort | ... | Guddu | " | 72 | 00 |
| III Sort | ... | Suggi | " | 70 | 00 |
| Rice— I Sort | ... | Maskathi | " | 134 | 00 |
| II Sort | ... | Guddu | " | 130 | 00 |
| III Sort | ... | Suggi | " | 128 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 75 | 00 |
| " | ... | II Sort | " | 45 | 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 380 to 600 | 00 |
| " | ... | Husked | " | 370 to 590 | 00 |
| Copra | ... | ... | 100 kg. | 285 to 310 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | ... | |
| | | II Class | " | 51 | 00 |
| Cashew Kernels | ... | | | | |
| Cashew Nuts | ... | | 100 kg. | No Stocks | |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | | 50 kg. | No Stocks | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 660 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 30 to 48 | 00 |
| " | ... | Husked Old | 60 kg. | 810 to 890 | 00 |
| " | ... | " New | " | ... | |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 24 to 30 | 00 |
| " | ... | Kasaragod | " | ... | |
| **RETAIL PRICES.** | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| **CATTLE FOOD.** | | | | | |
| Groundnut Oil Cake | ... | ... | Bag of 69·92 kg. | 27 to 28 | 00 |
| Cotton Seeds | ... | ... | " 64·00 kg. | 28 | 00 |
| Horsegram | ... | ... | " 98·07 kg. | 62 to 65 | 00 |

.....
*Dy. Commr.*

161

Dated 29th October 1965.

**Statement showing the Wholesale Prices of various commodities for the week ending 29th October 1965 at Mangalore.**

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | 78 | 00 |
| II Sort | ... | Guddu | " | 72 | 00 |
| III Sort | ... | Suggi | " | 70 | 00 |
| Rice—I Sort | ... | Maskathi | 100 kg. | 134 | 00 |
| II Sort | ... | Guddu | " | 130 | 00 |
| III Sort | ... | Suggi | " | 128 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Joggery | ... | I Sort | 100 kg. | 70 | 00 |
| " | ... | II Sort | " | 45 | 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 400 to 610 | 00 |
| " | ... | Husked | " | 390 to 600 | 00 |
| Copra | ... | ... | 100 kg. | 285 to 310 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 54 | 00 |
| " | ... | II Class | " | 52 | 00 |
| Cashew Kernels | ... | ... | | | |
| Cashew Nuts | ... | ... | 100 kg. | No Stock | |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | No Stock | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 660 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 30 to 48 | 00 |
| " | ... | Husked Old | 60 kg. | 810 to 890 | 00 |
| " | ... | " New | " | ... | |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 25 to 31 | 00 |
| " | ... | Kasaragod | " | ... | |
| **RETAIL PRICES.** | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| **CATTLE FOOD.** | | | | | |
| Groundnut Oil Cake | | | Bag of 69.92 kg. | 27 to 28 | 00 |
| Cotton Seeds | ... | | " 64 kg. | 28 | 50 |
| Horsegram | ... | | " 98·07 kg. | 62 to 65 | 00 |

.....
*Dy. Commr.*

167

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, NOVEMBER 18, 1965 (KARTHIKA 27, SAKA ERA 1887) | No. 45

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 13th October 1965.

| No. of rainy days in the week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 30—9—1965)

#### 1. Bangalore District.

Fair except in Bangalore North, Channapatna, Anekal, Kanakapura, Bangalore South and Devanahalli taluks where it was reported that the crops were withering for want of rains. Good ... Sufficient except in Channapatna and Devanahalli taluks. (1)

#### 2. Kolar District.

Crops were withering in most of the taluks for want of rain. Good ... Available except in Chikaballapur Tq. Sufficient except in Gudibanda and Chickaballapura Tq. (2)

#### 3. Tumkur District.

Fair but crops were badly in need of urgent rains. Good ... Sufficient except in Tumkur, Turuvekere and Koratagere Tq. (3)

#### 4. Mysore District.

Crops were withering in most of the taluks for want of rains. Good

#### 5. Mandya District.

Dry crops were withering in most of the taluks for want of rains. Good ... Available except in Mandya Maddur and K. R. Pet Tqs. Sufficient except in Maddur taluk. (5)

#### 6. Hassan District.

Crops were withering in most of the taluks for want of rain. Good

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Conditions of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | As on | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 30—9—1965). | | | | |
| | | | | | **7. Chickmagalur District.** | | | | |
| | | | | | Crops were affected in most of the taluks for want of rain. | Good | ... Available except in Kadur Tq. | Sufficient except in Chikkamagalur, Kadur and Tarikere Tqs. | |
| | | | | | **8. Shimoga District.** | | | | |
| | | | | | Crops were withering in most of the taluks for want of rain. | Good | ... Available except in Hosanagar tq. | Inadequate | |
| | | | | | **9. Chitradurga District.** | | | | |
| | | | | | Crops were withering in most of the taluks for want of rains. | Good | ... Available | ... Sufficient except in Davangere and Hiriyur tqs. | (6) |
| | | | | | **10. Bellary District.** | | | | |
| | | | | | Fair | ... Good | | ... Sufficient except Kudligi taluk. | (7) |
| | | | | | **11. Bijapur District.** | | | | |
| | | | | | Crops were withering in most of the tqs. for want of immediate rains. | Good except for the prevalence of cattle disease at 5 villages of Indi tq. and at one village of Sindgi Tq. | Available | | |
| Nil | Nil | N.A. | 14·9 | N.A. | **12. Belgaum District.** | | | | |
| | | | | | Crops were withering in most of the tqs. for want of immediate rains. | Good | | | |
| | | | | | **13. Dharwar District.** | | | | |
| | | | | | Immediate rains were essential for the crops. | Good | | | |
| | | | | | **14. North Kanara District.** | | | | |
| | | | | | Fair except in Yellapur and Siddapur taluks where paddy crop was affected due to non receipt of timely rains. | Good | ... Available | | |
| | | | | | **15. Gulbarga District** | | | | |
| | | | | | | ... Good | | ... Sufficient except in Gulbarga. | (12) |
| | | | | | **16. Raichur District.** | | | | |
| | | | | | Fair except in Kushtagi taluk where it was reported that the Kharif crops were affected due to non receipt of timely rains. | Good | | | |
| | | | | | **17 Bidar District** | | | | |
| | | | | | | ... Good | | | |
| | | | | | **18. South Kanara District.** | | | | |
| 1 | 16.5 | N.A. | 20.7 | N.A. | Fair | ... Good | ... available | ... Sufficient | |
| | | | | | **19. Coorg District.** | | | | |
| Nil | Nil | N.A. | 79.7 | N.A. | Fair | ... Good | ... Available | ... Sufficient | |

REMARKS.— (1) Refers to 9 Taluks, (2) Refers to 10 Taluks, (3) Refers to 7 Taluks (4) Refers to 9 Taluks 5) Refers to 6 Taluks, (6) Refers to 8 Taluks, (7) Refers to 7 Taluks (8) Refers to 7 Taluks (9) Refers to 6 Taluks, 10) Refers to 15 Taluks (11) Refers to 10 Taluks, (12) Refers to 6 Taluks, (13) Refers to 8 Taluks (14) Refers to 9 Taluks, (15) Refers to 4 Taluks.

SYED MAHMOOD, For *Director*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 20th October, 1965.

(a) Denotes:—Rainfall.
(b) ,, Sowing and Transplantation.
(c) ,, Condition of Standing crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Nelamangala, Kanakapura, Ramanagaram and Anekal Talu s.
(b) Nil.
(c) Standing crops were fair except in Kanakapura, Ramanagaram Anekal and Devanahalli Taluks where Crops were withering for wants of rains
(d) Nil.
(e) Agricultural operations were held up for want of rain in 4 Taluks,
(f) Sufficient except in Devanahally and Channapatna Taluks where the supply of water was insufficient,
(g) Available except in Kanakapura Ramanagaram Devanahalli Anekal and Channapatna Taluks where scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Bangarpet, Srinivaspur, Chintamani, Chickballapur Mulbagal and Malur Taluks,
(b) Nil.
(c) Fair except in Gudibanda, Chickballapur, Mulbagal and Bagepalli taluks where kharif Crops were withering for want of rains.
(d) Nil.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Gudibanda, Chintamani and Chickballapur Taluks where insufficiency of water was felt.
(g) Available except in Gudibanda taluk and in some parts of Chickballapur taluk where scarcity for fodder was felt.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week except in Turuvekere Taluk.
(b) Transplantation of Paddy in Pavagada Taluk was in progress,
(c) Fair except in Madhugiri, Tumkur, Tiptur, Pavagada and C N Halli Taluks where crops were withering for want of urgent rains,
(d) Harvesting of Jola in Pavagada taluk was in progress,
(e) Agricultural operations were held up for want of rain in Turuvekere, Tumkur and Tiptur taluks
(f) Sufficient except in Turuvekere and Tumkur taluks where insufficiency of water was felt.
(g) Available except in Tumkur, Tiptur and Chiknayakanahally taluks where scarcity for fodder was felt
(h) Generally healthy

4 Mysore District.—

(a) No rainfall during the week except in Kollegal, Gundlupet and Chamarajanagar Taluks,
(b) Nil.
(c) Fair except in K. R. Nagar, Heggadadevanakote, T. Narasipur, Gundlupet and Mysore Taluks where Kharif crops were withering for want of urgent rains.
(d) Agricultural operations were held up for want of rain in 2 taluks,
(e) Sufficient except in T. Narasipur, Kollegal, Gundlupet and Mysore Taluks where insufficiency of water was felt,
(f) Available except in some villages of Mysore Taluk where scarcity for fodder was felt.
(g) .....
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week except in Maddur and Pandavapura taluks.
(b) Transplantation of Sugarcane in Srirangapatna Taluk was in progress.
(c) Fair except in Mandya K. R. Pet, Maddur and Malavalli Taluks where K. crops were withering for want of rains.
(d) Harvesting of Sugarcane in Srirangapatna, Maddur, Pandavapura and Mandya Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Mandya and K. R. Pet Taluks, where insufficiency of water was felt.
(g) Available except in Mandya, K. R. Pet and Maddur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Manjarabad, Belur and Channarayapatna Taluks,
(b) Transplantation of Paddy was held up for want of sufficient water in Arkalgud Taluks.
(c) Fair except in Holenarsipur Arsikere, Arkalgud, Channarayapatna, and Belur Taluks where crops were withering for want rains.
(d) Harvesting of Paddy, Jowar and G. Nut in Arsikere Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 3 Taluks,
(f) Sufficient except in Holenarsipur, Arsikere, Arkalgud, Manjarabad, Belur and Channarayapatna Taluks where insufficiency of water was felt.
(g) Available except in Holenarsipur Arsikere, and Arkalgud Taluks where scarcity for fodder was felt.
(h) Generally healthy

7 Chickmagalur District —

(a) No rainfall during the week except in Chickmagalur Taluk.
(b) Fair except in Koppa, Chickmagalur, Kadur, N. R. Pura, Sringeri and Tarikere Taluks where K. crops were withering for want of urgent rains.
(c) .....
(d) Harvesting of rabi crops in Sringeri Taluk, Areca and Cardamum in Mudigere Taluk, Jowar in Tarikere taluk was in progress,
(e) Agricultural operations were held up for want of rain in 2 Taluks
(f) Sufficient except in Kadur, Sringeri, Mudigere, and Tarikere taluks where the supply of water was insufficient
(g) Available except in Chickmagalur and Kadur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Shimoga, Channagiri Thirthahalli, Honnali and Shikaripura Taluks where Crops were withering for want of urgent rains
(d) Harvesting of jowar and paddy in Channagiri taluk, Areca in Thirthahalli taluk G.nut in Honnali and Shikaripura taluks was in progress,
(e) Progress was fair in 2 Taluks,
(f) Sufficient except in Channagiri, Thirthahalli and Shikaripur taluks where the supply of water was insufficient,
(g) Available,
(h) Generally healthy

9 Chitradurga District,—

(a) No rainfall during the week.
(b) Sowing of bili jola and Bengal gram in Holalkere Taluk, was in progress.
(c) Fair except in Molakalmur, Hiriyur, Hosadurga, Chitradurga, Holalkere, Challakere and Davanagere Taluks where K. Crops were withering for want of urgent rains.
(d) Harvesting of K. jowar in Molakalmur, Hosadurga, and Chitradurga Taluks, Gidda Ragi and jowar in Challakere Taluk, Navane, Same, Ragi and Ground nut in Davanagere taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Hiriyur, Holalkere and Davangere taluks where the supply of water was insufficient
(g) Available except in Hiriyur taluk where scarcity for fodder was felt,
(h) Generally healthy except for the prevalance of black quarter at one village of Challakere taluk.

10 Bellary District.—

(a) No rainfall during the week.
(b) Sowing of rabi crops were held up for want of rain in Hospet Taluk.
(c) Fair except in Mallapuram, Harapanahalli, Sirguppa, Hospet and Kudligi Taluks where Crops were withering for want of rains.
(d) Harvesting of G. Nut in Mallapuram Taluk Jowar in Hospet Taluk, Yeda ragi in Kudligi taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Kudligi taluk where the supply of water was insufficient.
(g) Available.
(h) Generally healthy.

11 Bijapur District.—

(a) No rainfall during the week.
(b) Sowing of rabi crops was held up for want of rains in most of the taluks.
(c) Fair except in Bijapur, Sindagi, Mudhol, Muddebihal and Bilrgi taluks where crops were withering for want of rains.
(d) Harvesting of G.nut in Sindagi taluk was in progress.
(e) Progress was fair in 8 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy, except for the prevalance of Episooticaphtha at one village of Sindagi taluk glanders disease at 8 villages of Indi taluk.

12 Belgaum District.—

(a) No rainfall during the week,
(b) Sowing of Rabi Crops was held up for want of rain in Gokak, Raibagh, Ramdurg Taluks.
(c) Fair except in Hukkeri. Raibagh and Ramdurg taluks where crops were withering for want of urgent rains,
(d) Harvesting of G.Nut and Jowar in Ramadurg Taluk was in progress
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Gokak and Ramdurg Taluks where the supply of water was insufficient.
(g) Available
(h) Generally healthy.

13 Dharwar District.—

(a) No rainfall during the week.
(b) Sowing of rabi crops was held up for want of rains in most of the taluks,
(c) Fair except in most of the taluks of Dharwar district where crops were withering for want of urgent rains.
(d) Harvesting of Groundnut in Hubli, Sirahatti, Haveri Shiggaon Gadag, and Hirekerur Taluks. Ragi and Navane in Hangal taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient.
(g) Available except in Mundargi Taluk where scarcity for fodder was felt.
(h) Generally healthy

14 North Kanara District,—

(a) No rainfall during the week.
(b) Nil,
(c) Fair except in Yellapur and Siddapur Taluks where crops were withering for want of urgent rains.
(d) Harvesting of paddy in Bhatkal and Kumta taluks, Areca in Yallapur was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District,—

(a) No rainfall during the week.
(b) Sowing of rabi-crops was completed in most of the Taluks.
(c) Fair except in Shorapur and Aland taluks where crops were withering for want of urgent rains.
(d) Harvesting of G nut in Sedam taluk, minor millets in Gulbarga, Chitapur and Aland taluks was in progress.
(e) Progress was fair in 8 Taluk.
(f) Sufficient except in Gulbarga taluks where supply of water was insufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.—

(a) No rainfall during the week.
(b) Sowing of Rabi-crops were held up for want of rains in Sindnoor, Kustagi Manvi and Gangavathi Taluks.
(c) Fair except in Deodurga, Sindanoor, Manvi, Kustagi and Lingasugur taluks where crops were withering for want of rains.
(d) Harvesting of G.nuts in Manvi taluk was in progress.
(e) Progress was fair in 2 Taluks,
(f) Sufficient,
(g) Available.
(h) Generally healthy,

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Fair except in Honnavar taluk.
(d) Harvesting of paddy in Honnavar taluk was in progress.
(e) Progress was fair in Honnavar taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Light showers in Puttur, Belthangadi, Karkala, Bantwal taluks.
(b) Transplantation of second crop paddy in Bantwal taluk was in progress.
(c) Standing crops were fair,
(d) Nil.
(e) Progress was fair in 2Taluks'
(f) Sufficient except in Udipi and Bantwal Taluks where insufficiency of water was felt,
(g) Available.
(h) Generally healthy.

19 Coorg District,—

(a) No rainfall during the week]
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of cardamum in Virajpet taluk was in progress.
(e) Progress was fair in Virajpet taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

SYED MAHMOOD, For *Director of Statistics.*

OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 31st December 1963.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| Cereals.— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 42·00—44·00 | 32·00—37·00 | ... | 30·00—32·00 | 39·00—40·00 | 40 00—48·00 | 41·00—50·00 | ... | 41 00 | 40·00 |
| | (b) Medium | | 39 00—40·00 | 25 00—32·00 | 34·00—38·00 | 28 00—30·00 | 37.00—38 00 | 39·00—46·00 | 40·00 | ... | 38·00 | 35·00 |
| | (c) Coarse | | | 22·00—26 00 | ... | 26 00—28·00 | 35 00—36·00 | 30·00 | 35 00—38 00 | ... | ... | 33·00 |
| 2 Rice | (a) Fine | | 65·00—67·00 | 78·00—82·00 | 82·00—84·00 | 62 00—65·00 | 85.00—86·00 | 79·00 | 72·00—88·00 | 71·00 | 72·00 | 74·00 |
| | (b) Medium | | 72·00—74·00 | 66·00—70·00 | 70·00—72·00 | 60·00—62·00 | 75·00—76·00 | 76 00 | 68·00—78.00 | 67·50 | 67·50 | 72·00 |
| | (c) Coarse | | 62·00—64·00 | 58 00—62 00 | 67·00 | 47·00—48·00 | 66·00—67·00 | 70·00 | 40·00—60 00 | 64·50 | 59·00 | 63·00 |
| 3 Wheat | White | | .. | 42·00—45·00 | ... | 44·00—48·00 | 40·00 | 44·00 | 45·00 | 40·75 | 48·00 | 64·50 |
| Wheat Flour | ,, | | ... | 50·00—60·00 | 42·00—60·00 | ... | 45·00 | 45 00 | 49 00 | 58·00 | 55·00 | ... |
| 4 Jowar | ,, | | 86·00—50·00 | 40·0.—42·00 | 85·00—42·00 | | 40·00—50 05 | 40 00—42·00 | ... | 38·00 | 42·75 | 42·75 |
| 5 Bajra | .. | | | 40.00 | 82·00—88·00 | | ... | 40 00 | | ... | ... | 86.00 |
| 6 Barley | - | | 170·00 | | ... | ... | ... | 150 00 | ... | ... | ... | ... |
| 7 Maize | ... | | ... | .. | ... | ... | ... | ... | 45·00 | ... | ... | ... |
| 8 Ragi | .. | | 40·00—42·00 | 39·00—42·00 | 81·00—85·00 | 40·00—42·00 | 8·:00 | 40·00—46·00 | ... | 86·00 | 88 00 | 32·50 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | .. | | ... | ... | - | | | .. | .. | ... | ... | ... |
| (ii) ..... | .. | | .. | | | | | . | | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | 25·00—35·00 | 20·00—25·00 | 30·00—40·00 | 40·00—45 00 | 25·00 | 23·00 | 20·00 | 28.00 | 23·00 | ... |
| (ii) Tapioca | | | ... | | ... | .... | .. | | ... | ... | 36·00 | ... |
| (iii) Papaya | | | 45·00—55·00 | 1·00 | | ... | .. | ... | ... | ... | ... | ... |
| (iv) Ground-nut cake flour | | | ... | ... | .. | .. | 37·00 | ... | ... | ... | ... | ... |
| I. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | | | 55 00—58 00 | 52·00—56 00 | 70·00 | 75·00—80·00 | 60 00 | 65.00 | 58·00—60·00 | 44·00 44·00 | 57 00 | 70 00 |
| 2 Arhar (Tur.) | | | 48 00—52·00 | | 65·00 | 90·00 - 10·000 | ... | 66 00 | 45·00—50·00 | 90·00 | 47·50 | 84·00 |
| 3 Mung | | | ... | 70 00—75·00 | 67 00 | 60·00—85 00 | 70.00 | 65·00 | 55·00—60·00 | 53.00—58.00 | 60·00 | ... |
| 4 Urd | | | | 75·00—80 00 | 50·00 | 60·00—70·00 | 68·00 | 80·00 | 85·00—88·00 | 72·00—75·00 | 82·00 | ... |
| 5 Masur | | | ... | ... | ... | ... | ... | ... | 90·00—95 00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | | | 50·00—60·00 | 55.00—58·00 | 50 00 | 70·00 75·00 | 55·00 | 65·00 | 60·00—69 00 | ... | 62·00 | ... |
| (ii) Horsegram | | | 28·00—30·00 | 40·00—42·00 | 84·00—85·00 | 28·00—20·00 | 32·00 | 32·00—36·00 | 36·00—39·00 | 44·00—50·00 | 91·00 | 56·00 |
| (iii) Cowpea | | | 45·00—80·00 | 50·00—60·00 | 50.00 | ... | 56·00 | 65 00—75·00 | 65·00—69·00 | ... | 68 00 | 48·00 |
| II. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | a Sort I | | 85·00 | 105·00—110·00 | 110.00 | 80·00—90·00 | 90·00—100·00 | 120·00 | 135·00 | 88·00 | 102·50 | 82·00 |
| | b Sort II | | 95·00 | 90·00—100·00 | 90.00 | 65 00—70·00 | 80 00—90·00 | 85·00 | 115·00 | 85·00 | 70·00 | 70·00 |
| 2 Sugar refined | D 24 | | 128·00—125·00 | 125·00 | ... | 12·00 | 122·00 | 119·00 | 1 6·75 | 120 00 | 122·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | 40·00—50·00 | 80·00—84·00 | ... | 65·00 | 60·00—65·00 | 65·00—70·00 | 60—76 | 67·50 | 69·00 | 68·25 |
| | (b) Machine shelled | ... | 70·00—80·00 | 90·00—93·00 | 98 00 | ... | 90·00—92.00 | ... | - | ... | 87·00 | 80·00 |
| Groundnut Oil | ... | ... | 172·00—177·00 | 200·00—210·00 | 180.00—190.00 | 220·00—225·00 | 175·00 | 165·00—166·00 | 187—50 | 171·00 | 166·00 | 166·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 69·00 | ... | 37·00 | 45·00 | 80·00—10·00 | ... | 42·00 | 35·00—50·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | | - | - | ... | 95·00 | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | 110·00 | 85·00—95·00 | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 295 00 | ... | ... | ... |
| Sesamum Oil-cake. | - | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 67'00 | ... | ... | 65·00—70.00 | 0·00—47·00 | .. | 59·00 | 45·00 |
| Castor Oil ... | ... | ... | 170·00—180·00 | 200·00—210·00 | 170·00—180·00 | 250·00—275·00 | ... | 179·00 | 187·—50 | 174 00 | 162·00 | 150·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | 100·00 | ... | ... | ... | 96·00 | ... |
| | (b) Yellow .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| Mustard Oil-cake. | ... | .. | ... | ... | ... | ... | ... | | | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | 40.50 | ... | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per thousand) | 240·00—340·00 | 300·00—325.00 | 280·00 | 200·00—270·00 | 190·00—300·00 | 200·00—360·00 | 225.278—00 | 460·00 | 280·00 | 203·00 |
| | (b) Copra ... | ... | 250·00—260·00 | 280·00—350·00 | ... | ... | 250·00—270·00 | 270·00—260·00 | ... | 390·00 | 245·00 | 245·00 |
| Coconut Oil... | ... | ... | 340·00—360·00 | 380.00—340.00 | 350·00 | ... | 260·00 | 320·00 | 350·00—400 00 | 284·00 | 380.00 | 322·00 |
| Coconut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 68,00—70.00 | 65·00—75·00 | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350—00 | ... | 275·00 | ... | 268·00 | 275·00 | 298.00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 250·00 | ... | ... |
| | (iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per gross | ... | ... | ... | ... | | 8,25—7.50 | 11·50 | 7·50 | 10·00 | 5 00 |
| 2 Plantains ... | | Do | 7·20—7.50 | 8.50—7,50 | 8.00—10.00 | 12·00—15·00 | 9·00 | | 14 20 | 14·00 | 24·00 | ... |
| 3 Oranges ... | | Do | 15.00—30.00 | 10.00—20.00 | 25.00—37.00 | 10·00—12·00 | 24·00 | 8·00—21·00 | ... | ... | ... | ... |
| 4 Dates ... | | ... | ... | ... | 150 0·—900 | 80·00—85·00 | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | | ... | ... | ... | ... | 600·00—750 00 | ... | ... | ... | ... | ... | ... |
| | | | | | | | ... | ... | ... | | | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 86·00—69·00 | 50·00—85·00 | 40—60 | 75·00—80·00 | 62 | 80·00 | 60·00—82.00 | 55·00 | 60·00 | 46·00 |
| 2 Onions ... | ... | ... | 28·60—82·00 | 80·00—85·00 | 25—35 | 25.00—30·00 | 84 | 80 00—85·00 | 81 | 28·00 | 40·00 | 28·00 |
| 3 ..... | ..... | ... | ... | ... | ... | ... | | ... | ... | | ... | ... |
| 4 ..... | ..... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | | ... | 550 00—575·00 | | 75·00 | 778·00 |
| 2 Arecanuts ... | ... | ... | ... | 625·00—675·00 | 550.00—550.00 | ... | 700·800 | 850·00—850 | 910·00-1000·00 | 600·00—690·00 | | |
| VI. Fibres.— | | | | | | | | | | | | 108·00 |
| Cotton | (a) Kapas ... | ... | ... | ... | 97—185 | ... | ... | ... | ... | ... | | 238·0 |
| | (b) Lint ... | | ... | ... | 42·00—44·00 | | | | 35·00—45·00 | | | 29·00 |
| | (c) Seed | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 Jute Loose ... | (a) Waste— | | | | | | | | | | | | | | | |
| | (i) Top ... | ... | | | ... | ... | ... | ... | | | | | | | | |
| | (ii) Middle | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (iii) Bottom | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (b) Rosa— | | | | | | | | | | | | | | | |
| | (i) Top ... | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (ii) Middle | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (iii) Bottom | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| 3 Pucca Baled Jute. | (i) Lightings | Per bale | | | ... | ... | ... | ... | ... | | | | | | | |
| | (ii) First Mills. | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (iii) First Exports. | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| Sann hemp ... | ..... | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| 4 Mesta ... | (i) Top ... | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (ii) Middle | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| | (iii) Bottom | ... | | | ... | ... | ... | ... | ... | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf ... | ... | | | ... | ... | ... | ... | ... | | 826·00—494·00 | | ... | | 260·00 | |
| | (ii) Pulah ... | ... | | | ... | ... | ... | ... | ... | | | | ... | | 165·00 | |
| | (b) Virginia | ... | | | ... | ... | ... | ... | ... | | ... | | ... | | ... | |
| | (i) Leaf ... | ... | | | ... | ... | ... | ... | ... | | ... | | 807·00 | | ... | |
| | (ii) Pulah ... | ... | | | ... | ... | ... | ... | ... | | ... | | ... | | ... | |
| VIII. Livestock— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 800·00—950·00 | ... | 500·00 | 800·00 | ... | 360.00—500.00 | ... | 160·00—270·00 | 415·00—515·00 | 250·00 | | | | |
| | (b) ,, II ... | Do ... | 250·00—540·00 | ... | 300·00—850·00 | 600·00 | ... | 240.00—345.00 | ... | 180·00—200·00 | 315·00—420·00 | 230·00 | | | | |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 200·00—350·00 | ... | 100·00—120·00 | 150·00 | ... | 80.00—45.00 | ... | ... | ... | 295·00 | | | | |
| | (b) ,, II ... | Do ... | 150·00—250·00 | ... | 125·00—150·00 | ... | ... | 30.00—40.00 | ... | ... | ... | 190·00 | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 200·00—300·00 | ... | 150·00—200·00 | 250 00 | ... | 175.00—300.00 | ... | 150·00—270·00 | 330 00—400·00 | 120·00 | | | | |
| | (b) Class II ... | Do ... | 180·00—270·00 | ... | 100·00—150·00 | 225 00 | ... | 100.00—150 00 | ... | 95·00—160·00 | 280·00—330·00 | 70·00 | | | | |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 270·00—350·00 | ... | 300·00 | 300·00 | ... | 160.00—300.00 | ... | 250·00—300·00 | 308·00—410·00 | 145·00 | | | | |
| | (b) Class II ... | Do ... | 150·00—250·00 | ... | 100·00—150·00 | 250·00 | ... | 185·00—170.00 | ... | 150·00—200·00 | 170·00—270·00 | 95·00 | | | | |
| 3 Sheep ... | ..... | Do ... | 80·00—75·00 | ... | 40·00—80·00 | 75·00 | ... | 80,00—85.00 | 70·00—80·00 | 45·00—80·00 | 20·00— 65·00 | 40·00 | | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. | ... | ... | ... | ... | ... | 2.75 | ... | ... | ... | | | | | |
| | (b) ..... | Do ... | ... | ... | ... | | ... | 1.80 | ... | ... | ... | ... | | | | |
| 2 Hides.— | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | ... | ... | ... | | ... | 1·50—1·75 | 1·15 | | ... | 2·95 | | | | |
| | (b) ..... | Do ... | ... | ... | ... | | ... | ... | 1·10 | ... | ... | ... | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | | ... | 7·00—8.50 | 3·75—4·00 | ... | ... | 4·00 | | | | |
| | (b) ..... | Do ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | | | | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | | ... | ... | | ... | 1·75—2·50 | 1·15 | ... | ... | 3·50 | | | | |
| | (b) ..... | Do ... | | ... | | | ... | ... | 1·10 | ... | ... | ... | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | | ... | 4·75—6·25 | 3·25—3·50 | | ... | 4·35 | | | | |
| | (b) ..... | Do ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | | | | |
| 3 Skins.— | | | | | | | | | | | | | | | | |
| (i) Goat skins— Raw. | (a) ..... | Per Skin | 6·00—6.50 | ... | | | 5·00 | 3·80—4·75 | 3·50—5·60 | 4·00—5.00 | 5 30 | 2·00 | | | | |
| | (b) ..... | Per kg. | ... | ... | ... | | ... | ... | ... | 3·00—4·00 | ... | ... | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | | ... | 7.50—14·00 | ... | ... | ... | 8·00 | | | | |
| | (b) ..... | Do ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | | | | |
| (ii) Sheep-skins— Raw. | (a) ..... | Per Skin | 6·00—7 00 | ... | ... | | 4·50 | 3·25—4·50 | 3·75—4·50 | 3·50—4·25 | 3·25 | 2 10 | | | | |
| | (b) ..... | Per kg. | | ... | ... | | ... | ... | ... | 2·50—3·00 | ... | ... | | | | |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | | ... | | ... | ... | ... | 3·05 | | | | |
| | (b) ..... | Do ... | ... | ... | ... | | ... | 6·50—24·00 | ... | ... | ... | ... | | | | |
| 4 Ghee ... | (a) Agmark | Do ... | | 7·00—8·00 | ... | | ... | ... | 8·00 | 8·00 | | ... | | | | |
| | (b) Ungraded | Do ... | ... | 6·00—7·00 | ... | | 5·00 | ... | ... | ... | | 5 75 | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | 25·00 | ... | ... | ... | 25·00 | ... | ... |
| | (b) Paddy ... | Cart load | ... | ... | ... | ... | ... | ... | 17·00—18·00 | 86·00 | 12·50 | 80·00 |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 80·00 | |
| | (b) ..... | ... | ... | | ... | ... | ... | ... | ... | ... | | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | | ... | ... | ... | ... | ... | 89·00 | ... | 24·00 |
| | (b) ..... | | ... | ... | ... | ... | ... | ... | | ... | | ... |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 120·00—150·00 | ... | 175·00—200·00 | ... | 190·00 | 200·00—210·00 | 220·00—280·00 | 170·00—178·00 | 181·00 | 164·00 |
| 2 Tamarind ... | ..... | ... | 50·00—105·00 | 90·00—100·00 | 70·00—75·00 | 60,00—80·00 | 90·00 | 70·00—90·00 | 100·00—115·00 | 90·00—95·00 | 105·00 | 5.000 |
| 3 Dry Chillies ... | ..... | ... | 250·00—350·00 | 220·00—225·00 | 150·00—180·00 | 225·00—250·00 | 240·00 | 200·00—260·00 | 175·00—300·00 | 150·00—200·00 | 280·00 | 220·00 |
| 4 Garlic ... | ..... | ... | 80·00—100·00 | 100·00—110·00 | 200·00 | ... | 100·00 | 90·00—100·00 | 110·00—125·00 | 150·00—200·00 | 93·00 | 86·00 |
| 5 Pepper ... | ..... | ... | 325·00—330·00 | ... | 450·00 | ... | 320·00 | 340·00—350·00 | 400·00 | 330·00—350·00 | 300·00 | |
| 6 Cardamom ... | ..... | ... | 1,450·00—2,000·00 | | 1,800·00 2,000·00 | ... | 1,600·00 | 1,600—1,600 | 1,800·00 | ... | 1,600 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C F | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | | | ... | | |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | | | | | |
| 5 Rubber ... | Raw ... | ... | ... | ... | | ... | ... | ... | ... | | | |
| 6 Myrobalam | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | | ... | ... | | | | | ... | | |
| | (b) Sacking B. Twills. | Per 100 bags. | | ... | | ... | ... | | | ... | | ... |
| 8 ..... | ... | ... | | | | ... | ... | ... | ... | | ... | |
| 9 ..... | ... | ... | | ... | | ... | ... | | | | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| I. Cereals.— | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 1 Paddy | (a) Fine | | 36·00 | 44·00—46·00 | 85·00—86·00 | 48.00 | ... | ... | 38 00 | 40·00 | 46·00 |
| | (b) Medium | | 35·00 | 42 00—43·00 | ... | 39.00 | ... | 34·00—35 00 | 35.00 | 39·00 | 54 50 |
| | (c) Coarse | | 34·00 | 37·00—38 00 | ... | .. | .. | 33 00—36·00 | ... | ... | ... |
| 2 Rice | (a) Fine | | 60·00 | 80 00—86·00 | 80·00—82·00 | 74·00 | 69·00—72·00 | 77·00 | 72·00—80·00 | 70 00 | 80·00 |
| | (b) Medium | | 58·00 | 70·00—75·00 | 64·00—70·00 | 64·00 | 61·00—62·00 | 68 00 | 61·00 | 60·00 | 74 00 |
| | (c) Coarse | | 55·00 | 58·00—64·00 | 65·00—66·00 | | 54 00—57·00 | 61·00 | ... | ... | 64·00 |
| 3 Wheat | White | | 62·00 | 46·00—65·00 | 48·00—58·00 | 56 00 | | ... | 55·00 | 68·00 | 68·00 |
| Wheat Flour | White | | 70 00 | 65·00—60·00 | 42·00—54 00 | ... | ... | 69·00 | .. | 60.00 | 54·00 |
| 4 Jowar | White | | 42·00 | 39·00—47 00 | 39·00—42·00 | 43·00 | 46·00—48·00 | 46 00 | 46·00 | ... | |
| Bajra | ... | | ... | 33·00—35 00 | 39·00 | ... | 87·00—88·00 | 45·00 | 41·00—50·00 | ... | ... |
| Barley | ... | | ... | .. | ... | ... | ... | ... | .. | .. | .. |
| Maize | ... | | . | ... | 25·00 | ... | ... | ... | ... | .. | 36 00 |
| Ragi | ... | | 40·00 | 35·00 - 28 00 | — | ... | ... | | ... | 45 00 | 42·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | — | ... | ... | ... | ... | ... | ... | ... | |
| (ii) ..... | ... | | ... | ... | ... | ... | | .. | | ... | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | 28 00 | ... | ... | .. | ... | ... | ... | | 20·00 |
| (ii) Tapioca | ... | | ... | ... | ... | ... | ... | ... | .. | ... | 20 00 |
| (iii) Papaya | ... | | — | ... | ... | ... | ... | ... | 22·00 | ... | ... |
| (iv) Groundnut cake flour | ... | | ... | ... | .. | ... | ... | ... | 38·00 | ... | .. |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 60 00 | 54·00—66·00 | 54·00 | 55·00 | 67·00 | 66 00 | 55·00 | 65·00 | 63·00 |
| 2 Arhar (Tur) | ... | | 60·00 | ... | 58·00—60·00 | 49·00 | 84·00 | 65·00 | 52·00—60·00 | 75 00 | 88·00 |
| 3 Mung | ... | | 62 00 | ... | 52·00—54·00 | 55·00 | .. | 47·00 | 50·00 | 65 00 | 70·00 |
| 4 Urd | ... | | 66·00 | ... | 42·00—43·00 | 64·00 | 88·00 | 62 00—50·00 | 57 00 | 70 00 | 80·00 |
| 5 Masur | ... | | 60·00 | | 38·00—40·00 | ... | 78 00 | ... | ... | ... | 84·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | ... | | 88 00—89·00 | ... | ... | ... | 86 00—50·00 | ... | 90·00 |
| (ii) Horsegram | ... | | 40·00 | 86·00—88 00 | 85·00 | ... | ... | ... | | 83·00 | 45·00 |
| (iii) Cowpea | ... | | ... | ... | ... | ... | ... | ... | ... | .. | 82 00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 180·00 | 90·00—94·00 | 95·00—110·00 | 106·00 | 76·00—79·00 | 88·00 | 76·00 | 110·00 | 150 00 |
| | (b) Sort II | | 190·00 | 85·00—90.00 | 85·00—90·00 | 101·00 | 70·00—73 00 | ... | ... | 150 00 | 110·00 |
| 2 Sugar Refined | D. 24 | | ... | ... | 116—50 | ... | ... | 119·00 | 121·00 | 124·00 | 125·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 72 00 | 55·00—65·00 | 66·00—69·00 | ... | 64·00—68 00 | 65·00 | 69·00 | ... | 90·00 |
| | (b) Machine shelled. | | 110·00 | 88·00—90·00 | ... | ... | | ... | ... | 105·00 | 125·00—150·00 |
| Groundnut Oil | ... | | 160 00 | 170·00—175.00 | 170·00—180·00 | ... | 118 00 | 170·00 | 200·00 | 180·00 | 197·00 |
| Groundnut Oil-cake. | ... | | 40·00 | ... | 37·00 | ... | 36·00 | 48·00 | 32·00 | 42—50 | 45·00 |
| 2 Sesamum | (a) White | | 180·00 | ... | 106—48 | ... | 105·00 | 116 00 | 105·00 | ... | ... |
| | (b) Black | | 125·00 | ... | 104·00—116·00 | ... | ... | ... | 108·00 | 100 00 | ... |
| Sesamum Oil | ... | | 355 | ... | ... | ... | ... | 185.00 | ... | 275 00 | ... |
| Sesamum Oil cake. | ... | | 62·00 | ... | ... | ... | ... | 45·00 | ... | 55·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed | | | | | 55·00 | 64·00 | | | | | 177·00 |
| | Castor Oil | | | | | | | 140·00 | | 175·00 | | |
| | Castor Oilcake | | | | | | | | | | | |
| 4 | Rape and Mustard. | (a) Black | | | | 99·00—100·00 | | | | | | 120·00—135·00 |
| | | (b) Yellow | 115·00 | | | | | | | | | |
| | Mustard Oil | | | | | | | | | 57·00 | | |
| | Mustard Oilcake. | | | | | | | | | | | |
| 5 | Linseed | (a) Brown bold | 95·00 | | 69·00 | 69·00 | 66·00—68·00 | | | | | |
| | | (b) Brown small | | | | | | | | | | |
| | Linseed Oil | | | | | | | | | | | |
| | Linseed Oilcake. | | | | | | | | | | | |
| 6 | Toria | | | | | | | | | | | |
| 7 | Cocoanut | (a) Nuts (Per | 290·00 | | 275·00—280·00 | 250·00 | 280·00 | 235·00 | 210·00 | 840·00—880·00 | 290·00—300·00 | |
| | | (b) Copra thousand) | 300·00 | | 245·00 | | 220·00 | 225·00 | 242·00 | 196·00 | | |
| | Cocoanut Oil | per Quintal | 850·00 | 810·00—812·00 | 325·00 | 350·00 | 320·00 | 350·00 | 328·00 | 316·00 | 300·00 | |
| | | | | | | | | | 54·00 | 66·00 | 65·00 | |
| | Cocoanut Oilcake | | | | | | | | | | | |
| 8 | Other Oil seeds | (i) Nigerseed | 80·00 | | | | | 67·50 | | | | |
| | | (ii) Safflower | | | 55·00 | | | | | | | |
| 9 | Vegetable Oil | (i) Vanaspathi | 300·00 | | | | | | | | | |
| | | (ii) Refined oil | | | | | | | | | | |
| | | iii) Safflower Oil | | | | | | | | | | 318·75 273 00 |
| 10 | Othe Oils | | | | | | | | | | | |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes | Per gross | | 7·50 | 6·00—8·00 | 6·50 | 5 00 | 6·00 | | 4 50 | 4 75 | 7·00 |
| 2 | Plantains | Do | | | | | | 11·50 | | 14·00 | 14·00—21·00 | 6·11 |
| 3 | Oranges | Do | | | | | | 270·00 | | | 100·00 | |
| 4 | Dates | | | 85·00 | | | | | | | | |
| 5 | Cashew kernels, etc. | | | 6·80 | | | | | | | | |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes | per quintal | | 50·00 | 55·00—56·00 | | | | | 60 00 | 70.00—74 00 | 73 00 |
| 2 | Onions | | | 25·00 | 18·80 | | | | | 32·00 | 80·00—85·00 | 88·00 |
| 3 | Beans | | | | | | | | | | | |
| 4 | Tomatoes | | | | | | | | | | | |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts | | | | | | | | | | | 200·0—550·0 |
| 2 | Arecanuts | | | 540 00 | | | 505·00 | 686·00 | 560 00 | | 440 00—5550 00 | 500·00 |
| VI | Fibres.— | | | | | | | | | | | |
| 1 | Cotton | (a) Kapas | | | | 90·00—105·00 | | | | 88 00 | | |
| | | (b) Lint | | | | 115·00—125.00 | | | | 220·00 | | |
| | | (c) Seed | | 47·00 | | 36·00—41·00 | | | | 84 00 | | |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | | |
| | | (i) Top | | | | | | | | | | |
| | | (ii) Middle | | | | | | | | | | |
| | | (iii) Bottom | | | | | | | | | | |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i) Top | | | | | | | | | | |
| | Pucca Baled Jute. | (ii) Middle | | | | | | | | | | |
| | | (iii) Bottom | | | | | | | | | | |
| | | (i) Lightings | Per bale | | | | | | | | | |
| | | (ii) First Mills | | | | | | | | | | |
| | | (iii) First Exports. | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | — | (i) Top | .. | | | .. | | | | | | | | .. |
| | | (ii) Middle | .. | | | .. | | | | | | | | |
| | | (iii) Bottom | .. | — | | | | | | | | | | 600 |
| VII. Tobacco | — | (a) Country— | | | | | | | | | | | | |
| | | (i) Leaf | .. | | | .. | | | | | | | | |
| | | (ii) Pulab | .. | — | | ... | | | | | | | | |
| | | (b) Virginia— | | | | | | | | | | | | |
| | | (i) Leaf | .. | | | | | | | | | | | |
| | | (ii) Pulab | .. | .. | 455 00 | — | — | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | | (a) Class I | .. | Per head | 420·00 | 300·00—400·00 | 500.00—800·00 | | 500 00 | 400·00 | 345·00 | | | |
| | | (b) Class II | .. | Do .. | 400·00 | 200·00—250·00 | 200.00—400.00 | | 400·00 | 175·00 | 250 00 | ... | | ... |
| (ii) Buffalo bulls | | (a) Class I | .. | Do .. | 190·00 | 200·00—250 00 | 800·00 | | | 150 00 | 455·00 | ... | | ... |
| | | (b) Class II | .. | Do .. | ... | 150·00—200·00 | 100 00—150·00 | | 200·00—350·00 | ... | 350·00 | ... | | ... |
| 2 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows | .. | (a) Class I | .. | Do .. | 180.00 | 150·00—200.00 | 150.00—250.00 | | 100·00—200 00 | 125 00 | 180·00 | 275·00 | | ... |
| | | (b) Class II | .. | Do .. | 150·00 | 150·00—175.00 | 200.00—250·00 | | 100·00—170·00 | 80·00 | 185.00 | 150·00 | | ... |
| (ii) Buffaloes | .. | (a) Class I | .. | Do .. | 280·00 | 200·00—275·00 | 250.00—275.00 | | 300·00 | 850·00 | 450·00 | 350·00 | | ... |
| | | (b) Class II | .. | Do .. | 297·00 | 125·00—175·00 | 100·00—180 00 | | 250·00 | 175 00 | 275·00 | 200·00 | | ... |
| 3 Sheep | .. | .. | | Do .. | 38·00 | 34·00—45.00 | 40·00—42·00 | | 30·00—35·00 | 35·00 | 50 00 | 30·00—55 00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | | (a) ..... | | Per Kg. | ... | | | | ... | | | | | |
| | | (b) ..... | | Do .. | | | | | ... | | | | | |
| 2 Hides— | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | | (a) ..... | | Do .. | 2.00 | 1 00 | 1·15 | | ... | | | | 150—200 | ... |
| | | (b) ..... | | Do .. | 1·75 | 80 | ·75 | | ... | | | | ... | ... |
| Tanned | .. | (a) ..... | | Do .. | 6 00 | 6—75 | 6·45 | 5·20 | | | | | ... | ... |
| | | (b) ..... | | Do .. | 5 00 | 6·00 | .. | ... | | | | | 1.00—2.50 | ... |
| (ii) Buffalo hides— Raw. | | (a) ..... | | Do .. | 2·00 | 6 00 | 1·15 | ... | | | | | ... | ... |
| | | (b) ..... | | Do .. | 1·50 | ·60 | 0·75 | ... | | | | | | |
| Tanned | .. | (a) ..... | | Do .. | 8.00 | 6—20 | 4·45 | 5·50 | | | | | ... | ... |
| | | (b) ..... | | Do .. | 7 00 | 6·50 | | ... | | | | | ... | ... |
| 3 Skins— | | | | | | | | | | | | | | |
| (i) Goatskins— Raw | | (a) ..... | | Do .. | 2·50 | 6·50 | 3·25 | ... | | | 3 00 | | 3—6 | 3·50 |
| | | (b) ..... | | Do .. | ... | ... | ... | ... | | | 2·00 | | ... | ... |
| Tanned | .. | (a) ..... | | Do .. | 6.00 | 7·00—8·00 | ... | ... | ... | | 5 00 | | ... | ... |
| | | (b) ..... | | Do .. | 5·00 | ... | | ... | ... | | 3·50 | | 2—4 | 3·00 |
| (ii) Sheepskins— Raw. | | (a) White | | Do .. | 2 75 | 6·50—7·00 | 4·45 | ... | ... | | 2·50 | | ... | ... |
| | | (b) Black | | Do .. | ... | 7.00—8.50 | .. | ... | ... | | 2·00 | | ... | ... |
| Tanned | .. | (a) ..... | | Do .. | 7·00 | ... | — | ... | ... | ... | 4·00 | | ... | ... |
| | | (b) ..... | | Do .. | 6·00 | ... | ... | ... | ... | | | | 5·50 | ... |
| 4 Ghee | .. | (a) Agmark | .. | Do .. | 5·50 | ... | ... | ... | ... | ... | 7 00 | | ... | ... |
| | | (b) Upgraded | .. | Do .. | 4·50 | 6 20 | ... | 6·00 | 6·00 | | | | | |
| X. Fodder.— | | | | | | | | | | | | | | |
| 1 Bran | .. | (a) Wheat | | Per quintal | ... | ... | ... | ... | ... | ... | | | 0·25 | ... |
| | | (b) Paddy | | Per cart-load | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Straw | .. | (a) Ragi | | Do .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks | .. | (a) Jola | | Per quintal | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) ..... | | .. | ... | | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | | ... | 190 00 | 140·00—150.00 | 140·00—146·00 | ... | 135·00 | 140 00 | 160·00 | ... | 250·00 |
| 2 | Tamarind ... | | ... | 80·00 | 60.00—70·00 | 68·00—60·00 | ... | 45·00 | 45,00 | 42 00 | 80·00—100·00 | 100·00 |
| 3 | Dry Chillies ... | | ... | 255·00 | 160·00—220 00 | 285·00—250·00 | 280·00 | 220·00 | 200 00 | 205 00 | 235·00 | 303·00 |
| 4 | Garlic ... | | ... | 90·00 | 55·00—75·00 | 68·00—70·00 | ... | 120·00 | 60,00 | 85 00 | 88·00 | 150·00 |
| 5 | Pepper ... | | ... | 820·00 | ... | ... | ... | 400·00 | ... | ... | 280·00 | 275·00 |
| 6 | Cardamom ... | | ... | 975·00 | ... | ... | ... | 2,100·00 | 1,800,00 | ... | 1,000—1,800 | 1,050·00—1,450·0 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th December 1963.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | 2·6 | 2·8 |
| 1 Paddy ... | Coarse ... | Per Rupee | 2·4 | 4 | ... | ... | 2·5 | 2 9 | ... | ... | 1·9 | 1·4 |
| 2 Rice ... | Do ... | ... | 1·4 | 1.75 | 1·4 | 1·8 | 1·6 | 1·4 | 1.2 | 1·4 | 2 3 | 1·8 |
| 3 Wheat ... | White ... | ... | ... | 2 | 2 | 2·8 | 2·5 | 2.8 | 1.4 | 2,1 | 1 8 | 1·7 |
| 4 Wheat Flour ... | Do ... | ... | ... | 1.75 | 1·6 | ... | 2·2 | 2.1 | 2 4 | 2 | 2·4 | 2 |
| 5 Jowar ... | Do ... | ... | ... | 2·5 | 2·9 | ... | 2 | 2·2 | 2 1 | 2·3 | ... | 2·4 |
| 6 Bajra ... | ... | ... | ... | ... | 3·1 | ... | 2·5 | ,700 | 2.3 | ... | ... | ·800 |
| 7 Barley ... | ... | ... | ·680 | ... | ... | ... | ... | ... | ,400 | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | — | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·25 | 2·8 | 2·1 | 2·6 | 2·8 | 2.2 | 2·8 | 2·6 | 2 6 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 2,6 | | 3.3 | | | 3 3 | | 2·6 | 3·5 | ... |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·4 | ... |
| (iii) Papaya ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | ... | 1.6 | 1·4 | 1·4 | 1·6 | 1·4 | 1.6 | 1·5 | 1·6 | 1·3 |
| | (b) Split (without skin). | ... | ... | 1·25 | ... | 1,2 | ... | 1·3 | 1.5 | 1·6 | 1·6 | ... |
| | (c) Flour ... | ... | ... | 1 | ... | ... | ... | 1·4 | 1,4 | 1·3 | ... | 1·2 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·7 | ... | 1·5 | ... | 1·2 | 1·4 | 1.8 | ... | 1 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | ·1 | ... | 1·1 | 1 | 1 | | 1·1 |
| 3 Moong ... | (a) Whole ... | ... | .. | 1.8 | 1.5 | 1·2 | ... | 1·4 | 1,6 | ... | 1·4 | 1·7 |
| | (b) Split (without skin). | ... | ... | ... | ... | ·9 | ... | 1 | 1.4 | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | ... | 1·25 | ... | 1.1 | ... | 1·2 | 1,1 | | 1·2 | ... |
| | (b) Split (without skin). | ... | ... | ·1 | ... | 8 | ... | 1 | ,8 | | ·9 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | 1,1 | .. | ... | ... |
| 6 Other pulses— | | | | | | | | | | | 1·6 | ... |
| (i) Avare ... | (a) Whole ... | ... | ... | 1.25 | 2 | ... | 1·5 | 1·4 | 1.8 | ... | 1·1 | ... |
| | (b) Split (without skin). | ... | 1·7 | 1 | ... | 1,2 | ... | 1·3 | ... | ... | | |
| (ii) Horsegram | ... | ... | 2·9 | 2·5 | 2·8 | 1.6 | 2,5 | 2·8 | 2,8 | 2·3 | 3, | 2·4 |
| (iii) Cowpea ... | ... | ... | 1·2 | 1·75 | ... | ... | 1· | 1·4 | 1.6 | ... | 1 2 | 1·7 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 1 | 1 | 900 | 1 | 1 | ·775 | 810 | 760 | ·970 | ,1 |
| 2 Sugar refined | (b) Sort II ... | ... | 1·1 | 1,25 | 1 1 | 1·2 | 1·1 | 1,1 | 820 | 1 1 | 1· | 1 1 |
| | D. 24 ... | ... | ... | ·80 | ... | 887 | ·881 | 990 | ... | ·900 | ·76 | 825 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Oils— | | | | | | | | | | | | |
| Cocoanut Oil | | | ·556 | ·500 | 500 | ·500 | ·500 | ·475 | ·500 | ·600 | ·500 | ·550 |
| 2 Sesamum oil | | | 500 | ·500 | ·671 | 571 | ·400 | ·500 | ·437 | ·526 | ·400 | ·575 |
| 3 Castor oil | | | ·970 | ·800 | ·995 | ·286 | ·383 | ·286 | ·500 | ·525 | ·400 | ·550 |
| 4 Mustard oil | | | | | | | | | | | | |
| 5 Linseed oil | | | | | | | | | | | | |
| 6 Groundnut oil | | | | | | | | | | | | |
| Vanaspati | | | | | | | | | | | | |
| 7 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | | | | | | | | | | | | ·275 |
| (ii) ... ..... ..... | | | | | | | | | | | | ·250 |
| V Fruits Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | | Per Dozen | | | | | | | | | | |
| 2 Plantains | | Or | 60—65 | 25—75 | 75—87 | 96 | 76 | 81·00—75·00 | 1·25 | 75 | 1·00 | ·56 |
| 3 Oranges | | D | 1·25—2·50 | 2—3·00 | 1·50—2 | 1·50 | 2·00 | 75·00—2·00 | 1—2·50 | 1·95 | 2·00 | |
| 4 Lemons | | | | | ·500 | ·500 | | | | | | |
| 5 Cashew kernels | | | | | | | | | | | | |
| 6 ..... ..... | | | | | | | | | | | | |
| (ii) Vegetables | | | | | | | | | | | | |
| 1 Potatoes | | | | | | | | | | | | |
| 2 Onions | | | | | | | | | | | | |
| 3 ..... ..... | | | | | | | | | | | | |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts | | | | | | | | | 1·4 | | 1·2 | 1·7 |
| 2 Arecanuts | | | | | | | | | 2·8 | | 2·8 | 2·4 |
| VI Coffee ... | Leaf | | | | ·166 | | | ·119 | ·166 | | | ·160 |
| | | | | | | | | | ·111 | | | 0·88 |
| VII Liquids other than— | | | | | | | | | | | | |
| 1 Milk | | Per Litre | 70—85 | ·07 | 62—75 | 76·00 | 47—62 | 50—65 | 75·50 | | 65 | ·80 |
| 2 ..... | | | | ... | ... | | | | 1·25 | | ... | ... |
| 3 ..... | | | 6 | 8·0 | 4·60 | 8·60 | ·900 | | | | | |
| 4 ..... | | | | | 1·60 | 3·2 | 3·2 | 3·2 | 2·50 | 250 | 3·00 | 3·40 |
| 5 Coffee | | | | ·00 | 7·5 | 2·50 | 1·60 | 1·0 | 2·25 | 2·0 | ·75 | 3·15 |
| 6 ..... | | | 3·50 | ·833 | ·883 | 2·50 | 297 | ·297 | ·919 | 1·75 | 1·62 | 3·10 |
| | | | | ... | | | | | ·883 | ·839 | ·285 | ·880 |
| VIII Cereals and pulses— | | | | | | | | | | | | ·550 |
| 1 Paddy ... | | | ·6 | ·8 | ·5 | | | | | | | |
| 2 Unhusked | | | | ·1 | ·1 | ·1 | ·5 | ·6 | ·5 | ·600 | 500 | ·500 |
| 3 Ragi | | | ·28 | | ·838 | ·266 | ·1 | 1 | 1 | 1 | 9 | 1 |
| 4 Rice | | | 1 | 9 | 1 | | 883 | ·400 | 838 | ·400 | | ·400 |
| 5 Jowar and millets ... | | | ·287 | ·26 | 2·0 | ·250 | ·5 | 17 | ·8 | | 1 | 1 |
| | | | 0·60 | ... | 0·64 | 0·66 | ·285 | 277 | ·250 | ·810 | 560 | 2·0 |
| | | | | | | | 0·50 | 0·60 | 0·56 | ... | 0·56 | ... |
| IX Miscellaneous articles | | | | | | | | | | | | |
| 1 ..... | | | ... | | | | | | | | | |
| 2 Kerosene oil ... | | Per Litre | 10 | 8 | 8 | 7 | 10 | 10 | 10 | 10 | 10 | 10 |
| 3 Fire wood/ | | Quintal | 40 | 60 | 87 | | 60 | 60 | 55 | 60 | 60 | 87 |
| Charcoal. | | | — | 6—8 | 6·00—7·50 | | | 8·50 | 6·00 | 6·00 | 6·00 | 5·00 |
| Coarse cloth | | Per metre | 1·60 | ·90 | — | — | 1·25 | 1·15—1·80 | 95—100 | | 1·50 | 1·05 |

| | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | kg. gr | kg. gr. | kg. gr | kg. gr. | kg. gr | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| | | 2·6 | 1·8 | | | ... | 2·7 | 9·5 | 2·2 |
| | 4 | 1·6 | 1·9 | 1·4 | 1·5 | 1.6 | 1·7 | 1·7 | 1·5 |
| | 1·3 | 1·75 | — | 1·5 | 2.3 | 1.4 | 1·5 | 1·51 | 2 |
| | 1·3 | 4 | ... | ... | ... | | ... | 1·27 | 1.1 |
| | 3 | 1.8 | 2.1 | 2 | 2 | 2.1 | 2 | — | ... |
| | | 2.6 | 2·3 | ... | 2·5 | 2 | 3 | ... | ... |
| | | ... | ... | ... | ... | ... | ... | 666 | ... |
| | | ... | 2.9 | ... | ... | ... | ... | ... | 3 |
| | | 2·6 | ... | ... | ... | ... | ... | | 3·5 |
| | | ... | ... | ... | ... | ... | ... | ... | ... |
| | | ... | ... | ... | ... | ... | ... | ... | ... |
| | | ... | ... | ... | ... | ... | ... | | |
| | | | ... | ... | ... | ... | ... | | 4 |
| | | | ... | ... | ... | ... | ... | | 4 |
| | | | ... | ... | 2.5 | ... | ... | | |
| | | | | 1·5 | 1·7 | ... | 1·5 | | 1·6 |
| | | | | 1·4 | 1·4 | 1,4 | ... | | 1·2 |
| | | | | ... | ... | ... | 1 | | ... |
| | | | | ... | 1.6 | ... | ... | | 1,1 |
| | | | | 1·1 | 1·2 | 1,2 | 1 | | 1 |
| | | | | 1·2 | ... | 1.6 | ... | | 1·2 |
| | | 1·2 | | 1 | ... | | 1 | | ... |
| | | ... | ... | ... | | ... | ... | | 1,1 |
| | | ... | ... | 1 | | ... | ... | | 1 |
| | | ... | ... | ... | | ... | 1 | ... | 1,1 |
| | | ... | ... | 1·2 | | 1.1 | ... | ... | ... |
| | | ... | ... | ... | 2.3 | ... | 2·5 | ... | 1·2 |
| | | ... | ... | ... | | ... | 1·3 | ... | 1 |
| | | 2.9 | 2.5 | ... | | ... | ... | 2·3 | 1·5 |
| | | — | ... | ... | | ... | ... | — | — |
| | | 686 | 7.0 | 900 | 650 | 1,2 | 1 | ·980 | ·645 |
| | | 770 | 1 | 1·3 | ... | 1·4 | 1 2 | 1.1 | ·800 |
| | | ... | ... | 960 | ... | ... | ,800 | ·930 | ·800 | ·833 |
| | | 6·0 | ·600 | ·550 | ·500 | ,500 | ·566 | ·600 | ·444 | ·475 |
| | | 2.0 | ... | — | ... | ... | ·665 | ... | ·845 | ... |
| | | ... | ... | — | ... | ,600 | ... | ... | ... | ,444 |
| | | ... | ... | ... | — | ... | ... | ... | — | ... |
| | | ... | ... | ... | ... | ... | ... | ... | ... | |
| | | ·200 | ... | ·325 | ·225 | 265 | ,890 | ·800 | ,320 | ·867 |
| | | ·200 | ... | ... | ... | ... | ... | ... | 280 | 266 |

| | | | | 14 | 15 | 16 | 17 | 18 | 1 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 Other oils - | | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) Refined oil | | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | | | | | | | | | | | |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits - | | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | | ... | ... | ... | ... | ... | 60 | ... | 87—44 | 30—65 |
| 2 Plantains ... | | Dc | | 62 | 6 5 | 87—92 | 87 | 90 | 2·50 | 87 | 1·252 | 30—1·00 |
| 3 Oranges ... | | Do | | 2·50 | ... | | | 1 50 | | ... | ·669 | — |
| 4 Dates ... | | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernels | | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 1·8 |
| (ii) Vegetables— | | | | | | | | | | | | 2·00 |
| 1 Potatoes ... | | ... | | 2·5 | | | | | | | | 1 |
| 2 Onions ... | | ... | | 3,2 | | | | | | | | |
| 3 ..... | | ... | | ... | ... | | | | | | | ·182 |
| (iii) Nuts— | | | | | | | | | | | | ... |
| 1 Cashewnuts ... | | ... | | ,166 | ... | | | ·125 | | | | |
| 2 Arecanuts ... | | ... | | ... | ... | ·160 | | | | | | 6 60 |
| VI. Tobacco ... | Leaf ... | Per kg | | 5 90 | ... | 2·62 | | 8·00 | | | | |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | | ... | | 1·13 | | 85 | ,50 | ·56 | ·60 | 88 | 90 | 02 |
| 2 Ghee ... | | ... | | ... | | ... | ... | ... | ·129 | ... | ... | ... |
| | (a) Agmark ... | ... | ... | | | ... | | ·166 | ·129 | ·126 | ·126 | 3·60 |
| | (b) Ungraded ... | ... | | 1·86 | | ... | ·170 | 3·00 | 8·00 | 2 50 | 1.96 | 2·40 |
| 3 Eggs ... | (i) A Grade | Per Dozen | | 2·25 | 2·40 | 2·00 | 2·25 | 3·00 | 2·50 | 2·25 | 1.80 | 3·00 |
| | (ii) B Grade | Do | | 1,85 | 2·13 | 2·15 | 1 75 | 2 00 | 2·50 | 2.00 | 1·60 | ·295 |
| | (iii) C Grade | Do | | 1·62 | 2·00 | 1·75 | 1 50 | 1·75 | 1·60 | ·888 | ·935 | |
| | | | | ·880 | 3·88 | | ·807 | | | ·600 | ,871 | ... |
| 4 Mutton ... | | ... | | | ·609 | | | | | | | |
| 5 Beef ... | | ... | | | | | ... | | | | | |
| VIII. Condiments and Spices— | | | | | | | | | | | | |
| 1 Turmeric ... | | ... | | ·5 | ·5 | ·5 | ... | ·6 | ·6 | ·5 | ·409 | ·503 |
| 2 Tamarind ... | | ... | | ·9 | 1 | ·9 | ... | ·1 | ... | ·1 | ·800 | ·9 |
| 3 Dry chillies ... | | ... | | ·950 | ·858 | ·880 | ·275 | ·400 | ·444 | ·800 | ·866 | ·333 |
| 4 Garlic ... | | ... | | 1 | ·1 | 8 | ... | ·7 | ·7 | ·1 | 8 | 7 |
| 5 Pepper ... | | ... | | ·986 | ... | | ... | 222 | ·115 | | ·285 | ·363 |
| 6 Cardamom ... | | ... | | 0·83 | ... | | ... | 0·50 | ·055 | | 0·90 | 0·89 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | | ... | | 10 | ... | | | 8 | 10 | 10 | 12 | 8 |
| 2 Kerosene oil ... | | ... | Per Litre | 62 | ... | ... | ... | 45 | 46 | 87 | 48 | 56 |
| 3 Firewood/ Charcoal | | ... | Quintal | | ... | ... | ... | 5·50 | 0·60 | 750 | 6·25 | 6 59 |
| | | | | | | | | | 1·50 | ·68 | 87 | 62 |
| 4 Coarse cloth ... | | ... | Per Metre | 1·12 | ... | — | ... | ... | | | | — |

V. RAMACHNDRA RAO.
For *Chief Marketing Officer.*

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE THURSDAY, NOVEMBER 25, 1965 (MARGASIRA 4, SAKA ERA 1887) | No. 46

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 27th October 1965.

| No. of rainy days in the Week. | Rainfall in Millimeters | | | | Condition of** | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season* | | | | Fodder | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 30-9-1965) | | | | |
| | 1. *Bangalore District.* | | | | | | | | |
| 1 | 4.6 | 21.5 | 16.1 | 124.3 | Crops were withering in most of the taluks for want of immediate rains. | Good | ... | Available except in Ramanagaram, Anekal, Kanakapura, and Devanahalli Tqs. | Adequate except in Devanahalli Taluk. (1) |
| | 2. *Kolar District.* | | | | | | | | |
| Nil | 0.6 | 19.5 | 12.6 | | Crops were withering in most of the taluks for want of rains. | Good | ... | Available except in Chickballapur and Gudibanda Tqs. | Inadequate (2) |
| | 3. *Tumkur District.* | | | | | | | | |
| 1 | 23.1 | 20.3 | 29.5 | 115.8 | Fair but rains were essential for the crops. | Good | ... | Available except in C. N. Halli Tiptur, Koratagere and Kunigal Taluks. | Adequate except in Turuvekere and Koratagere Taluks. (3) |
| | 4. *Mysore District.* | | | | | | | | |
| 1 | 28.2 | 23.8 | 30.7 | 115.0 | Crops were withering in most of the taluks for want of immediate rains. | Good | ... | Available except in Mysore Taluk. | Adequate except in Gundlupet Mysore, Kollegal and Yelandur Taluks. |
| | 5. *Mandya District.* | | | | | | | | |
| 1 | 17.8 | 26.9 | 20.0 | 125.3 | Crops were withering in most of the taluks for want of immediate rains. | Good | | | Insufficient |
| | 6. *Hassan District.* | | | | | | | | |
| 1 | 16.1 | 27.5 | 25.9 | 128.7 | Crops were withering in most of the taluks for want of rains. | Good | ... | Available except in Arsikere Hassan, Arkalgud and H. Narasipur Tqs. | Inadequate |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | | 7. *Chickmagalur District.* | | | | | | | |
| | | 25.5 | 21.5 | 138.3 | Crops were withering in most of the taluks for want of immediate rains. | Good | ... Available except in Kadur and Chickmagalur Taluks. | Adequate except in Kadur, Tarikere and Chickamagalur Taluks. | |
| | | 8. *Shimoga District* | | | | | | | |
| 1 | 4.8 | 21.9 | 24.4 | 123.2 | Crops were withering in most of the taluks for want of rains. | Good | ... Available except in Hosanagar and Channagiri Taluks. | Indadequate. | (4) |
| | | 9. *Chitradurga District.* | | | | | | | |
| | | 19.1 | 1.9 | 97.5 | Dry crops were withering in most of the taluks for want of rains. | Good except for the prevalence of "Black Quarter" at 3 villages of Hiriyur Taluk. | Available except in Molakalmur and Hiriyur Taluk. | Sufficient except in Molakalmur, Hiriyur and Davangere Taluks. | |
| | | 10. *Bellary District.* | | | | | | | |
| Nil | Nil | N.A. | Nil | N.A. | Crops were withering in most of the taluks for want of rains. | Good | ... | Sufficient except in Kudligi Taluk. | (5) |
| | | 11. *Bijapur District.* | | | | | | | |
| | | N.A. | Nil | N.A. | Crops were withering in most of the taluks for want of rains. | Good except for the prevalence of cattle disease at one village of Indi Taluk. | Available | ... Sufficient | (6) |
| | | 12. *Belgaum District.* | | | | | | | |
| Nil | Nil | N.A. | 7.9 | N.A. | Fair but rains were essential for the crops. | Good ... | Available except in some parts of Ramadurga Taluks. | Sufficient except in some parts of Ramadurga Taluk. | (7) |
| | | 13. *Dharwar District.* | | | | | | | |
| | | N.A. | 12.3 | N.A. | Crops were withering in most of the taluks for want of immediate rains. | Good except for the prevalence of cattle disease in some parts of Sirahatti Taluk. | Available except in Hirekerur and Mundargi Taluks. | Sufficient except in Hirekerur and Naragund Taluks. | (8) |
| | | 14. *North Kanara District.* | | | | | | | |
| Nil | Nil | N.A. | 23.0 | N.A. | Crops were withering in most of the taluks for want of immediate rains. | Good | ... | Sufficient | (9) |
| | | 15. *Gulbarga District.* | | | | | | | |
| Nil | Nil | N.A. | 5.3 | N.A. | Crops were withering in most of the taluks for want of rains. | Good | ... | Sufficient | (10) |
| | | 16. *Raichur District.* | | | | | | | |
| | | N.A. | Nil | N.A. | Fair ... | Good | ... | Sufficient except in Deodurg taluk | (11) |
| | | 17. *Bidar District.* | | | | | | | |
| | | N.A. | Nil | N.A. | Crops were withering in most of the taluks for want of immediate rains. | Good ... | Available | ... Sufficient | |
| | | 18. *South Kanara District.* | | | | | | | |
| 2 | 28.5 | N.A. | 44.2 | N.A. | Fair ... | Good | ... Available | ... Sufficient | (12) |
| | | 19. *Coorg District.* | | | | | | | |
| 4 | 62.3 | N.A. | 62.3 | N.A. | Fair ... | Good | ... Available | ... Sufficient | (13) |

Remarks :—(1) Refers to 7 Taluks. (2) Refers to 9 Taluks. (3) Refers to 8 Taluks. (4) Refers to 8 Taluks. (5) Refers to 7 Taluks. (6) Refers to 8 Taluks. (7) Refers to 5 taluks. (8) Refers to 15 Taluks. (9) Refers to 9 Taluks. (10) Refers to 8 Taluks. (11) Refers to 7 Taluks. (12) Refers to 4 Taluks. (13) Refers to 1 Taluk.

M. GANG ARUDRIAH, For *Director of Statistics.*

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 27th October 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder / Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) No rainfall during the week except in Ramanagram, Kanakapura and Devanahalli Taluks. (b) Nil
(c) Fair except in Ramanagaram, Kanakapura, Devanahalli Bangalore South and Hosakote Taluks, where K. Crops were withering for want of urgent rains. (d) Nil.
(e) Agricultural Operations were held up for want of rain in 3 Taluks.
(f) Sufficient except in Devanahalli Taluk where the supply of water was insufficient.
Available except in Ramanagaram, Kanakapura and Devanahalli Taluks where scarcity for fodder was felt.
(h) Generally healthy.

2 Kolar District.—
(a) No rainfall during the week except in Malur Taluk.
(b) Nil.
(c) Fair except in most of the Taluks of Kolar District where K. Crops were withering for want of urgent rains. (d) Nil.
(e) Agricultural operations were held up due to non-receipt of rains in 2 Taluks.
(f) Sufficient except in Chickballapur, Chintamani, Gudibanda and Srinivasapur Taluks where insufficiency of water was felt.
(g) Available except in Sidlaghatta Taluks Chickballapur and Gudibanda Taluks where scarcity for fodder was felt.
(h) Generally healthy

3 Tumkur District.—
(a) Moderate rainfall in Turuvekere, Chicknayakanahalli, Tiptur and Kunigal Taluks.
(b) Transplantation of Paddy was held up for want of rain in Kunigal Taluk.
(c) Fair except in Madhugiri, Gubbi, Sira and Kunigal Taluks where crops were withering for want of rains.
(d) Harvesting of irrigated Ragi in Sira Taluk was in progress.
(e) Agricultural operations were held up due to non-receipt of rains in 2 Taluks.
(f) Sufficient except in Turuvekere and Chicknayakanahalli Taluks where the supply of water was insufficient.
(g) Available except in Chicknayakanahalli and Tiptur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

4 Mysore District.—
(a) Moderate rainfall during the week in most of the Taluks.
(b) Sowing of Bengalgram, Corrainder and Ragi in Chamarajanagar Taluk, Horsegram and Corrainder in Hunsur Taluk was in progress.
(c) Fair except in Chamarajanagar, Mysore, T. Narsipur, K. R. Nagar and H. D. Kote Taluks where crops were withering for want of sufficient rains.
(d) Harvesting of Irrigated Ragi in Hunsur Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Gundlupet, Mysore, T. Narasipur and Kollegal Taluks where the supply of water was insufficient
(g) Available except in Mysore Taluk where scarcity for fodder was felt. h) Generally healthy.

5 Mandya District.—
(a) Moderate rainfall in Nagamangala K. R. Pet, Srirangapatna and Mandya Taluks.
(b) Sowing of Bengalgram and Corrainder in Nagamangala Taluk was in progress
(c) Fair except in Nagamangala, K. R. Pet, Maddur and Mandya Taluks where crops were withering for want of sufficient rains.
(d) Harvesting of Sugarcane in Pandavapura, Srirangapatna, Maddur and Mandya Taluks was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Nagamangala and Mandya Taluks where the supply of water was insufficient.
(g) Available except in Nagamangala, K, R. Pet, Maddur and Mandya Taluks where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—
(a) Light showers in Holenarsipur, Manjarabad, Arsikere, Hassan, Belur and Arkalgud Taluks.
(b) Transplantation of Paddy was held up for want of sufficient water in Hassan and Arkalgud Taluks.
(c) Fair except in Holenarsipur, Manajrabad, Arsikere, Channarayapatna, Belur and Arkalgud Taluks, where crops were withering for want of rains.
(d) Harvesting of Ragi in Arsikere and Belur Taluks, Sugarcane in Channarayapatna Taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Holenarsipur, Manajarabad, Arsikere, Channarayapatna, Hassan and Arkalgud Taluks where insufficiency of water was felt.
(g) Available except in Holenarasipur, Arsikere, Hassan and Arkalgud Taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—
(a) No rainfall during the week except in N. R. Pura and Tarikere Taluks. (b) Nil.
(c) Fair except in Chickmagalur, N. R. Pura, Sringeri, Kadur, Koppa and Tarikere Taluks, where crops were withering for want of rains.
(d) Harvesting of Areca in Sringeri Taluk, Cardamum and Areca in Mudigere Taluk Jowar in Tarikere Taluk was in progress.
(e) Agricultural Operations was held up for want of rain in Kadur Taluk.
(f) Sufficient except in Sringeri, Mudigere, Kadur and Tarikere Taluks where the supply of water was insufficient.
(g) Available except in Chickmagalur and Kadur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

8 Shimoga District.—
(a) No rainfall during the week. (b) Nil.
(c) Fair except in Shimoga and Bhadravathi Taluks where crops were withering for want of rains.
(d) Harvesting of Areca in Thirthahalli Taluk was in progress.
(e) Progress was fair in 2 Taluks
(f) Sufficient except in Shikaripura Taluk where the supply of water was insufficient.
(g) Available. (h) Generally healthy.

9 Chitradurga District.—
(a) No rainfall during the week, (b) Nil
(c) Fair except in most of the taluks, of Chitradurga District where K. crops were withering for want of rains.

(d) Harvesting of Navane, Ragi, G. Nut and Jowar in Davangere Taluk, Ragi, Sugarcane and Jowar, in Hiriyur Taluk, K. Jowar in Molakalmuru, Chitradurga, Challakere and Hosadurga Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Davanagere, Hiriyur, Molakalmuru and Holalkere Taluks where the supply of water was insufficient.
(g) Available except in Hiriyur and Molakalmuru Taluks where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of "Black Quarter" at 3 villages of Hiriyur Taluk.

10 Bellary District.—
(a) No rainfall during the week. (b) Nil.
(c) Fair except in Kudligi and Harapanahalli Taluks where crops were withering for want of rains and in Hospet Taluk where Jowar was affected by "red rust".
(d) Harvesting of jowar, and paddy in Hospet Taluk, Ragi and G.Nut in Kudligi Taluk. G.Nut in MallapuramTaluk Jowar, Sajje and Ragi in Harapanahalli Taluk, was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Kudligi, Taluk where insufficiency of water was felt.
(g) Available. (h) Generally healthy.

11 Bijapur District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops was held up for want of rain in Muddebihal, Mudhol, Bijapur, Bagalkot, Badami and Sindagi Taluks.
(c) Fair except in Mudhol, Bijapur, Badami and Sindagi Taluks where Crops were withering for want of urgent rains.
(d) Harvesting of K. Crops in Bijapur Taluk, G.Nut in Sindagi and Bagalkot Taluks was in progress.
(e) Progress was fair in 3 Taluks. (f) Sufficient.
(g) Available except in Indi Taluk where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of "Black Quarter" in 3 Villages of Indi Taluk.

12 Belgaum District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops was held up for want of rain in Raibagh, Gokak and Ramdurg Taluks.
(c) Fair except in Raibagh, Gokak and Ramdurg Taluks where K. Crops were withering for want of urgent rains.
(d) Harvesting of Groundnut and Jowar in Ramdurg Taluk was in progress.
(e) Agricultural operations were held up for want of rain in Ramdurg Taluk.
(f) Sufficient except in some parts of Ramdurg Taluk where the supply of water was insufficient.
(g) Available except in Ramdurg Taluk where scarcity for fodder was being felt.
(h) Generally healthy.

13 Dharwar District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops was held up for want of Rain in most of the Taluks.
(c) Fair except in most of the Taluks of the Dharwar District where crops were withering for want of rains.
(d) Harvesting of G. Nut in Hubli, Hirekerur, Mundagi, Shiggaon, Haveri, Shirhatti, and Gadag Taluks, Paddy in Kalghatgi Taluk, Ragi, Paddy and G. Nut in Hangal Taluk was in progress.
(e) Progress was fair in 8 Taluks.
(f) Sufficient except in Hirekerur and Nargund Taluks where insufficiency of water was felt.
(g) Available except in Hirekerur and Mundargi Taluks where scarcity for fodder was felt.
(h) Generally healthy except for the prevalance of cattle disease in some parts of Shirhatti Taluk.

14 North Kanara District.—
(a) No rainfall during the week. (b) Nil
(c) Fair except in Sirsi, Yellapur and Mundaged Taluks, where crops were withering for want of rains.
(d) Harvesting of Paddy in Sirsi, Yellapur, Honnawar and Kumta Taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient. (g) Available. (h) Generally healthy

15 Gulbarga District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops was completed in most of the Taluks.
(c) Fair except in Yadgir, Chittapur, Aland, Afzalpur and Shorapur Taluks where crops were withering for want of rains.
(d) Harvesting of Blackgram, Sesamum, G. Nut and Ragi in Yadigir Taluk, G. Nut in Seram and Shorapur Taluks, Minor Millets in Aland and Gulbarga Taluks was in progress.
(e) Progress was fair in 5 Taluks.
(f) Sufficient except in Gulbarga Taluk where the supply of water was insufficient.
(g) Available. (h) Generally healthy.

16 Raichur District.—
(a) No rainfall during the week.
(b) Sowing of Rabi Crops was completed in most of the Taluks except in Gangavathi Taluk.
(c) Fair except in Deodurg, Manvi Lingasugur, Sindhanoor and Gangavathi Taluks where crops were withering for want of rains.
(d) Harvesting of G. Nut, Seasamum and K. Jowar in Manvi Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Deodurg and Gangavathi Taluks where the supply of water was insufficient.
(g) Available. (h) Generally healthy.

17 Bidar District.—
(a) No rainfall during the week. (b) Nil.
(c) Fair except in Bhalki and Humnabad Taluks where crops were withering for want of rains.
(d) Harvesting of Paddy in Humnabad Taluk, Paddy and Jowar in Aurad Taluk was in progress.
(e) Progress was fair in Humnabad Taluk.
(f) Sufficient. (g) Available. (h) Generally healthy.

18 South Kanara District.—
(a) Light showers in Belthangadi, Karkal and Puttur Taluks.
(b) Sowing and Transplantation of II Crop Paddy in Coondapur and Puttur Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of I Crop Paddy in Coondapur Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Puttur Taluk where supply of water was insufficient.
(g) Available. (h) Generally healthy.

19 Coorg District.—
(a) Moderate rainfall in Virajpet Taluk. (b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cardamum in Virajpet Taluk was in progress.
(e) Progress was fair in Virajpet Taluk.
(f) Sufficient. (g) Available. (h) Generally healthy

M. GANGARUDRAIAH, For *Director*

OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 15th January 1964.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | |
| I. Cereals,— | | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 42·00—44·00 | 32·00—36·00 | 38·00 | 30·00—32·00 | 39·00 | 40 00—47·00 | 41·00 | ... | 38 00 | | 41·00 |
| | (b) Medium | | 39 00—40·00 | 25·00—31·00 | 34·00 | 28 00—30·00 | 37.00 | 38·00—44·00 | 40·00 | ... | 37·00 | | 36·00 |
| | (c) Coarse | | | 21·00—24·00 | ... | 25 00—28·00 | .. | 36 00—42·00 | 38 00—39·00 | ... | ... | | 34·00 |
| 2 Rice | (a) Fine | | 66·00—86·00 | 76·00—81·00 | 82·00—84·00 | 62 00—65·00 | 78.00—85·00 | 68 00—78·00 | 72·00—89·00 | 72·00—80·00 | 71·00 | | 75·50 |
| | (b) Medium | | 68·00—75·00 | 65·00—70·00 | 77·00 | 60·00—62·00 | 65·00—72·00 | 60 00—75·00 | 70·00—72 00 | 68·00 | 66·00 | | 72·00 |
| | (c) Coarse | | 58·00—66·00 | 55 00—62 00 | 70·00 | 47·00—48·00 | 58·00—68·00 | 58·00—63·00 | 68·00—70 00 | 64·00—65·00 | 58·00 | | 69·00 |
| 3 Wheat | White | | 40 00 | 42·00—45·00 | 42·00—60·00 | 44·00—48·00 | 39·00 | 42·00 | 42·00 | 41·00 | 48 00 | | 63·00 |
| Wheat Flour | | | ... | 55·00—65·00 | | | | 45 00 | 68·00 | 53·00 | 56·00 | | |
| 4 Jowar | | | 38·00—54·00 | 38·00—40·00 | 37·00—42·00 | ... | ... | 40·00 | 40 00—42 00 | ... | 43 00 | | 44·00 |
| 5 Bajra | | | | ... | 34·00—35·00 | ... | ... | 40 00 | | 38·00—50·00 | | | 38.50 |
| 6 Barley | | | 175·00 | ... | ... | ... | ... | 180 00—190·00 | 41·00—42·00 | ... | | | ... |
| 7 Maize | | | ... | ... | ... | 40·00—42 00 | ... | ... | ... | ... | | | ... |
| 8 Ragi | | | 38·00—42·00 | 39·00—42·00 | 34·00—38·00 | ... | 31·00 | 40·00—45·00 | 41·00—46·00 | 35·00—38 00 | | | 38·50 |
| 9 Other cereals— | | | | | | | | | | | | | |
| (i) ..... | | | ... | | | | | | | | | | |
| (ii) ..... | | | ... | | | | | | | | | | ... |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | 25·00—30·00 | 20·00—25·00 | 25·00—35·00 | 40·00—45 00 | 38·00 | | | 25.00—30·00 | 25·00 | | |
| (ii) Tapioca | | | ... | | | | | | | | | | |
| (iii) Papaya | | | 45·00—50·00 | | | ... | | | | 28 00—30·00 | 38·00 | | |
| (iv) Ground-nut cake flour. | | | ... | | | ... | | | | ... | ... | | |
| | | | | | | | ... | | | ... | | | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | | |
| 1 Gram | | | 55 00—58·00 | 50·00—56·00 | 70·00 | 75·00—80·00 | 66·00 | 63.00—46·00 | 56·00 | 55·00 | 56 00 | | 68 00 |
| 3 Arhar (Tur.) | | | 50·00—58·00 | | 56·00 | 90·00 100·00 | — | 65 00 | 46·00—59·00 | 59·00 | 48·50 | | 84·00 |
| 3 Mung | | | ... | 70 00—75·00 | 62·00 | 50·00—85 00 | ... | 65·00—7 ·00 | 60 00—74·00 | 51.00—52.50 | 62·00 | | ... |
| 4 Urd | | | ... | 75·00—82 00 | 48·00 | 60·00—70·00 | | 80·00 | 60·00—79·00 | 78·00—75·00 | 82·00 | | |
| 5 Masur | | | ... | ... | ... | ... | ... | ... | 96·00 | ... | | | ... |
| 6 Other pulses— | | | | | | | | | | | | | |
| (i) Avare | | | 59·00—60·00 | 55.00—60·00 | 55·00—60·00 | 70·00 —75·00 | ... | 68 00—70·00 | 60·00—71·00 | | ... | | |
| (ii) Horsegram | | | 30·00—31·00 | 40·00—42·00 | 32 00 | 28·00—30·00 | 35·00 | 31·00—38·00 | 33·00—34·0 | 45·00 | 38·55 | | 56·00 |
| (iii) Cowpea | | | 45·00—80·00 | 50·00—60·00 | 48.00 | ... | 56·00 | 60 00—76·00 | 60·00—61·00 | ... | 67 00 | | 49·00 |
| III. Sugar and Gur— | | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 85·00 | 90·00—100·00 | 100.00 | 80·00—90·00 | 20·60 | 110·00 | 120·00 | 89·00 | 82·50 | | 80·00 |
| | (b) Sort II | | 65·00 | 80·00—92·00 | 85.00 | 65·00—70·00 | 85·00 | 85·00 | 100 00 | 84·00 | 62 00 | | 68·00 |
| 2 Sugar refined | D 24 | | 123—5.00 | 125·00 | | 122·00 | 123·00 | 120·00 | 1·6·00—75 00 | 122 00 | 122·00 | | 120·00 |

B—

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | ... | ... | 80·00—84·00 | ... | 65·00 | ... | 65·00—76·00 | 60·00—66·00 | 69.00 | 70·00 | 64·00 |
| | (b) Machine shelled | ... | ... | 90·00—95·00 | ... | ... | 99·00 | ... | ... | ... | 88·00 | 81·00 |
| Groundnut Oil | ... | ... | 174·00—178·00 | 200·00—210·00 | 185.00—190.00 | 200·00—225·00 | 180·00 | 185·00—190·00 | 180—00 | 172·00 | 198·00 | 165·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 89·00 | ... | 97·00 | ... | 42·00 | ... | 42·00 | 86·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 94.00 | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | ... | 90 00—100·00 | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 68'00 | ... | ... | 65·00—70.00 | 38·00—55·00 | | 50·00 | 45·00 |
| Castor Oil ... | ... | ... | 170·00—180·00 | 200·00 | 173·00—180·00 | ... | 180·00 | 167·00 | 180·—00 | 173·00—76·00 | 182·00 | 178·00 |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | 46'00—56·00 | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts ... | (Per thousand) | 300·00—320·00 | 300·00—350.00 | 280·00 | 200·00—270·00 | 300·00 | 220·00—360·00 | 189.00—220.00 | 460·00 | 260·00 | 215 00 |
| | (b) Copra ... | ... | 250·00—260·00 | 305·00—325·00 | ... | ... | 210·00—270·00 | 280·00 | 405·00—510.00 | 300·00 | 270·00 | 245·00 |
| Cocoanut Oil... | ... | ... | 340·00—360·00 | 300.00—335.00 | 350·00 | 325.00 | 310·00 | 350·00 | 325·00—400.00 | 279·00 | 330.00 | 320·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 70.00 | 68·00—71·00 | ... | ... | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | 190.00 | | | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350—00 | ... | ... | ... | 275 00 | 277·00 | 298 00 | 325·00 |
| 10 Other Oils ... | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | 255·00 | | ... |
| | (iii) Safflower oil. | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | | | | ... | ... | ... |
| 2 Plantains ... | ... | Do | 7·00—7.50 | 8.00—7.50 | 6.00—7.00 | 15·00 | 8·00 | 4.00—8.00 | 12·50 | 17·25 | 10·00 | 5 00 |
| 3 Oranges ... | ... | Do | 14.00—25.00 | 10.00—20.00 | 18.00—25.00 | 12·00 | 16·00 | 7·50—21·00 | 16·22 | 19·50 | 18 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 150 00—200 | 85·00 | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | 650·00 | ... | ... | ... | ... | ... | ... |
| | | | | | | | ... | ... | ... | | | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 46·00—59·00 | 65·00—75·00 | 65.00—75·00 | 75·00—80·00 | 65 | 70.00—80·00 | 67 00—68.00 | 54·00 | 60·00 | 44·00 |
| 2 Onions ... | ... | ... | 28·00 | 80·00—88·00 | 20·00—20.00 | 95.00—80·00 | 80 | 80 00—25·00 | 29,00—30,00 | 28·00 | 80·00 | 29·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | 550·00—650.00 | ... | | ... | 600·00 | | ... | |
| 2 Areconuts ... | ... | ... | ... | 650·00- 650·00 | 600.00—700.00 | ... | | 840·00 | 850 00-900·00 | 620·00—700·00 | 701·00 | 760·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| Cotton ... | (a) Kapas ... | ... | ... | ... | 125.00 | ... | | ... | | | | 108 00 |
| | (b) Lint | ... | ... | ... | ... | ... | | | | ... | ... | 234·00 |
| | (c) Seed | ... | ... | | 42·00 | ... | | ... | | | | 29·00 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 Jute Locos | ... | (a) Waste— | | | | | | | | | | | | | | |
| | | (i) Top | ... | | | ... | | | | | | | | | | ... |
| | | (ii) Middle | ... | | | ... | | | | | | | | | | ... |
| | | (iii) Bottom | ... | | | ... | | | | | | | | | | ... |
| | | (b) Tosso— | | | | | | | | | | | | | | |
| | | (i) Top | ... | | | | | | | | | | | | | ... |
| | | (ii) Middle | ... | | | | ... | | | | | | | | | ... |
| | | (iii) Bottom | ... | | | | ... | | | | | | | | | ... |
| 3 Pusca Baled Jute. | | (i) Lightings | For bale | | | ... | | | | | | | | | | |
| | | (ii) Slum Miller | ... | | | ... | | | | | | | | ... | | |
| | | (iii) First Exports | ... | | ... | ... | | | | | | | ... | ... | | ... |
| Sann being | ... | ..... | ... | | ... | ... | | | | | | | ... | ... | | ... |
| 4 Mesta | ... | (i) Top | ... | | ... | ... | | | | | | | ... | ... | | ... |
| | | (ii) Middle | ... | | ... | ... | | | | | | | ... | ... | | ... |
| | | (iii) Bottom | ... | | ... | ... | | | | | | | ... | ... | | ... |
| VII. Tobacco | ... | (a) Country— | | | | | | | | | | | | | | |
| | | (i) Leaf | ... | | ... | ... | | | | | | | ... | 807·00 | ... | 950·00 |
| | | (ii) Pulab | ... | | ... | ... | | | | | | | ... | ... | ... | 167 00 |
| | | (b) Virginia | ... | | ... | ... | | | | | | | ... | ... | ... | ... |
| | | (i) Leaf | ... | | ... | ... | | | | | | 400·00—420·00 | ... | ... | ... | ... |
| | | (ii) Pulab | ... | | ... | ... | | | | | | ... | ... | ... | ... | ... |
| VIII. Livestock— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) | Class I | ... | Per Head | 800·00—700·00 | ... | 600·00 | 14·00 | ... | 340,00—600 00 | ... | 150·00—270·00 | 420·00—630·00 | 250 00 |
| | (b) | ,, II | ... | Do | 260·00—550·00 | ... | 200·00—350·00 | 10·00 | ... | 285 00—330,00 | ... | 135·00—208·00 | 300·00—59·.00 | 200·00 |
| (ii) Buffalo bulls. | (a) | ,, I | ... | Do | 250·00—350·00 | ... | 100 00—120·00 | 40·00 | ... | 25.00—40,00 | ... | ... | ... | 220·00 |
| | (b) | ,, II | ... | Do | 180·00—240·00 | ... | 125·00—160·00 | ... | ... | 30.00—45,00 | 150.00—250.00 | ... | ... | 20·00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows | ... (a) | Class I | ... | Do | 220·00—330·00 | ... | 150·00—200·00 | 205 00 | ... | 170.00—300.00 | 200.00—300.00 | 150·00—290·00 | 310·00—410·00 | 115.00 |
| | (b) | Class II | ... | Do | 150·00—260·00 | ... | 100·00—150·00 | 235 00 | ... | 100.00—145.00 | 107 00—146.00 | 95·00—150·00 | 230·00—305 00 | 65·00 |
| (ii) Buffaloes | (a) | Class I | ... | Do | 280·00—360·00 | ... | 350·00 | 275·00 | ... | 160.00—230.00 | ... | 260 00—500·00 | 300·00—400·00 | 140·00 |
| | (b) | Class II | ... | Do | 165·00—270·00 | ... | 100·00—150·00 | 225·00 | ... | 180·00—165.00 | ... | 170·00—320·00 | 150·00—250·00 | 90·00 |
| 3 Sheep | ... | ..... | | Do | 85·00—85·00 | ... | 40·00—70·00 | 60·00 | ... | 60,00—80.00 | 60·00—80·00 | 55·00—75·00 | 40·00— 65·00 | 40·00 |
| IX. Livestock products— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) | ..... | | Per kg. | ... | ... | ... | ... | ... | 1,80 | ... | ... | ... | ... | ... | |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | 1.60 | ... | ... | ... | ... | ... | ... |
| 2 Hides.— | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) | ..... | | Do | ... | ... | ... | ... | ... | 1·50—1·75 | 1·05 | ... | ... | ... | ... | 3·90 |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | ... | 1·00 | ... | ... | ... | ... | ... |
| Tanned | ... (a) | ..... | | Do | ... | ... | ... | ... | ... | 5·50 | 2·00—4·00 | ... | ... | ... | ... | 6·90 |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Buffalo hides— Raw. | (a) | ..... | | Do | ... | 3·25 | ... | ... | ... | 1·80—2·75 | 1·05 | ... | ... | ... | ... | 3·50 |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | ... | 1 00 | ... | ... | ... | ... | ... |
| Tanned | ... (a) | ..... | | Do | ... | ... | ... | ... | ... | 5.00 | 2 25—4·00 | ... | ... | ... | ... | 4·50 |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Skins.— | | | | | | | | | | | | | | | | |
| Goat skins— Raw. | (a) | ..... | | Per each | 4·00—5.00 | ... | ... | ... | ... | 8·40—4·75 | 8·00—5·60 | 4·00—5.00 | 5·50 | | | 2·00 |
| | (b) | ..... | | Per kg. | ... | ... | ... | ... | ... | ... | ... | 3·00—4·00 | | | | ... |
| Tanned | ... (a) | ..... | | Do | ... | ... | ... | ... | ... | 9.95 | ... | ... | ... | | | 8·00 |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| (ii) Sheep-skins— Raw. | (a) | ..... | | Per each | 5·00—6 00 | ... | ... | ... | ... | 8·25—4·50 | 8·00—5.00 | 3·50—4·00 | 3·50 | | | 2·00 |
| | (b) | ..... | | Per kg. | ... | ... | ... | ... | ... | ... | ... | 2 75—3·00 | ... | | | ... |
| Tanned | ... (a) | ..... | | Do | ... | ... | ... | ... | ... | 14 82 | ... | ... | ... | | | 8·00 |
| | (b) | ..... | | Do | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| 4 Shoe | ... (a) | Aamark | | Do | ... | 7,50 | 7·00—8·00 | ... | 8,00 | ... | ... | 7·75 | ... | | | 6 00 |
| | (b) | Ungraded | | Do | ... | 6.00 | 6·00—7·00 | ... | 6,00 | ... | ... | ... | ... | | | ... |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | | ... | ... | ... | 28·00—21.00 | ... | ... | | ... |
| | (b) Paddy ... | Part load | | ... | ... | ... | ... | 15,00—16,00 | ... | ... | 12,00 | 29·00 |
| 2 Straw ... | (a) Ragi | .. | | | ... | | ... | ... | ... | .. | ... | |
| | (b) ..... | ... | ... | | | | | | | | | |
| 3 Stalks ... | (a) Jola ... | ... | ... | | ... | ... | | | ... | ... | | ... |
| | (b) ..... | | | ... | | ... | ... | | ... | ... | ... | 22 00 |
| XI. Condiments and Spices.— | | | | | | | | | | ... | | |
| 1 Turmeric ... | ..... | ... | 120·00—150·0 | 150.00—175.00 | 150 00—200·00 | 80.00—150·00 | 190,00 | 200·00 | 200·00 | 170·00—175·00 | 180.00 | 165·00 |
| 2 Tamarind ... | ..... | ... | 50·00—105·00 | 90·00—100·00 | 70 00—75 00 | 60.00—80.00 | 95 00 | 85 00—120·00 | 95·00—120·00 | 94.00—96·00 | 110·00 | 54.00 |
| 3 Dry Chillies ... | ..... | ... | 250·00—345·00 | 225·00—275·00 | 160 00—200·00 | 250·00—300·00 | 260 00 | 280·00—300·00 | 200.00—260·00 | 100·00—205·00 | 270·00 | 220·00 |
| 4 Garlic ... | ..... | | 85·00—105 00 | 100·00 | 100 00 | 85,00 | 100 00 | 100·00—120·00 | 100·00 | 151·00—155·00 | 95 00 | 85·00 |
| 5 Pepper ... | ..... | | 300·00—350·00 | | 460·00 | 310·00 | 310·00 | 340·00—350 00 | 400·00 | 390·00—450·00 | 300·00 | |
| 6 Cardamom ... | ..... | ... | 1,400·00—2,000·00 | 950,00—1000 00 | 1,500·00 2,000·00 | 1600,00 | 1,600·00 | 1,600 | 1,600·00 | ... | 1,500 | |
| XII Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | | Per C.F. | | | | | | | | | | |
| 2 Sticklac ... | ... | ... | ... | ... | ... | ... | | | | ... | ... | ... |
| 3 Seedlac ... | ..... | | | | ... | ... | | | | ... | ... | |
| 4 Shellac ... | ..... | | ... | | ... | ... | | | | | | |
| 5 Rubber ... | Raw ... | ... | | | | | | | | ... | ... | |
| 6 Myrobalam | ..... | ... | ... | | | ... | | | | | | |
| 7 Jute manufactured. | (a) Hessian 40", 10 oz. | Per 100 yds. | | ... | ... | ... | | | ... | ... | ... | |
| | (b) Sacking B. Twills. | Per 100 bags. | | ... | ... | ... | | | ... | ... | ... | |
| 8 ..... | ... | ... | | | | | | | | ... | ... | ... |
| 9 ..... | ..... | ... | | ... | ... | ... | | | .. | ... | ... | ... |
| | | | | | | | ... | | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... ... | | 37·00 | 42·00—46·00 | 36·00—37·00 | 42.00 | ... | 43·00 | 37·50 | 40·00 | 40·00 |
| | (b) Medium ... ... | | 35·00 | 42·00—48·00 | ... | 38.00 | ... | 39·00 | 35·00 | 39·00 | |
| | (c) Coarse ... ... | | 33·00 | 39·00—40·00 | ... | .. | | 35·00 | | ... | 35·50 |
| 2 Rice ... | (a) Fine ... ... | | 60·00 | 75·00—90·00 | 82·00—88·00 | 78·00 | 67·00—70·00 | 80·00 | 72·00 | 70·00 | 80·00 |
| | (b) Medium ... ... | | 57·00 | 70·00—75·00 | 66·00—70·00 | 62·00 | 60·00—62·00 | 65·00 | 65·00 | 61·00 | 74·00 |
| | (c) Coarse ... | | 55·00 | 68·00—68·00 | 65·00 | | 54·00—58·00 | 57·00 | ... | | 64·00 |
| 3 Wheat ... | White ... ... | | 55·00 | 48·00—64·00 | 45·00—60·00 | 55·00 | 60·00 | 68·50 | 48·00 | 70·00 | 48·00 |
| Wheat Floor ... | White ... ... | | 62·00 | 46·00—66·00 | 40·00—48·00 | ... | 50·00—51·00 | ... | ... | 50.00 | 54·00 |
| 4 Jowar | White ... ... | | 44·00 | 36·00—46·00 | 40·00—43·00 | 42·00 | 50·00 | 47·50 | 48·00 | ... | |
| Bajra ... | ... | | | 38·00—39·00 | 38·00—39·00 | ... | 38·00 | 41·50 | 39·00—50·00 | ... | ... |
| Barley ... | ... ... | | ... | | — | | ... | ... | ... | | |
| Maize ... | ... ... | | | ... | 25·00 | ... | ... | ... | ... | | 36·00 |
| Ragi ... | ... ... | | 37·00 | 37·00—39·00 | ... | ... | | | ... | 47·00 | 42·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... ... | | — | | — | | | ... | ... | | |
| (ii) ..... | | | ... | ... | ... | ... | | | | ... | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | 25·00 | ... | | .. | | | ... | | ... |
| (ii) Tapioca ... | ... ... | | .. | — | | ... | | | | ... | ... |
| (iii) Papaya ... | ... | | | | | ... | | | 22·50 | | |
| (iv) Groundnut cake flour | | .. | .. | 37·00—39·00 | | ... | | | 38·00 | ... | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram ... | ... .. | | 63·00 | 56·00—60·00 | 55·00 | 54·00 | 53·00—54·00 | 59·00 | 55·00 | 68·00 | 68·00 |
| 2 Arhar (Tur) | ... .. | | 50·00 | 56·00 | 53·00—57·00 | 49·00 | 61·00—63·00 | 65·00 | 52·00—25·00 | 75·00 | 85·00 |
| 3 Mung ... | .. | | 72·00 | 75·00 | 50·00—52·00 | 54·00 | .. | 52·00 | 50·00 | 70·00 | 70·00 |
| 4 Urd ... | ... ... | | 70·00 | 70·00 | 43·00—44·00 | 63·00 | 55·00—58·00 | 62·00 | 57·00 | 70·00 | 80·00 |
| 5 Masur ... | ... | | 68·00 | 76·00 | 38·00—40·00 | ... | 60·00—60·00 | | ... | | 84·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare ... | ... | | .. | | 88·00—89·00 | ... | ... | | 36·00—25·00 | .. | 90·00 |
| (ii) Horsegram... | ... | | 87·00 | 86·00—89·00 | 84·00 | ... | ... | | | 84·00 | 88·00 |
| (iii) Cowpea ... | .. | | ... | ... | .. | | ... | | ... | ... | 82·00 |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... ... | | 120·00 | 83·00—87·00 | 95·00—100·00 | 105·00 | 83·00—75·00 | | 74·00 | 100·00 | 110·00 |
| | (b) Sort II ... ... | | 115·00 | 70·00—80.00 | 70·00—80·00 | 100·00 | 62·00—75·00 | | ... | 90·00 | ... |
| 2 Sugar Refined | D. 24 ... ... | | ... | ... | 116·00—80·00 | | 125·00 | | 121·00 | 124·00 | 130·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... ... | | 73·00 | 62·00—65·00 | 68·00—72·00 | ... | 68·00—25·00 | 66·50 | 67·50 | | 90·00 |
| | (b) Machine shelled. ... | | 105·00 | 94·00—95·00 | ... | ... | | 70·00 | | 105·00 | 625·00—150·00 |
| Groundnut Oil | ... ... | | 165·00 | 178·00—180.00 | 172·00—182·00 | ... | 180·00 | 175·00 | 180·00 | 160·00 | 197·00 |
| Groundnut Oil-cake. | ... | | 45·00 | ... | 38·00 | ... | 36·00 | 85·00 | 82·00 | 42—50 | 45·00 |
| 2 Sesamum .. | (a) White ... | | 126·00 | .. | | ... | 112·00—50·00 | 115·00 | 112·00 | 100·00 | ... |
| | (b) Black ... ... | | .. | ... | ... | ... | 63·00 | | ... | .. | ... |
| Sesamum Oil... | ... ... | | 850 | | .. | ... | ... | | | 275·00 | ... |
| Sesamum Oil cake. | ... ... | | 52·00 | ... | ... | | ... | | ... | 55·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed | ... | ... | ... | ... | 55·00 | 54·00 | ... | ... | | ... | ... |
| | Castor Oil ... | ... | ... | | ... | ... | ... | 140·00 | ... | 160·00 | ... | 176·00 |
| | Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 4 | Rape and Mustard. | (a) Black ... | ... | 118·00 | ... | | ... | ... | | ... | ... | 120·00—135·00 |
| | | (b) Yellow ... | ... | ... | ... | 99·00—100·00 | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold | ... | 90·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Brown small | ... | ... | ... | 69·00 | 62·00 | 66·00 | ... | 57·00 | ... | ... |
| | Linseed Oil | ... | ... | ... | ... | ... | ... | ... | 67·50 | ... | ... | ... |
| | Linseed Oil-cake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Tosia ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Coconut ... | (a) Nuts | (Per thousand) | 810·00 | 250,00—300,00 | 260·00—280 00 | 250·00 | 250·00 | 260·00 | 20·00—50.00 | 320·00—340·00 | 290·00—300·00 |
| | | (b) Copra ... | | 207·00 | 280,00—250,00 | 240 00—215·00 | ... | 220·00 | 230 00 | 195·00 | 241 00 | 460.00—510,00 |
| | Coconut Oil ... | | per Quintal | 315·00 | 310·00—312·00 | 325·00 | 350·00 | 320·00 | 310·00 | 326 00 | 316·00 | 300·00 |
| | Coconut Oil-cake | | ... | ... | ... | ... | ... | ... | ... | 54·00 | 65·00 | 66·00 |
| 8 | Other Oil seeds | (i) Rapeseed... | ... | 82 00 | | | | ... | ... | ... | ... | ... |
| | | (ii) Niger Oil ... | ... | ... | ... | ... | 62·00 | ... | ... | ... | ... | ... |
| | Vegetable Oil | (i) Vanaspati | ... | 300·00 | 293.75 | ... | ... | ... | 297.00 | ... | ... | 276·00 |
| | | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | | (iii) Safflower Oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 | Other Oils ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| V. | Fruits, Vegetables and Nuts— | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | | Per gross | ... | ... | ... | ... | ... | | ... | ... | ... |
| 2 | Plantains ... | | Do ... | 7·00 | 8·00—8·00 | 6·50 | 4 50 | ... | 6·50 | 4 50 | 4 00 | 7·25 |
| 3 | Oranges | | Do ... | ... | ... | ... | ... | 18·50 | | 14·25 | 8·00—12·00 | 6 00 |
| 4 | Dates ... | | ... | 90 00 | ... | ... | ... | 270·00 | 360.00 | ... | ... | ... |
| 5 | Cashew Kernels, etc. | | | 6·25 | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) | Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | | per quintal | 45·00 | 55·00—60 00 | | | 130·00 | | | 61 00 | 78 00 |
| 2 | Onions ... | | | 25 00 | 15·00—25·00 | | | 85·00 | | | 25·00 | 38·00 |
| 3 | Beans ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Tomatoes ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) | Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | | ... | ... | ... | ... | ... | 680·00 | ... | ... | ... | 200·0—550·0 |
| 2 | Arecanuts ... | | ... | 525 00 | 400.00—650,00 | 4·40—4·45 | 505·00 | ... | | 450·00—7500 00 | 600·00 | |
| VI | Fibres.— | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | ... | ... | 115·00—120.00 | ... | ... | ... | 110 00 | ... | ... |
| | | (b) Lint ... | ... | ... | ... | ... | ... | ... | ... | 220·00 | ... | ... |
| | | (c) Seed ... | ... | 45·00 | ... | 32·00—40·00 | ... | ... | 22.00 | 84 00 | ... | ... |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | Pucca Baled Jute | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) First Mills | ... | ... | | | ... | ... | ... | ... | ... | ... |
| | | (iii) First Exports | ... | ... | | | ... | ... | ... | ... | ... | ... |
| | | ... | ... | ... | | | | ... | ... | ... | | ... |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meats — | (i) Top | ... | ... | ... | ... | ... | | | | | | | | |
| | (ii) Middle | ... | ... | ... | ... | ... | | | | | | | | |
| | (iii) Bottom | ... | ... | ... | ... | ... | | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | |
| | (i) Leaf | ... | ... | 445·00 | ... | ... | ... | 800 00 | | | ... | 475·00—750·00 | 600 | |
| | (ii) Pulah | ... | ... | ... | ... | ... | ... | | | | ... | ... | ... | |
| | (b) Virginia— | | | | | | | | | | | | | |
| | (i) Leaf | ... | ... | ... | ... | ... | ... | ... | | | ... | 425·00—500 00 | ... | |
| | (ii) Pulah | ... | ... | 455 00 | ... | ... | ... | | | | ... | 600.00—725.00 | | |
| VIII. Livestock.— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | ... | For head | 475·00 | 800·00—400·00 | 600.00—800·00 | ... | 850·00 | | | 850·00 | ... | | |
| | (b) Class II | ... | Do ... | 400·00 | 200·00—250·00 | 200.00—400.00 | ... | 800·00 | | | 285 00 | | | |
| (ii) Buffalo bulls | (a) Class I | ... | Do ... | 600·00 | 200·00—250 00 | 800·00 | ... | 200·00 | | | 450 00 | ... | | |
| | (b) Class II | ... | Do ... | ... | 150·00—200·00 | 100 00—150·00 | ... | 170·00 | | | 850·00 | ... | | |
| 2 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class | ... | Do ... | 190.00 | 150·00—200.00 | 150.00—250.00 | | 600 00 | 250 00 | | 180·00 | 280·00 | | |
| | (b) Class | ... | Do ... | 160·00 | 150·00—175.00 | 200.00—250·00 | ... | 100·00 | 165·00 | | 135.00 | 165·00 | | |
| (ii) Buffaloes ... | (a) Class I | ... | Do ... | 870·00 | 200·00—275·00 | 200.00—275.00 | ... | | 875·00 | | 450·00 | 375·00 | | |
| | (b) Class II | ... | Do ... | 260·00 | 125·00—175·00 | 100·00—180 00 | ... | ... | 200 00 | | 275·00 | 200·00 | | |
| 3 Sheep ... | ... | | Do ... | 42·00 | 34·00—45.00 | 40·00—42·00 | ... | 85·00 | 82·00—65·00 | | 60.00 | 80·00—65 00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | | Per k... | ... | | ... | | | ... | | | ... | | |
| | (b) ..... | | Do ... | — | | — | | | ... | | | ... | | |
| 2 Hides— | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | | Do ... | 1·95 | 1·00 | 1·15 | | | ... | | ... | 1·50—2·00 | ... | |
| | (b) ..... | | Do ... | 1·25 | ·85 | ·75 | | | ... | | ... | | | |
| Tanned ... | (a) ..... | | Do ... | 5·00 | 6·75 | 4·50 | 5·70 | ... | | 5·00 | | 5·50 | ... | |
| | (b) ..... | | Do ... | 4·00 | 6·00 | 4·00 | ... | ... | | ... | | | ... | |
| (ii) Buffalo hides— Raw. | (a) ..... | | Do ... | 2·50 | 1 00 | 1 25 | ... | | | ... | | 1.00- 2.50 | ... | |
| | (b) ..... | | Do ... | 1·75 | ·80 | 0·85 | ... | ... | | ... | ... | ... | | |
| Tanned ... | (a) ..... | | Do ... | 9.00 | 6—20 | 4·15 | 5·00 | ... | | 4·50 | ... | 5·00 | ... | |
| | (b) ..... | | Do ... | 7.00 | 6·00 | 4·25 | ... | ... | | ... | ... | ... | ... | |
| 3 Skins— | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) ..... | | Do ... | 4·00 | 650·00—750·00 | 3·00—3·50 | ... | 6·50 | | 3 00 | ... | 3—6 | 3·50 | |
| | (b) ..... | | Do ... | 3·75 | ... | ... | ... | 6·00 | | 2·00 | ... | | ... | |
| Tanned ... | (a) ..... | | Do | 6.00 | 7·00—8·66 | ... | 5·00 | | | 10 0 | ... | 55 | ... | |
| | (b) ..... | | Do ... | 5·00 | ... | | ... | | | ... | ... | .. | .. | |
| (ii) Sheepskins— Raw. | (a) White | | Do ... | 5·00 | 6·50—7·00 | 4·00—4·50 | ... | | | 2·75 | ... | 2—4 | 3·00 | |
| | (b) Black | | Do ... | 4·50 | ... | | | | | 2·00 | | ... | ... | |
| Tanned ... | (a) ..... | | Do ... | 6·00 | ... | ... | 7·50 | | | 10·00 | | 7·00 | ... | |
| | (b) ..... | | Do ... | 4·50 | ... | ... | ... | | | 9 00 | .. | | ... | |
| 4 Ghee — | (a) Agmark | ... | Do ... | ... | ... | ... | ... | | | 7 25 | ... | ... | ... | |
| | (b) Upgraded | ... | Do | 5·00 | 6 20 | 4·75 | 5·50 | 6·00 | ... | | 10·00 | 6·00 | ... | |
| X. Fodder.— | | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | | Per quintal | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| | (b) Paddy | | Per cart-load | ... | ... | ... | ... | ... | ... | ... | 15·00 | 19 | ... | |
| 2 Straw ... | (a) Ragi | | Do | ... | ... | ... | ... | ... | | | 25·00 | .. | ... | |
| | (b) ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3 Stalks ... | (a) Jola | | Per quintal | ... | ... | 18·00—25·00 | ... | ... | | | ... | ... | ... | |
| | (b) ..... | | ... | | | ... | ... | ... | ... | ... | ... | ... | ... | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | | |
| 1 | Turmeric ... | | ... | 192 00 | 170·00—190.00 | 150·00—160·00 | 150·00—180·00 | 135·00 | 140 00 | 160·00 | ... | | 150·00 |
| 2 | Tamarind ... | | ... | 82·00 | 60.00—70·00 | 60·00—62·00 | 80·00—90·00 | 85·00 | 62,00 | 42·00 | 80·00—95 00 | | 100 00 |
| 3 | Dry Chillies ... | | ... | 250 00 | 140·00—230 00 | 285·00—250·00 | 275·00 | 220·00 | 290 00 | 310 00 | 385·00 | | 300·00 |
| 4 | Garlic ... | | ... | 87·00 | 50·00—75·00 | 65·00—70·00 | 75·00—90·00 | 120·00 | 90.00 | 25 00 | 88·00 | | 150·00 |
| 5 | Pepper ... | | ... | 500·00 | 800.00—850·00 | ... | 400·00 | 400·00 | 870·00 | 310·00 | 280·00 | | 275·00 |
| 6 | Cardamom ... | | ... | 900·00 | 1200·00—1800·00 | | 1500·00 | 2,100·00 | 1,600,00 | 1200·00 | 1,000—1,500 | | 1,800·00—2,000·00 |
| XII | Miscellaneous— | | | | | | | | | | | | |
| 1 | Timber ... | — | Per C.F. | ... | ... | ... | ... | ... | ... | ... | | | |
| 2 | Stickins ... | | ... | ... | ... | ... | ... | | | ... | | | |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | | | ... | ... | | ... |
| 4 | Shellac ... | | ... | .. | ... | ... | .. | .. | ... | ... | ... | | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | | ... | .. | ... | ... | | | |
| 6 | Myrobalan ... | ... | | ... | ... | | ... | | | ... | ... | | |
| 7 | Jute manufactures | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | | | ... | ... | | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | | | | ... | | | | ... | | .. |
| 8 | ..... | ... | | ... | ... | ... | ... | ... | ... | | ... | | |
| 9 | ..... | ... | ... | ... | ... | ... | . | ... | | | .. | | |

## RETAIL PRICES

**Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th January 1964**

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | [illegible] |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 1 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | Per Rupee | 2·8 | 4 | ... | ... | 2·7 | 2·6 | ... | ... | 2·6 | 3·7 |
| 2 Rice ... | Do ... | ... | 1·4 | 1.75 | 1·8 | 1·8 | 1·6 | 1·7 | 1.4 | 1·6 | 1·8 | 1·6 |
| 3 Wheat ... | White ... | ... | 2·8 | 2 5 | 2 | 2·2 | 2·5 | 2.8 | 2 | 2,2 | 2 3 | 1·4 |
| 4 Wheat Flour... | Do ... | ... | ... | 2 | 1·6 | ... | ... | ·2 | 1·6 | 1·8 | 1.9 | 1·6 |
| 5 Jower ... | Do ... | ... | 2·4 | 2·5 | 2·7 | ... | ... | 2 2 | ... | 2·1 | 2 4 | 2 |
| 6 Bajra ... | ... | ... | ... | ... | 2 5 | ... | ... | ... | 2 8 | ... | | 2 4 |
| 7 Barley ... | ... | ... | ·588 | ... | ... | ... | ... | ,700 | ... | ... | ... | ·810 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·8 | 2·7 | 2·1 | 2·5 | 2·4 | 2.4 | 2·7 | 2·3 | 2·5 |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 2·8 | | 3.3 | | 2·7 | 3·3 | | 2 5 | 3 7 | |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·7 | |
| (iii) Papaya ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1·8 | 1.75 | 1·8 | 1·4 | 1·6 | 1·5 | 1. | 1·4 | 1·8 | 1·5 |
| | (b) Split (without skin). | ... | ... | 1·25 | ... | 1,2 | | 1·8 | ... | 1·7 | 1·5 | 1 8 |
| | (c) Flour ... | ... | ... | ... | ... | ... | | 1·4 | 1·4 | 1·3 | ... | 1·3 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1 7 | ... | 1 6 | ... | ... | 1·5 | ·2 | 2 8 | 2 1 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | 1·2 | 1 | 1·2 | ·1 | 1 | 2 1 | 1,1 |
| 3 Moong ... | (a) Whole ... | ... | .. | 1.3 | 1.6 | ·1 | | 1·4 | 1,6 | ... | 1·3 | 1·7 |
| | (b) Split (without skin). | ... | .. | ... | ... | 1·1 | ... | 1·1 | .. | ... | 1·2 | |
| 4 Urd ... | (a) Whole ... | ... | ... | 1 25 | ... | ... | ... | 1·2 | 1,8 | .. | 1·2 | ... |
| | (b) Split (without skin). | ... | ... | 8 | ... | ·8 | ... | 1 | ... | ·8 | ·9 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | .. | ... | ... | ... | ... | ... | 1,1 | ... | ... | ... |
| | (b) Split (without skin). | ... | .. | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | 1 7 | | 1· | 1.2 | ... | 1 6 | 1·4 | ... | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | | | 1·6 | 1·1 | 1·4 | 1,8 | ... | | |
| (ii) Horsegram | ... | ... | 2·8 | | ·3 | 2 5 | 2,5 | 2·8 | 2,9 | 2·8 | 2·9 | 2·4 |
| (iii) Cowpea ... | ... | ... | 1 2 | | 2 | ... | ... | 1 5 | 1,4 | ... | 1 2 | 1·7 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | | | 1 | 1 | ·950 | ·869 | ·795 | 760 | 1 | 1,1 |
| 2 Sugar refined | (b) Sort II ... | ... | 1 1 | | 1 7 | | 1 | 1,1 | ·822 | 1 2 | 1·8 | 1 8 |
| | D. ½ ... | ... | ... | | | ... | ·818 | 9·6 | ·820 | ·900 | 1·2 | ·825 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·556 | ·500 | ·500 | ·444 | ·500 | ·480 | ·565 | ·500 | ·500 | ·550 |
| 2 Sesamum oil | ... | ... | ... | ... | ... | ... | ... | ... | ·600 | ... | ... | ·575 |
| 3 Castor oil | ... | ... | ·600 | ·500 | ·596 | ·500 | ·555 | ·555 | ·500 | ·700 | ·403 | ·600 |
| 4 Mustard oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil | ... | ... | ·978 | ·800 | ... | ... | ... | ·250 | ·957 | ·805 | ... | ·575 |
| Vanaspati | ... | ... | ... | ... | ·385 | ·266 | 807 | | ... | ... | ·355 | ·250 |
| 7 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits- | | | | | | | | | | | | |
| 1 Mangoes | ... | Per Dozen | ... | ... | ... | | ... | ... | ... | | | |
| 2 Plantains | ... | Do | 60—75 | 25—75 | 75—87 | | 75 | 87·00—75·00 | 1·8 | | | ·60 |
| 3 Oranges | ... | Do | 1·25—2·25 | 2—3·00 | 1·50—2 | | 2·00 | 75·00—2·00 | 1·50—2·75 | | | 1·25 |
| 4 Dates | ... | ... | ... | ... | 2·50 | | | ... | ... | | | |
| 5 Cashew kernels | | ... | ... | ... | ... | | ... | ... | ... | | | |
| 6 ..... | | ... | ... | ... | ... | | ... | ... | ... | | | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes | ... | ... | ... | 1·75 | | | | | 1·8 | 1·7 | | 1·7 |
| 2 Onions | ... | ... | 2·8 | 3 | | | | | 3·8 | 3·2 | | 3·3 |
| 3 ..... | | ... | ... | ... | ... | | ... | ... | ... | ... | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts | ... | ... | ... | 2·00 | ... | | | | ·168 | | | ·160 |
| 2 Arecanuts | ... | ... | ... | ... | ·168 | | | ·150 | ·111—·126 | ... | | ... |
| VI. Tobacco | ... Leaf ... | Per kg. | ... | ... | ... | | ... | ... | ... | 5·00 | | 3·30 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk | ... | Per Litre | 75—88 | 1·00 | 75 | 1·00 | 47—62 | 50—65 | 75·50 | 85 | 85 | |
| 2 Ghee | ... (a) Agmark | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (b) Ungraded | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Eggs | ... (i) A Grade | Per Dozen | 3·60 | 3·00 | 2·50 | 3·50 | 2·25 | 2·25 | 2·50 | 3·00 | 3·08 | 3·40 |
| (ii) B Grade | | Do | 2·60 | 2·50 | 1·75 | 3·00 | 2·00 | 1·80 | 2·25 | 2·76 | 1·75 | 2·15 |
| (iii) C Grade | | Do | 2·00 | 2·25 | 1·25 | 2·50 | 1·75 | 1·60 | 2·00 | 2·64 | 1·69 | 2·00 |
| 4 Mutton | ... | ... | 2·60 | ·285 | ·888 | ·223 | ·296 | ·250 | 2·00 | ·330 | ·290 | ·330 |
| 5 Beef | ... | ... | 400 | ... | | ... | | | ... | | | ·550 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric | ... | ... | ·6 | ·4 | ·5 | ... | ·5 | ·6 | ·8 | ·6 | 5 | ·5 |
| 2 Tamarind | ... | ... | 1 | ·1 | ·1 | ·1 | ·1 | 1·1 | 0 | 1·1 | 9 | ·1 |
| 3 Dry chillies | ... | ... | ·285 | ·269 | ·400 | ·285 | 383 | ·387 | ·415 | ·600 | ... | ·400 |
| 4 Garlic | ... | ... | 1 | 1 | 1 | 1 | ·8 | 8 | ·1 | 8 | ·1 | 1 |
| 5 Pepper | ... | ... | ·287 | ·825 | ·200 | ·286 | ·307 | ·275 | ·250 | ·300 | 300 | 260 |
| 6 Cardamom | ... | ... | 0·51 | ... | 0·62 | 0·65 | 0·58 | 0·50 | 0·56 | ... | 0·56 | |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt | ... | ... | 18 | 8 | 10 | 8 | 10 | 10 | 10 | 10 | 10 | 10 |
| 2 Kerosene oil | ... | Per Litre | 40 | 60 | 87 | 50 | 50 | 50 | 55 | 56 | 50 | 57 |
| 3 Firewood/ Charcoal. | | Quintal | 6·8 | 6—8 | 6·00 | ... | ... | 8 16 | 5·60 | 5·00 | 6.60 | 5·26 |
| 4 Coarse cloth | ... | Per metre | 1·65 | ·80 | ... | ... | 1·12 | 1·16—1·80 | 1·60 | ... | 1·45 | 1·03 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | [illegible] |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | | ... | 2·6 | ... | ... | ... | ... | 2·7 | 1·6 | 2·2 |
| 2 Rice ... | Do ... | | 1·4 | 1·5 | 1·9 | 1·4 | 1·5 | 1,8 | 1 7 | 1·8 | 1 8 |
| 3 Wheat ... | White ... | | 1·3 | 1.75 | ... | 1·5 | 2·2 | 1,6 | 1 6 | 1·6 | 2 1 |
| 4 Wheat Flour... | Do ... | | 1·4 | 2 | ... | ... | ... | 1.6 | 2 | | 1 |
| 5 Jowar ... | Do ... | | 2 | 1.8 | 2.1 | 2 | 2·3 | 2·1 | 2·5 | | |
| 6 Bajra ... | ... | | ... | 2.6 | 2·3 | ... | 2·5 | 2·2 | | | |
| 7 Barley ... | ... | | ... | ... | ... | ... | | | | | |
| 8 Maize ... | ... | | ... | ... | 2,8 | ... | | | | | 3 |
| 9 Ragi ... | ... | | 2,2 | 2·6 | ... | ... | | | | | |
| 10 Other cereals... | ... | | | ... | ... | ... | | | | | 2·5 |
| (i) ..... | ... | | ... | ... | ... | ... | | | | | |
| (ii) ..... | ... | | ... | ... | ... | ... | | | | | |
| II Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | | | | | ... | | | | | |
| (ii) Tapioca ... | ... | | | | | ... | | | | | |
| (iii) Papaya ... | ... | | | | | ... | | | | | |
| (iv) Groundnut cake flour | ... | | | | | ... | | | | | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | | | | 1·7 | 1·6 | 9 | | | 1·8 | 1·6 |
| | (b) Split (without skin). | | | ... | 1·9 | 1·3 | 1·4 | | | 1·2 | 1·2 |
| | (c) Flour ... | | | ... | | ... | ... | | | ·1 | |
| 2 Arhar (Tur) ... | (a) Whole ... | | | ... | 1·6 | 1·8 | 1,6 | | | ·2 | 1,1 |
| | (b) Split (without skin). | | | ·1 | 1 | 1·1 | 1·2 | 1,1 | | ·1 | 1·2 |
| 3 Moong ... | (a) Whole ... | | | ... | 1·7 | 1·5 | 1 6 | 1.6 | ... | | 1·2 |
| | (b) Split (without skin). | | | ... | 1·1 | 1·2 | ... | 1·2 | | 1·1 | 1·1 |
| 4 Urd ... | (a) Whole ... | | | ... | 1·9 | | 1·4 | | | | 1,1 |
| | (b) Split (without skin). | | | ... | ... | ·1 | ·9 | | | | 1 |
| 5 Peas ... | (a) Whole ... | | | ... | 2·2 | | 1,4 | | | | 1,1 |
| | (b) Split (without skin). | | | ... | | 1·2 | 1·2 | | | | |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | ... | | 2,2 | | | | | | 1·2 |
| | (b) Split (without skin). | ... | ... | | ... | | | | | | 1 |
| (ii) Horsegram | ... | ... | | 2,2 | 2·4 | | | | | | 2 2 |
| (iii) Cowpea ... | ... | ... | ... | | ... | | | | | | 1·5 |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | | ·705 | 1 | | 1,1 | ) | 1 | ·800 | ·93 |
| | (b) Sort II ... | ... | | 975 | 1·2 | | 1·4 | 1.2 | ... | ·919 | |
| 2 Sugar refined | D 24 ... | ... | | | 850 | | ... | ·892 | ·930 | ·756 | ·818 |
| IV. Oils.— | | ... | | | | | | | | | |
| 1 Groundnut oil | ... | ... | | ·500 | ·550 | ·500 | ·526 | ·926 | ·600 | ·444 | ·540 |
| 2 Sesamum oil ... | ... | ... | | ·200 | ... | ... | ... | ... | ... | ·888 | |
| 3 Castor oil ... | ... | ... | ... | | ... | ... | ... | | ... | | ·444 |
| 4 Mustard oil ... | ... | ... | ... | | ... | ... | ... | | ... | | |
| 5 Linseed oil ... | ... | ... | ... | | ... | ... | ... | | ... | | |
| 6 Cocoanut oil ... | ... | ... | | ·256 | ... | ·225 | ·275 | ·285 | ·899 | ·900 | ·919 | ·807 |
| 7 Vanaspati ... | ... | ... | | 200 | ... | ... | ... | ... | ... | | 8·0 |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | | |
| (i) | ... | ... | | ... | ... | ... | ... | ... | ... | ... | | ... |
| (ii) | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes | ... | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains | ... | | Do | ... | 6·5 | 87—62 | 87 | ... | 60 | 87 | 87—60 | 75 |
| 3 Oranges | ... | | Do | 66 | 2·00 | ... | ... | 1·00 | 2·66 | 1·75 | 1·7 | 8 |
| 4 Dates | ... | | ... | 1·99 | ... | ... | ... | ... | ... | ... | ... | |
| 5 Cashew kernels | | | ... | ... | | ... | ... | ... | ... | ... | ... | |
| 6 | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes | ... | | ... | 1·6 | 1·2 | 1·5 | 1·6 | 1.6 | 1·8 | 1·2 | 1·2 | 1·2 |
| 2 Onions | ... | | ... | 8 | 2·5 | 2·9 | 2·6 | 2·5 | 2·7 | 8 | 8·1 | 2 |
| 3 | ... | | ... | ... | ... | | ... | ... | ... | ... | ... | 161 |
| (iii) Nuts— | | | | | | | | 2·6 | | | | |
| 1 Cashewnuts | ... | | ... | ,142 | ... | ... | ... | ... | ... | ... | ... | ·200 |
| 2 Arecanuts | ... | | ... | ... | ... | ·150 | ... | ·142 | 4 50 | ... | 3·5 | 6·60 |
| VI. Tobacco | ... | Leaf ... | Per kg. | 4 76 | ... | 2·76 | 225 | 8·60 | ... | ... | ... | |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk | ... | ... | ... | 1·20 | ... | | ,65 | ·56 | ... | 88 | 90 | ·2 |
| 2 Ghee | ... | (a) Agmark ... | ... | ... | ... | | ... | ... | ·129 | ... | 1 26 | |
| | | (b) Ungraded ... | ... | 1·69 | ... | | ... | ... | 1·42 | ·125 | ,142 | ... |
| 3 Eggs | ... | (i) A Grade | Per Dozen | 2·00 | 2·40 | | 2·25 | 1·80 | ·275 | 2·50 | 1 90 | 2·50 |
| | | (ii) B Grade | Do | 1,75 | 2·25 | | 1 75 | 1·60 | | 2·25 | 1 8· | 2·40 |
| | | (iii) C Grade | Do | 1·62 | 2·00 | | 1 56 | 1·50 | 2·50 | 2.00 | ·70 | ·20 |
| 4 Mutton | ... | ... | ... | ·800 | 2·85 | | ·286 | ... | 2·25 | ... | 2·6 | ·285 |
| 5 Beef | ... | ... | ... | | ·660 | | ... | ... | ,800 | ... | ,170 | |
| | | | | | | | | | ... ·600 | ... | ·285 | |
| VIII. Condiments and Spices— | | | | | | | | | | | | |
| 1 Turmeric | ... | ... | ... | ·6 | ·6 | | ... | ·6 | ·4 | ·5 | ,4 | ·4 |
| 2 Tamarind | ... | ... | ... | ·9 | 1·1 | | ... | ·1 | 1 | ... | 1 | |
| 3 Dry chillies | ... | ... | ... | ·950 | ·850 | | ·275 | 4·25 | ·800 | ·400 | ·865 | ·830 |
| 4 Garlic | ... | ... | ... | 8 | ... | | ... | ·6 | ·1 | ·6 | 1 | 7 |
| 5 Pepper | ... | ... | ... | ·966 | 200 | ... | ... | 250 | ... | ... | ,260 | ·800 |
| 6 Cardamom | ... | ... | ... | 0·88 | ... | ... | ... | 0·40 | ... | 0 60 | 0·55 | 0 50 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt | ... | ... | ... | 10 | ... | 8 | ... | 8 | 10 | 10 | 10 | 9 |
| 2 Kerosene oil | ... | ... | Per Litre | 65 | ... | ... | 58 | 45 | 87 | 46 | 48 | 66 |
| 3 Firewood/ Charcoal | | ... | Quintal | ... | ... | ... | ... | 8·00 | 7·50 | ... | 7·15 | 6·56 |
| 4 Coarse cloth | ... | ... | Per Metre | 1·12 | ... | ... | ... | ... | ·89 | 95,125 | 87 | 69 |

.....

For *Chief Marketing Officer.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

### Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 31st January 1964

**Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs P | Rs. P. | Rs. P. Rs. P |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 42·00—44·00 | 32·00—35·00 | 40·00 | 31·00—33·00 | 39·00 | 40 00 | 45·00—46·00 | ... | 40 00 | 42·00 |
| | (b) Medium | | 39 00—40·00 | 25·00—30·00 | 35·00 | 28·00—30 00 | 38.00 | 39·00 | 43·00—45·00 | | 36·00 | 37 00 |
| | (c) Coarse | | | 22·00—25·00 | ... | 26 00—28·00 | | 38 00 | 40 00—43·00 | ... | ... | 36·00 |
| 2 Rice | (a) Fine | | 68·00—88·00 | 75·00—80·00 | 76 00—83·00 | 67 00—70·00 | 72.00—88·00 | 68 00—78·00 | 72·00—74·00 | 72·00 | 74 00 | 76·50 |
| | (b) Medium | | 63·00—78·00 | 63·00—69 00 | 72·00—76·00 | 57·00—61·00 | 70·00—88·00 | 60·00—75·00 | .. | 67·00 | 69·00 | 74·00 |
| | (c) Coarse | | 60·00—68·00 | 55 00—61·00 | 61·00 | 50 00—58·00 | 59·00—70·00 | 58·00—67 00 | 68·00—69 00 | 64·00 | 60·00 | 72·00 |
| 3 Wheat | White | | 41 00 | 42·00—45·00 | 42·00—50·00 | 44·00—48 00 | 42·00 | 42·00 | 42·00—70 00 | 42·00 | 48 00 | 65·00 |
| Wheat Flour | ,, | | ... | 55·00—62·00 | .. | ... | .. | 46 00 | 70·00—72 00 | 50·00 | 56·00 | |
| 4 Jowar | ,, | | 35·00—50·00 | 39·00—41·00 | 42·00—44·00 | 38·00—44·00 | 40·00 | 42 00 | 40·00—48·00 | 36·00—40 00 | 39 00 | 45·00 |
| 5 Bajra | ... | | ... | ... | 35·00—36·00 | . | 40 00 | 40.00 | .. | ... | ... | 37.00 |
| 6 Barley | ... | | ... | ... | ... | ... | ... | 150 00—180·00 | ... | . | ... | ... |
| 7 Maize | ... | | ... | ... | ... | ... | | ... | .. | .. | .. | ... |
| 8 Ragi | ... | | 35·00—41·00 | 38·00—40·00 | 35·00—36·00 | 34·00—40·00 | 35·00 | 40·00—42·00 | 39·00—41 00 | 36·00 | 37 50 | 34·00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | | ... | ... | ... | ... | | .. | .. | | | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | | ... | | | | |
| 10 Subsidiary Food Crops — | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | | 20·00—25·00 | 25·00 | 25·00—40·00 | 40·00—45 00 | 25·00 | 34·00 | 20·00—25 00 | 27.00—32·00 | 28 00 | |
| (ii) Tapioca | ... | | ... | ... | ... | ... | | .. | ... | ... | 30·00 | |
| (iii) Papaya | ... | | 35·00—45·00 | ... | | ... | 25·00 | ... | .. | ... | ... | |
| (iv) Ground-nut cake flour. | ... | | ... | ... | ... | ... | | ... | .. | | | |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | ... | | 55 00—58 00 | 50·00—55·00 | 71·00 | 75·00—80 00 | 55·00 | 60.00—62·00 | 58·00—65·00 | 56·00 | 54 00 | 58 00 |
| 2 Arhar (Tur.) | ... | | 54·00—60·00 | | 55·50 | 90 00 -105·00 | ... | 65 00 | 55·00—66·00 | 57·00 | .. | 54·00 |
| 3 Mung | ... | | ... | 70 00—75·00 | 63 00 | 60·00—90·00 | ... | 70·00—75·00 | 70 00—75·00 | 53.00—54.00 | 63·00 | ... |
| 4 Urd | ... | | ... | 75·00—80·00 | 48·00 | 60·00—70 00 | | 60·00—65·00 | 75·00—85·00 | 72·00—74 00 | 82·00 | .. |
| 5 Masur | ... | | ... | ... | ... | ... | .. | ... | 95 00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | ... | | 58·00—68·00 | 50.00—60·00 | 57.00 | 70·00 -75.00 | | 60·00 | 75·00—80·00 | ... | ... | ... |
| (ii) Horsegram | ... | | 32·00—34·00 | 40·00—42·00 | 32·00—36·00 | 28·00—30·00 | 32·00 | 31·00—40·00 | 40·00—45·00 | 46 00 | 35 00 | 36·00 |
| (iii) Cowpea | ... | | 45·00—50·00 | 50·00—60·00 | 49.00 | ... | 55·00 | 70 00—75·00 | ... | .. | 65 00 | 52·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 55·00 | 100·00 | 105.00 | 80·00—90·00 | 123 00 | 115·00 | 75·00—80·00 | 56·00 | 80·00 | 85·00 |
| | (b) Sort II | | 75·00 | 85·00—95·00 | 90.00 | 65·00—70·00 | 100·00 | 80·00 | 70 00—8 ·00 | 50·00 | 65 00 | 65·00 |
| 2 Sugar refined | D. 24 | | 120·50—125.00 | 125·00 | | 121·00 | 124·00 | 117·00 | 1:6·00—27 00 | 120 00 | 122·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled | — | 45 00—55 00 | 80·00—85·00 | ... | 65·00 | 73 00 | 80 00 | 80·00—90 00 | 63.00 | 97·00 | 64·50 |
| | (b) Machine shelled | ... | 70·00—85·00 | 90·00—98·00 | ... | ... | ... | ... | 75·00—85 00 | ... | 87·00 | 82·00 |
| Groundnut Oil | ... | ... | 187·00—191·00 | 230·00 | 180.00—200.00 | 200·00—225·00 | 190·00 | 195·00 | 190 00—200·00 | 169 00 | 188 00 | 176·00 |
| Groundnut Oil-cake. | ... | ... | — | ... | 89·00 | ... | 87·00 | ... | 45·00 | ... | | 86 00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 93 00 | ... |
| | (b) Black ... | ... | ... | — | ... | ... | ... | 100·00—105·00 | ... | ... | ... | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 180·00—185·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | — | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 57·50 | ... | ... | 70.00 | 45·00—60·00 | ... | 59·00 | ... |
| Castor Oil ... | ... | ... | 170·00—180·00 | 200·00—215·00 | 170·00—180·00 | ... | 165 00 | 167·00 | 190·00—200·00 | 176·00 | 180·00 | ... |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow | ... | ... | — | ... | ... | 100·00 | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per (thousand) | 280·00—320·00 | 350·00—375.00 | 260·00 | 200·00—270·00 | 250·00—400·00 | 250·00—310·00 | 280.00—325.00 | 450·00 | 325·00 | 220 00 |
| | (b) Copra ... | quintal | 250·00—260·00 | 300·00—325·00 | ... | ... | ... | 260 00—280·00 | 200·00—325.00 | 310·00 | 276·00 | 244·00 |
| Coconut Oil... | ... | ... | 340·00—360·00 | 330.00—340 00 | 350·00 | 310.00 | 310·00 | 350·00 | 400.00 | 278·00 | 330.00 | 320·00 |
| Coconut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 70.00 | 65 00—75 00 | ... | ... | ... |
| | (ii) Niger oil | ... | ... | ... | ... | ... | ... | 190.00 | | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 850—00 | ... | ... | ... | 850 00 | 27 ·00 | 300 00 | 325·00 |
| 10 Other Oils ... | (ii) Refined | ... | ... | ... | ... | ... | ... | ... | 800·00 | 252·00 | | ... |
| V. Fruits, Vegetables and Nuts.— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | | | | | | |
| 2 Plantains ... | ... | Do | 6·60—8.00 | 8.00—7,50 | 6.00—9,00 | 15·00 | 10·00 | ... | 11·00 | 7·86 | 50 00 | 6 00 |
| 3 Oranges ... | ... | Do | 12.00—28.00 | 10.00—20.00 | 18.00—25.00 | 20·00 | 17 00 | 5·00—7·50 | 14 00—23·00 | 14·00 | 24 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | ... | 85·00 | ... | 7·50—24·00 | ... | | ... | ... |
| 5 Cashew Kernals, etc. | ... | ... | ... | ... | ... | 600·00—750 00 | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | ... | ... | | | | |
| 1 Potatoes ... | ... | ... | 46·00—55·00 | 55·00—75·00 | 60.00—80·00 | 75·00—82·00 | 85·00 | 65.00—70·00 | 41·00—41.00 | 64·00 | 60·00 | 48 00 |
| 2 Onions ... | ... | ... | 22·00—26·00 | 30·00 | 20·00—30.00 | 25.00—32·00 | 81·00 | 30·00 | 29,00—30,00 | 27·00 | 33·00 | 30·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 600 00- 625·00 | 600.00—700.00 | ... | ... | ... | 600·00 | | | |
| | | | | | | | ... | 800·00—850·00 | 800 00-850·00 | 650 00—710·00 | 74 ·00 | 790·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | 108 00 | ... | ... | ... | ... | ... | | 104 00 |
| | (b) Lint ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | 286·00 |
| | (c) Seed ... | ... | ... | ... | 42·00—44 00 | ... | ... | ... | 83 00- 46·00 | ... | ... | 80 00 |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 Jute Loose | (a) Waste— | | | | | | | | | | | | | | |
| | (i) Top | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (ii) Middle | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (iii) Bottom | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (b) Tossa— | | | | | | | | | | | | | | |
| | (i) Top | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (ii) Middle | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (iii) Bottom | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8 Pucca Baled Jute. | (i) Lightings | Per bale | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (ii) First Mills. | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (iii) First Exports. | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Sann hemp | ..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Mesta | (i) Top | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (ii) Middle | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (iii) Bottom | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | | |
| | (i) Leaf | — | — | — | — | — | — | — | — | — | 875·00—450 00 | 907·50 | — | — | 250·00 |
| | (ii) Pulak | — | — | — | — | — | — | — | — | — | — | — | — | — | 160·00 |
| | (b) Virginia | | | | | | | | | | | | | | |
| | (i) Leaf | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | (ii) Pulak | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Livestock— | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 850·00—770·00 | — | 600·00 | 1300·00 | — | 840.00—600.00 | — | 180·00—245·00 | 450·00—650·00 | 250 00 |
| | (b) „ II | Do | 800·00—660·00 | — | — | 1000·00 | — | 280 00—320,00 | 140.00—300.00 | 110·00—200·00 | 330·00—490·00 | 205·00 |
| (ii) Buffalo bulls. | (a) „ I | Do | 250·00—450·00 | — | 800·00—850·00 | 800·00 | — | 28.00—40,00 | — | — | — | 225·00 |
| | (b) „ II | Do | 200·00—300·00 | — | 100·00—120·00 | | — | 30.00—45,00 | — | — | — | 195.00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 220·00—290·00 | — | 125·00—150·00 | 225 00 | — | 170.00—300.00 | 250.00 | 145·00—260·00 | 300·00—400·00 | 80·00 |
| | (b) Class II | Do | 180·00—250·00 | — | 100·00—200·00 | 285 00 | — | 100.00 145 00 | 200.00 | 96·00—160·00 | 220·00—30·00 | 60 00 |
| (ii) Buffaloes | (a) Class I | Do | 210·00—30·00 | — | 300·00—350·00 | 265·00 | — | 170.00—300.00 | 180.00 | 250·00—320·00 | 280·00—380·00 | 120·00 |
| | (b) Class II | Do | 150·00—240·00 | — | 100·00—150·00 | 225·00 | — | 130·00—165.00 | 150·00 | 130·00—350·00 | 160·00—270·00 | 85·00 |
| 8 Sheep | ..... | Do | 40·00—60·00 | — | 40·00—80·00 | 65 00 | — | 28,00—30,00 | 60·00—90·00 | 40·00—75·00 | 45·00— 65·00 | 40·00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. | — | — | — | — | — | 2.75 | 4 00 | — | — | — |
| | (b) ..... | Do | — | — | — | — | — | 1.60 | 2·50 | — | — | — |
| 2 Hides.— | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do | — | — | — | — | — | 1·50—1·80 | 1·00—1 10 | — | — | 2·90 |
| | (b) ..... | Do | — | — | — | — | — | 1 00—1·05 | — | — | — | — |
| Tanned | (a) ..... | Do | — | — | — | — | — | 5·75 | 4·00—4·25 | — | — | 8·90 |
| | (b) ..... | Do | — | — | — | — | — | — | — | — | — | — |
| (ii) Buffalo hides— Raw. | (a) ..... | Do | 3 25 | — | — | — | — | 1·50—2·00 | 1·10 | — | — | 3 50 |
| | (b) ..... | Do | — | — | — | — | — | — | 1 05 | — | — | — |
| Tanned | (a) ..... | Do | — | — | — | — | 5.50 | 5·00 | 4·00 | — | — | 4·50 |
| | (b) ..... | Do | — | — | — | — | — | — | — | — | — | — |
| 3 Skins.— | | | | | | | | | | | | | | | |
| Goat skins— Raw. | (a) ..... | Per each | 4 00—6·00 | — | — | — | — | 3·45—4·75 | 4·0—5·(0 | 4·00—5.00 | 5·25 | 2·00 |
| | (b) ..... | Per kg. | — | — | — | — | — | — | — | 3·25—4·00 | — | — |
| Tanned | (a) ..... | Do | — | — | — | — | 5.00 | 9·95 | — | — | — | 8 00 |
| | (b) ..... | Do | — | — | — | — | — | — | — | — | — | — |
| ii, Sheep-skins— Raw. | (a) ..... | Per each | 5 00—7 00 | — | — | — | — | 3·25—4·50 | 4·00—4·50 | 3 00—4·50 | 3 50 | 2·10 |
| | (b) ..... | Per kg. | — | — | — | — | — | — | — | 2 75—3·25 | — | — |
| Tanned | (a) ..... | Do | — | — | — | — | — | 14·50 | — | — | — | 3·10 |
| | (b) ..... | Do | — | — | — | — | — | — | — | — | — | — |
| 4 Shee | (a) Agmark | Do | — | 7·00—8·00 | — | 7·00—8,00 | — | — | | | | — |
| | (b) Ungraded | Do | — | 6 00—7 00 | — | 6·00—7.00 | — | — | | | | 6 00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | ... | ... | 22·00—21.00 | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | ... | ... | ... | 10.60—15.00 | ... | 16,00—20,00 | ... | ... | 15.00 | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | 87.00 | ... | 24 00 |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| XI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 120·00—160·00 | 160.00—200.00 | 175 00—200·00 | 160.00—180·00 | 190.00 | 200·00 | 230·00 | 171·00—176·00 | 160.00 | 164·00 |
| 2 Tamarind ... | ..... | ... | 60·00—100·00 | 90·00—95·00 | 40 00—60 00 | 75.00—90.00 | 70,00—80 00 | 60 00—80 00 | 100·00 | 90.00—92·00 | 120·00 | 80.00 |
| 3 Dry Chillies ... | ..... | ... | 200 00—280 00 | 260·00—275·00 | 175·00—220·00 | 225·00—250·00 | 220·00—230·00 | 280·00—300·00 | 300.00—360·00 | 160·00—280 00 | 280·00 | 225·00 |
| 4 Garlic ... | ..... | ... | 80·00—100 00 | 90·00 | 100 00 | 95,00 | 100·00 | 80·00—100·00 | 100·00 | | 90 00 | 85·00 |
| 5 Pepper ... | ..... | ... | 300·00—330·00 | ... | 450·00 | 330·00 | 310·00 | 340·00—350 00 | 400·00 | 350·00—400·00 | 300·00 | 400.00 |
| 6 Cardamom ... | ..... | ... | 1,450·00—2,000·00 | ... | 1,500·00—2,000·00 | 1600,00 | 1,600·00 | 1,400·00—1,500·00 | 2,000·00 | 1500·00 | 1,500 | 1800 00 |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalam ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 38·00 | 46·00—48·00 | 88·00—89·00 | 41.00 | ... | 40 00 | 89·00 | 98 50 | ... |
| | (b) Medium | | 35·00 | 44·00—45·00 | ... | 37.00 | ... | | 33·00 | 87·00 | ... |
| | (c) Coarse | | 33·00 | 40·00 - 41·00 | ... | ... | ... | 35·00 | ... | ... | 33·00—25·50 |
| 2 Rice | (a) Fine | | 65·00 | 78·00—85·00 | 84·00—85·00 | 72·00 | 67·00—72·00 | 78 00 | 70 00 | 66 00 | 72·00 |
| | (b) Medium | | 60·00 | 68·00—72·00 | 67·00—70·00 | 61·00 | 62·00—65·00 | 65·00 | 68·00 | 58·00 | 66 00 |
| | (c) Coarse | | 55·00 | 65·00—66·00 | 65·00 | ... | 58 00—58·00 | 57·00 | ... | 55 00 | 64·00 |
| 3 Wheat | White | | 55·00 | 49·00—66·00 | 68·00—70·00 | 54·00 | 40·00—42·00 | 60·00 | 54·00 | 46·00 | 45·00 |
| Wheat Floor | White | | 75·00 | 49·00—66·00 | 62·00—68 00 | 41·00 | 56·00 | ... | ... | 40.00 | 50·00 |
| 4 Jowar | White | | 48·00 | 38·00—60 00 | 42·00—44·00 | ... | 44·00—45·00 | 44·00 | 52·00 | ... | ... |
| Bajra | | | ... | 35·00—37·00 | 35·00—37·00 | ... | 36·00 | 40·00 | 40·00 | ... | ... |
| Barley | | | ... | | ... | ... | ... | ... | ... | ... | ... |
| Maize | | | ... | 26·00 | ... | ... | ... | ... | ... | ... | 34·00 |
| Ragi | | | 40·00 | 38·00 - 39 00 | ... | ... | ... | ... | ... | 45 00 | 44·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | | | 22 00 | ... | ... | ... | ... | ... | 28·50 | 15·00 | 26·00 |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | 20·00 |
| (iii) Papaya | | | ... | ... | ... | ... | ... | ... | ... | ... | 25·00 |
| (iv) Groundnut cake flour | | | ... | 88·00—89 00 | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | | | 65·00 | 55·00—61·00 | 55·00 | 54·00 | 49·00—51·00 | 52·00 | 58 00 | 60·00 | 75·00 |
| 2 Arhar (Tur) | | | 62·00 | 58 00—56 00 | 59·00—59·00 | 48·00 | 61·00—6 500 | 67·00 | 58·00 | 75·00 | 115 00 |
| 3 Mung | | | 75·00 | 65·00—75·00 | 58·00 | 58·00 | .. | 59·00 | 57·00 | 75 00 | 78·00 |
| 4 Urd | | | 70·00 | 65·00—70·00 | 44·00—45·00 | 62·00 | 55·00—59·00 | 61·00 | ... | 70 00 | 78·00 |
| 5 Masur | | | 60·00 | 75·00—76·00 | 39 00—40·00 | ... | 62·00 | | ... | ... | 86·00 |
| 6 Other pulses | | | ... | | 39 00—40·00 | .. | ... | | ... | ... | 92·00 |
| (i) Avare | | | ... | | 36·00 | .. | ... | | ... | 86·00 | 88·00 |
| (ii) Horsegram | | | 44·00 | 37·00—39 00 | ... | — | ... | | ... | ... | 78 00 |
| (iii) Cowpea | | | ... | ... | | | ... | | | | |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 115 00 | 85 00—86·00 | 85 00—100·00 | 104·00 | 8.·00 | | 76·00 | 100·00—125·00 | ... |
| | (b) Sort II | | 110·00 | 80·00—82.00 | 70·00—80·00 | 100·00 | 66·00 | | ... | 65·00—100·00 | 86·00 |
| 2 Sugar Refined | D. 24 | | ... | ... | 116·00—60·90 | - | | | 121·00 | 124·00 | 123·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 80 00 | 65·00—91·00 | 75·00 | — | 7a 10 | 70 00 | 75·00 | | 95·00 |
| | (b) Machine shelled. | | 115·00 | 94·00—96·00 | ... | — | — | ... | | 100·00 | 130·00 |
| Groundnut Oil | ... | | 200 00 | 180·00—184.00 | 185·00—185·00 | .. | 190 00 | 170·00 | 800·00 | 185·00 | 200·00 |
| Groundnut Oil-cake. | | | — | ... | 39·00 | — | 96 00 | 85·00 | ... | 42—00 | 46·00 |
| 2 Sesamum | (a) White | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Black | | 185·00 | ... | 100.00—110·00 | ... | ... | 115 00 | 187·00 | 110 00 | ... |
| Sesamum Oil | ... | | 875·00 | | — | ... | | ... | ... | 285 00 | ... |
| Sesamum Oil cake. | ... | | 60·00 | ... | ... | — | — | ... | ... | 64·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed | — | — | ... | ... | ... | | 58·00 | ... | ... | ... | ... | ... | ... |
| | Castor Oil ... | — | — | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| | Castor Oilcake | ... | — | ... | ... | ... | | ... | ... | ... | 62·00 | ... | ... | 260·00 |
| 4 | Rape and Mustard. | (a) Black ... | | 120·00 | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Yellow ... | — | 115·00 | ... | 99.00—100 00 | | ... | ... | ... | ... | ... | ... | 123·00 |
| | Mustard Oil ... | — | — | ... | ... | ... | | ... | ... | ... | ... | 100·00—150.00 | ... | ... |
| | Mustard Oilcake. | — | — | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| 6 | Linseed ... | (a) Brown bold | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Brown small | — | ... | ... | 68·00 | 61·00 | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil ... | | — | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oilcake | ... | — | ... | ... | ... | | ... | 69 00 | 57 00 | ... | ... | ... | ... |
| 8 | Toria ... | — | — | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| 7 | Cocoanut ... | (a) Nuts — | (Per | 800 00 | 250 00—300.00 | 275 00—290·00 | 250·00 | 260·00 | 275 00 | 250·00 | 250·00—350·00 | ... | ... | 330·00 |
| | | (b) Copra — | thousand) | 296·00 | 280·00—290·00 | 260·00—265,00 | | 210 00 | 310·00 | 241 00 | 195·00 | | | 440.00 |
| | Cocoanut Oil ... | ... | per Quintal | 825·00 | 310·00—312·00 | 825 00 | 850·00 | 825·00 | 310·00 | 315·00 | 318·00 | | | 825·00 |
| | Cocoanut Oilcake | — | | ... | ... | ... | ... | ... | ... | ... | 66·00 | | | 76·00 |
| 8 | Other Oil seeds | (i) Nigerseed... | — | 80 00 | ... | ... | ... | ... | ... | ... | ... | | | |
| | | (ii) Nigar Oil ... | — | ... | ... | ... | 61·00 | 66·00 | ... | ... | ... | | | ... |
| 9 | Vegetable Oil | (i) Vanaspathi | — | 805·00 | 800.00 | ... | ... | ... | 330.00 | ... | ... | | | ... |
| | | (ii) Refined oil | | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| | | iii) Safflower Oil | — | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| 10 | Other Oils ... | | | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | | | |
| 1 | Mangoes | ... | per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains — | ... | Do — | 7·50 | 6·00—8·00 | 6·50 | ... | ... | 6·00 | 7 00 | 6 50 | 6·00—7·50 | | |
| 3 | Oranges | ... | Do ... | ... | ... | ... | ... | ... | ... | ... | 10·00 | 12 00—18·00 | | |
| 4 | Dates — | | — | 82 00 | ... | ... | ... | ... | 12.00 | ... | 100 00 | ... | | |
| 5 | Cashew kernels, etc. | ... | — | 6·85 | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (ii) Vegetables— | | | | | | | | | | | | | |
| 1 | Potatoes — | | per quintal | 56 00 | 50·00—'8·00 | | | | | | | | | |
| 2 | Onions — | | — | 25 00 | 18·00—80·00 | | ... | | | | 50 00 | 78 00 | | |
| 3 | Beans ... | | — | ... | ... | ... | ... | | | | 24·00 | 38·00 | | |
| 4 | Tomatoes ... | | — | ... | ... | ... | ... | | | | ... | ... | | |
| | (iii) Nuts— | | | | | | | | | | | | | |
| 1 | Cashewnuts ... | | ... | ... | 470.00—550,00 | | | | | | | | | |
| 2 | Arecanuts ... | | ... | 490 00 | ... | 4·40—4·45 | 505·00 | 700·00 | 480 00 | ... | ... | 210 0—560·000 | | |
| VI | Fibres.— | | | | | | | | | | 540 00—640 00 | 600·00 | | |
| 1 | Cotton ... | (a) Kapas — | — | ... | ... | 105·00—110.00 | | | | | | | | |
| | | (b) Lint ... | — | ... | ... | 280·00—245·00 | | | | | | | | |
| | | (c) Seed — | — | 45·00 | ... | 86·00—88·00 | | | | 210·00 | | | | |
| | | | | | | | | | | 82.00 | | | | |
| 2 | Jute —Loose | (a) White | | | | | | | | | | | | |
| | | (i) Top — | — | ... | ... | ... | | | | | | | | |
| | | (ii) Middle ... | — | ... | ... | ... | | | | | | | | |
| | | (iii) Bottom ... | — | ... | ... | ... | | | | | | | | |
| | | (b) Tossa— | | | | | | | | | | | | |
| | | (i) Top — | — | ... | ... | ... | | | | | | | | |
| | Pucca baled Jute | (ii) Middle ... | — | ... | ... | ... | | | | | | | | |
| | | (iii) Bottom ... | — | ... | ... | ... | | | | | | | | |
| | | (i) Lightings... | Per bale | ... | ... | ... | | | | | | | | |
| | | (ii) First Mills | — | ... | ... | ... | | | | | | | | |
| | | (iii) First Exports | — | ... | ... | ... | | | | | | | | |
| | | | — | ... | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meats | (i) Top | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf | | 460·00 | | | | 800.00 | | | | 525·00—725·00 | | 600 |
| | (ii) Pulab | | | | | | | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf | | 600·00 | | | | | | | | 600·00—900·00 | | |
| | (ii) Pulab | | | | | | | | | | 600.00—700.00 | | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 400 00 | 300·00—400·00 | 500.00—750·00 | | 600·.0 | 850.00 | 850·00 | | | | |
| | (b) Class II | Do | 300·00 | 200·00—250·00 | 200.00—400.00 | | 195·00 | 175.00 | 290·00 | | | | |
| (ii) Buffalo bulls | (a) Class I | Do | 300·00 | 200·00—250 00 | 300·00 | | 400·00 | 150,00 | 450 00 | | | | |
| | (b) Class II | Do | | 150·00—200·00 | 100 00—150·00 | | 300·00 | 100,00 | 851·00 | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows | (a) Class | Do | 195.00 | 150·00—200.00 | 150.00—250.00 | | 200 00 | 125 00 | 185 00 | | 250·00 | | |
| | (b) Class | Do | 150·00 | 150·00—175·00 | 200.00—250·00 | | 45·00 | 75 00 | 138 00 | | 205·00 | | |
| (ii) Buffaloes | (a) Class I | Do | 870·00 | 200.00—275 00 | 200.00—285.00 | | | 800·00 | 452·00 | | 300·00 | | |
| | (b) Class II | Do | 270·00 | 125·00—175·00 | 100·0:—175 00 | | | 100 00 | 275·00 | | 250·00 | | |
| 3 Sheep | | Do | 40·00 | 34·00—45.00 | 40·00—42·00 | | 35·00 | 45'00 | 50.00 | | 38 00—75 00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | Per kg. | | | | | | | | | | | |
| | (b) | Do | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | Do | 1.75 | 1 25 | 1·15 | | | | | | | | |
| | (b) | Do | 1·00 | 1·25 | ·75 | | | | | | | | |
| Tanned | (a) | Do | 5 50 | 5·00 | 4·50 | 5·00 | | 5'00 | | | | | |
| | (b) | Do | 4·00 | 4·10 | | | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | 2·00 | 1 25 | 1·15 | | | | | | | | |
| | (b) | Do | 1·50 | 1·20 | 0·80 | | | | | | | | |
| Tanned | (a) | Do | 8.00 | 5—15 | 4·00 | 5·00 | | 5'.0 | | | 5' 75 | | |
| | (b) | Do | 7 00 | | | | | | | | | | |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— Raw | (a) | Do | 1·25 | 6·50—7·50 | 3·0'—4·00 | | | 4 00 | | | | | 3·50 |
| | (b) | Do | 0·75 | | | | | 2·50 | | | | | |
| Tanned | (a) | Do | 6.00 | 7·00—8·56 | | 8·00 | | 10 0 | | | | | |
| | (b) | Do | 5·00 | | | | | | | | | | |
| (ii) Sheepskins— Raw. | (a) White | Do | 1 00 | 6 00—7·50 | 4·00—4·50 | | | 8·00 | | | | | 3·50 |
| | (b) Black | Do | 0·75 | | | | | 2·00 | | | | | |
| Tanned | (a) | Do | 5·00 | | | | | 10'00 | | | | | |
| | (b) | Do | 4·00 | | | | | | | | | | |
| 4 Ghee | (a) Agmark | Do | 8.00 | | | | | 7 00 | | | | | |
| | (b) Ungraded | Do | 5·50 | 6 25 | 4—4 50 | 5·25 | | | | | | | |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | | | | | | | | | | | |
| | (b) Paddy | Per cart-load | | | | | | | | | 19.85 | | 10 50 |
| 2 Straw | (a) Ragi | Do | | | | | | | | | | | |
| | (b) | | | | | | | | | | | | |
| 3 Stalks | (a) Jola | Per quintal | | | 19·80—80'00 | | | | | | | | |
| | (b) | | | | | | | | | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P | Rs P | Rs. P. | Rs. P. |
| XI | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | | ... | 170 00 | 170·00—190 00 | 150·00—165·00 | ... | 150·00 | 185 00 | 160·00 | 193.00 | 175·00 |
| 2 | Tamarind ... | | ... | 80·00 | 60.00—70·00 | 30 00—61·00 | ... | 75 00 | 70.00 | 79 00 | 75·00—100·00 | 96·00 |
| 3 | Dry Chillies ... | | ... | 240·00 | 180·00—240 00 | 230·00—240·00 | ... | 225·00 | 279 00 | 200 00 | 230·00—340.00 | 285·00 |
| 4 | Garlic ... | | ... | 100·00 | 42·00—73·00 | 69·00—70·00 | ... | .. | 60.00 | 70 00 | 85·00 | 148·00 |
| 5 | Pepper ... | | ... | 830·00 | 800.00—860·00 | — | ... | 400·00 | 875 00 | ... | 260—270 | 275·00 |
| 6 | Cardamom ... | | ... | 1,010 00 | 1200·00—1800·00 | - | . | 2,300·00 | 1,700,00 | | 1,100—1,250 | 1,080·00—1,300·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F | ... | ... | ... | ... | ... | ... | - | .. | — |
| 2 | Stick lac ... | .. | — | ... | .. | ... | .. | | | | ... | ... |
| 3 | Seedlac ... | ... | .. | ... | ... | ... | ... | | | ... | . | |
| 4 | Shellac ... | ... | ... | ... | | ... | - | ... | ... | | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | | ... | .. | ... | ... | .. | ... |
| 6 | Myrobalan ... | ... | | ... | ... | — | ... | | | ... | — | ... |
| 7 | Jute manufactures | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | .. | ... | | .. | .. | ... |
| | | (b) Sacking B Twills. | Per 100 bags. | | | | ... | ... | ... | ... | ... | — |
| 8 | ..... ..... ... | ... | ... | ... | ... | ... | ... | .. | ... | | ... | ... |
| 9 | ..... ... | ... | ... | ... | .. | ... | . | - | | | .. | |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 31st January 1964.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres: Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals— | | | | | | | | | | | 2·6 | 2·6 |
| 1 Paddy ... | Coarse ... | Per Rupee | 2·8 | 4 | ... | ... | 2·5 | 2·5 | ... | ... | 1·7 | 1·5 |
| 2 Rice ... | Do ... | ... | 1·4 | 1.6 | 1·5 | 1·7 | 1·4 | 1·7 | 1.8 | 1·4 | 2·2 | 1 4 |
| 3 Wheat ... | White ... | ... | 2 | 2·1 | 2·8 | 2·2 | 2·5 | 2,2 | 2 | ,2 | 1.5 | 1·6 |
| 4 Wheat Flour... | Do ... | ... | 1·9 | 1·8 | 1·6 | ... | ... | 2 | 1·4 | 8 | 2·6 | 2 |
| 5 Jowar ... | Do ... | ... | ... | 2 2 | 2·5 | ... | 2·5 | 2·2 | 1·8 | 2·8 | ... | 2·4 |
| 6 Bajra ... | ... | ... | 2·6 | ... | 2·8 | ... | 2·5 | 2·2 | 2·2 | ... | ... | ·8 |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | ,7 | ·4 | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·6 | 2·4 | 2·5 |
| 9 Ragi ... | ... | ... | 2·5 | 2·5 | 2·6 | 2·2 | 2·5 | 2·2 | ... | ... | ... | ... |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 2·8 | 3·75 | 3.3 | 4 | 3·3 | 2 6 | 3·3 | 2·8 | 3·8 | 2' |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·8 | ... |
| (iii) Papaya ... | ... | ... | 2·1 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 2 | 1.75 | 1·4 | 1·4 | 1·6 | 1·6 | 1.4 | 1·4 | 1·8 | ... |
| | (b) Split (without skin). | ... | ... | 1·2 | ... | 1,2 | ... | 1·3 | 1·3 | 1·2 | 1·6 | 1·3 |
| | (c) Flour ... | ... | ... | 1 | ... | ... | ... | 1·4 | 1·2 | 1·5 | ... | 1·2 |
| 2 Arhar (Tur, ... | (a) Whole ... | ... | 1·7 | ... | 1·6 | ... | ... | 1·4 | ... | 2·2 | ... | ... |
| | (b) Split (without skin). | ... | ... | ·9 | ... | ·8 | ... | 1·1 | 1·4 | 1 | ·9 | 1.1 |
| 3 Moong ... | (a) Whole ... | ... | 1·8 | 1.2 | 1.5 | 1·2 | ... | 1·8 | ... | ... | 1·4 | 1·2 |
| | (b) Split (without skin). | ... | ... | ,1 | ... | ·9 | ... | ·1 | 1,2 | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | 1·2 | 1·25 | 1 | 1·1 | ... | 1·1 | ... | | 1·2 | ... |
| | (b) Split (without skin). | ... | ·9 | ·8 | ... | ·9 | ... | 1 | ·1 | | ·8 | ·8 |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Other pulses — | | | | | | | | 1·2 | 1·2—1·4 | ... | ... | ... |
| (i) Avare ... | (a) Whole ... | ... | 1·6 | 1.25 | 2 | ... | ... | 1·8 | 1·1—1.8 | ... | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | 1 | ... | 1,2 | 1·4 | | | | | |
| (ii) Horsegram | ... | ... | 2·8 | 2·2 | 2·8 | ... | 2,8 | 2·8 | 2,2 | 2·5 | 2·9 | 2·4 |
| (iii) Cowpea ... | ... | ... | 1·2 | 1·75 | 2 | ... | 1·6 | 1·8 | 1,8 | ... | 1,2 | 1·7 |
| III. Sugar and Gur— | | | | | | | | | | | 1 | 1,1 |
| 1 Gur ... | (a) Sort I ... | ... | 1 | ·950 | ·800 | 1 | ·800 | ·885 | ·69 | ·850 | 1·8 | 1·4 |
| 2 Sugar refined | (b) Sort II ... | ... | 1' | 1,1 | 1·1 | ... | 1 | 1,1 | ·9 | 1·2 | ·760 | ·625 |
| | D. 24 ... | ... | ... | ·750 | ... | ... | ·806 | ·925 | ·819 | 1 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | ... | ·556 | ·475 | ·500 | ·409 | ·500 | ·450 | ·477 | ·650 | ·500 | ·525 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ·400 | ... | ... | ·275 |
| 3 Castor oil ... | ... | ... | ·560 | ·400 | ·511 | ·561 | ·571 | ·555 | ... | ·600 | ·400 | ·500 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Coconut oil ... | ... | ... | ·278 | ·800 | ·285 | ·266 | 285 | ·250 | ·286 | ·850 | ... | ·275 |
| Vanaspati ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ·225 | ·250 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 65—75 | 25—75 | 75—87 | 1·50 | 75—1 00 | 88—75 | 1·00 | 80 | 1·00 | ·56 |
| 3 Oranges ... | ... | Do | 1·25—2·50 | 2—3 | 1·50—2 | 2 50 | 1·50 | 75—3·25 | 1·50—3 00 | 2·00 | 2 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | ·500 | ·800 | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernels | ... | ... | ... | ... | ... | ·100 | ... | ... | ... | ... | ... | ... |
| 6 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | ... | | 1·5 | 1·2 | 1,3 | | 2 | | 1·8 | 1·6 |
| 2 Onions ... | ... | ... | ... | | 2·8 | 2·8 | 3,2 | | 2·8 | | 2·8 | 2.2 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ·256 | ... | ... | ... | ·166 | | ... | ·160 |
| 2 Arecanuts ... | ... | ... | ... | 120 | ·120 | ... | ... | ·100—·117 | ·125 | | ... | ·85 |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | | ... | ... | ... | 5·00 | | ... | 3·00 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 75—85 | 1·50 | 1,00 | 62—75 | 47—62 | 50—65 | 75·80 | 65 | 80 | ·85 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·125 | ... | ... | ... | ... | ,125 | ... | ... | ... |
| | (b) Ungraded ... | ... | ... | ·150 | ... | ... | ... | ... | ,148 | ... | ·146 | ·161 |
| 3 Eggs | (i) A Grade | Per Dozen | 3·60 | 3·00 | 3·50 | 2·50 | 2·25 | 2·25 | 2·50 | 3·00 | 2·00 | 2.40 |
| | (ii) B Grade | Do | 2·50 | 2·50 | 3.00 | 1 50 | 2·00 | 1·75 | 2·25 | 2·75 | 1·75 | 2·16 |
| | (iii) C Grade | Do | 1 61 | 2·00 | 2 75 | 0·75 | 1.80 | 1 50 | 2·18 | 2 66 | 1·62 | 3·00 |
| 4 Mutton ... | ... | ... | ·285 | ·330 | ·250 | ·338 | ·300 | ·250 | ·2:0 | ·330 | ·280 | ·330 |
| 5 Beef ... | ... | ... | 400 | ... | ... | | ... | ... | | | | ·550 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·6 | ·8 | ... | ·5 | ·5 | ·6 | .4 | ·5 | ·5 | .5 |
| 2 Tamarind ... | ... | ... | 1 | ·9 | ·1 | 1·8 | ·1 | 1·4 | 1 | ·1 | ·9 | ·1 |
| 3 Dry chillies ... | ... | ... | ·285 | ·250 | ·285 | ·300 | ·416 | ·388 | ,286 | ... | ,400 | ·450 |
| 4 Garlic ... | ... | ... | 1 | 1 | ... | 1 | ·1 | 1.1 | ·9 | 8 | ·1 | 1 |
| 5 Pepper ... | ... | ... | ·287 | ... | ·250 | ·200 | ·307 | ·274 | ·250 | ·300 | ·369 | ·250 |
| 6 Cardamom ... | ... | ... | 0·51 | ... | 0·66 | 0·62 | 0·68 | 0·50 | ... | ... | 0·56 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 10 | 8 | 7 | 10 | 10 | 10 | 8 | 10 | 10 | 10 |
| 2 Kerosene oil ... | ... | Per Litre | 40 | 60 | ... | 87 | 50 | 50 | ... | 54 | 60 | 07 |
| 3 Firewood/ Charcoal, | ... | Quintal | ... | 6—8 | ... | 6—7,50 | ... | 8·16 | 5·50 | ... | 6.00 | 5·00 |
| 4 Coarse cloth ... | ... | Per metre | 1·65 | 80 | ... | ... | 1·25 | 1·15—1·80 | 150—170 | ... | 1·50 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals.— | | | | | | | | | | | |
| 1 Paddy | Coarse | | ... | 2·5 | ... | ... | ... | ... | 2·7 | 2·5 | 2·5 |
| 2 Rice | Do | | 1·4 | 1·5 | 1·2 | 1·4 | 1·6 | 1.6 | 1·7 | 1·6 | 1·5 |
| 3 Wheat | White | | 1·5 | 1.75 | 1·8 | 1·5 | 2,2 | 1.4 | 1·5 | 2 | 2 |
| 4 Wheat Flour | Do | | 1·2 | 2 | ... | ... | ... | ... | 2 | 1·6 | 1.75 |
| 5 Jowar | Do | | 2 | 1,8 | 2,1 | 2 | 2 | 2·8 | 1·9 | ... | 2·5 |
| 6 Bajra | ... | | ... | 2,5 | 2·8 | ... | 2·5 | 2·5 | 2·5 | ... | ... |
| 7 Barley | ... | | ... | ... | ... | ... | ... | ... | ... | 9 | ... |
| 8 Maize | ... | | ... | ... | 2,8 | ... | ... | ... | ... | ... | 2·5 |
| 9 Ragi | ... | | 2 | 2·5 | ... | ... | ... | ... | ... | 2 | |
| 10 Other cereals | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| (i) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | | | | ... | ... | ... | | | 5 | 3 |
| (ii) Tapioca | ... | | | | ... | ... | ... | ... | | ... | 4 |
| (iii) Papaya | ... | | | | ... | ... | ... | ... | | ... | ... |
| (iv) Groundnut cake flour | ... | | | | ... | ... | ... | ... | | ... | ... |
| II. Pulses — | | | | | | | | | | | |
| 1 Gram | (a) Whole | | | | 1·6 | 1·5 | 1·8 | ... | 1·8 | 1·8 | 1·25 |
| | (b) Split (without skin). | | | ... | 1·8 | 1·4 | 1·4 | 1,8 | ... | 1·8 | 1 |
| | (c) Flour | | | ... | ... | ... | ... | ... | 1 | 1·2 | ... |
| 2 Arhar (Tur) | (a) Whole | | | ... | 1·4 | ... | ... | ... | 2 | 1.2 | ... |
| | (b) Split (without skin). | | | ... | 1 | 1·1 | 1·6 | 1 | 1 | ·1 | ·9 |
| 3 Moong | (a) Whole | | 1 | | 1·6 | 1·1 | 1·1 | ... | | 1·2 | 1·0 |
| | (b) Split (without skin). | | | ... | 1·1 | 1 | ... | 1·2 | | 1 | ... |
| 4 Urd | (a) Whole | | | ... | 1·2 | ... | 1·5 | ... | | 1·8 | 1.2 |
| | (b) Split (without skin). | | | ... | ·9 | 1 | ·8 | 1 | | ·9 | 1 |
| 5 Masur | (a) Whole | | | ... | ... | ... | 1,5 | ... | 2 | ... | ... |
| | (b) Split (without skin). | | | ... | 2·2 | 1·2 | 1·2 | 1.1 | 1·1 | ... | ·1 |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare | (a) Whole | | | ... | 2,2 | ... | | ... | ... | ... | ·1 |
| | (b) Split (without skin). | | | ... | ... | ... | | ... | ... | ... | ... |
| (ii) Horsegram | ... | | 2 | 2·2—2.5 | 2·8 | ... | | ... | ... | 2·5 | 2·5 |
| (iii) Cowpea | ... | | ... | ... | ... | ... | | ... | ... | ... | 1·5 |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | ·800 | ·575 | 1 | ·9 | 1,1 | | 1 | 800 | ... |
| | (b) Sort II | | ·870 | 1 | 1·2 | 1 | 1·8 | | .. | 1 | 1·1 |
| 2 Sugar refined | D. 24 | | | ... | ·845 | ... | ... | | ·925 | ·785 | ·800 |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | ... | | ·286 | ·600 | ·525 | ·500 | ·500 | | | ·400 | ·400 |
| 2 Sesamum oil | ... | | ·200 | ... | ... | ... | ... | ... | | ·892 | ... |
| 3 Castor oil | ... | | ... | ... | ... | ... | ·571 | ... | ... | ... | ·333 |
| 4 Mustard oil | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil | ... | | ·276 | ... | ·325 | ·266 | ·335 | ·870 | ·880 | ·616 | ·285 |
| 7 Vanaspati | ... | | ·200 | ... | ... | ... | ... | ·250 | ... | ·206 | ·888 |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | 25—70 |
| 1 | Mangoes ... | ... | Per Dozen | 60 | | 50—62 | ... | ... | ... | ... | 37—44 | 90—1.75 |
| 2 | Plantains ... | ... | Do | 1·75 | ... | ... | ... | ... | ... | ... | 1·50 | ... |
| 3 | Oranges ... | ... | Do | 1 | ... | ... | ... | ·444 | ... | ... | 1 | ... |
| 4 | Dates ... | ... | ... | ·166 | ... | ... | ... | ... | ... | ... | ,166 | ... |
| 5 | Cashew kernels | ... | ... | ... | .. | ... | ... | ... | ... | ... | ... | ... |
| 6 | ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | ... | ... | 1·5 | 1·5 | 1·6 | 1·4 | 1·6 | 1·6 | ·2 | 1·8 | 1·8 |
| 2 | Onions ... | ... | ... | 8.8 | 2 5 | 8 | 2·6 | 2·7 | 3 | 4 | 3·3 | 2 2 |
| 3 | ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | ·175 |
| 1 | Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Arecanuts ... | ... | ... | ,166 | ... | ·160 | ... | ... | ... | ... | ... | ... |
| VI. | Tobacco ... | Leaf | Per kg. | 4 62 | ... | 2·62 | ... | 4·00 | ... | ... | 5—6 50 | 6 25 |
| VII. | Live-stock products— | | | | | | | | | | | |
| 1 | Milk ... | ... | ... | 1·20 | ... | 85 | ·50 | ·85 | | 88 | 90 | 98 |
| 2 | Ghee ... | (a) Agmark ... | ... | ... | ... | ... | ... | ... | ... | ·126 | ... | ... |
| | | (b) Ungraded ... | ... | 1·80 | ... | ... | ... | ·166 | ... | ... | ... | ... |
| 3 | Eggs ... | (i) A Grade | Per Dozen | 2 25 | | 2·62 | 2·25 | 1·80 | | 2·00 | 1 96 | 2·75 |
| | | (ii) B Grade | Do | 1.75 | | 1·60 | 1 75 | 1·80 | | 1·50 | 1 50 | 2 50 |
| | | (iii) C Grade | Do | 1·12 | | 1·00 | 1·60 | 1·60 | | 1.75 | 1 40 | 1·25 |
| 4 | Mutton ... | ... | ... | ·807 | | ·480 | ·807 | | | 8·0 | ·340 | ·300 |
| 5 | Beef ... | ... | ... | | | 1·80 | ... | | | 6.0 | ... | ... |
| | | | | | | | | | | ... | | |
| VIII. | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | ·5 | | ·5 | ... | 6 | ·5 | ·4 | ·4 | ·4 |
| 2 | Tamarind ... | ... | ... | ·1 | | ·1 | ... | ·1 | 1 | ·1 | ·8 | ·1 |
| 3 | Dry chillies ... | ... | ... | ·250 | | ·880 | ·275 | ·440 | ·400 | ·800 | ·888 | ·888 |
| 4 | Garlic ... | ... | ... | 1 | | 8 | ... | ·1 | ·8 | ... | 1 | ·6 |
| 5 | Pepper ... | ... | ... | ... | ... | | ... | 285 | ·870 | ... | ·85 | ·857 |
| 6 | Cardamom ... | ... | ... | 0·60 | ... | ... | ... | 0·45 | ... | ... | 0·55 | 0·16 |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | 8 | ... | 8 | | 8 | 10 | 10 | 10 | 8 |
| 2 | Kerosene oil ... | ... | Per Litre | 56 | ... | ... | | 45 | 46 | 87 | 48 | 56 |
| 3 | Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | 8·00 | 5·00 | 7·50 | 7·50 | 6·50 |
| 4 | Coarse cloth ... | ... | Per Metre | 1·12 | ... | ... | ... | 1.00 | 1·50 | 98 | 87 | 62 |

.....

For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, THE 30TH OCTOBER 1965.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 31 attacks with 16 deaths from Small-pox was reported from the entire State *viz.*, from the taluks of Magadi, Bangaloro South, South Kanara and Shiruguppa, *As against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 57 attacks with 21 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Hiriyur, Madhugiri, Chitradurga, Molakalmuru, and from Molakalmuru Town, during the week, *as against* 11 attacks with 1 death reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* one attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza in epidemic form *as against* attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 263 (108 in hospitals) for the week *as against* 127 (35 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.2 (3.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.0 (5.1 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 9 were due to Small-pox, 2 due to other fevers, 32 due to Dysentery and Diarrhœa, 8 due to Consumption and 211 due to all other causes, *as against* 3 were due to other fevers, 14 due to Dysentery and Diarrhœa, 6 due to Consumption and 104 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 65 (26 in hospitals) for the week *as against* 85 (57 in hospitals) during the corresponding week of the previous year giving a calculated death rate of 13.9 (3.2 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 17.1 (5.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to Typhoid, 9 were due other fevers, 10 due to Dysentery and diarrhœa, 2 due to Consumption and 40 due to all other causes, *as against* 12 were due to other fevers 2 due to Dysentery and Diarrhoea, 3 due to Consumption and 68 due to all other causes, reported during the corresponding week of the previous year.

The report of K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 65 (39 in hospitals) for the week *as against* 23 (one in hospital) during the corresponding week of the previous year, giving a calculated death rate of 24.4 (9.8 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 8.8 (8.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to Typhoid, 2 due to Dysentery and Diarrhœa, 2 due to Consumption and 59 due to all other causes, *as against* 1 was due to other fevers, 22 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 27 (15 in hospitals) for the week *as against* 7 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.1 (4.0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 2.4 (2.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers and 4 due to Consumption and 21 due to all other causes, *as against* one was due to consumption and 6 due to all other causes reported during the corresponding week of the previous year.

173 J. SHIVALINGAIAH, For *Director*.

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 5th November 1965

Statement showing the Wholesale Prices of various commodities for the Week ending 5th November 1965 at Mangalore

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | . | Maskath | 100 kg. | 78 | 00 |
| II Sort | ... | Guddu | " | 72 | 00 |
| III Sort | | Suggi | " | 70 | 00 |
| Rice - I Sort | ... | Maskathi | " | 188 | 00 |
| II Sort | ... | Guddu | " | 129 | 00 |
| III Sort | | Suggi | " | 128 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 90 | 00 |
| " | ... | II Sort | " | 45 | 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 410 to 620 | 00 |
| " | ... | Husked | " | 400 to 610 | 00 |
| Copra | ... | ... | 100 kg. | 285 to 810 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 65 | 00 |
| | | II Class | " | 62 | 00 |
| Cashew Kernels | ... | | | | |
| Cashew Nuts | ... | | 100 kg. | No Stocks | |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 800 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | | 50 kg. | No Stocks | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 880 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 80 to 44 | 00 |
| " | ... | Husked Old | 50 kg. | 8.0 to 810 | 00 |
| " | ... | " New | " | ... | |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 76 to 82 | 00 |
| " | ... | Kasaragod | " | ... | |
| **RETAIL PRICES.** | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 6 | 00 |
| | | Snuff | " | 6 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| **CATTLE FOOD.** | | | | | |
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 28 to 29 | 00 |
| Cotton Seeds | ... | ... | " 64·00 kg. | 28 | 00 |
| Horsegram | ... | ... | " 93·07 kg. | 61 to 61 | 00 |

.....

*Dy. Commr.*

Dated 12th November 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 12th November 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | 78 | 00 |
| II Sort | ... | Guddu | " | 72 | 00 |
| III Sort | ... | Suggi | " | 70 | 00 |
| Rice—I Sort | ... | Maskathi | 100 kg. | 181 | 00 |
| II Sort | ... | Guddu | " | 129 | 00 |
| III Sort | ... | Suggi | " | 128 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jeggery | ... | I Sort | 100 kg. | 80 | 00 |
| " | ... | II Sort | " | 60 | 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 450 to 690 | 00 |
| " | ... | Husked | " | 440 to 650 | 00 |
| Copra | ... | ... | 100 kg. | 800 to 810 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 60 | 00 |
| " | ... | II Class | " | 59 | 00 |
| Cashew Kernels | ... | ... | | | |
| Cashew Nuts | ... | ... | 100 kg. | No Stock | |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 800 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | No Stock | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 880 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 90 to 98 | 00 |
| " | ... | Husked Old | 50 kg. | 810 to 890 | 00 |
| " | ... | " New | " | ... | |
| Chillies | ... | Kumpta | | | |
| " | ... | Local | 10 kg. | 28 to 33 | 00 |
| " | ... | Kasaragod | " | ... | |
| **RETAIL PRICES** | | | | | |
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 6 | 00 |
| | | Snuff | " | 6 to 7 | 00 |
| | | Beedi | " | 7 | 00 |
| **CATTLE FOOD,** | | | | | |
| Groundnut Oil Cake | | | Bag of 69.92 kg. | 28 to 29 | 00 |
| Cotton Seeds | ... | | " 64 kg. | 28 | 50 |
| Horsegram | ... | | " 93·07 kg | 61 to 64 | 00 |

.....

*Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, DECEMBER 2, 1965 (MARGASIRA 11, SAKA ERA 1887) | No. 47

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 3rd November 1965.

| No. of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 30—9—1965)

**1. Bangalore District.**

| | | | | | | |
|---|---|---|---|---|---|---|
| 15.4 | 15.3 | 144 1 | Crops were withering in most of the taluks for wan of rains. | Good ... | Available execept in Kanakapura, Channapatna, Ramanagaram, Hosakote and Devanahalli Taluks. | Sufficient except in Devanahalli taluks. (1) |

**2. Kolar District.**

| | | | | | |
|---|---|---|---|---|---|
| 14.7 | 121.4 | Crops were withering throughout the District for want of immediate rains. | Good except for the prevalence of "Black Quarter" at one village of Chintamani taluk. | Available except in some parts of Chikkaballapur and Gudibanda Tqs. | Sufficient |

**3. Tumkur District.**

| | | | | | |
|---|---|---|---|---|---|
| 23.6 | 131.7 | Dry crops were withering in most of the taluks forwant of immediate rains. | Good ... | Available except in Tiptur. Tumkur, and Koratagere Tqs. | Adequate except in Tumkur, Koratagere and Turuvekere Tqs. (3) |

**4. Mysore District.**

| | | | | | |
|---|---|---|---|---|---|
| 33 8 | 148.9 | Dry Crops were withering in most of the taluks for want of immediate rains. | Good ... | Available except in some parts of Hunsur and Kollegal Tqs. | Inadequate |

**5. Mandya District.**

| | | | | | |
|---|---|---|---|---|---|
| 19 1 | 148 7 | Crops were withering in most of the taluks for want of immediate rains. | Good ... | Available except in Maddur, Mandya and K. R. Pet Tqs | Sufficient except in K. R. Pet and Maddur taluks. (5) |

**6. Hassan District.**

| | | | | | |
|---|---|---|---|---|---|
| 27.9 | 160.2 | Crops were withering throughout the District for want of immediate rains. | Good ... | Available except in Holenarasipur. Arsikere, Hassan and Arkalgud Taluks. | Inadequate |

**7. Chikkamagalur District.**

| | | | | | |
|---|---|---|---|---|---|
| 15.3 | 164.4 | Dry Crops were withering in most of the taluks for want of immediate rains. | Good ... | Available except in Chikkmangalur and Kadur Tqs. | Adequate except in some parts of Chikkamaga- (6) |

| No. of rainy days in the week | Rainfall in Millimeters | | | | Conditions of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 30—9—1965). | | | | |
| | | | | | 8. Shimoga District. | | | | |
| | | | 33 3 | 134.5 | Crops were withering in most of the taluks for want of immediate rains. | Good | ... | Available except in Hosanagar and Channagiri tqs. | Inadequate |
| | | | | | 9. Chitradurga District. | | | | |
| nil | nil | 11.0 | 1.9 | 108.5 | Dry Crops were withering... in most of the taluks for want of immediate rains. | Good except for the prevalance of "Black Quarter" at 3 villages of Hiriyur taluk. | | Available except in Molakalmur, Hosadurga and Hiriyur taluks. | Sufficient except in Molakalmur, Hosadurga, Hiriyur and Davangere taluks. |
| | | | | | 10. Bellary District. | | | | |
| | | | nil | N.A. | Crops were Withering in Kudligi, Sirugappa and Hospet taluks. | Good | | ... | Adequate except in Kudligi taluk. (7) |
| | | | | | 11. Bijapur District. | | | | |
| Nil | Nil | N.A. | Nil | N.A. | Crops were withering in most of the taluks for want of immediate rains | Good except for the prevalence of cattle disease at 1 village of Indi taluk. | | Available | |
| | | | | | 12. Belgaum District | | | | |
| Nil | Nil | N.A. | 9·9 | N.A. | Kharif Crops were Withering in most of the taluks for want of immediate rain | Good | | | |
| | | | | | 13 Dharwar District. | | | | |
| Nil | Nil | N.A. | 12.7 | N-A. | Kharif crops were withering in most of the taluks for want of rains. | Good | | | |
| | | | | | 14. North Kanara District | | | | |
| | Nil | N.A. | 23.0 | N A. | Fair except in Supa and Yellapur taluks where Paddy crop was withering for want of immediate rains. | Good | | ... | Sufficient |
| | | | | | 15. Gulbarga District | | | | |
| | | | 5.8 | N.A. | Fair except in Shorapur, Shahpur, and Chincholi taluks where crops were withering for want of immediate rains, | Good | ... | Available | ... Sufficient except (12) in Gulbarga taluk. |
| | | | | | 16. Raichur District. | | | | |
| Nil | Nil | N.A. | Nil | N.A. | Kharif crops were withering in most of the taluks for want of rains, | Good | | | ... Adequate except (13) in Gangawathi and Deodurg taluk. |
| | | | | | 17 Bidar District | | | | |
| | | | | N.A. | Fair | ... Good | ... | | Sufficient (14) |
| | | | | | 18. South Kanara District. | | | | |
| | | | | | ... Good | | | | ... Sufficient except (15) in Bantwal taluk |
| | | | | | 19. Coorg District. | | | | |
| | | | | | ... Good | | | | ... Sufficient except (16) in Somwarpet taluk. |

REMARKS :— (1) Refers to 7 Taluks, (2) Refers to 9 Taluks, (3) Refers to 9 Taluks (4) Refers to 10 Taluks (5) Refers to 6 Taluks. (6) Refers to 6 Taluks, (7) Refers to 8 Taluks (8) Refers to 7 Taluks 9) Refers to 6 Taluks, 10) Refers to 14 Taluks (11) Refers to 9 Taluks (12) Refers to 8 Taluks. (13) Refers to 7 Taluks (14) Refers to 1 Taluks. (15) Refers to 6 Taluks (16) Refers to 2 Taluks.

SYED MAHMOOD, For Director.

General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 3rd November 1965

(a) Denotes:—Rainfall.
(b) ,, Sowing and Transplantation.
(c) Condition of Standing crops.
(d) ,, Harvest
(e) ,, General Progress of Agricultural Operations
(f) ,, Water Supply.
(g) ,, Fodder and Pasture
(h) ,, Condition of Cattle.

1 Bangalore District.

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were withering for want of rains in most of the taluks of the District.
(d) Nil.
(e) Agricultural operations were held up for want of rains in most of the Taluks.
(f) Sufficient except in Devanahally, Kanakapura and Channapatna Taluks where the supply of water was insufficient.
(g) Available except in Devanahalli, Kanakapura, Ramanagaram and Channapatna Taluks where scarcity was felt.
(h) Generally healthy.

2 Kolar District.—

(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were withering for want of rains in most of the taluks of the District.
(d) Nil.
(e) Progress was held up due to failure of rain in 3 Taluks.
(f) Sufficient except in Gudibanda, Chickballapur and Chintamani Taluks where the supply of water was insufficient.
(g) Available except in Gudibanda, Malur, Chickballapur and Chintamani taluks where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of "Black Quarter" in some parts of Chintamani taluk.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were withering for want of rains in most of the District.
(d) Harvesting of irrigated ragi in Sira taluk was in progress.
(e) Progress was held up due to failure of rains in 4 taluks
(f) Sufficient except in Turuvekere Tumkur, Madhugiri and Chicknayakanahalli taluks where the supply of water was insufficient.
(g) Available except in Tiptur, Tumkur and Chicknayakanahally taluks where scarcity for folder was felt.
(h) Generally healthy

4 Mysore District —

(a) No rainfall during the week.
(b) Nil,
(c) Standing Crops were withering for want of rains in most of the taluks of the District.
(d) Harvesting of irrigated Ragi in Hunsur taluk was in progress.
(e) Agricultural operations were held up for want of rains in 5 taluks.
(f) Sufficient except in Gundlupet, T. Narasipur and Kollegal taluks where the supply of water was insufficient,
(g) Available except in Hunsur and Kollegal Taluks where scarcity for fodder was felt.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Malavalli and Maddur tqs, where dry crops were withering for want of rains.
(d) Harvesting of Sugarcane in Pandavapura, Mandya, Srirangapatna and Maddur taluks was in progress.
(e) Agricultural operations were held up for want of rains in two Taluks.
(f) Sufficient
(g) Available except in Mandya and Maddur taluks where scarcity for fodder was felt.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) Transplantation of Paddy was held up due to insufficiency of water.
(c) Standing crops are withering for want of rains in most of the taluks.
(d) Harvesting of Sugarcane in Channarayapatna Taluk, Ragi in Arsikere, Belur and Arakalgud taluks was in progress.
(e) Agricultural operations were held up for want of rains in most of the taluks.
(f) Sufficient except in Channarayapatna, Holenarasipur, Arsikere, Manjarabad, Hassan, Belur and Arkalgud taluks where the supply of water was insufficient.
(g) Available except in Holenarasipur Arsikere, Hassan and Arkalgud taluks where scarcity for fodder was felt.
(h) Generally healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops are withering for want rains in most of the taluks.
(d) Harvesting of Areca in Koppa and Sringeri taluks Cardamom and Areca in Mudigere taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient except in Sringeri, Chickmagalur. Kadur and Mudigere taluks where the supply of water was insufficient.
(g) Available except in Chickmagalur and Kadur Taluks where scarcity for fodder was felt.
(h) Generally healthy.

Shimoga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops are withering for want of rains in most of the taluks
(d) Harvesting of Areca and Paddy in Thirthahally taluk jowar and paddy in Channagiri taluk was in progress.
(e) Progress was fair in two Taluks.
(f) Sufficient except in Channagiri and Shikaripur taluks where the supply of water was insufficient.
(g) Available except in Shikaripur taluk where scarcity for fodder was being felt.
(h) Generally healthy.

9 Chitradurga District.—

(a) No rainfall during the week.
(b) Sowing was held up due to failure of rains in Hiriyur taluk.
(c) Standing crops were withering for want of rains in most of the taluks.
(d) Harvesting of Ragi in Holalkere and Hosadurga taluks K. jowar and Ragi in Challekere taluks K. jowar in Molakalmur taluk, Sugarcane, Ragi and jowar in Hiriyur taluk, Navane, Ragi G. Nut and jowar in Davanagere taluk was in progress.
(e) Progress was fair in 6 Taluks
(f) Sufficient except in Haribar, Molakalmur, Hosadurga, Hiriyur and Davangere taluks where the supply of water was insufficient.
(g) Available except in Molakalmur, Hosadurga, and Hiriyur taluks where scarcity for fodder was felt,
(h) Generally healthy except for the prevalance of black quarter at 3 villages of Hiriyur taluk

10 Bellary District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were withering for want of rains in most of the taluks, jowar was affected by red rust in Hospet taluk.
(d) Harvesting of Jowar, Navane, G. Nut Sajje and Ragi in Kudligi taluk, Sugarcane, Jowar and Navane in Sirguppa taluk, Jowar and paddy in Hospet taluk, was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient except in Kudligi taluk where the supply of water was insufficient.
(g) Available.
(h) Generally healthy.

11 Bijapur District.—

(a) No rainfall during the week.
(b) Sowing of rabi crops was held up for want of rains in Mudhol, Sindgi, Bilgi and Muddebihal taluks.
(c) Fair except in Mudhol Sindagi, Bilgi, Bijapur and Muddebihal taluks where crops were withering for want of rains.
(d) Harvesting of G.nut in Sindagi and Bilgi taluks K. crops in Bijapur and Bagewadi taluks were in progress.
(e) Progress was fair in 1 Taluk.
(f) Sufficient.
(g) Available except in Indi taluk where scarcisy for fodder was felt.
(h) Generally healthy, except for the prevalance of cattle disease at one village of Indi taluk.

12 Belgaum District.—

(a) No rainfall during the week,
(b) Sowing of Rabi Crops was held up for want of rains in Ramdurg Raibagh and Gokak taluks.
(c) Fair except in Ramdurg, Raibagh and Gokak taluks where crops were withering for want of rains,
(d) Harvesting of Paddy in Belgaum taluk G.Nut and Sajje in Ramadurg taluk was in progress
(e) Agricultural operations were heldup for want of rains in Ramdurg taluk.
(f) Sufficient except in Ramdurg taluk where the supply of water was insufficient.
(g) Available
(h) Generally Good except for the prevalance of cattle diseasse at one village of Ramdurg taluk.

13 North Kanara District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair except in Ankola and Yellapur taluks.
(d) Harvesting of paddy in Mundgod, Sirsi, Kumta and Yellapur taluks was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

14 Dharwar District.—

(a) No rainfall during the week,
(b) Sowing of Rabi crops was held up for want of rains in most of the taluks,
(c) Fair except in most of the taluks where crops withering for want of rains
(d) Harvesting of G. nut and paddy in Hubli taluk. Paddy in Kalghatgi, Byadgi, Dharwar and Shiggaon taluks, G. nut in Shirahatti, Gadag and Mundargi taluks was in progress.
(e) Progress was fair in 8 taluks
(f) Sufficient.
(g) Available except in Mundargi taluk where scarcity for fodder was felt.
(h) Generally healthy.

15 Gulbarga District.—

(a) No rainfall during the week,
(b) Sowing of rabi-crops was almost completed in most of the taluk.
(c) Fair except in Yadgiri, Shorapur, Chittapur, Aland and Chincholi taluks where crops were in need of urgent rains.
(d) Harvesting of Bajra, K. Jawar and G. nut in Sorapur, K. Jowar in Shahapur taluk, G nut in Seram taluk was in progress.
(e) Progress was fair in 5 Taluk.
(f) Sufficient except in Gulbarga and Yadgir taluks where the supply of water was insufficient.
(g) Available.
(h) Generally healthy

16 Bidar District.—

(a) No rainfall during the week.
(b) Sowing of Rabi-crops in Gangavathi taluk was in progress and the same was held up for want of rains in Kustagi, and Sindhanoor Taluks.
(c) Fair except in most of the taluks where crops were affected due to failure of rains.
(d) Harvesting of G nuts Sesamum, and K. Jowar in Manvi taluk K. Jowar in Gangavathi taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Deodurg and Gangavathi taluks where the supply of water was in sufficient,
(g) Available except in Yelburga taluk where scarcity for fodder was felt.
(h) Generally healthy

17 Bidar District.—

(a) No rainfall during the week.
(b Nil.
(c) Fair except in Humnabad taluk.
(d) Harvesting of paddy in Humnabad taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

18 South Kanara District —
(a) No. rainfall during the Week except in Puttur taluk
(c) Sowing of II Crop paddy in Coondapur, Udipi, puttur and Bantwal taluks was in progress.
(c) Standing crops were fair
(d) Harvesting of I Crop Paddy was completed in most of the taluks.
(e) Progress was fair in 3 Taluks'
(f) Sufficient except in Puttur, Udipi and Bantwal Taluks where the supply of Water was insufficient.
(g) Available except in Udipi taluk where scarcity for fodder was felt.
(h) Generally healthy

19 Coorg District
(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
d) Picking up cardamum in Virajpet taluk was in progress.
(e) Progress was fair in one taluk.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of September 1965.

| Rain Fall | | | | Nave Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| County 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |

1. Bangalore District

... ...

2. Kolar District.

50 50

3. Tumkur District.

50 50

4. Mysore District.

31 45

Average of two taluks

5. Mandya District.

62 44

6. Hassan District.

40 30

7. Chickmagalur District.

... ... ...

8. Shimoga District.

56 44 G Nut—56, Areca—6

9. Chitradurga District

Not Received

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| 10. Bellary District. | | | | | | | | | |
| ... ... | | | | | | | | | |
| 11. Bijapur District. | | | | | | | | | |
| 62 ... | | | | | | | | | |
| 12. Belgaum District. | | | | | | | | | |
| 47 | | 44 | | | | | | | G. Nut—Wheat—Chillies 40 |
| 13. Dharwar District. | | | | | | | | | |
| Excessive | | 45 | | 50 | | | | | G. nut—37, Chillies—37 Wheat-37 Cotton—40 |
| 14. North Kanara District | | | | | | | | | |
| 54 | | 50 | | 15 | | | | | Coconut-50 Bettlenut-52, Pepper-45, G. nut-50 |
| 15. Gulbarga District. | | | | | | | | | |
| ... ... | | | | | | | | | |
| 16. Raichur District. | | | | | | | | | |
| 25 ... | | | | | | | | | |
| 17. Bidar District | | | | | | | | | |
| 31 ... | | | | | | | | | |
| 18. South Kanara District. | | | | | | | | | |
| 56 ... | | | | | | | | | |
| 19. Coorg District. | | | | | | | | | |
| ... ... | | | | | | | | | |

SYED MAHMOOD,
For *Director of Statistics*.

## Statement showing of Monthly Weather and Crop Report for September 1965.

Note.—(a) Denotes Conditions of Water Supply.
(b) " Sowing and Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) Rainfall.
(h) Damage to crops.
(i) Remarks.

1 Bangalore District.—

(a) Sufficient except in Devanahalli taluk.
(b) Nil.
(c) Bad except in Nelamangala taluk.
(d) Nil
(e) Sufficient.
(f) Generally healthy
(g) Defficient.
(h) Nil
(i) .. ...

2 Kolar District.—

(a) Sufficient.
(b) Sowing of horsegram was in progress.
(c) Standing crops like paddy, S. Cane, Ragi and G. Nut were fair,
(d) Harvesting of irrigated Ragi was in progress in some taluks.
(e) Sufficient.
(f) Generally healthy.
(g) Normal.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient except in Kortagere and Turuvekere taluks.
(b) Transplantation of paddy was completed in all the taluks except in Turuvekere taluk Sowing of Ragi was almost over.
(c) Standing crops were fair but rains were badly needed.
(d) Harvesting of Jola had commenced in Pavagada taluk, Picking up of G. Nut was held up for want of immediate rains.
(e) Sufficient.
(f) Generally healthy,
(g) Normal.
(h) Scanty.
(i) Nil.

4 Mysore District.—

(a) Sufficient except in some parts of Gundlupet taluk.
(b) Paddy, Horsegram, Bengalgram was being sown in Najanangud and Gundlupet taluks.
(c) Crops where badly in need of urgent rains.
(d) Ragi was being harvested in some parts of Periyapatna taluk.
(e) Available except in Mysore taluk.
(f) Generally healthy
(g) Normal.
(h) Nil
(i) Refers to 8 taluks.

5 Mandya District.—

(a) Sufficient except in K. R. Pet and Nagamangala taluks.
(b) Transplantation of paddy and S. cane was commenced in Mandya and Srirangapatna taluks.
(c) Crops were in need of urgent rains.
(d) Harvesting of S. Cane in Mandya, Pandavapura, Maddur and Srirangapatna taluks,
(e) Available except in K. R. Pet and Nagamangala taluks.
(f) Good except for the prevalance of cattle disease in K. R. Pet and Nagamangala Taluks.
(g) Deficient.
(h) Nil.
(i) .....

6 Hassan District

(a) Sufficient except in Hassan taluk.
(b) Transplantation of paddy crop was held up for want of rains in Hassan taluk
(c) Generally fair.
(d) Ragi crop was harvested in Belur taluk.
(e) Available except in Alur taluk.
(f) Generally healthy
(g) Scanty.
(h) .....
(i) Refers to 5 taluks

7 Chickmagalur District.—

(a) Sufficient except in Koppa, Mudigere and N. R. pura taluks.
(b) Nil.
(c) Fair except in Kadur and Tarikere Taluks
(d) Jola crop was harvested in Tarikere taluk.
(e) Available except in Kadur taluk.
(f) Generally healthy
(g) Deficient
(h) .....
(i) Refers to 6 taluks.

8 Shimoga District.—

(a) Available.
(b) Sowing of Pulses in Channagiri, Honnali and Shikaripur taluks was in progress.
(c) Generally fair.
(d) Harvesting of G. Nut was in progress.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) .....
(i) .....

9 Chitradurga District.—

10 Bellary District.—

(a) Adequate.
(b) Sowing of Hingari crops were commenced in Harapanahally Bellary and Hospet taluks.
(c) Generally fair.
(d) Harvesting of G. Nut in Harapanahalli taluk, S. Cane in Sirugupps taluk and Jowar in Hospet taluk had just commenced.
(e) Available
(f) Good except for the prevalence of cattle disease at one village of Hadagalli taluk.
(g) Scanty.
(h) Jowar and S. Cane crops in Hospet taluk were affected by pest.
(i) .....

11 Bijapur District,—

(a) Adequate.
(b) Sowing of cotton and Rabi, Jowar was in progress,
(c) Generally fair
(d) Harvesting of Bajra crops was in progres
(e) Available.
(f) Generally healthy.
(g) ... ...
(h) .....
(i) ... ..

12 Belgaum District.—

(a) Sufficient.
(b) Sowing of Rabi crops was nearing completion.
(c) Generally fair.
(d) Harvesting of K. Jowar was in progress in Parasgad and Ramdurg taluks.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) .....
(i) .....

13 Dharwar District.—

(a) Sufficient.
(b) Sowing of cotton was in progress throughout the District
(c) Generally fair.
(d) Harvesting of G. Nut had just started in all the taluks.
(e) Available except in Mundargi taluk.
(f) Generally healthy.
(g) Excessive.
(h) .....
(i) Refers to 12 taluks.

14 North Kanara District—

(a) Sufficient.
(b) Transplantation of paddy in Yellapur taluk was in progress.
(c) Generaly fair.
(d) Nil.
(e) Sufficient
(f) Generally healthy.
(g) Deficient.
(h) Nil.
(i) Refers to 9 taluks.

Gulbarga District—

(a) Sufficient.
(b) Sowing of Rabi, Jowar in Gulbarga, Chitapur, Shapur and Chincholi taluks was in progress.
(c) Generally fair.
(d) Harvesting of Moong and Sesamum was in progress i Shorapur and Sedam taluks
(e) Available.
(f) Generally healthy.
(g) Deficient
(h) Nil.
(i) .....

16 Raichur District—

(a) Sufficient.
(b) Sowing of Rabi, Jowar was completed and cotton was in progress.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) .....
(i) .....

17 Bidar District—

(a) Sufficient.
(b) Sowing of Rabi crop was in progress in Aurad and Bidar taluks.
(c) Generally fair.
(d) Harvesting of Moong, Mash and Minor Millets in Aurad taluk was in progress.
(e) Available.
(f) Generally healthy.
(g) Normal.
(h) .....
(i) .....

18 South Kanara District—

(a) Sufficient except in Belthangady taluk.
(b) Nil
(c) Generally fair.
(d) Harvesting of I crop Paddy was in progress.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) .....
(i) ... .

19 Coorg District—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) .....
(i) .....

SYED MAHMOOD,
For *Director of Statistics.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 15th February 1964.**

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres: Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine .. | Per quntal | 42·00—44·00 | 82·00—84·00 | 40·00—50.00 | 36·00—38·00 | 40·00 | 43 00 | 45·40 | ... | 40 80 | 44·00 |
| | (b) Medium ... | ... | 39 00—40·00 | 24·00—80·00 | 35·00—36.00 | 32 00—35 00 | 38.00—39.00 | 42·00 | 45·90 | ... | 38·25 | 38·00 |
| | (c) Coarse ... | ... | | 21·00—24 00 | ... | 30 00—32 00 | 37.00 | 39 00 | 44 00—50·00 | ... | ... | 36 00 |
| 2 Rice ... | (a) Fine ... | ... | 70·00—90·00 | 75·00—80·00 | 85·00—87·50 | 65 00—75·00 | 78.00—90·00 | 67 00—80·00 | 69 00—88·00 | 72·60 | 78 00 | 78·50 |
| | (b) Medium ... | ... | 66·00—75·00 | 65·00—70·00 | 75·50—76·50 | 56·00—62·00 | 70·00—81·00 | 60·00—75·00 | 68·00—83 00 | 68·00 | 68·00 | 75·00 |
| | (c) Coarse ... | ... | 60·00—70·00 | 55 00—62 00 | 62·00—68·00 | 53 00—57·00 | 60·00—70·00 | 60·00—70 00 | 61·00—70 00 | 63·50 | 61·00 | 73·00 |
| 3 Wheat ... | White ... | ... | 42·00 | 42·00—45·00 | | 45·00—48 00 | 40·00 | 41.00—42 00 | ... | 40·75 | 48 00 | 64·00 |
| Wheat Flour | ,, | ... | ... | 55·00—60·00 | 41·00—42 00 | ... | 42.00 | 46 00 | .. | 51·00 | 56·00 | .. |
| 4 Jowar ... | ,, ... | ... | 85·00—50·00 | 89·00—40·00 | 42·50—45·00 | 45 00—46·00 | 40·00 | 45.00—46 00 | 40·00—42·80 | 87·00 | 38·25 | 47·00 |
| 5 Bajra ... | ... | ... | | ... | 85·50—88·00 | ... | 40 00 | 40.00 | ... | ... | ... | 38.00 |
| 6 Barley ... | ... | ... | 75.00 | ·380 | ... | ... | ... | 150 00—180·00 | ... | ... | ... | ... |
| 7 Maize ... | ... | ... | 59.(3) | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... | ... | 38·00—42·00 | 88·00—89·00 | 86·50—87·50 | 86·50—40·00 | 89·00 | 40·00—48·00 | 39·00—40·00 | 35.60 | 36 25 | ... |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 20·00—30·00 | 25·00 | 30·00—40·00 | ... | ... | 34·00 | 30·00 | 28.50 | 25·00 | ... |
| (ii) Tapioca | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 38·00 | ... |
| (iii) Papaya | ... | ... | 40·00—50·00 | ... | 16.00—35.00 | ... | ... | ... | ... | ... | 48.00 | ... |
| (iv) Ground-nut cake flour. | ... | ... | ... | ... | ... | 40·00—60 00 | 57·00 | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... | ... | 59·00—62·00 | 50·00—55·00 | 72·00—73.00 | 70·00—75·00 | 64 00 | 70·00 | 65·00—70·00 | 56·50 | 55·00 | 69 00 |
| 2 Arhar (Tur.) ... | ... | ... | 55·00—60·00 | | 59·50—60.00 | 95 00 —108·00 | 70·00 | 70·00 | 60·00—68·00 | 46·75 | ... | 85·00 |
| 3 Mung ... | ... | ... | ... | 70 00—75·00 | 63 00 | 75·00—80 00 | 70·20 | 80·00 | 70 00—76·00 | 52.00—54.00 | 62·70 | ... |
| 4 Urd ... | ... | ... | ... | 75·00—80·00 | 48·00 | 90·00—95·00 | 70·00 | 80·00—85·00 | 80·00—90·00 | 78·00—75·00 | 82·00 | ... |
| 5 Masur ... | ... | ... | ... | ... | ... | ... | ... | ... | 95·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... | ... | 58·00—60·00 | 55.00—60·00 | 60.00 | ... | 60·00—70 00 | 75·00 | 75·00—85·00 | ... | ... | ... |
| (ii) Horsegram | ... | ... | 38·00—42·00 | 40·00—42·00 | 38·00—86·50 | ... | 38·00 | 38·00—40·00 | 85·00—88 00 | 45 00—50·00 | 86 00 | 86·00 |
| (iii) Cowpea ... | ... | ... | 45·00—80·00 | 50·00—60·00 | 50.00 | ... | 55·00 | 60 00—80·00 | 70.00—75·00 | ... | 61 00 | 54·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 70.00—85·00 | 80·00—85 00 | 105.00 | 80·00—90·00 | 80·00—90.00 | 120·00 | 90·00—110·00 | 85·00 | 80·00 | 85·00 |
| | (b) Sort II ... | ... | ... | 75·00—78·00 | 85.00 | 65·00—70·00 | 70·00—80.00 | 80·00 | ... | 80·00 | 70·00 | 65·00 |
| 2 Sugar refined | D. 24 ... | ... | 125.74—129.00 | 125·00 | ... | 102·10 | 128·00 | 117·62 | 116·00—27 00 | 118·00 | 129·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | ... | ... | 80·00—84·00 | ... | 66·00 | 70 00—72 00 | 80·00 | 80·00—85 00 | 62.00—60·00 | 76·00 | 70·50 |
| | (b) Machine shelled | ... | ... | 90·00—97·00 | ... | ... | 92 00—94 00 | ... | 70 00—80·00 | ... | 68·00 | 90·00 |
| Groundnut Oil | ... | ... | 193·00—197·00 | 5—00 032·00 | 185.00—210.00 | 200·00—215·00 | 200·00 | 210·00 | 200·00 | 240·00—250·00 | 188 00 | 180·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 89·00 | ... | 87·00 | 45·00 | 45·00—50·00 | ... | 42.00 | 88·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | ... | ... | 100·00 | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 93 00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 90·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 60·00—62·50 | ... | ... | 70.00 | 60·00—60·00 | .. | 60 00 | ... |
| Castor Oil ... | ... | ... | 180·00—2 0·00 | 200·00—225·00 | 175·00—185·00 | ... | 165·00—175·00 | 190·00 | ... | 175·00 | 180·00 | ... |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | 110 00—115·00 | ... | 200·00 | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | 61·00—68·00 | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per (thousand) | 250·00—300·00 | 320·00—350.00 | 300·00 | 56·00—215·00 | 200·00—250·00 | 240·00—300·00 | 250.00—300·00 | 450·00 | 280·00 | 225·00 |
| | (b) Copra ... | quintal | 250·00—260·00 | 300·00—325·00 | ... | | 270·00 | 260·00—280·00 | 300·00 | 320·00 | 280·00 | 245·00 |
| Cocoanut Oil... | ... | ... | 240·00—260·00 | 330.00—340.00 | ... | 320.00 | 320·00 | 350·00—360·00 | 400.00 | 277·00 | 300·00 | 325·00 |
| Cocoanut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 80·00 | 70·00- 80 00 | ... | ... | ... |
| | (ii) Niger oil | ... | ... | ... | ... | ... | ... | 240.00 | | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350·00 | ... | 280 00 | ... | 312 00—350 00 | 275·00 | 300.00 | 325·00 |
| 10 Other Oils ... | (ii) Refined | ... | ... | ... | ... | ... | ... | ... | 264·00 | 254·00 | ... | ... |
| V. Fruits, Vegetables and Nuts.— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | | 3,00—7,50 | 8 00—10,00 | 15·20 | ... | 4·25—8·00 | 12·00 | 7·86 | 10·03 | 4 20 |
| 3 Oranges ... | ... | Do | ... | 10.00—20.00 | 26.00—36.00 | 15·20 | ... | 8·00—22·00 | 20 00—26·00 | 14·70 | 27 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 150·00—200·00 | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernels, etc. | ... | ... | ... | ... | ... | 600·00—700 00 | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 58·00—60·00 | 66·00—75·00 | 65.00—75·00 | 36 00—40·00 | 84·00 | 65·00—70·00 | 64 00—68.00 | 60·00 | 60·00 | 44 00 |
| 2 Onions ... | ... | ... | 20·00—25·00 | 30·00—38·00 | 20·00—30.00 | 23.00—24·00 | 31·00 | 30 00—35·00 | 30·00—31·50 | 26·00 | 32·00 | 30·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 47 00 | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 50·00 | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | 800·00 | 600·00 | ... | ... | ... |
| 2 Arecanuts ... | ... | ... | ... | 600 00- 650·00 | 650.00—750.00 | ... | 700·00—800·00 | 750·00—800·00 | 850 00-900·00 | 650·00—720·00 | 762·00 | 786·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | 120·50 | ... | ... | 165·00 | ... | ... | ... | 104 00 |
| | (b) Lint ... | ... | ... | ... | 105·00 | ... | ... | 155·00 | ... | ... | ... | 287·00 |
| | (c) Seed ... | ... | ... | ... | 42·00 | ... | ... | 100·00 | 45·00—50·00 | ... | ... | 81·00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Loose | a White— | | | | | | | | | | | | | | | | | |
| | (i) Top | — | | | | | | | | | | | | | | | | |
| | (ii) Middle | — | | | | | | | | | | | | | | | | |
| | (iii) Bottom | — | | | | | | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | | | |
| | (i) Top | — | | | | | | | | | | | | | | | | |
| | (ii) Middle | — | | | | | | | | | | | | | | | | |
| | (iii) Bottom | — | | | | | | | | | | | | | | | | |
| 3 Fucca Baled Jute. | (i) Lightings | Per bale | | | | | | | | | | | | | | | | |
| | (ii) First Mills. | — | | | | | | | | | | | | | | | | |
| | (iii) First Exports. | — | | | | | | | | | | | | | | | | |
| Sann hemp | — | — | | | | | | | | | | | | | | | | |
| 4 Mesta | (i) Top | — | | | | | | | | | | | | | | | | |
| | (ii) Middle | — | | | | | | | | | | | | | | | | |
| | (iii) Bottom | — | | | | | | | | | | | | | | | | |
| XI. Tobacco | (a) Country— | | | | | | | | | | | | | | | | | |
| | (i) Leaf | — | | | | | | | | | | | | | | | | |
| | (ii) Pulab | — | | | | | | | | | | | | | | | | |
| | (b) Virginia | — | | | | | | | | | | | | | | | | |
| | (i) Leaf | — | | | | | | | | | | | | | | | | |
| | (ii) Pulab | — | | | | | | | | | | | | | | | | |
| XII. Livestock— | | | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 860·00—950·00 | | 600·00 | 600·00 | | 350,00—500 00 | | 150·00—240·00 | 440·00—540·00 | | 250 00 | | | | | |
| | (b) „ II | Do | 825·00—580·00 | | 800·00—3·0 00 | 460 00 | | 240 00—320,00 | 150.00—220.00 | 115·00—200·00 | 325·00—450·00 | | 205·00 | | | | | |
| (ii) Buffalo bulls. | (a) „ I | Do | 240·00—400·00 | | 100·00—120·00 | 675·00 | | 29 00—40,00 | 100 00 -200 00 | ... | ... | | 225·00 | | | | | |
| | (b) „ II | Do | 200·00—280·00 | | 120·00—150·00 | ... | | 30.00—45,00 | ... | ... | ... | | 200.00 | | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 300·00—450·00 | | 150·00—200·00 | 225 00 | | 100.00—300.00 | ... | 180·00—240 00 | 315 00—400·00 | | 85·00 | | | | | |
| | (b) Class II | Do | 195·00—290·00 | | 100·00—150·00 | 190 00 | | 80.00—135 00 | 120.00—166·00 | 95·00—150·00 | 230·00—3·0 00 | | 60 00 | | | | | |
| (ii) Buffaloes... | (a) Class I | Do | 150·00—240·00 | | 800·00—350·00 | 230 00 | | 165.00—300.00 | ... | 150·00—5·0·00 | 270·00—370·00 | | 130·00 | | | | | |
| | (b) Class II | Do | 135·00—200·00 | | 105·00—150·00 | 202·00 | | 180·00—165.00 | 90·00—150·00 | 1·0·00—850·00 | 160·00—275·00 | | 90·00 | | | | | |
| 3 Sheep | — | Do | 60·00—75·00 | | 40·00—60·00 | 70·00 | | 28,00—35,00 | 50·00—80·00 | 39 50—75·00 | 40·00—50·00 | | 40·00 | | | | | |
| X Livestock products.— | | | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) | Per kg. | | | | | | 2.50 | 4 00 | — | | | | | | | | |
| | (b) | Do | | | | | | 1.50 | 1 00 | — | | | | | | | | |
| 2 Hides.— | | | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) | Do | | | | | | 1·50—1·80 | 1·08 | — | | | 8·00 | | | | | |
| Tanned | (a) | Do | | | | | | — | ·00 | — | | | ... | | | | | |
| | (b) | Do | | | | | | 5·75 | 4·12 | ... | | | 4·00 | | | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | 3 50 | | | | | ... | ... | ... | | | ... | | | | | |
| | (b) | Do | .. | | | | | 1·40—2·90 | 1·08 | ... | | | 3·40 | | | | | |
| | | | | | | | | — | 1·00 | ... | | | — | | | | | |
| Tanned | (a) | Do | | | | | | | | | | | | | | | | |
| | (b) | Do | | | | | | 5.50 | 5·00 | 3 50 | | | 4·50 | | | | | |
| 3 Skins.— | | | | | | | | | | | | | | | | | | |
| Goat skins— Raw. | (a) | Per each | 5·00—6·00 | | | | | ... | ... | ... | | | ... | | | | | |
| | (b) | Per kg. | | | | | | 3·50—4·80 | 4·50—5·30 | 4·00—5.00 | 5·35 | | 2·00 | | | | | |
| Tanned | (a) | Do | | | | | | ... | ... | 3·00—4·00 | | | ... | | | | | |
| | (b) | Do | | | | | | 5.00 | 9 50 | ... | ... | | 2·00 | | | | | |
| (ii) Sheep skins— Raw. | (a) | Per each | 6·00—7 00 | | | | | ... | .. | — | ... | | ... | | | | | |
| | (b) | Per kg. | | | | | | ... | 3·25—4·00 | 4·25—4·50 | 3 50—4·50 | | 2·10 | | | | | |
| | | | | | | | | | ... | ... | 3·00—3·75 | | ... | | | | | |
| Tanned | (a) | Do | | | | | | | | | | | | | | | | |
| | (b) | Do | | | | | | ... | 14·75 | ... | ... | | 3·00 | | | | | |
| 4 Ghee | (a) Agmark | Do | 7·50—8·00 | 7·00—8·00 | | | | ... | ... | ... | ... | | ... | | | | | |
| | (b) Ungraded | Do | 5·00—7·00 | 6·00—7·00 | 2·50 | | | 4·00 | — | 3·00 | ... | | 7·25 | | | | | |
| | | | | | | | | | ... | 7.50 | 3 25 | | 3 50 | | 6 00 | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| V. Fodder.— | | | | | | | | | | | | |
| 1 Bran | (a) Wheat ... | Quintal | 42·00 | ... | ... | ... | ... | 22·00—44·00 | ... | ... | ... | ... |
| | (b) Paddy ... | Cart load | 42 00—44·00 | ... | 8·00—05·00 | 10.00—15.00 | ... | 16,00—20,00 | ... | 88 00 | 12.00 | ... |
| 2 Straw ... | (a) Ragi ... | ... | 85·42 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 26 00 |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | .. | ... | ... | ... |
| VI. Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | ... | 125·00—155·0 | 800.00—850.00 | 175 00—200·00 | 200.00 | 190.00 | 180·00 | 250·00—240·00 | 170 00—172 00 | 183.00 | 165·00 |
| 2 Tamarind ... | ..... | ... | 40·00—105·00 | 90·00—95·00 | 60 00—70 00 | 60.00—75.00 | 60 00 | 60 00—90 00 | 90·00—100·00 | 92.00—93·80 | 191·00 | 85.00 |
| 3 Dry Chillies ... | ..... | ... | 200·00—280 00 | 250·00—270·00 | 150·00—200·00 | 144·00—200·00 | 250·00 | 250·00—300·00 | 250.00—275·00 | 160·00—220·00 | 250·00 | 250·00 |
| 4 Garlic ... | ..... | ... | 80·00—100 00 | 55·00—65·00 | 100 00 | | 100 00 | 100·00 | 100·00 | 146 00—156·00 | 93 00 | 65·00 |
| 5 Pepper ... | ..... | ... | 300·00—450·00 | 750·00—800·00 | 450·00 | 400·00 | 810 00 | 850 00 | 400·00 | 840·00—450·00 | 800·00 | |
| 6 Cardamom ... | ..... | ... | 1,400·00—2,000·00 | ... | 1,600·00 2,000·00 | 1,200·00 | 1,600·00 | 1,400 00—1,500 00 | 28,00·00 | ... | 1,500 | — |
| VII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | — | ... | ... | ... | ... | ... | | ... | ... | ... |
| 4 Sticklac ... | ... | — | ... | ... | ... | ... | ... | | | ... | ... | ... |
| 4 Seedlac ... | ..... | — | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | | ... | | | ... | ... | ... |
| Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalam | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40°, 10 oz | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags | — | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 69 00 | 48·00—50·00 | 39·00—40·00 | .. | .. | 44·00 | 44·52 | 41·00 | .. |
| | (b) Medium | | 35·00 | 44 00—46 00 | ... | 40.00 | ... | 41 80 | 35·75 | 39·00 | . |
| | (c) Coarse | | 33·00 | 41·00—43 00 | ... | 36·00 | .. | 39·10 | . | ... | 36 30 |
| 2 Rice | (a) Fine | | 65·00 | 70 00—82·00 | 85·00—95·00 | 71·00 | 72·00 | 75 00 | 70·75 | 69 00 | 78 00 |
| | (b) Medium | | 58·00 | 65·00—68·00 | 75·00—80·00 | 60·50 | 64·25 | 72·00 | 65·50 | 61·75 | .. |
| | (c) Coarse | | 55·00 | 60·00—64·00 | 70·00 | .. | 68·00 | 60 00 | ... | 56 00 | 63·00 |
| 3 Wheat | White | | 60 00 | 60·00—70·00 | 70·00—72·50 | 55·00 | 67 85 | 62·90 | 56·00 | 47·00 | 54·00 |
| Wheat Floor | White | | 72·00 | 55·00—65·00 | 64·00—67 00 | 41·00 | 68·00 | ... | .. | 56.00 | 60·00 |
| 4 Jowar | White | | 44·00 | 46·00—50 00 | 42·00—45·00 | ... | 48·80 | 45 00 | 48·50 | ... | |
| Bajra | ... | | ... | 80·00—85·00 | 88·00—90·00 | ... | 87·30 | 42·00 | 89·80 | ... | ... |
| Barley | ... | | ... | 76 00—88 00 | ... | ... | ... | ... | ... | ... | . |
| Maize | ... | | . | | 80·00 | ... | ... | ... | ... | .. | 31·00 |
| Ragi | ... | | 42·00 | 41·00—48·00 | ... | ... | ... | ... | ... | 44 50 | 41·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | ... | ... | ... | ... | .. | ... | ... | ... | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | ... | ... | . | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | 22·00 | ... | ... | ... | ... | | 22·00 | 14 00 | 24·00 |
| (ii) Tapioca | ... | | ... | — | ... | ... | ... | | ... | — | 17·00 |
| iii) Papaya | ... | | .. | - | ... | ... | ... | | ... | — | 20·00 |
| (iv) Groundnut cake flour | .. | | ... | ... | ... | ... | ... | | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 61·00 | 55·00—65·00 | 55·00 | 58·00 | 62·60 | 60 00 | 58 00 | 69·00 | 72·00 |
| 2 Arhar (Tur) | ... | | 60·00 | 60·00—65 00 | 62·00—64·00 | 48·00 | 73·35 | 75·00 | 58·00 | 75·00 | 110 00 |
| 3 Mung | ... | | 72·00 | 70·00—75·00 | 68·00—60·00 | 58·00 | .. | 64·00 | 57·00 | 78 00 | 72 00 |
| 4 Urd | ... | | 72·00 | 70·00—75·00 | 44·00—46·00 | 61·00 | 62·00—75·00 | 62 90 | ... | 72 00 | 72·00 |
| 5 Masur | ... | | 60·00 | ... | 40·00—42·00 | ... | 71·15 | | ... | ... | 114·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | ... | | 841·00—42·00 | ... | ... | | ... | ... | 90·00 |
| (ii) Horsegram | ... | | 42·00 | 86·00—40·00 | 7·00—88·00 | ... | ... | | — | 87·50 | 89·00 |
| (iii) Cowpea | ... | | ... | ... | .. | .. | ... | | ... | ... | ... |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 125 00 | 80·00—90·00 | 88 00—95·00 | | 80·00 | | 75·00 | 100·00—200·00 | 90·00 |
| | (b) Sort II | | 115·00 | 84·00—87.00 | 70·00—75·00 | | 76·00 | | ... | 90·00—99·00 | ... |
| 2 Sugar Refined | D. 24 | | ... | ... | 116 60 | | | ... | 121·00 | 128·00 | 120·00 |
| IV. Oilseeds, Oils and Oilcakes.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 78 00 | 65·00—71·00 | 78·50—79·00 | | 78 00—95·00 | 75·10 | 75·50 | | ... |
| | (b) Machine shelled. | | 110·00 | 93·00—95·00 | 76·50—77·00 | | | 100·00 | | 105·00 | ... |
| Groundnut Oil | ... | | 195·00 | ... | 195·00—195·00 | | 180 00 | 175·00 | 203·00 | 183·00 | 212·00 |
| Groundnut Oil-cake. | | | 47 00 | ... | 41·00—41 50 | | 96·00 | 85·00 | ... | 42—25 | 46·00 |
| 2 Sesamum | (a) White | | 195·00 | ... | | | | | 188·00 | ... | |
| | (b) Black | | 120·00 | ... | 100.00—120·00 | | ... | | 134·00 | .. | |
| Sesamum Oil | ... | | 870·00 | | ... | | ... | | | 260 00 | ... |
| Sesamum Oil-cake. | ... | | 60·00 | ... | ... | | ... | | ... | 66·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed | ... | — | 50·00 | ... | 58·60 | 53·00 | ... | ... | ... | ... | ... |
| | Castor Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 298·00 |
| | Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 4 | Rape and Mustard. | (a) Black ... | — | 125·00 | ... | — | ... | ... | ... | ... | ... | ... |
| | | (b) Yellow ... | — | 115·00 | 90·00—100·00 | 100·00 | ... | ... | ... | ... | 100·00—108.00 | ... |
| | Mustard Oil ... | ... | ... | ... | 100·00—110·00 | | ... | ... | ... | ... | ... | |
| | Mustard Oilcake. | — | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | | | 57·00 | ... | ... |
| | | (b) Brown small | ... | ... | ... | 68·78 | ... | 75·90 | 75·10 | ... | ... | ... |
| | Linseed Oil ... | ... | ... | ... | ... | ... | 61·00 | ... | ... | ... | ... | ... |
| | Linseed Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Toria ... | — | ... | ... | — | — | ... | ... | ... | ... | ... | ... |
| 7 | Cocoanut ... | (a) Nuts ... | (Per thousand) | 315·00 | 280·00—300.00 | 270·00—275·00 | 250·00 | 260·00 | 275·00 | 25·00 | 274·00—365·00 | 300·00 |
| | | (b) Copra ... | | 300·00 | 240·00—270·00 | 260·00—255,00 | ... | 240·00 | 310·00 | 241·00 | 180·00 | 460,00 |
| | Cocoanut Oil ... | ... | per Quintal | 370·00 | 295·00—300·00 | 325·00 | 350·00 | 360·00 | 310·00 | ... | 310·00 | 275·00 |
| | Cocanut Oilcake | ... | ... | — | ... | ... | ... | | ... | ... | 66·00 | 66·00 |
| 8 | Other Oil seeds | (i) Nigerseed... | ... | 80·00 | — | ... | ... | ... | ... | ... | | |
| | | (ii) Nigar Oil ... | ... | ... | ... | ... | 61·00 | 78·00 | ... | ... | | |
| 9 | Vegetable Oil | (i) Vanaspathi | ... | 310·00 | 300.00 | ... | ... | ... | 262.00 | ... | | |
| | | (ii) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | | iii) Safflower Oil | ... | ... | ... | | ... | ... | ... | ... | | |
| 10 | Other Oils ... | | | | | | | | | | | |
| V | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | ... | Per gross | ... | ... | ... | ... | 7·44 | | ... | ... | ... |
| 2 | Plantains ... | ... | Do ... | 8·20 | ... | 6·75 | 4·40 | ... | 6·00 | 50 | 4·95—5·75 | 2·00—7·00 |
| 3 | Oranges ... | ... | Do ... | ... | ... | ... | ... | 18·00 | 24·00 | 18·00 | 8·50—14·50 | 9·00—18·00 |
| 4 | Dates ... | | ... | 85·00 | ... | ... | ... | 300·00 | 240·00 | ... | 111.00 | ... |
| 5 | Cashew kernels, etc. | ... | ... | 68·00 | ... | ... | ... | ... | ... | ... | 550·00 | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | per quintal | ... | 56·00 | 48·00—56·00 | | ... | 62·00 | 45·00—70·00 | | 64·00 | 73·00 |
| 2 | Onions ... | ... | ... | 26·00 | 10·00—32·00 | | ... | 60·00 | 21·00 | | 28·00 | 86·00 |
| 3 | Beans ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 4 | Tomatoes ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | 530·00 |
| 2 | Arecanuts ... | ... | ... | 451·00 | ... | 4·40—4·45 | 505·00 | 700·00 | ... | | 350·00—400·00 | 630·00 |
| VI | Fibres.— | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | ... | ... | 95·00—100.00 | ... | ... | ... | | ... | ... |
| | | (b) Lint ... | ... | ... | ... | 235·00—240·00 | ... | ... | ... | | ... | ... |
| | | (c) Seed ... | ... | 47·00 | ... | 86·00—87·00 | ... | ... | ... | | ... | ... |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | Pucca Baled Jute | (ii) Middle ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (iii) Bottom ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (i) Lightings... | Per bale | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (ii) First Mills | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | (iii) First Exports | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| | | — | ... | ... | | ... | ... | ... | ... | | | ... |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meats — | (i) Top ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Middle ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Bottom ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VII. Tobacco — | (a) Country— | | | | | | | | | | | | | |
| | (i) Leaf ... ... | | 465·00 | ... | ... | ... | ... | 850.00 | ... | ... | 525·00—725·00 | ... | ... | 600 |
| | (ii) Pulab ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Virginia— | | | | | | | | | | | | | |
| | (i) Leaf ... ... | | 490 00 | ... | ... | ... | ... | 450·00 | ... | ... | 500·00—600 00 | ... | ... | ... |
| | (ii) Pulab ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | 600.00—700 00 | ... | ... | ... |
| VIII. Livestock.— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 420·00 | 300·00—400·00 | 500.00—750·00 | | | 500·00 | 800.00 | 845·00 | ... | | ... | ... |
| | (b) Class II ... | Do | 350·00 | 200·00—250·00 | 200.00—400.00 | | | 140·00 | 150.00 | 291 00 | ... | | ... | ... |
| (ii) Buffalo bulls | (a) Class I ... | Do ... | 190·00 | 150·00—200 00 | 300·00 | | | 400·00 | 175.00 | 450 00 | ... | | ... | ... |
| | (b) Class II ... | Do ... | ... | 200·00—350·00 | 100·00—150·00 | | | 200·00 | 75·00 | 350·00 | ... | | ... | ... |
| 2 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class ... | Do ... | 193.00 | 200·00—360.00 | 200.00—250.00 | | | 150 00 | 125·00 | 185·00 | 150·00—220·00 | | ... | |
| | (b) Class ... | Do ... | 160·00 | 175·00—250·00 | 150 00—180.00 | | | 90 00 | 75·00 | 188.00 | 145 00—225·00 | | | |
| (ii) Buffaloes ... | (a) Class I ... | Do ... | 360·00 | 300.00—350 00 | 200·00—275 00 | | | ... | 850·00 | 452·00 | 210 00—310·00 | | ... | |
| | (b) Class II ... | Do ... | 262·00 | 250·00—300·00 | 100.00—180·00 | | | ... | 100 00 | 275·00 | 160·00—250·00 | | ... | |
| 3 Sheep ... | ... | Do ... | 42·00 | ... | 40·00—42·00 | | | 95·00 | 85·000 | 60.00 | 34·00—60 00 | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per kg. ... | | ... | | ... | | | ... | ... | | | | |
| | (b) ..... | Do ... | | | | ... | | | ... | ... | | | | |
| 2 Hides— | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do ... | 1.62 | 1 25—1·37 | 1.15 | — | | | ... | ... | | | | ... |
| | (b) ..... | Do | 1·00 | 0·96—10 00 | 0·75 | — | | | 4·50 | ... | | | | ... |
| Tanned ... | (a) ..... | Do ... | 6 00 | 4·57—4·63 | 4·44 | | 5·00 | | ... | ... | | 5·89 | | ... |
| | (b) ..... | Do ... | 4·50 | 3·50—5·75 | | — | | | ... | | | | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 2·00 | 1·60—2·00 | 4 44 | — | | | ... | ... | ... | | | ... |
| | (b) ..... | Do ... | 1·75 | 1·25—1·50 | 1·15 | — | | | ... | ... | ... | | | ... |
| Tanned ... | (a) ..... | Do ... | 8.00 | 4·50—5·00 | 0 75 | | 6 00 | | 4·50 | ... | | 5·75 | | ... |
| | (b) ..... | Do ... | 7 00 | 4·00—4·50 | 4·44 | — | | | ... | ... | ... | | | ... |
| 3 Skins— | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) ..... | Do ... | 1·81 | 4·50—5·00 | 8·50 | — | | | 3 00 | ... | ... | | | 3 50 |
| | (b) ..... | Do ... | 1·00 | ... | ... | ... | | | ... | ... | | | | ... |
| Tanned ... | (a) ..... | Do | 6.50 | ... | ... | ... | | | 9 00 | .. | ... | | | |
| | (b) ..... | Do ... | 5·00 | ... | | ... | | | ... | ... | | | | |
| (ii) Sheepskins— Raw. | (a) White | Do ... | 1 00 | 3 25—3·75 | 4·00—4·50 | ... | | | 2·50 | ... | ... | | | 3 50 |
| | (b) Black | Do ... | 0·75 | ... | | ... | | | ... | ... | ... | | | ... |
| Tanned ... | (a) ..... | Do ... | 5·00 | ... | ... | ... | | | 8·00 | ... | ... | | | ... |
| | (b) ..... | Do ... | 4·00 | ... | ... | ... | | | ... | ... | .. | | | ... |
| 4 Ghee ... | (a) Agmark ... | Do ... | 5.00 | ... | | ... | | | ... | ... | | 76·00 | | ... |
| | (b) Ungraded ... | Do ... | 5·75 | ... | 4 00—4 12 | | 5·00 | | 7 50 | | 15·00 | 6 00 | | ... |
| X. Fodder.— | | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | Per quintal | ... | ... | ... | ... | | ... | ... | | 15·00 | ... | | ... |
| | (b) Paddy | Per cart-load | ... | ... | ... | ... | | ... | ... | | 8·00 | | 19.85 | 10 50 |
| 2 Straw ... | (a) Ragi | Do ... | ... | ... | ... | ... | | ... | ... | | 25·00 | ... | | ... |
| | (b) ..... | ... | ... | ... | ... | ... | | ... | ... | | | | 20 00 | .. |
| 3 Stalks ... | (a) Jola | Per quintal | ... | ... | 50·00 | ... | | 48·00 | ... | | 18·00 | ... | | ... |
| | (b) ..... | ... | ... | | ... | ... | | ... | ... | | ... | ... | | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 176 00 | ... | 160·00—170 00 | ... | 27·25 | 80 00 | 160·00 | 92 75 | 820 00 |
| 2 | Tamarind ... | ... | ... | 82·00 | ... | 50 00—62·00 | ... | 69 00 | 60,00 | 76·00 | 89·00—90 00 | 95·00 |
| 3 | Dry Chillies ... | ... | ... | 260·00 | 140·00—250 00 | 220·00—230 00 | ... | 221·00 | 220 00 | 200 00 | 335.00 | 302·00 |
| 4 | Garlic ... | ... | ... | 90·00 | 48·00—70·00 | 65·00—68·00 | ... | 60·00 | 55 00 | 70 25 | 88·50 | 180·00 |
| 5 | Pepper ... | ... | ... | 330·00 | 800,00—850·00 | ... | ... | 400·00 | 876·00 | ... | 811·00 | 886·00 |
| 6 | Cardamom ... | ... | ... | 981 00 | 980·00—950·00 | ... | ... | ... | 1,700,00 | ... | 1,100—1,200 | 1,080·00—1,300·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES.

**Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 15th February 1964.**

**Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres: Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| Paddy | Coarse | | 2·8 | 4 | ... | ... | 2·4 | 2 4 | ... | ... | 2·6 | 2·4 |
| Rice | Do | | 1·4 | 1·4 | 1·1 | ... | 1·4 | 1·6 | 1 1 | 1·5 | 1·7 | 1·2 |
| Wheat | White | | ... | 3·0 | 1·2 | ... | 2·4 | 2·2 | 1·3 | 2,0 | 2·2 | 1·4 |
| Wheat Flour | Do | | ... | 1·7 | 1·4 | ... | ... | 2 8 | 1 3 | 2·9 | 1·0 | 1·6 |
| Jowar | Do | | ... | 2·5 | 2·2 | ... | 2·0 | 2 2 | 2·3 | 2·8 | 2 6 | 1·9 |
| Bajra | | | ... | ... | 2·4 | ... | 2·0 | 2·2 | 0 4 | ... | ... | 2·3 |
| 7 Barley | | | ... | ... | ... | ... | ... | 0,70 | 2·5 | ... | ... | ... |
| 8 Maize | | | ... | ... | ... | ... | ... | - | 2·5 | ... | ... | ... |
| 9 Ragi | | | 3·6 | 2·5 | 2·5 | ... | ... | 2·2 | ... | 2 5 | 2·4 | 2·5 |
| 10 Other cereals... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | 2·8 | 3·5 | 4·0 | ... | 3·4 | 2·6 | 2·5 | 3·4 | 3·8 | 3·1 |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | 2·8 | ... |
| (iii) Papaye | | | 2·1 | ... | ... | ... | ... | ... | 0·55 | ... | ... | ... |
| (iv) Groundnut cake flour. | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| I. Pulses— | | | | | | | | | | | | |
| 1 Gram | (a) Whole | | 2·1 | 1.7 | 1·4 | ... | 1·3 | 1·3 | 1·5 | 1·5 | 1·8 | 1·8 |
| | (b) Split (without skin). | | ... | ... | ... | ... | ... | 1·2 | 1·8 | 1·2 | 1·6 | 1·1 |
| | (c) Flour | | ... | ... | ... | ... | ... | 1·4 | 1 3 | 1·5 | ... | ... |
| 2 Arhar (Tur) | (a) Whole | | 1·6 | ... | 1·6 | ... | ... | 1·8 | 0 84 | 2·3 | 0·9 | ... |
| | (b) Split (without skin), | | ... | ... | ... | ... | ... | 0·9 | ... | 1·0 | ... | 1.0 |
| 3 Mesng | (a) Whole | | ... | 1·0 | 1.4 | ... | ... | 1·1 | 1,2 | ... | 1·4 | 1·6 |
| | (b) Split (without skin). | | ... | ... | ... | ... | ... | 1·0 | 1·1 | ... | 1·2 | ... |
| 4 Uri | (a) Whole | | ... | 1·2 | 2·0 | ... | ... | 1·1 | 1·05 | 0·9 | 0 86 | ... |
| | (b) Split (without skin), | | ... | ... | ... | ... | ... | 1·0 | 0·85 | 0·7 | ... | ... |
| 5 Masur | (a) Whole | | ... | ... | ... | ... | ... | ... | 1·0 | ... | ... | ... |
| | (b) Split (without skin). | | ... | ... | ... | ... | ... | ... | 1,0 | ... | ... | ... |
| 6 Other pulses.— | | | | | | | | | | | | |
| (i) Avare | (a) Whole | | 1·6 | 1.25 | 1·0 | ... | 0·70 | 1·25 | 1·17 | ... | ... | ... |
| | (b) Split (without skin), | | ... | ... | ... | ... | ... | ... | ... | ... | 1·14 | ... |
| (ii) Horsegram | | | 2·8 | 2·5 | 1·2 | ... | 2,5 | 1·25 | 1.05 | 2·5 | 2·3 | 2·35 |
| (iii) Cowpea | | | 1·2 | 1·75 | ... | ... | 1·7 | 2·5 | 2·5 | ... | ... | 1·70 |
| | | | | | | | | 1·4 | 1·25 | | | |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | ... | 0·95 | 1·0 | ... | 0·95 | 0·92 | 0·79 | 0·80 | 1·0 | 0·82 |
| 2 Sugar refined | (b) Sort II | | 1·0 | ... | ... | ... | ... | ... | ... | 1·20 | 1·25 | ... |
| | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | Per kg | 5 5 | 0·25 | 1·80 | ... | 2·00 | 2 1 | 2·25 | 1 75 | 2·00 | 1·50 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·80 | ... | ... | 2 25 |
| 3 Castor oil ... | ... | ... | 5·00 | ... | 1·70 | ... | 1·75 | 1 60 | 2·10 | 1·85 | 1·95 | 2 00 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | 2·7 | ... | 8·50 | ... | 8·50 | 8·25 | 8·25 | 8·50 | ... | ... |
| Vanaspati ... | ... | ... | ... | ... | ... | ... | ... | — | ... | ... | ... | 2·25 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 0·55 | 0 75 | 0·75 | ... | | 0 75 | 92· | 2 00 | 2·25 | ... |
| 3 Oranges ... | ... | Do | 1·25 | 2·0 | 2·50 | ... | | 0·40 | ,20 | 0·80 | 1 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 1·50 | | | ... | ... | ... | ... | 0·56 |
| 5 Cashew kernels | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 6 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | ... | | 1·50 | ... | | | 2·10 | 1·45 | 1·81 | 1·70 |
| 2 Onions ... | ... | ... | ... | | 4·0 | ... | | | 2·85 | 3·00 | 2·62 | 2.20 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | 0·25 | ... | ... | | 0 15 | 0 85 | ... | 0 16 |
| 2 Arecanuts ... | ... | ... | ... | 0 12 | 2·0 | ... | ... | | 0·11 | ... | ... | 0 85 |
| VI. Tobacco ... | Leaf ... | Per kg. | ... | ... | ... | ... | ... | | | ... | ... | ... |
| II. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 0·80 | 1·50 | 0·70 | ... | 0 47 | 0 60 | 0·75 | 0·70 | | 0·62 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | 0·160 | ... | ... | ... | ... | 0,16 | ... | | ... |
| | (b) Ungraded ... | ... | ... | 0·160 | ... | ... | ... | ... | 0,16 | 0 85 | | 0 16 |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·70 | 3·00 | 2·50 | ... | 2·25 | 2·20 | 2 40 | ... | | 2·8 |
| | (ii) B Grade | Do | 2·50 | 2·50 | 15. | ... | ... | 1·70 | 2·25 | ... | | 2 00 |
| | (iii) C Grade | Do | ...1·60 | 2·00 | 0 75 | ... | ... | 1 ·0 | 2·00 | 2 64 | | ... |
| 4 Mutton ... | ... | ... | ... | ·850 | 0 88 | ... | ... | 0·25 | 0·25 | 0 88 | | 0 90 |
| 5 Beef ... | ... | ... | ... | ... | | ... | ... | | | | | ... |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | 0 66 | 0 50 | 0·50 | ... | 0·52 | 0·50 | 0.40 | 0 50 | 0 50 | 0 50 |
| 2 Tamarind ... | ... | ... | 1·00 | 1 00 | 1·25 | ... | 1·28 | 1 17 | 1·0 | 1·10 | 0 89 | 1·00 |
| 3 Dry chillies ... | ... | ... | 0·28 | 0 80 | 0 50 | ... | 0 89 | 0 85 | 0·40 | 1 20 | 0·40 | 0·25 |
| 4 Garlic ... | ... | ... | 1 0 | 1·50 | 1·00 | ... | 1 00 | 0.80 | 1 00 | 0 75 | 1 00 | 1·00 |
| 5 Pepper ... | ... | ... | 0·28 | 0·125 | 0·15 | ... | 0 82 | 0 ·7 | 0·25 | 0·80 | 6 86 | 0 25 |
| 6 Cardamom ... | ... | ... | 0·50 | ... | ... | ... | 0·6 | 0·50 | 0·08 | ... | 2·05 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | Per Quintal | 9 50 | 12·00 | 12·00 | ... | 10·00 | 10·00 | 10·00 | 25 | 10 00 | 9·00 |
| 2 Kerosene oil ... | ... | Per Litre | 0 40 | 0 60 | 0 87 | ... | 0 60 | 0 50 | 0·55 | 0 50 | 0 50 | 0·87 |
| 3 Firewood/ Charcoal. | ... | Quintal | 7·00 | 7·00 | 6 00 | ... | ... | 8·75 | 6·50 | 6·00 | 6.25 | 6·00 |
| 4 Coarse cloth ... | ... | Per metre | 1·50 | 0·50 | ... | ... | 1·25 | 1·75 | 1·60 | — | 1·60 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... ... | | ... | 2 0 | ... | ... | ... | ... | 2·7 | 2·2 | 2·0 |
| 2 Rice ... | Do ... ... | | 1·4 | 1 0 | 1·2 | 1 4 | 1·5 | 1.6 | 1·7 | 1·6 | 1·0 |
| 3 Wheat ... | White ... ... | | 1·5 | 1 0 | 1·3 | 1·5 | 1·5 | 1,4 | 1·6 | 1·7 | 2·0 |
| 4 Wheat Flour... | Do ... ... | | 1·8 | 1·9 | ... | ... | ... | ... | 2·0 | 1.5 | ... |
| 5 Jowar ... | Do ... ... | | 9 0 | 2·0 | 0 70 | ... | ... | 2·2 | 1·8 | 0·50 | 1·0 |
| 6 Bajra ... | — ... | | ... | 2 0 | 2·0 | 2·0 | 1·8 | ... | 2·0 | ... | ... |
| 7 Barley ... | ... ... | | ... | 1·8 | ... | ... | 2·3 | ... | ... | ... | ... |
| 8 Maize ... | ... ... | | ... | ... | 2·2 | ... | ... | ... | ... | ... | ... |
| 9 Nagi ... | ... ... | | 4·0 | 2·6 | ... | ... | ... | ... | ... | 2.1 | ... |
| 10 Other cereals... | — ... | | ... | ... | 2·6 | ... | ... | ... | ... | ... | 2·0 |
| (i) ..... | ... — | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | — — | | | | ... | ... | ... | ... | | 5·1 | 3·0 |
| (ii) Tapioca ... | ... ... | | | ... | ... | ... | ... | ... | | ... | 4·0 |
| (iii) Papaya ... | ... ... | | | ... | ... | ... | ... | ... | | ... | |
| (iv) Groundnut cake flour | ... ... | | | ... | ... | ... | ... | ... | | 2·6 | |
| | | | | ... | | | | | | | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... — | | 1.4 | ... 1·5 | 1 6 | 1 5 | 1·8 | | 1·2 | 1·2 | 1·0 |
| | (b) Split (without skin). ... | | 1·0 | ... | 1·8 | 1·4 | 1 6 | | | 1 2 | 1·0 |
| | (c Flour ... — | | 1·8 | ... | ... | ... | ... | | | | |
| 2 Arhar (Tur) ... | (a) Whole ... — | | 1·6 | ... | 1·4 | ... | ... | | 1 0 | 1.2 | — |
| | (b) Split (without skin). ... | | ... | ... | 0·9 | 1·1 | 1·6 | | ... | 1·0 | 0 75 1·0 |
| 3 Moong ... | (a) Whole ... ... | | 1 00 | 1·0 | 1·6 | 1·8 | 1·1 | | ... | 1·2 | ... |
| | (b) Split (without skin). — | | 1·1 | — | 1·1 | 1·9 | 2·1 | | ... | 1·0 | ... |
| 4 Urd ... | (a) Whole ... ... | | 1 0 | ... | 1·9 | ... | ... | ... | ... | 0·90 | ... |
| | (b) Split (without skin). ... | | 1 0 | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Masur ... | (a) Whole ... ... | | 1·5 | ... | ... | ... | 1.5 | 0·95 | ... | ... | ... |
| | (b) Split (without skin), ... | | 1.2 | ... | 2·2 | ... | ... | ... | 2·2 | ... | 1 |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole — ... | | ... | ... | 2,2 | ... | ... | ... | ... | 1·56 | ... |
| | (b) Split (without skin). ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Horsegram | ... — — | | — | ... | ... | ... | ... | ... | ... | ... | 0 75 |
| (iii) Cowpea ... | — .. | | 2·0 | | 2·2 | ... | ... | ... | ... | 2·92 | ... |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... — | | 0 77 | | 1·0 | 1·12 | ... | 1·8 | 1·0 | 1 0 | 1 0 |
| | (b) Sort II ... ... | | | | 1·17 | ... | ... | ... | ... | ... | ... |
| 2 Sugar, refined | D 24 ... ... | | | ... | 2 00 | 2·00 | | 1.80 | 1 10 | 2 0 | 2·50 |
| IV. Oils.— | ... | | | | | | | | | | |
| 1 Groundnut oil | — ... | | | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sesamum oil | — ... | | | ... | ... | ... | ... | ... | ... | ... | 3 00 |
| 3 Castor oil ... | — ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Mustard oil ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... ... | | ... | ... | ... | ... | 3·50 | ... | ... | ... | ... |
| 6 Coconut oil ... | ... ... | | ... | ... | ... | ... | ... | 1·12 | 3·35 | 3·20 | 3 50 |
| 7 Vanaspati ... | ... ... | | ... | ... | 2·25 | ... | ... | ... | ... | ... | ... |
| | | | | | | | ... | ... | ... | ... | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 Other oils— | | | | | | | | | | | |
| (i) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts,— | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | |
| 1 Mangos ... | | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | | Do | ... | 0 65 | ... | 0·87 | 0 62 | ... | ·87 | | 0·78 |
| 3 Oranges ... | | Do | 0·62 | ... | 0·82 | ... | ... | 0·60 | 1·75 | | 0·90 |
| 4 Dates ... | | ... | ... | ... | ... | ... | 1·10 | ... | ... | ... | ... |
| 5 Cashew kernels | | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| 6 ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | |
| 1 Potatoes ... | | ... | 1·58 | 1·2 | 1·67 | 1 50 | 1·50 | 1·30 | 2·00 | 1·76 | 1·10 |
| 2 Onions ... | | ... | 8.88 | 2·5 | 3·00 | 3 00 | 3 00 | 4·00 | 4 10 | 2·96 | 2·50 |
| 3 ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts— | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Arecanuts ... | | ... | 1 66 | ... | 0·15 | 0 72 | ... | ... | ... | ... | ... |
| VI. Tobacco ... | Leaf ... | Per kg. | ... | ... | ... | ... | | | | | 0 81 |
| VII. Live-stock products— | | | | | | | | | | | |
| 1 Milk ... | ... | ... | 0 89 | ... | 0·80 | ... | | ... | ... | ... | ... |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ... | ... | ... | | ... | ... | 0·18 | ... |
| | (b) Ungraded ... | ... | 0·18 | ... | 0·69 | 0 28 | | ... | ... | ... | ... |
| 3 Eggs ... | (i) A Grade | Per Dozen | 2 25 | 2·40 | 2·50 | 2·25 | | 1 80 | 2·00 | 2 06 | ... |
| | (ii) B Grade | Do | 1.75 | ... | 1·50 | 1·75 | | ... | 1·50 | 1.50 | 2·40 |
| | (iii) C Grade | Do | 1·50 | ... | 0·87 | ... | | ... | 1.75 | ... | ... |
| 4 Mutton ... | ... | ... | 0·88 | 0 85 | 0·78 | 0 40 | | 0·37 | 0·30 | 0 82 | 0·33 |
| 5 Beef ... | ... | ... | | ... | ... | ... | | ... | ... | ... | ... |
| | | | | | | | | ... | ... | | |
| VIII. Condiments and Spices— | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | 0 50 | 0 75 | 0 50 | ... | 0 75 | 0·55 | 0·85 | 0·50 | 0·23 |
| 2 Tamarind ... | ... | ... | 0 90 | 1·8 | 1·02 | ... | 1·92 | 1·80 | 1·82 | 0 81 | 1 00 |
| 3 Dry chillies ... | ... | ... | 0 94 | 0·85 | 0 88 | ... | 0·40 | 0 40 | 0 80 | 0 82 | 0 25 |
| 4 Garlic ... | ... | ... | 1 00 | 3 00 | 0·50 | ... | 1·00 | ... | ... | 0·78 | 0·50 |
| 5 Pepper ... | ... | ... | 0 89 | ... | ... | ... | 0·88 | ... | ... | 0.88 | 0·.5 |
| 6 Cardamom ... | ... | ... | 0·88 | ... | ... | ... | ... | m | ... | 0·08 | ... |
| IX. Miscellaneous— | | | | | | | | | | | |
| 1 Salt ... | ... | ... | 6 00 | ... | 7 40 | ... | 8 80 | 10·00 | 10 10 | 10 00 | 12·00 |
| 2 Kerosene oil ... | ... | Per Litre | 0·62 | ... | ... | 0·50 | 0·45 | 0·46 | 0 ·7 | 0·48 | 0 60 |
| 3 Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | 8 00 | 6·00 | 7·50 | 6 25 | ... |
| 4 Coarse cloth ... | ... | Per Metre | 1·00 | ... | ... | ... | ... | 1·50 | 0·68 | 0·87 | 0 62 |

187--40 g

.....
For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

**Dated 24th November 1965.**

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, THE 13TH NOVEMBER 1965.

**No. S.T R. 46-1/65-6.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 19 attacks with 5 deaths from Small-pox was reported from the entire State, *viz.*, from the Town of Tumkur and from the taluks of Shiruguppa, Bantwal and Magadi *as against* one attack with nil death reported during the corresponding week of the previous year.

A total of 5 attacks with 1 death from Cholera was reported for the entire State, *viz.*, from the taluks of Hiriyur and Madhugiri during the week, *as against* 97 attacks with 33 deaths reported during the corresponding week of the last year.

A total of nil attack with nil death from K. F. Disease was reported from Shimoga District, *as against* two attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow Fever, Relapsing Fever, Infectious, Hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 211 (98 in hospitals) for the week *as against* 223 (72 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.4 (6.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.2 (8.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 6 were due to Small-pox, 3 due to other fevers, 10 due to Dysentery and Diarrhœa, 7 due to Consumption and 185 due to all other causes, *as against* 1 was due to other fever, 23 due to Dysentery and Diarrhœa, 7 due to Consumption and 192 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 24 (12 in hospitals) for the week giving a calculated death rate of 4.8 (3.4 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes deaths, 2 were due to other fevers, 7 due to Dysentery and diarrhœa 1 due to Consumption and 11 due to all other causes.

The report of K. G. F. City not received.

The total mortality for Belgaum City amounted to 15 (nil in hospitals) for the week *as against* 35 (28 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.7 (5.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 13.4 (2.7 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Dysentery and Diarrhœa, and 14 due to all other causes, *as against* 1 was due to other fevers, 1 due to Dysentery and Diarrhoea, 3 due to Consumption and 30 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 32 (13 in hospitals) for the week giving a calculated death rate of 7.4 (3.0 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 1 was due to other fevers, 1 due to Consumption and 20 due to all other causes.

185 J. SHIVALINGAIAH, For *Director*.

**Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.**

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, DECEMBER 9, 1965 (MARGASIRA 18, SAKA ERA 1887) | No. 48

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 10th November 1965.

| No. of rainy days in the Week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | Water Supply | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

(From 3-10-1965)

1. *Bangalore District.*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3.9 | 21.3 | 11.0 | 166.9 | Crops were withering in most of the taluks for want of rains. | Good | ... | Scarcity for fodder was felt except in some parts of Bangalore South Magadi and Hosakote Taluks. | Inadequate (1) supply of water was felt in Devanahalli, Doddaballapur Channapatna and Ramanagaram Tqs. |

2. *Kolar District.*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3.0 | 30.0 | 17.5 | 151.0 | Crops were withering in almost all the taluks for want of rains. | Good | ... | Available except in some parts of Srinivasapur, Malur and Chickaballapur Tqs. | Adequate (2 except in Srinivaspur and Chintamani Tqs. |

3. *Tumkur District.*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 10 6 | 23.0 | 36.8 | 154.0 | Dry crops were withering in most of the taluks for want of rains. | Good | ... | Available except in C. N. halli Tiptur and Koratagere Taluks. | Adequate (3) except in Turuvekere, C. N. halli and Koratagere Tqs. |

4. *Mysore District.*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 0 9 | 20.2 | 34.1 | 169.6 | Crops were withering in almost all the taluks for non-receipt of rains. | Good | ... | Scarcity for fodder was felt in T. Narasipur, Hunsur and Kollegal Tqs. | Inadequate (4) water supply was felt in T. Narasipur, Hunsur and Kollegal Tqs. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 5. *Mandya District.* | | | | | | | | |
| 1 | 5.1 | 19.7 | 29.2 | 168.6 | Dry crops were withering for want of rains throughout the district. | Good ... | Available except in some parts of Mandya and Maddur Tqs. | Adequate (5) except in some parts of Maddur and Mandya Tqs. | |
| | 6. *Hassan District.* | | | | | | | | |
| | 9.5 | 25 2 | 38.4 | 176.0 | Dry crops were failed in most of the taluks for want of rains. | Good except for the prevalence of cattle disease at one village of Hassan. taluk. | Scarcity for fodder was felt in Arkalgud Hassan, Arsikere and Belur Tqs. | Inadequate (6) water supply was felt except in Alur Tq. | |
| | 7. *Chickmagalur District.* | | | | | | | | |
| | 24.3 | 28.9 | 184.2 | | Dry crops were reported to be not fair throughout the district except in Koppa Taluk. | Good ... | Available except in Kadur Tq. where scarcity for fodder was felt. | Water supply (7) was not satisfactory in Tarikere, Mudegere and Kadur Taluks. | |
| | 8. *Shimoga District* | | | | | | | | |
| | 20.0 | 19.5 | 151.7 | | Fair except in some parts of Shimoga, Thirthahally, Channagiri and Sagar taluks where dry crops were not fair for want of rains. | Good ... | Available except in Channagiri and Hosanagar Taluks. | Adequate (8) except in Channagiri and Hosanagar Taluks. | |
| | 9. *Chitradurga District.* | | | | | | | | |
| | 18.2 | 2.5 | 128.8 | | Dry crops were failed in most of the taluks for want of rains. | Good ... | Available except in Molakalmur Taluk. | Inadequate (9) water supply was felt in Molakalmuru Davangere and Hosadurga Taluks. | |
| | 10. *Bellary District.* | | | | | | | | |
| | N.A. | Nil | N.A. | | Dry crops were failed in most of the taluks for want of rains. | Good ... | Available except in some parts of Hospet Tq. | Adequate (10) except in Kudligi Taluk. | |
| | 11. *Bijapur District.* | | | | | | | | |
| | N.A. | Nil | N.A. | | Crops were reported to be not fair in most of the taluks for want of timely rains. | Good except for the prevalence of cattle disease at one village of Indi taluk. | Scarcity for fodder was felt in Indi Taluk and Jamkhandi Taluk. | Adequate (11) | |
| | 12. *Belgaum District.* | | | | | | | | |
| | N.A. | 9.9 | N.A. | | Dry crops were withering in Gokak, Ramdurg and Paragad taluks for want of rains. | Good except for the prevalence of cattle disease in one village each of Ramdurg and Chikkodi taluks. | Available. | Adequate (12) except in some parts of Ramdurg and Paragad taluks. | |
| | 13. *Dharwar District.* | | | | | | | | |
| | N.A. | 12.3 | N.A. | | Dry crops were failed in almost all the taluks for want of timely rains. | Good | Scarcity for fodder was felt in Hirekerur and Mundargi Taluks. | Adequate. (...) | |
| | 14. *North Kanara District.* | | | | | | | | |
| | N.A. | 24.4 | N.A. | | Crops were not up to the mark for want of sufficient and timely rains. | Good ... | Available ... | Adequate. (13) | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| 15. | *Gulbarga District.* | | | | | | | | |
| | N.A. | 6.0 | N.A. | | Dry crops were withering for want of rains in most of the taluks. | Good | ... Available | ... Adequate (14) except in some parts of Yadgir Taluk. | |
| 16. | *Raichur District.* | | | | | | | | |
| | N.A. | Nil | N.A. | | Crops were reported to be not fair throughout the district for want of rains. | Good | ... Available except in Sindhanoor Taluk. | Adequate (16) except in some parts of Gangawathi Taluk. | |
| 17. | *Bidar District.* | | | | | | | | |
| | N.A. | Nil | N.A. | | Crops were not fair in Bhalki Taluk. | Good | | ... Inadequate (15) water supply was felt in Bhalki Taluk. | |
| 18. | *South Kanara District.* | | | | | | | | |
| | N.A. | 43.3 | N.A. | | | | ... Available except in Udipi Taluk. | Adequate (17) except in Buntwal and Udipi Taluks. | |
| 19. | *Coorg District.* | | | | | | | | |
| | N.A. | 66.1 | | | | | | ... Adequate (18) except in Mercara Taluk | |

Remarks :—(1) Refers to 9 Taluks. (2) Refers to 10 Taluks. (3) Refers to 9 Taluks. (4) Refers to 9 Taluks. (5) Refers to 4 Taluks. (6) Refers to 7 Taluks. (7) Refers to 6 taluks. (8) Refers to 8 Taluks. (9) Refers to 7 Taluks. (10) Refers to 5 Taluks. (11) Refers to 5 Taluks. (12) Refers to 6 Taluks. (13) Refers to 7 Taluks (14) Refers to 7 Taluks. (15) Refers to 6 Taluks. (16) Refers to 1 Taluk. (17) Refers to 6 Taluks. (18) Refers to 2 Taluks.

SYED MAHMOOD, For *Director of Statistics*.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 10th November 1965.

(a) Denotes :—Rainfall.
(b) " Sowing/Transplantation.
(c) " Condition of Standing Crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations.
(f) " Water Supply.
(g) " Fodder / Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) Light showers in Doddaballapur, Devanahalli, Ramanagaram and Kanakapura Taluks and nil in other Taluks. (b) Nil. c) Crops were withering in most of the taluks for want of rains. (d) Nil. (e) Held up for want of rain. (f) Sufficient except in Devanahalli and Ramanagaram Taluks (g) Available except in Devanahalli, Kanakapura, Ramanagaram, and Channapatana Taluks.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Chintamani, Chickaballapur. Bangarpet and Malur Taluks and nil in other Taluks (b) Nil. (c) Crops were withering in most of the Taluks for want of rains. (d) Nil. (e) Agricultural operations were held up for want of immediate rains. (f) Sufficient except in Srinivasapur and Bagepalli Taluks. (g) Available except in Srinivasapur, Gudibanda, Bagepally, Chintamani and Malur Taluks. (h) Generally healthy.

3 Tumkur District.—

(a) Light showers in Gubbi, Turuvekere, Pavagada, Kunigal and Tiptur Taluks. (b) Nil. (c) Crops were withering in most of the taluks for want of rains. (d) Groundnut was harvested in Pavagada and C. N. Halli taluks. (e) Agricultural operations were held up for want of immediate rains. (f) Sufficient except in C N. Halli and Turuvekere Taluks. (g) Available except in C. N. Halli and Tiptur Taluks. (h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week (b) Nil. (c) Crops were withering in most of the taluks for want of rains. (d) Nil. (e) Agricultural operations were held up for want of immediate rains. (f) Sufficient in T. Narasipur, Kollegal, and Gundlupet taluks. (g) Available except in T. Narasipur, Hunsur and Kollegal Taluks. (h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week except in Mandya Taluk. (b) Nil. (c) Dry crops were withering for want of rain. (d) Sugarcane was harvested in Maddur, Mandya, and Srirangapatna, Taluks (e) Agricultural operations were held up for want of immediate rains. (f) Sufficient except in Mandya Taluk. (g) Insufficient. (h) Generally healthy.

6 Hassan District.—
(a) Inadequate.
(b) Nil
(c) Crops were withering for want of rains.
(d) Harvesting of Paddy in Hassan Taluk, Ragi in Arsikere Taluk. and Sugarcane in Channaraya patna Taluk was in progress.
(e) Agricultural operations were held up for want of immediate rains.
(f) Inadequate.
(g) Insufficient.
(h) Good except for the prevalance of cattle disease at one village of Hassan Taluk.

7 Chickmagalur District.—
(a) Light showers in Sringeri and Kadur Taluks.
(b) Nil.
(c) Crops were in need of urgent rains.
(d) Picking up of Areca in Sringeri Taluk was in progress.
(e) Agricultural Operations were held up for want of immediate rains.
(f) Adequate except in Tarikere and Kadur Taluks.
(g) Available except in Tarikere and Kadur Taluks.
(h) Generally healthy.

8 Shimoga District.—
(a) No rainfall during the week.
(b) Nil.
(c) Corps were in need of urgent rains.
(d) Harvesting of Areca and Paddy in Thirthahalli Taluk Ragi, Paddy and Jowar in Channagiri Taluk Paddy in Bhadravathi and Honnali Taluks was in progress.
(e) Agricultural operations were held up for want of immediate rains.
(f) Adequate except in Channgiri Taluk.
(g) Available except in Channagiri Taluk.
(h) Generally healthy.

9 Chitradurga District.—
(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were withering for want of rain in most of the Taluks.
(d) Harvesting of Ragi in Hosadurga, Holalkere and Davangere Taluks was in progress.
(e) Agricultural operations were held up for want of immediate rains.
(f) Inadequate.
(g) Insufficient.
(h) Generally healthy.

10 Bellary District.—
(a) No rainfall during the week. (b) Nil. (c) Standing crops were withering for want of rain in most of the taluks. (d) Harvesting of dry crops was in progress. (e) Agricultural operations were held up for want of immediate rains. (f) Sufficient except in Kudligi, and Hospet taluks (g) Available except in Hospet Taluk. (h) Generally healthy.

11 Bijapur District.—
(a) No rainfall during the week. (b) Nil. (c) Crops were withering in most of the taluks for want of rains. (d) Harvesting of Kharif Crops were in progress in some taluks. (e) Held up for want of rains in most of the Taluks. (f) Sufficient. (g) Available except in Mudhol and Indi Taluks. (h) Good except for the prevalance of cattle-disease at one village of Indi Taluk.

12 Belgaum District.—
(a) No rainfall during the week. (b) Nil. (c) Crops were affected due to non-receipt of rains ( ) Harvesting of Paddy in Belgaum Taluk and Sugarcane in Raibagh Taluk was in progress. (e) Held up for want of rains in most of the taluks. (f) Adequate except in Ramdurg Taluk. (g) Available except in Ramdurg and Raibagh Taluks (h) Good except for the prevalance of cattle-diesase at one village of Ramdurg Taluk.

13 Dharwar District.—
(a) No rainfall during the week. (b) Nil. (c) Crops were withering in most of the taluks for want of rains (d) Harvesting of Kharif Jowar and other crops were in progress. (e) Held up for want of rains in most of the taluks (f) Adequate except in Ranebennur Taluk. (g) Sufficient except in Mundargi Taluk. (h) Good except for the prevalence of cattle-disease at one village of Byadgi Taluk.

14 North Kanara District.—
(a) Light showers in Sirsi Taluk and Nil in other taluks. (b) Nil. (c) Crops were affected due to want of rains. (d) Harvesting of paddy in most of the taluks was in progress. (e) Held up for want of rains in most of the taluks. (f) Adequade. (g) Available. (h) Generally healthy.

15 Gulbarga District.—
(a) No rainfall during the week. (b) Nil. (c) Crops were withering for want of rains. (d) Harvesting of Bajra, G. Nut Jowar and Minor Millets was in progress. (e) Held up for want of rains in most of the taluks. (f) Sufficient except in Gulbarga Taluk. (g) Available. (h) Generally healthy.

16 Raichur District.—
(a) No rainfall during the week. (b) Rabi-sowing was in progress in Gangavathi Taluk. (c) Crops were withering for want of rains. (d) Harvesting of Kharif crops was in progress. (e) Held up for want of rains in most of the taluks. (f) Sufficient except in Raichur and Gangavathi Taluks (g) Available (h) Generally healthy.

17 Bidar District.—
(a) No rainfall during the week (b) Nil. (c) Crops were withering for want of rains. (d) Harvesting of Kharif crops was in progress. (e) Held up for want of rains in most of the taluks. (f) Inadequate. (g) Available. (h) Generally healthy.

18 South Kanara District.—
(a) Light showers in Buntwal, Karkal and Puthur Taluks (b) Transplanation of II Crop paddy was in progress. (c) Standing Crops were fair. (d) Harverting of I Crop Paddy was completed. (e) Progressing in five Taluks (f) Adequate except in Buntwal and Udipi Taluks. (g) Available except in Udipi Taluk. (h) Generally healthy.

19 Coorg District.—
(a) No rainfall during the week. (b) Nil. (c) Standing Crops were fair (d) Harvesting of Cardamum was in progress in Virajpet Taluk. (e) Progress was fair in two taluks (f) Adequate except in Mercara Taluk (g) Available (h) Generally healthy.

SYED MAHMOOD, For *Director*.

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending 29th February 1964.**

**Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | Per quintal | ... | 32·00—35·00 | 40·00 | 35·00—38.00 | 41·00 | 44·00—45·00 | 47·00 | ... | 49·00 | 46·00 |
| | (b) Medium ... | ... | ... | 25·00—30·00 | 35·00 | 30·00—34.00 | 40·00 | 43·00 | 46·00 | ... | 48·00 | 40·00 |
| | (c) Coarse ... | ... | ... | 22·00—25·00 | ... | 28·00—32·00 | 39·00 | 40.00—41.00 | 44·00 | .. | ... | 38.00 |
| 2 Rice ... | (a) Fine ... | ... | ... | 74·00—78·00 | 68·00—90·00 | 70·00—72·00 | 78·00—95·00 | 84.00—85·00 | 80·00—84·00 | 74·00 | 74·00 | 79·00 |
| | (b) Medium ... | ... | ... | 65·00—68·00 | 68·00—70·00 | 65·50—68·00 | 74·00—85·00 | 82·00—83·00 | 70·00—72·00 | 69·00 | 69·00 | 77·00 |
| | (c) Coarse ... | ... | ... | 55·00—61·00 | 64·00—66·00 | 66·00—67·00 | 70·00—80·00 | 70·00 | 62·00—64·00 | 64·00 | 66·00 | 76·00 |
| 3 Wheat ... | White ... | ... | ... | 42·00—45·00 | 42·00—52·00 | 40·00—46·00 | 40·00 | 42.00 | 66.00 | 48·00 | 48·00 | 65·00 |
| Wheat Flour | ,, ... | ... | ... | 55·00—60·00 | ... | ... | 48·00 | 40·00—45·00 | ... | 60·00 | 56·40 | ... |
| 4 Jowar ... | ,, ... | ... | ... | 38·00—39·00 | 38·00—46·00 | 40·00—42·00 | 40·00 | 45·00—46·00 | 41.00—44·00 | 38·00 | 39·00 | 48·00 |
| 5 Bajra ... | ... | ... | ... | ... | ... | ... | 40·00 | ... | ... | ... | ... | 39·00 |
| 6 Barley ... | ... | ... | ... | ... | ... | ... | ... | 150·00—160·00 | ... | ... | ... | ... |
| 7 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | ... | ... | ... | 38·00—39·00 | 36·00—37·00 | 40·00—42·00 | 38·00 | 38·00—42·00 | 39·00—41·00 | 36·00 | 38.00 | ... |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops,— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | ... | 25·00 | 30·00—40·00 | ... | | 34·00 | ... | 28·00 | 26.00 | 24·00 |
| (ii) Tapioca | ... | ... | | ... | ... | ... | ... | ... | ... | ... | 30.00 | ... |
| (iii) Papaya | ... | ... | ... | ... | 15·00—35·00 | ... | | ... | 40·00 | | 40.00 | ... |
| (iv) Groundnut cake flour. | | ... | ... | ... | ... | | 38·00 | | ... | ... | | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | ... | ... | ... | 50·00—55·00 | 73·00—75·00 | 60·00 | 65·00 | 70·00—72·00 | 70·00 | 57·00 | 56·00 | 72·00 |
| 2 Arhar (Tur.) ... | ... | ... | ... | ... | 60·00—62·00 | 110.00 | 75·00 | 70·00 | ... | 48·00 | ... | 90·00 |
| 3 Mung ... | ... | ... | ... | 70·00—75·00 | 65·00 | 80·00 | 75·00 | 76·00—80·00 | 80·00 | 53·00—55·00 | 63.00 | ... |
| 4 Urd ... | ... | ... | ... | 75·00—80·00 | 50·00 | 95·00 | 70·00 | 80·00—85·00 | 90·00 | 74·00—76·00 | 88·00 | |
| 5 Masur ... | ... | ... | ... | ... | ... | ... | ... | ... | 95·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | .. | ... | ... | 50·00—60·00 | 63.00—65·00 | 90.00 | 60.00 | 95·00 | 80·00—85·00 | ... | | ... |
| (ii) Horsegram | ... | ... | ... | 40·00—41·00 | 33·00—36·00 | 40·00 | 38.00 | 36·00—40.00 | 48·00 | 45·00 | 38·00 | 36·00 |
| (iii) Cowpea ... | ... | ... | ... | 60·00—68·00 | 55·00—60·00 | ... | 56.00 | 75.00—80·00 | 78·00—80·00 | ... | 64·00 | 56·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a Sort I ... | ... | ... | 78.00—84·00 | 100·00 | 70.00 | 70·00—80·00 | 110.00 | 90·00 | 86·00 | 80·00 | 85·00 |
| | (b) Sort II ... | ... | ... | 72.00—76·00 | 80·00 | ... | 65·00—75·00 | 80.00 | 100·00 | 82·00 | ... | 66·00 |
| 2 Sugar refined | D 21 ... | ... | ... | 125.00 | | 121.00 | 123·00 | 116·00 | 128·00 | 119·00 | 125·00 | 125·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | Per quintal | ... | 80·00—84·00 | ... | 75·00—90·00 | 70 00 | .. | ... | 63.00 | 76·00 | 72·00 |
| | (b) Machine shelled | ... | ... | 90·00—97·00 | ... | 120·00 | 92 00 | ... | ... | ... | 88·00 | 90·00 |
| Groundnut Oil | ... | ... | ... | 200.00—218·00 | 190.00—210.00 | 200·00 | 190·00 | 210·00 | 200·00—225·00 | 241·00 | 188·00 | 182·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | ... | 40·00 | 37·00 | 45·00 | 30·00—40·00 | ... | | 39·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | 120·00 | | 100·00 | ... | | | ... |
| | (b) Black ... | ... | ... | | ... | | | | | | | |
| Sesamum Oil... | ... | ... | ... | ... | | | ... | ... | .. | ... | 98 00 | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | 200·00—220·00 | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | ... | 24·00 | ... | 70.00 | ... | ... | | ... |
| Castor Oil ... | ... | ... | ... | 200·00—225·00 | ... | 200·00 | 160·00 | 190·00 | 200·00—205·00 | ... | 180·00 | ... |
| Castor Oilcake | ... | ... | ... | ... | 63 00 | ... | ... | ... | ... | 173·00 | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | | ... | | ... | ... | ... | |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconnut ... | (a) Nuts ... | (Per (thousand) | ... | 320·00—350.00 | 320·00 | 280·00—320·00 | 180·00—300·00 | 200·00—350·00 | 260.00—326·00 | 325·00 | 250·00 | 22·00 |
| | (b) Copra .. | quintal | ... | 300·00—320·00 | ... | 350·00 | 300·00 | 270 00—280·00 | 300·00 | 300·00 | 256·00 | 247·00 |
| Coconnut Oil... | ... | ... | ... | 310.00—330.00 | 350·00 | 350.00—400·00 | 300·00 | 365 00 | 350·00—400.00 | 220·00 | 282·00 | 325·00 |
| Coconnut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | | | | | | |
| | (ii) Niger oil | ... | ... | ... | ... | ... | ... | 80·00 | 70·00—75·00 | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | ... | ... | ... | ... | | | ... | ... |
| 10 Other Oils ... | (ii) Refined | ... | ... | ... | 350·00 | 300.00 | 220 00 | 220.00 | ... | 265·00 | 300.00 | 320·00 |
| V. Fruits, Vegetables and Nuts.— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | | 6.00—7.00 | 6 00—7.00 | 15·00—18.00 | ... | 4·00—8·00 | 12·00—13·00 | 8·00 | 10·00 | 5·00 |
| 3 Oranges ... | ... | Do | ... | 10.00—20.00 | 28.00 | ... | ... | 10·00—31·00 | 22 00—36·00 | 15·70 | 24 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | 150·00—200·00 | - | ... | ... | ... | - | ... | ... |
| 5 Cashew Kernals, etc. | ... | quintal | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | ... | 60·00—65·00 | 60.00—75·00 | 40·00—45·00 | 61·00 | 65·00—70·00 | 27·00—28.00 | 61·00 | 60·00 | 46·00 |
| 2 Onions ... | ... | ... | ... | 80·00—82·00 | 25·00—35.00 | 30.00—35·00 | 31·00 | 30 00—35·00 | 10·00—13·00 | 25·00 | 33·00 | 30·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | .. | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | | | | 800·00 | 550·00—650·00 | | | |
| 2 Arecanuts ... | ... | ... | ... | 600 00—695·00 | 700.00—800.00 | ... | | 800·00 | 900 00-1000·00 | 600·00—650·00 | 768·00 | 790·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | 106·00—108·00 | ... | | 146·00 | | ... | | 106 00 |
| | (b) Lint | ... | ... | ... | 128·00—129·00 | | | 127·00 | | | .. | 286·00 |
| | (c) Seed | ... | | | ... | | | 100·00 | | | | 82·00 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Loose ... | a White— | | | | | | | | | | | | | | | |
| | (i) Top | - | | | | | | | | | | | | | | |
| | (ii) Middle | - | | | | | | | | | | | | | | |
| | (iii) Bottom | - | | | ... | | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | |
| | (i) Top ... | - | | | | | | | | | | | | | | |
| | (ii) Middle | - | | | ... | | | | | | | | | | | |
| | (iii) Bottom | - | | | | | | | | | | | | | | |
| 3 Pucca Baled Jute. | (i) Lightings | Per bale | | | .. | | | | | | | | | | | |
| | (ii) First Mills. | ... | | | - | | | | | | | | | | | |
| | (iii) First Exports. | - | | | | - | | | | | | | | | | |
| Sann hemp - | ... | ... | | | ... | | | | ... | | | | | ... | | |
| 4 Mesta ... | (i) Top - | | | | | ... | | | | .. | | | | | | |
| | (ii) Middle | ... | | | ... | ... | | | ... | - | | - | ... | ... | | |
| | (iii) Bottom | - | | | | - | | | - | | | | ... | ... | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf ... | - | ... | ... | - | | | | - | - | 400·00—500·00 | | 800·00 | ... | | 245·00 |
| | (ii) Pulab ... | ... | ... | ... | - | ... | | | - | - | ... | | ... | | | 144·00 |
| | (b) Virginia | - | - | - | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| | (i) Leaf ... | ... | ... | ... | ... | | | | ... | ... | ... | | ... | ... | | ... |
| | (ii) Pulab | ... | ... | ... | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| VIII. Livestock— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | | | ... | 500·00—700·00 | | 525·00 | ... | 860·00—500.00 | ... | | 140.00—260.00 | 450·00—550·00 | | 250.00 |
| | (b) ,, II ... | Do ... | ... | | ... | 250·00—500·00 | | 475·00 | ... | 240·00—380·00 | 150.00—225.00 | | 120 00—200 00 | 380·00—485·00 | | 215·00 |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | ... | | ... | 100·00—150·00 | | 850·00 | ... | ... | 50.00—150.00 | | ... | ... | | 230.00 |
| | (b) ,, II ... | Do ... | ... | | ... | 125·00—159·00 | 150·00—190·00 | | ... | ... | ... | | ... | ... | | 200·00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | | ... | | 150·00—200·00 | | 250 00 | ... | 160·00—800·00 | 210.00—300.00 | | 210.00—300·00 | 310·00—415·00 | | 90·00 |
| | (b) Class II ... | Do ... | | ... | ... | 100·00—150·00 | | 200·00 | ... | 80·00—195·00 | 100.00—150 00 | | 100.00—210.00 | 255·00—315·00 | | 70·00 |
| (ii) Buffaloes... | (a) Class I ... | Do ... | | ... | ... | 300·00—350·00 | | 250·00 | ... | 170·00—300·00 | 300.00—500.00 | | 250.00—500 00 | 260·00—380·00 | | 140.00 |
| | (b) Class II ... | Do ... | | ... | ... | 100·00—150·00 | | 225·00 | ... | 195·00—170·00 | 200·00—320.00 | | 200·00—360·00 | 165·00—250·00 | | 96.00 |
| 3 Sheep ... | ... | Do ... | | ... | ... | 40·00—80·00 | | 80·00 | ... | 78·00—85·00 | 48.00—88.00 | | ... | 45·00—55·00 | | 41.00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | | ... | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| | (b) ..... | Do ... | | ... | ... | | | | ... | ... | ... | | ... | ... | | ... |
| 2 Hides.— | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | | ... | ... | ... | | | ... | 1·00—2·00 | 1·15 | | ... | ... | | 8·00 |
| | (b) ..... | Do ... | | ... | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| Tanned ... | (a) ..... | Do ... | | ... | ... | ... | | | ... | 4 75 | 5.00—6.00 | | ... | ... | | 4·00 |
| | (b) ..... | Do ... | | ... | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | | 4.25 | ... | ... | | | ... | 2 75 | 1·25 | | ... | ... | | 3·00 |
| | (b) ..... | Do ... | | ... | ... | - | | | ... | - | ... | | ... | ... | | ... |
| Tanned ... | (a) ..... | Do ... | | ... | ... | ... | | | ... | ... | 5.00—6·00 | | ... | ... | | 4·00 |
| | (b) ..... | Do ... | | ... | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| 3 Skins.— | | | | | | | | | | | | | | | | |
| Goat skins— Raw. | (a) ..... | Per each | | 4·00—6.00 | ... | - | | | 5.00 | 4·00 | 2.00 —3.00 | | 4·00—5.00 | 5·00 | | 2·00 |
| | (b) ..... | Per kg. | | ... | ... | ... | | | ... | ... | ... | | 3·00—4·00 | ... | | ... |
| | | | | ... | | | | | | | | | | | | |
| Tanned ... | (a) ..... | Do ... | | | ... | ... | | | ... | 8 00 | 6·00—8·00 | | ... | ... | | 3·00 |
| | (b) ..... | Do ... | | ... | ... | ... | | | 5.00 | | | | ... | ... | | ... |
| (ii) Sheep-skins— Raw. | (a) ..... | Per each | | 6·00—7 00 | ... | ... | | | ... | 4·00 | 2·00—3·00 | | 3·00—5·00 | 3·00 | | 2·00 |
| | (b) ..... | Per kg. | | ... | ... | ... | | | | ... | ... | | 3·00—4·00 | ... | | ... |
| Tanned ... | (a) ..... | Do ... | | ... | ... | ... | | | ... | 12·00 | 6·00—8·00 | | ... | ... | | 3·00 |
| | (b) ..... | Do ... | | ... | ... | ... | | | ... | ... | ... | | ... | ... | | ... |
| 4 Ghee ... | (a) Agmark | Do ... | | 7·00 | 7·00—8·00 | ... | | | ... | ... | 7·00—8·00 | | ... | | | 6 00 |
| | (b) Ungraded | Do ... | | 5·00—6·00 | 6·00—7·00 | ... | | | ... | ... | 7.50 | | | | | ... |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | 10·00—11·00 | ... | 26·00—28·00 | ... | 38·00 | ... | 35·00 |
| | (b) Paddy ... | Cart load | ... | ... | ... | 8.00—12.00 | ... | 16,00—18,00 | ... | ... | 11.00 | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | 87·00 | ... | 25·00 |
| | (b) ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | Per quintal | 125·00—150·00 | ... | 175 00—200·00 | 160.00—180.00 | 190.00 | 180·00 | 250·00 | 172·00—174·00 | 182.00 | 165·00 |
| 2 Tamarind ... | ..... | ... | 85·00—110·00 | 90·00—95·00 | 60 00—70·00 | 60.00—80.00 | 70·00—80 00 | 80·00—90·00 | 70·00—80·00 | 90.00—95·00 | 189·00 | 90.00 |
| 3 Dry Chillies ... | ..... | ... | 240·00—300 00 | 250·00—276·00 | 150·00—200·00 | 250·00—300·00 | 270·00 | 250·00—300·00 | 240.00—260·00 | 120·00—300·00 | 250·00 | 235·00 |
| 4 Garlic ... | ..... | ... | 80·00—105·00 | 60·00—70·00 | 160 00 | | 390·00 | 80.00—100·00 | 100·00 | 147·00—150·00 | 80 00 | 86·00 |
| 5 Pepper ... | ..... | ... | 300·00—405·00 | ... | 450·00 | 350·00—400·00 | 810·00 | 850 00 | 400·00 | 350·00—400·00 | 800·00 | |
| 6 Cardamom ... | ..... | ... | 1,400·00—2,000·00 | ... | 150·00—200·00 | 1,200·00—1,600·00 | 1,600·00 | 1,400·00—1,500·00 | 28,00·00 | ... | 1,500 | — |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ... | | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalam | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 89·00 | 46·00—·6000 | 44·00—45·00 | 43.00 | ... | 40·00 | 45·00 | 42·00 | .. |
| | (b) Medium | | 85·00 | 42·00—44·00 | ... | 38·00 | ... | 39·80 | 42·00 | 40·00 | .. |
| | (c) Coarse | | 33·00 | 40·00—41·00 | ... | .. | | 38·00 | ... | | 89.00 |
| 2 Rice | (a) Fine | | 67·00 | 78·00—85·00 | 94·00—95·00 | 78·00 | 72·00 | 68·00 | 70 00 | 66 00 | 78·00 |
| | (b) Medium | | 60·00 | 72·00—88·00 | 77·00—78·00 | 69·50 | 64·00 | ... | 65·00 | 62·00 | .. |
| | (c) Coarse | | 56·00 | 64·00—70·00 | 70·00 | .. | 59·00 | ... | ... | 55 00 | 61·00 |
| 3 Wheat | White | | 62 00 | 71·00—74·00 | 63·00—66·00 | 60·00 | 68.00 | 78·00 | 75·00 | 50·00 | 44·00 |
| Wheat Flour | White | | 70·00 | 68·00—65·00 | 60·00—62·00 | .. | 59·00 | .. | .. | 56.00 | 50·00 |
| 4 Jowar | White | | 45·00 | 50·00—55·00 | 42·00—46·00 | 46.00 | 48·80 | 45 00 | 46·00 | ... | ... |
| Bajra | | | | 39·00—42·00 | 40·00—41·00 | ... | ... | 46 00 | 40·00 | ... | ... |
| Barley | | | ... | | ... | ... | ... | ... | ... | ... | ... |
| Maize | | | | 40·00—44·00 | 80·00 | ... | ... | ... | ... | ... | ... |
| Ragi | | | 40·00 | 42 00—0044 | ... | ... | ... | | ... | 44·00 | 44·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | | | — | | — | | ... | ... | ... | | ... |
| (ii) ..... | | | ... | ... | ... | ... | | ... | | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | | | 25·00 | ... | | .. | 30'00 | ... | | 14·00 | ... |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| iii) Papaya | | | | | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | | | 65·00 | 64 00—70·00 | 60.00—63·00 | ... | 57·80 | 57·00 | 56·00 | 56·00 | 75·00 |
| 2 Arhar (Tur) | | | 67·00 | 61·00—66·00 | 62·00—64·00 | 58·00 | 72·35 | 70·00 | 65·00 | 72·00 | 116·00 |
| 3 Mung | | | 72·00 | 70·00—75·00 | 60·00—65·00 | 52·00 | .. | 58·00 | 65·00 | 84 00 | 72·00 |
| 4 Urd | | | 67·00 | 70·00—75·00 | 43·00—44·00 | 63·00 | 66·00 | ... | 90.00 | 70·00 | 78·00 |
| 5 Masur | | | 61·00 | ... | 40·00—42·00 | ... | ... | ... | ... | ... | 114·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | | | — | | 40·00—42·00 | ... | ... | ... | ... | ... | 90·00 |
| (ii) Horsegram | | | 40·00 | 40·00—43·00 | 39·00—40·00 | ... | ... | ... | ... | 42·00 | 42·00 |
| (iii) Cowpea | | | ... | ... | | ... | ... | ... | ... | ... | ... |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 190 00 | 84 00—86·00 | 85·00—95·00 | 105·00 | 80·00 | 78·00 | 84·00 | 90·00 | 90·00 |
| | (b) Sort II | | 180·00 | 78·00—82.00 | 70·00—80·00 | 102·00 | 68·00 | 62·00 | ... | 80·00 | ... |
| 2 Sugar Refined | D. 24 | | ... | ... | 117·60 | ... | ... | ... | 121·00 | 128·00 | 124·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 77 00 | 75·00—76·00 | 77·00 | ... | ... | 75·00 | 78.00 | ... | ... |
| | (b) Machine shelled. | | 120·00 | 102·00—104·00 | 74·00 | ... | 79·00 | ... | ... | 105·00 | ... |
| Groundnut Oil | ... | | 197·00 | 190 00—198 00 | 185·00—190·00 | 250.00 | 205·00 | 180·00 | ... | 210·00 | ... |
| Groundnut Oil-cake. | | | 45 00 | 27.00—28·00 | 89 00 | ... | 87·00 | 40·00 | ... | 60.00 | ... |
| 2 Sesamum | (a) White | | 185·00 | | 115.00—120·00 | ... | ... | | 180·00 | 90.00 | ... |
| | (b) Black | | 126·00 | ... | ... | ... | ... | | ... | ... | ... |
| Sesamum Oil | ... | | 866·00 | ... | ... | ... | ... | | ... | 260 00 | ... |
| Sesamum Oil-cake. | ... | | 62·00 | ... | ... | ... | ... | | ... | 64·00 | ... |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed | ... ... | ... | ... | ... | 55·00 | ... | ... | ... | ... | ... |
| | Castor Oil ... | ... ... | ... | ... | ... | ... | 145 00 | ... | ... | ... | ... |
| | Castor Oilcake | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard, | (a) Black ... | 122·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Yellow ... ... | 117·00 | ... | 105·00 | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... ... | ... | ... | ... | ... | ... | ... | ... | 110·00 | ... |
| | Mustard Oil-cake. | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Brown small ... | ... | ... | 74·00 | ... | 74·90 | ... | ... | ... | ... |
| | Linseed Oil ... | ... ... | ... | ... | ... | 65·00 | ... | ... | ... | ... | ... |
| | Linseed Oil-cake | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | Toria ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Cocoanut ... | (a) Nuts ... (Per | 320·00 | 292.00—890.00 | 280·00 | 250·00 | 250·00 | 260·00 | 250·00 | 800·00 | 820·00 |
| | | (b) Copra ... thousand) | 300·00 | 250·00—280·00 | 250,00 | ... | 230·00 | 260·00 | 240 00 | 185·00 | 450,00 |
| | Cocoanut Oil ... | ... per Quintal | 345·00 | 295·00 | 825·00 | 350·00 | 320·00 | 300·00 | 320.00 | 337·00 | 312·00 |
| | Cocoanut Oil-cake | ... ... | ... | ... | ... | ... | ... | ... | ... | 68·00 | ... |
| 8 | Other Oil seeds | (i) Nigerseed... ... | 78·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Nigar Oil ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | Vegetable Oil | (i) Vanaspathi ... | 315·00 | ... | 195·00 | ... | ... | ... | ... | ... | ... |
| | | (ii) Refined oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | iii) Safflower Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 | Other Oils ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | |
| 1 | Mangoes | ... Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains ... | ... Do ... | 9·00 | 5·00 | 7·00 | 4·00 | 6·00 | 7 00 | 6 00 | ... | 5·00 |
| 3 | Oranges | ... Do ... | ... | ... | ... | ... | 30·00 | ... | 12·00 | ... | 8·00 |
| 4 | Dates ... | ... ... | 85·00 | 88·00 | ... | ... | 250·00 | 200 00 | ... | ... | ... |
| 5 | Cashew kernels, etc. | ... ... | 625·00 | ... | ... | ... | ... | 240·00 | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | |
| 1 | Potatoes ... | per quintal ... | 60·00 | | | ... | | 52·00 | | 60 00 | ... |
| 2 | Onions ... | ... ... | 28 00 | | | ... | | 18·00 | | 28 00 | ... |
| 3 | Beans ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Tomatoes ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | |
| 1 | Cashewnuts ... | ... ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Arecanuts ... | ... ... | | ... | 445·00 | 505·00 | ... | ... | ... | 400·00 | 530·000 |
| VI. | Fibres.— | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... ... | | ... | ... | ... | ... | ... | 99.00 | ... | ... |
| | | (b) Lint ... ... | | ... | 95·00 | ... | ... | ... | 267·00 | ... | ... |
| | | (c) Seed ... ... | | ... | 119·00 | ... | ... | ... | 83.00 | ... | ... |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | |
| | | (i) Top ... ... | | ... | | ... | ... | ... | ... | ... | |
| | | (ii) Middle ... ... | | ... | | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom ... ... | | ... | | ... | ... | ... | ... | ... | ... |
| | | (b) Tossa— | | | | | | | | | |
| | | (i) Top ... | | ... | | ... | ... | ... | ... | ... | |
| | Pucca baled Jute. | (ii) Middle ... ... | | ... | | ... | ... | ... | ... | ... | ... |
| | | (iii) Bottom ... ... | | ... | | ... | ... | ... | ... | ... | ... |
| | | (i) Lightings... Per bale | | ... | | ... | ... | ... | ... | ... | ... |
| | | (ii) First Mills ... | | | | ... | | | | | |
| | | (iii) First Exports. ... | | | | | ... | ... | ... | ... | ... |
| | | ... ... | | | | | | | | | ... |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meats | (i) Top | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf | | 467·00 | | | | | | | | | 595·00—725·00 | 600 |
| | (ii) Pulah | | | | | | | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf | | 490 00 | | | | | | | | | | |
| | (ii) Pulah | | | | | | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— (a) work bullocks. | (a) Class I | Per head | 480·00 | 800·00—400·00 | 600.00—750·00 | | | 400·00 | 250.00 | 842·00 | | | |
| | (b) Class II | Do | 850·00 | 200·00—350·00 | 200.00—400.00 | | | 800·00 | 150.00 | 295·00 | | | |
| (ii) Buffalo bulls | (a) Class I | Do | 200·00 | 150·00—200·00 | 800·00 | | | 400·00 | 200.00 | 450·00 | | | |
| | (b) Class II | Do | | 200·00—250·00 | 100·00—150·00 | | | 300·00 | 125·00 | 351·00 | 150·00—300·00 | | |
| 2 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows | (a) Class | Do | 195.00 | 200·00—300.00 | 150.00—250.00 | | | 50 00 | 125·00 | 166·00 | | | |
| | (b) Class | Do | 150·00 | 175·00—250·00 | 200.00—250.00 | | | 80·00 | 75·00 | 140·00 | 140 00—250·00 | | |
| (ii) Buffaloes | (a) Class I | Do | 865·00 | 300.00—350·00 | 200·00—275·00 | | | | 275·00 | 450·00 | 200·00—300·00 | | |
| | (b) Class II | Do | 270·00 | 250·00—300·00 | 100.00—150·00 | | | | 100 00 | 275·00 | 150·00—250·00 | | |
| 3 Sheep | | Do | 45·00 | | 40·00—51·00 | | | 35·00 | 45·000 | 50.00 | 84·00—65 00 | | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | Per kg. | | | | | | | | | | | |
| | (b) | Do | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | Do | | 2.00 | 1·00 | | 1.00 | | | | | | |
| | (b) | Do | | 1·00 | 1·00 | | | | | | | | |
| Tanned | (a) | Do | | 6 00 | 4·00 | | 4·00 | | 5 00 | | | 5·00 | |
| | (b) | Do | | 5·00 | 3·00 | | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | | 2·00 | 1·00 | | 4 00 | | | | | | |
| | (b) | Do | | 1·00 | 1·00 | | 1·00 | | | | | | |
| Tanned | (a) | Do | | 9.00 | 5·00 | | | | 5·00 | | | 5·00 | |
| | (b) | Do | | 6 00 | 4·00 | | 4·00 | | | | | | |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) | Do | | 1·00 | 4·00 | | 4·00 | | | | | | 3·00 |
| | (b) | Do | | | | | 3·00 | | | | | | |
| Tanned | (a) | Do | | 7.00 | | | | | | | | | |
| | (b) | Do | | 5·00 | | | | | | | | | |
| (ii) Sheepskins— Raw. | (a) White | Do | | | 4·00 | | | | | | | | 3·00 |
| | (b) Black | Do | | | | | 4·00 | | | | | | |
| Tanned | (a) | Do | | 6·00 | | | | | | | | | |
| | (b) | Do | | 5·00 | | | | | | | | | |
| 4 Ghee | (a) Agmark | Do | | 5.00 | 7.00 | | | | | | | 7·00 | |
| | (b) Ungraded | Do | | 6·00 | | | 4·00 | | 5·00 | | 12·00 | 6 00 | |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran | a) Wheat | Per quintal | | | | | | | | | 15·00 | | |
| | (b) Paddy | Per cart-load | | | | | | | | | 8·00 | | 10 00 |
| 2 Straw | (a) Ragi | Do | | | | | | | | | | | |
| | (b) | | | | | | | | | | | | |
| 3 Stalks | (a) Jola | Per quintal | | | | | 81·00 | | | | 18·00 | | |
| | (b) | | | | | | | | | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | | ... | 182 00 | 170.00—190.00 | 160·00—170·00 | ... | 125·00 | 65.00 | 165·00 | 93.00 | 820·00 |
| 2 | Tamarind ... | | ... | 87·00 | ... | 30 00—62·00 | ... | 66·00 | 66.00 | 80·00 | 86·00 | 90·00 |
| 3 | Dry Chillies ... | | ... | 277·00 | 170·00—225·00 | 180·00—280·00 | 200.00 | 220·00 | 200 00 | 210 00 | 885.00 | 800·00 |
| 4 | Garlic ... | | ... | 90·00 | 40·00—65·00 | 65·00—68·00 | ... | 60·00 | 45.00 | 90 00 | 80·00 | 180·00 |
| 5 | Pepper ... | | ... | 835·00 | 800.00—850·00 | ... | 275.00 | 850·00 | 350·00 | ... | 296·00 | 886·00 |
| 6 | Cardamom ... | | ... | 1050·00 | 995·00—1050·00 | ... | ... | 2000 | 1,700,00 | ... | 11 10 | 1,000·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F | ... | ... | | ... | ... | | .. | | |
| 2 | Sticklac ... | ... | ... | ... | ... | | | ... | .. | ... | | . |
| 3 | Seedlac ... | ... | ... | ... | ... | | ... | ... | ... | ... | | |
| 4 | Shellac ... | ... | ... | ... | ... | | .. | ... | ... | ... | | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | | ... | ... | ... | ... | | ... |
| 6 | Myrobalan ... | ... | .. | ... | .. | | .. | ... | | ... | | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | | ... | ... | .. | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | .. | ... | | ... | ... | . | ... | ... | ... |
| 8 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | .. | ... | .. | | ... | .. |

## RETAIL PRICES.

**Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 29th February 1964**

**Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres: Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | 2 0 | 2·3 |
| 1 Paddy ... | Coarse ... | | 2·8 | 4 | – | 3·1 | 2·4 | 2·38 | ... | ... | 1·7 | 1·2 |
| 2 Rice ... | Do ... | – | 1·4 | 1 6 | 1 1 | 1 7 | 1·4 | 1·6 | 1 1—1 6 | 1·5 | 2·2 | 1·4 |
| 3 Wheat ... | White ... | ... | ... | 1 1 | 2 | 2 2 | 2·4 | 2 2 | ... | 2,1 | 1·0 | 1·7 |
| 4 Wheat Flour ... | Do ... | ... | ... | 1·8 | 1·3 | 1·9 | 2 4 | 2 8 | ... | 2·0 | 2·6 | 1·9 |
| 5 Jowar ... | Do ... | ... | ... | 2·6 | 2·5 | 2·8 | 2·8 | 2·0 | 2 2 | 2·4 | ... | 2·6 |
| 6 Bajra ... | ... | ... | ... | ... | ... | ... | ·8 | | ... | ... | ... | 0·9 |
| 7 Barley ... | ... | ... | ... | .. | ... | ... | ... | 0,7 | 0 4 | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·6 | 2·5 | 2·6 | 2·8 | 2.6 | 2 2 | 2·5 | 2 6 | 2 5 | 2·5 |
| 10 Other cereals... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | 2,7 |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... | ... | ... | | | ... | ... | ... | ... | | ... | | |
| Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | – | – | 2·8 | | 2·9—4 | ... | ... | 2·5 | | 2·8 | 6·8 | 3 0 |
| (ii) Tapioca ... | – | – | | | | – | ... | ... | ... | ... | 2·8 | |
| (iii) Papaya ... | ... | ... | | | | ... | | ... | 0·50 | ... | | |
| iv) Groundnut cake flour. | – | ... | | | | 2·5 | 2·6 | ... | – | ... | 0·2 | 4,0 |
| | | | | | | | | | | | ... | ... |
| Pulses— | | | | | | | | | | | | |
| 1 Gram — | (a) Whole ... | — | 2·1 | 1 75 | 1·65 | 1 67 | 1·5 | 1·29 | 1·3 | 1·5 | 1 9 | ... |
| | (b) Split (without skin). | – | ... | ... | – | 1·2 | ... | 1·2 | 1·8 | 1·2 | 1·5 | 1·3 |
| | (c) Flour ... | – | ... | 1·2 | ... | ... | | 1·8 | 1 2 | 1·5 | ... | 1·9 |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·6 | ... | 1·8 | ... | 1,3 | 1·8 | ... | 2·3 | ... | ... |
| | (b) Split (without skin). | ... | ... | ·9 | ... | ·9 | ... | 0·9 | 0 8 | 1·0 | 0·9 | 1.0 |
| 3 Moong | (a) Whole ... | – | ... | ·2 | 1.4 | 1.2 | 1.4 | 1·3 | 1,2 | | 1·5 | 1 6 |
| | (b) Split (without skin). | ... | – | 1 | ... | ·7 | ... | 1·0 | 1·0 | | ·2 | ... |
| 4 Urd — | (a) Whole ... | – | ... | 1·25 | 2 | 1.1 | 1.4 | 1·2 | 1·01 | 0 1 | 1,2 | ... |
| | (b) Split (without skin). | ... | ... | ·8 | ... | ·9 | ... | 1·0 | 0·80 | 0 8 | 0·9 | 0.8 |
| 5 Masur | (a) Whole ... | ... | ... | – | ... | ... | ... | ... | 1·0 | ... | ... | ... |
| | (b) Split (without skin). | – | ... | ... | – | ... | ... | ... | 1,0 | ... | ... | ... |
| 6 Other pulses – | | | | | | | | | | | | ... |
| (i) Avare – | (a) Whole ... | – | 1·6 | 1,6 | 1·7 | 1.1 | 1·60 | 1·2 | 1·2 | ... | 1·1 | ... |
| | (b) Split (without skin). | ... | ... | 1,0 | – | ... | ... | 1,8 | .. | ... | | 2·3 |
| (ii) Horsegram | – | ... | 2·8 | 2·6 | 2 6 | 2.5 | 2,6 | 2·5 | 1,1—1,2 | 2·5 | 2 9 | 1 6 |
| (iii) Cowpea ... | ... | ... | 1·2 | 1·75 | 1.5 | ... | 1·7 | 1·2 | 2 3 | ... | 1·2 | |
| | | | | | | | | | 1·3 | | | |
| 1. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 1,0 | 1·20 | 8·0 | 1.4 | ... | 8 80 | 8 20 | 8 00 | 1·0 | 1,1 |
| 2 Sugar refined | (b) Sort II ... | ... | 1 1 | 1,45 | 1,8 | ... | ... | 1,2 | 8 22 | 1·00 | 1 2 | 1 8 |
| | D. 24 ... | ... | ... | .. | – | ... | ... | 9,25 | ... | 8,00 | 7,50 | 8,25 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils,— | | | | | | | | | | | | |
| 1 Groundnut Oil | ... | Per kg | 5·56 | 5 00 | 5 00 | 5.00 | 1·08 | 4 34 | 4·44 | 7·99 | 5·69 | 5.90 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | .. | ... | ... | 4·09 | ... | ... | 3·70 |
| 3 Castor oil ... | ... | ... | 5·90 | [4.00 | 5·55 | 5.00 | 6 20 | 5·60 | 4·44 | 5 99 | 4·99 | 5·00 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | 2·78 | 8.00 | 2·86 | 8.88 | 8.88 | ... | 2·86 | 3·80 | 2.55 | 2·70 |
| Vanaspati ... | ... | ... | ... | ... | 2.85 | 3.91 | 8·45 | 2·60 | ... | 2.60 | 2.55 | 2.50 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2.60 | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| 2 Plantains ... | ... | Do | 0·60—0·75 | 0·75 | 0·75—87 | 1.00—1.50 | | 0,40—0 75 | 0.62—0 66 | 0·81 | 1·09 | ... |
| 3 Oranges ... | ... | Do | 1·50—3.00 | 2·8 | 2·50—3.00 | 1.00—1.25 | | 1.00—3·00 | 2,50—3.50 | 2 25 | 2 50 | ... |
| 4 Dates ... | ... | ... | ... | ... | 5·00 | | | | ... | ... | ... | ... |
| 5 Cashew kernels | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | 0·53 |
| 6 ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | | | 1·80 | 2 00 | | 1·09 | 1·87 | 1·59 | 1·50 | 1·60 |
| 2 Onions ... | ... | ... | | | 2 80 | 2.20 | | 2·50 | 2·60—3.20 | 3·09 | 2·50 | 2.90 |
| 3 ..... | ... | ... | ... | ... | ... | | ... | | ... | 1.20 | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | | 2·50 | | | | 6 66 | ... | ... | 1 60 |
| 2 Arecanuts ... | ... | ... | ... | 1 25 | 1·25 | ... | ... | 1.00 | ... | 3.60—4 09 | ... | 9 85 |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | ... | ... | ... | 4·00 | 5.00 | ... | 3.00 |
| II. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 0·80—1.15 | 1·80 | 0.62—0·75 | ... | 0 62 | 0·50—0 65 | 0 85—0.95 | 0 75 | 0·67 | 0·82 |
| 2 Ghee ... | (a) Agmark ... | ... | 1·83 | 1·80 | 4.00 | | | | 1 48 | 3·50 | 1.00 | ... |
| | (b) Ungraded ... | ... | ·167 | 1·50 | .. | .. | ... | ... | 1.25 | ... | 1·46 | .. |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·70 | 3·00 | 2·50 | 3.50 | 2·25 | 2·00 | 2·25 | ... | 2.88 | 3,98 |
| | (ii) B Grade | Do | 2·60 | 2·50 | 1.50 | 3.00 | ... | 1·70 | 2·12 | .. | 1.25 | 2·00 |
| | (iii) C Grade | Do | 1·60 | 2·00 | 0 75 | ... | ... | 1·50 | 2·00 | 2·60 | 1.52 | ... |
| 4 Mutton ... | ... | ... | 2.33 | 3·00 | 3 83 | 2.25 | 3,00 | 2·50 | 3·33 | 3 80 | 2.80 | 3·80 |
| 5 Beef ... | ... | ... | 4.00 | ... | | ... | ... | | | ... | | 5.50 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | 0·66 | 3 00 | 0·50 | 0.56 | 0·58 | 0·50 | 0.40 | 0 50 | 0·50 | 0,50 |
| 2 Tamarind ... | ... | ... | 1·00 | 1·69 | 1·80 | 1,20 | 1·80 | 1·80 | 1·1 | 1·20 | 0 80 | 1·00 |
| 3 Dry chillies ... | ... | ... | ·284 | 3·00 | 5 00 | 3.33 | 3 81 | 3·56 | 4·09 | 3·50 | 4·00 | 4·50 |
| 4 Garlic ... | ... | ... | 1 00 | 1·00 | 6·66 | | 1 00 | 0.90 | 1·00 | 0 08 | 1·00 | 1 00 |
| 5 Pepper ... | ... | ... | ·286 | ... | 2·00 | 2.50 | 1·11 | 2·74 | 2·50 | 3·00 | 3·60 | 2 50 |
| 6 Cardamom ... | ... | ... | 0·50 | ... | 0·62 | 0.66 | 0·62 | 0·50 | 0·85 | ... | 0·56 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | Per Quintal | 9 50 | 10·00 | 8·00 | 8.00 | 10·00 | 10·00 | 10·00 | 10.00 | 10·00 | 9·00 |
| 2 Kerosene oil ... | ... | Per Litre | 0·40 | 0 60 | 0·87 | ... | 0·59 | 0 50 | 0·50 | 0 50 | 0·50 | 0·87 |
| 3 Firewood/ Charcoal. | ... | Quintal | 6·50—7·50 | 8·10 | 6·00—7·50 | ... | ... | 8·16 | 4.63—5·59 | 5.00—6·09 | 6.80 | 5·60 |
| 4 Coarse cloth ... | ... | Per metre | 1·60 | 0·90 | ... | ... | ... | 1.20—1·35 | 1.40—1·60 | ... | 1·65 | 1·00 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals.— | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | ... | ... | 2·2 | ... | ... | 1·6 | 1.5 | 2·7 | 2·9 | 2·5 |
| 2 Rice ... | Do ... | ... | 1·4 | 1·8 | 1·3 | 1 3 | 2·0 | 1.3 | 1·5 | 1·6 | 1·5 |
| 3 Wheat ... | White ... | ... | 1·5 | 1.3 | 1·4 | 1·2 | ... | ... | 1·2 | 1·2 | 2·8 |
| 4 Wheat Flour... | Do ... | ... | 1·8 | ... | ... | ... | 1·9 | 2.0 | 2·8 | 1.4 | 1·0 |
| 5 Jowar ... | Do ... | ... | 2·0 | 1·9 | 0·8 | 1·9 | 2·6 | 2·1 | 2·0 | ... | ... |
| 6 Bajra ... | ... | ... | ... | 2·8 | 2·1 | ... | ... | ... | 2·0 | ... | ... |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Maize ... | ... | ... | ... | 2·8 | 2·2 | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·0 | 2·3 | ... | ... | ... | ... | ... | 2.6 | 2·0 |
| 10 Other cereals... | ... | ... | ... | ... | 2·8 | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | | | ... | ... | | 6·6 | | 6·0 | 3·4 |
| (ii) Tapioca ... | ... | ... | | | | | | ... | | | |
| (iii) Papaya ... | ... | ... | | | ... | ... | | ... | | ... | 4·0 |
| (iv) Groundnut cake flour | ... | ... | | | ... | ... | | ... | | ... | |
| | | | | | | | | | | 2·2 | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1.4 | | 1·4 | 1 4 | 1·7 | 1·6 | | 1·1 | 1·2 |
| | (b) Split (without skin). | ... | 1·0 | | 1 2 | 1·8 | 1·8 | 1·8 | | 1·1 | 1·2 |
| | (c Flour ... | ... | 1·8 | | | | | | | | |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·5 | | ... | ... | ... | ... | | 1.2 | ... |
| | (b) Split (without skin). | ... | 1·00 | | 1·4 | ... | 1.8 | ... | | 1·1 | |
| | | | | | 1·0 | 1·0 | 1 0 | 0.8 | | 0·9 | 0·8 |
| 3 Moong ... | (a) Whole ... | ... | 1·3 | | 1·6 | 1·2 | 1·7 | 1·3 | | 1·1 | 1·2 |
| | (b) Split (without skin). | ... | 1·0 | | 1·1 | 1 0 | 1·8 | ... | | 0·9 | ... |
| 4 Urd ... | (a) Whole ... | ... | 1·1 | | 1·9 | ... | 1·7 | ... | ... | 1.8 | 1·0 |
| | (b) Split (without skin). | ... | 0 9 | | ... | | 0 9 | 1.0 | ... | 0.9 | 0 8 |
| 5 Masur ... | (a) Whole ... | ... | 1.4 | | | 1·0 | | | | | |
| | (b) Split (without skin). | ... | 1.8 | | ... | | 1.8 | ... | 2·0 | ... | 0.9 |
| | | | | | 2·2 | 1·2 | 1·1 | 1.2 | 1.0 | ... | |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | ... | | | 2.2 | ... | | ... | ... | ... | 0.8 |
| | (b) Split (without skin). | ... | ... | | ... | ... | | ... | ... | ... | ... |
| (ii) Horsegram | ... | ... | | | | | | | | | |
| (iii) Cowpea ... | ... | ... | 2·2 | | 3·2 | ... | | ... | ... | 2.2 | 2·8 |
| | | | ... | | ... | ... | | ... | ... | ... | ... |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | ·666 | 1·0 | 1·1—1,2 | | 1·2 | | 1·0 | ·838 | 1·0 |
| | (b) Sort II ... | ... | ,770 | 1·2 | 1 2—1,8 | | 1·8 | | ... | 1.0 | 1·1 |
| 2 Sugar | D. 24 ... | ... | ... | ... | 0,845 | ... | | | .925 | ·847 | ... |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | ... | ... | ·600 | ,512 | ,500 | | ·472 | | ,600 | ·425 | ·864 |
| 2 Sesamum oil ... | ... | ... | ·800 | ... | ... | ... | | | ... | ·857 | ... |
| 3 Castor oil ... | ... | ... | ... | ... | ... | ... | ·666 | | ... | ... | ,883 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | | | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | | | ... | ... | ... |
| 6 Coconut oil ... | ... | ... | ,250 | ... | ·225 | ... | ,800 | | ·800 | ·807 | ·250 |
| 7 Vanaspati ... | Dolda | ... | ,800 | ... | ... | | ,266 | | ... | ,293 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 1 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 | Mangoes ... | | Per Dozen | 0·44 | 88·60 | 5·12 | 0·87 | 0·62 | 0·72 | 0·50 | 87·40 | 0·25—00·65 |
| 2 | Plantains | | Do | 2·00 | ... | | | 2·50 | | 1·25 | 1·35—1·70 | 1·12 |
| 3 | Oranges | | Do | ... | ·600 | ... | ... | 3 68 | ... | ... | 1·10 | ... |
| 4 | Dates | | ... | ... | | ... | ... | | ... | ... | 1·66 | ... |
| 5 | Cashew kernals | | ... | ·155 | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | | ... | 1·5 | 2·0 | 1·6 | 1·5 | 1·6 | 1·07 | 1·05 | 1·05 | 1·03 |
| 2 | Onions ... | | ... | 1,8 | 2·7 | 8·00 | 8 00 | 2 7 | 4 00 | 4·00 | 4 00 | 2·00 |
| 3 | ... | | ... | ... | ... | ... | ... | 6·00 | ... | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | 1·82 |
| 1 | Cashewnuts ... | | ... | ... | ... | ... | ... | 1·66 | ... | ... | ... | 1·64 |
| 2 | Arecanuts ... | | ... | 1·66 | ... | ·150 | ·200 | 1·25 | — | ... | ... | |
| VI. | Tobacco ... | Leaf ... | Per kg. | 5·00 | ... | 2·62 | — | 6·00 | .. | ... | 8·65 | 6 50 |
| VII. | Live-stock products— | | | | | | | | | | | |
| 1 | Milk ... | Per litre ... | ... | 1·25 | ... | | ... | 0·5 | ... | 0 88 | 0·90 | 0·31 |
| 2 | Ghee ... | (a) Agmark ... | ... | 2·00 | ... | | ... | 2 66 | 1·29 | 1·25 | 1·18 | ... |
| | | (b) Ungraded ... | ... | 1 74 | ... | | 0 200 | 1·43 | 3·00 | ... | 1 75 | 2·22 |
| 3 | Eggs ... | (i) A Grade | Per Dozen | 2,25 | ... | 2·50 | 2·25 | 1·80 | 1 80 | 3·00 | 2 00 | ... |
| | | (ii) B Grade | Do | 1 75 | ... | 1·62 | 1·75 | 1·60 | ... | 1·50 | 1.60 | 2·10 |
| | | (iii) C Grade | Do | 1·25 | ... | 0 87 | ... | 1·20 | ... | 1,50 | ... | ... |
| 4 | Mutton ... | ... | ... | 2·86 | 8 00 | 4 80 | 2 85 | 4·00 | 4·44 | 8 10 | 2 95 | 2 85 |
| 5 | Beef ... | ... | ... | | 1 8 | 9·80 | ·8 | 1·6 | 1·6 | 6 00 | 6·66 | ... |
| | | | | | | | | | ... | ... | ... | |
| VIII. | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 6 00 | ... | ·500 | 5·00 | 6 00 | 6 00 | 6·00 | 4·00 | 2·25 |
| 2 | Tamarind ... | ... | ... | 1·00 | ... | 1·00 | 1·2 | 1·02 | 1·03 | 1·10 | 1·00 | 1 00 |
| 3 | Dry chillies ... | ... | ... | 2 45 | 8·81 | 3 80 | 8·00 | 4·00 | 4·00 | 8·00 | 8 45 | 8·00 |
| 4 | Garlic ... | ... | ... | 1·00 | 1·8 | 8 00 | 0·700 | 1 08 | 1·00 | 1·10 | 1·01 | 0·05 |
| 5 | Pepper ... | ... | ... | 2·85 | ·222 | | | 2·50 | 1·35 | | 8.88 | ·250 |
| 6 | Cardamom ... | ... | ... | 0·80 | ·66 | | ·63 | 0·50 | ... | ... | 0·82 | 10·00 |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | 8·00 | ·10 | | 6 00 | 8 00 | 10·00 | 10 50 | 10·00 | 8 00 |
| 2 | Kerosene oil ... | ... | Per Litre | 0·62 | 0·44 | | 0·50 | 0·45 | 0·46 | 0·46 | 0·48 | 6 60 |
| 3 | Firewood/ Charcoal | ... | Quintal | 1·75 | 5·50— | ... | ... | 8·00 | 6·00 | 6·00 | 15·00 | 6·60 |
| 4 | Course cloth ... | ... | Per Metre | 1·00 | - | — | ... | ... | 1·50 | 1·89 | 0·87 | 0 62 |

.....

For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF HEALTH SERVICES.

Dated 6th November 1965

NOTE ON THE STATE OF PUBLIC-HEALTH WEEK ENDING SATURDAY, 6TH NOVEMBER 1965.

**No. sV/STR 45-1 PH/65-6.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 12 attacks with 4 deaths from Small-pox was reported from the entire State, from the Taluks of Chitapur, Aland, Magadi, Bantwal, Srirangapatna and Sagar. *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 21 attacks with 8 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Kanakapura, Chitradurga, Challakere Madhugiri during the week, *as against* 13 attacks with 9 deaths reported during the corresponding week of the last year.

A total of 4 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* one attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow Fever, Relapsing Fever, Infectious, Hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore City Corporation amounted to 173 (16 in hospitals) for the week *as against* 120 (68 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.3 (8.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.6 6.2) excluding hospital deaths) for the corresponding week last year. Classified according to causes of deaths, 1 was due to other fevers, 17 due to Dysentery and Diarrhœa, 1 due to Consumption and 154 due to all other causes, *as against* 1 was due to other fevers, 11 due to Dysentery and Diarrhœa, 6 due to Consumption and 92 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 68 (20 in hospitals) for the week giving a calculated death rate of 13.7 (9 7 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 10 were due to other fevers, 9 due to Dysentery and diarrhœa 2 due to Consumption and 47 due to all other causes.

The report for K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 30 (11 in hospitals) for the week *as against* 54 (39 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11 3 (7 4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 21.6 (5.7 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 3 due Dysentery and Diarrhœa, and 25 due to all other causes, *as against* 3 were due to other fevers, 4 due to Consumption and 47 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 26 (10 in hospitals) for the week as against 5 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.8 (5.4 excluding hospital deaths) per mille of population (mid-year estimated). *as against* 1.7 (1.7 excluding Hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 5 due to Consumption and 20 due to all other causes. *as against* 5 were due to all other causes reported during the corresponding week of the previous year.

185 J. SHIVALINGAIAH, For *Director*.

## OFFICE OF THE DEPUTY COMMISSIONER MANGALORE (S. K.)

Dated 19th November 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 19th November 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | | Maskathi | 100 kg. | 75 | 00 |
| II Sort | ... | Guddu | " | 74 | 00 |
| III Sort | | Suggi | " | 73 | 0 |
| Rice I Sort | ... | Maskathi | " | 131 | 00 |
| II Sort | ... | Guddu | " | 132 | 00 |
| III Sort | | Suggi | " | 129 | 00 |
| Ragi | ... | ... | Moora of 39·14 kg. | ... | |
| Cane Jaggery | | I Sort | 100 kg. | 80 | 00 |
| " | ... | II Sort | " | 60 | 00 |
| Cocoanuts | .. | Unhusked | 1000 Nuts | 503 to 6·0 | 00 |
| " | ... | Husked | " | 490 to 670 | 00 |
| Copra | ... | ... | 100 kg. | 875 to 400 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 66 | 00 |
| | | II Class | " | 64 | 00 |
| Cashew Kernels | ... | | 100 kg. | No Stocks | |
| Cashew Nuts | ... | | 10 kg. | 250 to 300 | 00 |
| Cardamoms | ... | Mysore | " | 240 to 290 | 00 |
| " | ... | Coorg | | | |
| Malabar Black Pepper | ... | | 50 kg. | No Stocks | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 80 to 60 | 00 |
| " | ... | Husked Old | 50 kg. | 873 to 886 | 00 |
| " | ... | " New | " | 288 to 833 | 00 |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 32 to 36 | 00 |
| " | ... | Kasaragod | " | ... | |

RETAIL PRICES.

| | | | | | |
|---|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | | 7 | 00 |

CATTLE FOOD.

| | | | | | |
|---|---|---|---|---|---|
| Groundnut Oil Cake | ... | | Bag of 69·92 kg. | 30 | 00 |
| Cotton Seeds | ... | ... | " 64·00 kg. | 18 to 26 | 00 |
| Horsegram | ... | .. | " 93·07 kg. | 73 to 74 | 00 |



Dated 26th November 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 26th November 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | 81 | 00 |
| II Sort | | Guddu | " | 80 | 00 |
| III Sort | ... | Suggi | " | 78 | 00 |
| Rice—I Sort | ... | Maskathi | " | 1 6 | 00 |
| II Sort | .... | Guddu | " | 134 | 00 |
| III Sort | ... | Suggi | " | 131 | 00 |
| Ragi | ... | ... | Moora of 39·14 kg. | | |
| Cane Jaggery | ... | I Sort | 100 kg. | 85 | 00 |
| " | ... | II Sort | " | 55 | 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 540 to 6·0 | 00 |
| " | ... | Husked | " | 530 to 570 | 00 |
| Copra | ... | ... | 100 kg. | 850 to 870 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 62 | 00 |
| " | ... | II Class | " | 60 | 00 |
| Cashew Kernels | | ... | | | |
| Cashew Nuts | ... | ... | 100 kg. | No Stock | |
| Cardamoms | ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | No Stock | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 80 to 68 | 00 |
| " | ... | Husked Old | 50 kg. | 863 to 886 | 00 |
| " | ... | " New | " | 291 to 828 | 00 |
| Chillies | ... | Kumpta | | | |
| " | ... | Local | 10 kg. | 40 to 47 | 00 |
| " | ... | Kasaragod | " | ... | |

RETAIL PRICES.

| | | | | | |
|---|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |

CATTLE FOOD.

| | | | | | |
|---|---|---|---|---|---|
| Groundnut Oil Cake | | | Bag of 69·92 kg. | 30 to 31 | 00 |
| Cotton Seeds | ... | | " 64 kg. | 15 to 29 | 00 |
| Horsegram | ... | | " 93·07 kg. | 63 to 65 | 00 |



Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG 202

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, DECEMBER 16, 1965 (MARGASIRA 25, SAKA ERA 1887) | No. 49

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 17th November 1965.

| No of rainy days in the week | Rainfall in Millimetres | | | | Condition of | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | Livestock | | | | Remarks |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

**(From 3—10—1965)**

**1. Bangalore District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | 15.6 | 17.3 | 180.6 | Crops were withering in most of the taluks for want of rains. | Good | ... | Scarcity for fodder was felt in Kanakpura, Ramanagaram and Devanahalli Taluks | Adequate except in Ramanagaram and Devanahalli taluks (1) |

**2. Kolar District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 15.1 | 163.1 | Crops were withering in almost all the taluks for want of rains. | | Good | | Available except in Chickballapur, Srinivasapur, Chintamani, Malur and Gudibanda taluks, | Adequate except in Chickaballapur Srinivasapur and Chintamani taluks. (2) |

**3. Tumkur District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 44.3 | 174.4 | Dry crops were withering throughout the Districts for want of rains. | | Good | ... | Scarcity for fodder was felt in Tumkur, Turuvekere, Tiptur. C. N. halli and Koratagere Tqs. | Adequate except in some parts of Tumkur, Turuvekere, C. N. halli and Koratagere Tqs. (3) |

**4. Mysore District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | 20.1 | 98.7 | 169.9 | Crops were reported to be not fair for want of rains throughtout the Districts. | Good | ... | Available except in some parts of Mysore, T. Narasipur, Hunsur and Gundlupet Tqs. | Inadequate water supply was felt in Yelandur, Mysore, T. Narasipur, Periyapatna Kollegal and Gundlupet Tqs. |

**5. Mandya District.**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 22.5 | 185.0 | Crops were withering for want of rains in most of the taluks | | Good | ... | Available except in K. R. Pet and Maddur Tqs. | Adequate except in K. R Pet, Mandya and Maddur taluks. (4) |

**6. Hassan District**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 87.9 | 186.7 | Crops were withering in most of the taluks for want of rains | | Good | ... | Scarcity for fodder was felt except in Belur, Manjrabad, C. R. patna and Alur Tqs. | Inadequate water supply was felt except in Belur and Alur Taluks. |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Conditions of | | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 |

(From 3—10—1965).

### 7. Chickmagalur District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 26.6 | 199.1 | Crops were in need of urgent rains in most of the taluks. | | Good | ... | Available except in Kadur, Tarikere and Chickmagalur Tqs. | | Adequate except in Kadur, Tarikere, Mudigere and Chickmagalur Tqs. | |

### 8. Shimoga District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 28.8 | 165 9 | Crops were reported to be not fair for want of rains throughout the District. | | Good | ... | Scarcity for fodder was felt in Hosanagar and Channagiri Tqs. | | Adequate except in Hosansgar, Sagar, Channagiri and Shikaripur Tqs. | |

### 9. Chitradurga District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2.9 | 142.1 | Crops were withering in most of the taluks for want of rains. | | Good | | Available except in some parts of Molakalmuru, and Hiriyur taluks. | | Inadequate water supply was felt in most of the taluks. | (5) |

### 10. Bellary District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 0.9 | N.A. | Crops were affected and dried up for want of rains in most of the Tqs. | | Good | ... | Available | ... | Adequate except in some parts of Harapan halli and Kudligi taluks. | 8 |

### 11. Bijapur District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | Nil | N.A. | Crops were withering in almost of the taluks for want of rains. | Good | | Available except in some parts of Indi Tq. | Adequate | |

### 12. Belgaum District

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 11·9 | N.A. | Dry Crops were affected for want of rains in most of taluks. | Good | ... | Scarcity for fodder was felt in Ramadurg and Gokak Tqs. | Inadequate water supply was felt in Parasgad and Gokak Tqs. | (8) |

### 13. Dharwar District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 11.1 | N.A. | Crops were withering for want of rains throughout the District. | Good | ... | Available except in Hirekerur and Mundargi Tqs | Adequate except in some parts of Shirahatti and Hirekerur Tqs. | (9) |

### 14. North Kanara District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 23.4 | N.A. | Crops were withering for want of rains throughout the District except in Kumta, Siddapur and Karwar Tqs. | Good | | | | |

### 15. Gulbarga District

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | 7.0 | N.A | Crops were reporetd to be not fair in most of the taluks for want of rains. | Good | | | | |

### 16. Raichur District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Nil | N.A. | Crops were reported to be not fair in most of the taluks for want of rains. | Good | ... | Available except in Deodurg Tq. | Adequate except in Gangavathi and Deodurg taluks. | (12) |

### 17 Bidar District

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | N.A. | Crops were withering in most of the taluks for want of rains. | Good | ... | Available | ... | Adequate except in Bhalki Taluk. (13) |

### 18. South Kanara District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Fair | ... | Good | Available except in Udipi taluk where scarcity for fodder was felt. | Adequate except in Buntawal and Udipi Tqs. (14) |

### 19. Coorg District.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Nil | Nil | N.A. | 102.6 | N.A. | Fair | ... | Good | ... Available | ... Adequate. | (15) |

REMARKS.— (1) Refers to 7 Taluks. (2) Refers to 9 Taluks. (3) Refers to 9 Taluks 4) Refers to 6 Taluks (5) Refers to 8 Taluks. (6) Refers to 5 Taluks (7) Refers to 7 Taluks (8) Refers to 5 Taluks. (9) Refers to 15 Taluks (10) Refers to 9 Taluks. (11) Refers to to 6 Taluks (12) Refers to 7 Taluks. (13) Refers to 2 taluks, (14) Refers to 6 Taluks. (15) Refers to 2 Taluks.

....., For Director.

## General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 17th November 1965

(a) Denotes:—Rainfall.
(b) " Sowing—Transplantation.
(c) " Condition of Standing crops.
(d) " Harvest.
(e) " General Progress of Agricultural Operations.
(f) " Water Supply.
(g) " Fodder and Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Dry crops were affected due to non. receipt of timely rains,
(d) Harvesting of Ragi in Nelamangala Taluk was in progress.
(e) Agricultural operations were held up for want of rains.
(f) Sufficient except in Bangalore South, Ramanagaram,
(g) Insufficiency was felt in most of the taluks.
(h) Generally healthy.

2 Kolar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were affected due to noon receipt of rains.
(d) Dry crops were being harvested in Bagepalli Taluk.
(e) Agricultural operations were held up for want of rains.
(f) Insufficiency was felt in most of the Taluks
(g) Scarcity of fodder was felt in most of the Taluks.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Dry Crops were dried up in most of the Taluks due to non receipt of rains.
(d) Ragi was being harvested in most of the Taluks.
(e) Agricultural operations were held up for want of rains.
(f) Sufficient except in Tumkur, Turuvekere and C.N. halli taluks
(g) Available except in Tumkur, Turuvekere and Tiptur taluks.
(h) Generally healthy.

4 Mysore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were withering in most of the Taluks for want of rains.
(d) Harvesting of Ragi in Yelandur taluk was in progress.
(e) Agricultural operations were held up for want of rains.
(f) Sufficient except in T. Narasipur, Mysore and Gundlupet taluks.
(g) Available except in Kollegal, Hunsur T. Narasipur and Mysore Taluks.
(h) Generally healthy.

5 Mandya District.—

(a) No rainfall during the week.
(b) Nil.
(c) Dry Crops were affected due to failure of rains,
(d) Sugarcane was being harvested in Maddur and Mandya taluks,
(e) Not satisfactory.
(f) Sufficient except in Mandya and Maddur Taluks.
(g) Available except in Mandya Taluk.
(h) Generally healthy.

6 Hassan District.—

(a) No rainfall during the week.
(b) N il.
(c) Standing Crops were withering for want of rains in most of the taluks.
(d) Doddaragi and Paddy in Belur taluks Ragi in Hunsur Taluk, Sugarcane in H. N. Pur Taluk was being harvested.
(e) Held up for want of rains in most of the taluks.
(f) Insufficiency was felt in most of the taluks.
(g) Adequate except in Hassan, H.N. Pura, Arsikere and Arkalgud Taluks.
(h) Generally healthy.

7 Chickmagalur District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were withering in most of the taluks for want of rains.
(d) —
(e) Held up for want of rains in most of the Taluks.
(f) Adequate except in Kadur and Koppa Taluks.
(g) Adequate except in Kadur, Tarikere and Chickmagalur Taluks.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Crops were withering in most of the taluks.
(d) Harvesting of Arecanut and Paddy in Thirthahally taluk, Jowar in Channagiri taluk, Jowar, Paddy and Ragi, in Honnali Taluk was in progress.
(e) Held up for want of rains in most of the Taluks.
(f) Sufficient except in Channagiri and Shikaripur taluks.
(g) Available.
(h) Generally healthy.

9 Chitradurga District.—

(a) Nil.
(b) Nil.
(c) Crops were affected due to non-receipt of rains in most of the taluks.
(d) Harvesting of Ragi and Navane in Holalkere taluk, Rag and Navane in Chitradurga taluk, Paddy and Jola in Harihar Taluk was in progress.
(e) Held up for want of rains,
(f) Sufficient except in Davanagere, Holalkere Molakalmur, Hosadurga, and Harihar Taluks.
(g) Available except in Molakalmur, Hiriyur, Hosadurga and Taluks.
(h) Generally healthy.

10 Bellary District.—

(a) Nil.
(b) Nil.
(c) Crops were affected due to non-receipt of rain in most of the Taluks.
(d) Harvesting of Jowar, Navane, Sajje in Kudligi, Siruguppa, Harapanahalli and Hadagalli Taluks was in progress.
(e) Held up for want of rains.
(f) Sufficient except in Kudligi, Harapanahalli and Hadagalli Taluks.
(g) Available.
(h) Generally healthy.

11 Bijapur District.—

(a) Nil.
(b) Nil.
(c) Crops were affected due to want of immediate rains.
(d) Harvesting of Kharif Crops in Muddebihal, Sindgi, Bagewadi and Bijapur Taluks was in progress.
(e) Progress was fair in 8 Taluk.
(f) Adequate.
(g) Available except in Indi taluk.
(h) Generally healthy.

12 Belgaum District.—
(a) Nil.
(b) Nil.
(c) Crops were withering for want of rains.
(d) Harvesting of Kharif crops was in progress in Ralbagh and Ramdurg taluks.
(e) Progress was fair in Ramdurg Taluk.
(f) Sufficient except in Gokak Taluk.
(g) Available except in Gokak Taluk.
(h) Generally healthy.

13 Dharwar District.—
(a) Nil.
(b) Nil,
(c) Crops were affected due to non-receipt of rains.
(d) Harvesting of Kharif crops was in progress in most of the Taluks.
(e) Progress was fair in most of the taluks
(f) Sufficient except in Ranebennur, Shirahatti and Mundargi, Taluks.
(g) Available except in Hirekerur Taluk.
(h) Generally healthy,

14 North Kanara District,—
(a) Nil
(b) Nil,
(c) Crops were withering for want of rains.
(d) Harvesting of paddy was nearing completion.
(e) Held up for want of rains.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

15 Gulbarga District,—
(a) Nil
(b) Nil
(c) Standing Crops were withering in most of the Taluks.
(d) Harvesting of kharif Jawar, G. nut was in progress.
(e) Ryots were busily engaged in Harvesting operations.
(f) Sufficient
(g) Available.
(h) Generally healthy.

16 Raichur District.—
(a) Nil.
(b) Nil.
(c) Standing crops were withering in most of the Taluks.
(d) Harvesting of Kharif crops were in progress.
(e) Ryots were busily engaged in Harvesting operation.
(f) Sufficient except in Deodurg Taluk.
(g) Available except in Deodurg Taluks.
(h) Generally healthy.

17 Bidar District.—
(a) Nil.
(b) Nil,
(c) Crops were withering for want of rains.
(d) Nil.
(e) Held up for want of rains.
(f) Adequate.
(g) Available,
(h) Generally healthy.

18 South Kanara District —
(a) Nil,
(b) Transplantation of II Crop Paddy was in progress.
(c) Generally fair,
(d) Nil.
(e) Progress was fair in most of the Taluks
(f) Adequate except in Puttur Taluk.
(g) Available except in Puttur Taluk.
(h) Generally healthy.

19 Coorg District,—
(a) Nil.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Cardamom was in progress.
(e) Progress was fair in 2 taluks.
(f) Adequate.
(g) Available,
(h) Generally healthy.

187 .....For *Director of Statistics.*,

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH IN MYSORE.

**Note on the State of Public Health Week Ending Saturday 20th November 1:65.**

The state remaind free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963-64, were, nil attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 29 attacks with 6 deaths from Smallpox was reported from the entire State *viz.*, from the town of Shimoga and from the taluks of Madhugiri, Malur, Bage-Wadi, Srirangapatna, Malavalli, Bantwal, *as against* nil attacks with 3 deaths reported during the corresponding week of the last year.

A total of 3 attacks with 3 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Hiriyur and Madhugiri during the week *as against* 13 attacks with 6 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* nil attacks with nill deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in lu epidemio form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore City Corporation amounted to 327 (131 in hospitals) for the week *as against* 178 (77 in hospitals) during the corresponding week of the previous year, giving a calcuated death rate of 17. 7 (10. 6 excluding hospital deaths)per mile of population (mid-year estimated) *as against* 9. 8 (5. 5 excluding hospital deaths), for the corresponding week of last year. Classified according to causes of deaths, 5 were due to Smallpox, 24 due to dysentory and Diarrhoea, 6 due to consumption and 292 due to all other causes, *as against* 3 were due to small pox 3 due to other fevers, 11 due to Dysentery and Diarrhoea, 4 due to consumption and 157 to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 38 (31 in hospitals for the year giving a calculated death rate of 7. 6. 1. 2 excluding hospital deaths) per mile of population (mid-year estimated), classified according to causes of deaths, 1 was due to other fevers, 9 due to Dysentery and Diarrhoea, 2 due to consumption, and 26 due to all other causes.

The report of K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 16 (nil in hospitals) for the week *as against* 43 (31 in hospital during the corresponding week of the previous year, giving a calculated death rate of 6 0 (6. 0 excluding hospital deaths) per mile of population(mid-year estimated) *as against* 16. 4 (4. 6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 2 due to Dysentery and Diarrhoea' and 13 due to all other causes, *as against* 3 were due to Dysentery and Diarrhoea, 1 due to Consumption and 39 due to all other causes reported during the Corresponding week of the previous year.

The total mortality for Mangalore City amounted to 11 (nil hospitals) for week *as against* 28 (11 in hospitals during the corresponding week of the previous year, giving a calculated death rate of 3. 7 (3. 7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.6 (5.9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 11 were due to all other causes *as against* 4 were due to consumption and 24 due to all other causes reported during the corresponding week of the previous year.

189 ..... *Director.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 16th March 1964**

**Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.**

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | Per quintal | 44·00—46 00 | 32·00—34·00 | 41·00 | 89.00 | ... | ... | 47 00 | ... | 46·00 | 45·00 |
| | (b) Medium ... | ... | 40.00—42.00 | 28·00—30·00 | 85·00 | 86.00 | ... | .. | 46·00 | ... | 44·00 | 42·00 |
| | (c) Coarse ... | ... | | 22 00—25 00 | ... | 84·00 | ... | ... | .. | .. | ... | 37.00 |
| 2 Rice ... | (a) Fine ... | ... | 70.00—90,00 | 74·00—78·00 | 77 00—90·00 | 75·00 | ... | 69.00 | 76 00—78·00 | 75·00 | 76 00 | 78 00 |
| | (b) Medium ... | ... | 66.00—78.00 | 64·00—68·00 | 67·00—69·00 | 65·00 | - | 66·00 | 68·00—70·00 | 69·00 | 69·00 | 76·00 |
| | (c) Coarse ... | ... | .. | 54·00—63·00 | 63·00—64·00 | 60·00 | ... | 63·00 | | 65 00 | 68·00 | 73·00 |
| 3 Wheat ... | White ... | ... | 48.00 | 42 00—45·00 | 44·00—50·00 | 42·00 | ... | 42.00 | 45.00 | 48·00 | 46·00 | 57·00 |
| Wheat Flour | ,, ... | ... | ... | 55 00—60·00 | | | ... | 45·00 | ... | 60 00 | 85·00 | ... |
| 4 Jowar ... | ,, ... | ... | 88.00—52.00 | 38·00—39·00 | 42.00—46·00 | 43·00 | ... | 45 00—46·00 | 40.00—45 00 | 38 00 | 39·00 | 47·00 |
| 5 Bajra ... | — | ... | ... | ... | 86.00—87.00 | ... | ... | ... | ... | ... | ... | 40 00 |
| 6 Barley ... | ... | ... | ... | ... | | ... | ... | 150·00—180·00 | ... | - | ... | ... |
| 7 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi ... | | ... | 38.00—40 00 | 38·00—39·00 | 16·00—87·00 | 42·00 | ... | 39·00—42·00 | 37·00—39·00 | 36·00 | 38.00 | 32.00 |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | | ... | - | ... | .. | ... | |
| (ii) ..... | ... | ... | ... | ... | | ... | ... | - | ... | .. | ... | |
| 10 Subsidiary Food Crops,— | | | | | | | | | | | | |
| (i) Sweet potatoes. | | ... | ... | 25·00 | 29 00—35·00 | ... | ... | 34·00 | ... | 27·00 | 25.00 | 23·00 |
| (ii) Tapioca | | ... | | ... | | ... | ... | - | ... | ... | 31.00 | ... |
| (iii) Papaya | | ... | ... | ... | 15·00—35·00 | 40.00 | ... | .. | 50·00 | .. | 42.00 | ... |
| (iv) Ground-nut cake flour. | | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | | ... | 65.00—69.00 | 50 00—55·00 | 70·00—72·00 | 60.00 | | 68 00—70·00 | 50·00 | 56·00 | 57·00 | 72 00 |
| 2 Arhar (Tur.) ... | | | 69.00—72.00 | ... | 59 00—62·00 | 110.00 | | 70·00 | | 48·00 | ... | 85.00 |
| 3 Mung ... | | ... | ... | 75·00—80·00 | 63.00—64·00 | 80·00 | | 80·00—85·00 | 85 00 | 52 00—54·00 | 62.00 | ... |
| 4 Urd ... | ... | ... | ... | ... | 48.00—49 00 | 95·00 | | 80·00—85·00 | 90·00 | 75·00—76·00 | 88 00 | ... |
| 5 Masur ... | ... | ... | ... | ... | | ... | | ... | 95·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | ... | ... | 68.00—74.00 | 50·00—60·00 | 63.00—65·00 | ... | | 75·00 | 75·00—80·00 | ... | ... | ... |
| (ii) Horsegram | ... | ... | 3700—42·00 | 40·00—41·00 | 33 00—38·00 | 40·00 | | 37·00—41 00 | 42·00—45·00 | 44 00 | 86·00 | 33 00 |
| (iii) Cowpea ... | | ... | ... | 50·00—58·00 | 50·00—55·00 | ... | | 80.00—90·00 | 80 00—85·00 | ... | 66·00 | 55·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 60·00 | 75.00—85·00 | 100·00 | 70.00 | | 115.00 | 100·00 | 90·00 | 72·50 | 80·00 |
| | (b) Sort II ... | ... | 68·00 | 70.00—75 00 | 85·00 | | | 80.00 | 85·00 | 86 00 | 55·00 | 60 00 |
| 2 Sugar refined | D 24 ... | ... | 126·00 | 125.00 | | 121.00 | | 117 62 | 123·00 | 120·00 | 120·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled | Per quintal | ... | 80·00—84·00 | ... | 170·00 | ... | 75.00—76.00 | 78.00—88.00 | 63.00 | 76·00 | 74 00 |
| | (b) Machine shelled | ... | ... | 90·00—97·00 | — | 110·00 | ... | | | ... | 89·00 | 95·00 |
| Groundnut Oil | ... | ... | 194 00—198.00 | 210·00 | 180.00—210.00 | 200·00 | | 210·00 | 200·00—205·00 | 240·00 | 188 00 | 190·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 88.00 | 40·00 | ... | 45·00 | 88·00—44·00 | ... | 43·00 | 40 00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | 120·00 | ... | 100·00 | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | ... | ... | | | ... | 92 00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | ... | ... | ... | 200·00—250·00 | ... | ... | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor Seed ... | ... | ... | ... | ... | 60 00—61,00 | ... | ... | 75.00 | 60·00—70.00 | | 69.00 | ... |
| Castor Oil ... | ... | ... | 180.00—200.00 | 220·00—225·00 | 175.00—190.00 | 200·00 | ... | 190·00 | 200·00—210·00 | ... | 189·00 | ... |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | 173 50 | ... | ... |
| 4 Rape and Mustard. (a) Black | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | | ... | | ... | |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconnut ... | (a) Nuts ... | (Per (thousand) | 150.00—280.00 | 325·00—350.00 | 300·00 | 150·00—250·00 | ... | 220·00—260·00 | 225.00—273·00 | 280·00 | 320·00 | 225·00 |
| | (b) Copra ... | quintal | 250.00—260.00 | 300·00—340·00 | ... | 320·00 | 500·00 | 270 00—280·00 | 300·00—313.00 | 300·00 | 260·00 | 245·00 |
| Coconnut Oil... | ... | ... | 340·00—360·00 | 300.00—330.00 | 350·00 | 300.00—400·00 | ... | 350 00—360.00 | 350·00—400.00 | 230·00 | 350·00 | 325·00 |
| Coconnut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 80·00 | 70·00—80 00 | ... | ... | ... |
| | (ii) Niger oil | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | 320·00 | ... | 350·00 | 300.00 | ... | ... | ... | 288 00 | 306 00 | 320·00 |
| 10 Other Oils ... | (ii) Refined | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. Fruits, Vegetables and Nuts.— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 2 Plantains ... | ... | Do | 5.00—9.00 | 8.00—7.00 | 6 00—7.00 | 15·00 | ... | 4·00—8·00 | 14·00—15·00 | 8·00 | 10·00 | 4 60 |
| 3 Oranges ... | ... | Do | 15.00—28.00 | 10.00—20.00 | 18.00—25.00 | 25.00 | ... | 15·00—31·00 | 22 00—40·00 | 15 00 | 25 00 | ... |
| 4 Dates ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew Kernels, etc. | ... | quintal | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 32.00—40.00 | 60·00—64·00 | 60.00—80·00 | 40·00—45·00 | ... | 40·00—45·00 | 68·00—64.00 | 60·00 | 56·00 | 49·00 |
| 2 Onions ... | ... | ... | 22.00—26.00 | 80·00—88·00 | 20·00—30.00 | 30.00—35·00 | ... | 80 00—84·00 | 8 ·00—88·00 | 26·00 | 82·00 | 25·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | ... | 600·00 | 630·00—640·00 | | | |
| 2 Arecanuts ... | ... | ... | 600.00—625.00 | 600 00—700 00 | ... | ... | ... | 900·00—1000.00 | ... | 680·00 | 782·00 | 416·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | 225·00 | ... | ... | ... | ... | | | 245 00 |
| | (b) Lint ... | ... | ... | ... | 106·00 | ... | ... | ... | ... | ... | | 108·00 |
| | (c) Seed ... | ... | ... | ... | 42.00—44.00 | ... | ... | ... | 38·00-47·00 | ... | | 88·00 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Loose ... | (a) White— | | | | | | | | | | | | | | | |
| | (i) Top ... | ... | | | — | — | | | | | | | | | | |
| | (ii) Middle | ... | | | — | | | | | | | | | | | |
| | (iii) Bottom | ... | | | ... | ... | | | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | |
| | (i) Top ... | ... | | | ... | ... | ... | ... | | | | | | | | |
| | (ii) Middle | ... | | | ... | ... | ... | ... | | | | | | | | |
| | (iii) Bottom | ... | | | ... | ... | ... | ... | | | | | | | | |
| 3 Pucca Baled Jute. | (i) Lightlings | Per bale | | | ... | ... | ... | ... | | | | | | | | |
| | (ii) First Mills. | ... | | | — | ... | — | — | | | | | | | | |
| | (i) First Exports. | ... | | | — | — | — | ... | | | | | | | | |
| Sann Hemp ... | ..... | ... | | | ... | ... | — | — | | | | | | | | |
| 4 Mesta ... | (i) Top ... | ... | | | — | ... | — | ... | | | | | | | | |
| | (ii) Middle | ... | | | ... | ... | ... | ... | | | | | | | | |
| | (iii) Bottom | ... | | | — | ... | ... | — | | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf ... | ... | | | ... | — | — | — | | | 400·00—462·00 | | 800·00 | | | 266·00 |
| | (ii) Pulab ... | ... | | | ... | ... | ... | ... | | | ... | | ... | | | 112 00 |
| | (b) Virginia | ... | | | ... | ... | ... | ... | | | 500.00—650.00 | | ... | | | ... |
| | (i) Leaf ... | ... | | | ... | ... | — | ... | | | ... | | ... | ... | | ... |
| | (ii) Pulab ... | ... | | | ... | ... | ... | ... | | | ... | | ... | ... | | |
| VIII. Livestock— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 400·00—650·00 | ... | 500.00 | 500·00 | ... | 860·00—500.00 | ... | 160.00—250.00 | 425·00—540·00 | | | | | 270.00 |
| | (b) ,, II ... | Do ... | 300·00—500·00 | ... | 300.00 | 475 00 | ... | 240·00—380·00 | 200 00—3000,00 | 180.00—200 00 | 325·00—425·00 | | | | | 295·00 |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 260·00—370·00 | 250.00—350 00 | 350·00 | ... | ... | 30·00—40·00 | ... | ... | ... | | | | | 135.00 |
| | (b) ,, II ... | Do ... | 200·00—300·00 | 100.00—120 00 | ... | ... | ... | 30.00—45.00 | 80.00—150,00 | ... | ... | | | | | 90 00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 300·00—420·00 | ... | 125.00—150.00 | 250 00 | ... | 165·00—300·00 | 150.00—200,00 | 150.00—300·00 | 300·00—420·00 | | | | | 95·00 |
| | (b) Class II ... | Do | 220·00—280·00 | ... | 100.00—120.00 | 200·00 | ... | 80·00—135·00 | 100.00—150 00 | 120.00—2 0,00 | 240·00—315·00 | | | | | 70·00 |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 190·00—260·00 | ... | 300·00—350,00 | 250·00 | ... | 170·00—300·00 | | 270.00—500 00 | 260·00—385·00 | | | | | 135.00 |
| | (b) Class II ... | Do | 150·00—240·00 | ... | 100.00—150,00 | 225·00 | ... | 185·00—170·00 | 200·00—300.00 | 210·00—400·00 | 170·00—290·00 | | | | | 90.00 |
| 3 Sheep ... | ..... | Do ... | 35·00—80·00 | ... | 35.70—70.00 | 80·00 | ... | 28·00—35·00 | 40,00—80,00 | 30,00—75.00 | 40 00—60·00 | | | | | 40.00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. ... | | ... | ... | ... | ... | ... | 2 80 | 3.00—4,00 | | | | ... | ... | |
| | (b) ..... | Do ... | | ... | ... | ... | ... | ... | 1,40 | 1.00—1 15 | | | | ... | ... | |
| 2 Hides.— | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | | ... | ... | ... | ... | ... | 1·50—1·75 | 1,00—1·10 | | | | ... | | 8·00 |
| | (b) ..... | Do ... | | ... | ... | ... | ... | ... | ... | 0,75—1.00 | | | | ... | | ... |
| Tanned ... | (a) ..... | Do ... | | ... | ... | ... | ... | ... | 4 75 | 6.00 | | | | ... | | 4·00 |
| | (b) ..... | Do ... | | ... | ... | ... | ... | ... | ... | 5.00 | | | | ... | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 4.50 | ... | ... | ... | ... | ... | 1.60—1 75 | 1.00—1·15 | | | | ... | | 8·40 |
| | (b) ..... | Do ... | 4.00 | ... | | ... | ... | ... | — | ... | | | | ... | | ... |
| Tanned .. | (a) ..... | Do ... | ... | ... | — | ... | ... | ... | 4.75 | 6·00 | | | | ... | | 4·50 |
| | (b) ..... | Do ... | ... | ... | ... | — | ... | ... | ... | 4 75 | | | | ... | | ... |
| 3 Skins.— | | | | | | | | | | | | | | | | |
| Goatskins— Raw | (a) ..... | Per each | 4·50—6.00 | ... | — | ... | ... | ... | 8.75—4·50 | 8.00 —4.00 | | 4·00—5.00 | 5·40 | | | 5·00 |
| | (b) ..... | Per kg. | 4.25 | ... | ... | ... | ... | ... | ... | ... | | 3·00—4·00 | ... | | | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | ... | 8 00 | 7·00 | | ... | ... | | | 3·00 |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | | ... |
| (ii) Sheepskins— Raw. | (a) ..... | Per each | 6·00—7 00 | ... | ... | ... | ... | ... | 8.50—4·00 | 8·00—4·00 | | 3·50—4·00 | 8·15 | | | ... |
| | (b) ..... | Per kg. | ... | ... | | ... | | | ... | ... | | 3·00—4·00 | ... | | | ... |
| Tanned ... | (a) ..... | Do ... | ... | ... | ... | ... | ... | ... | 12·50 | 8·00 | | ... | ... | | | 3·15 |
| | (b) ..... | Do ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | | ... |
| 4 Shee | (a) Agmark | Do ... | 7 50 | 7 00—8·00 | ... | ... | ... | ... | ... | 8 00 | | ... | | | | 4 1 0 |
| | (b) Ungraded | Do ... | 5·00—6·00 | 6·00—7 00 | ... | ... | ... | ... | ... | 7.00 | | | | | | 6 50 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Quintal | ... | ... | ... | ... | ... | 26·00—28.00 | ... | ... | ... | ... |
| | (b) Paddy | Cart load | ... | ... | ... | ... | ... | 16,00—18,00 | ... | 15·00 | 12.00 | ... |
| 2 Straw | (a) Ragi | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks | (a) Jola | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 26 00 |
| | (b) ..... | .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric | ..... | Per quintal | 125·00—150·0 | 800·00 | 170 00—200·00 | 180.00 | ... | 180·00 | 925·00—250·00 | 170·00—172 00 | 181.00 | 168·00 |
| 2 Tamarind | ..... | ... | 55·00—110·00 | 90·00—95·00 | 50 00—60·00 | 60.00—60.00 | ... | 60 00—80·00 | 70·00—80·00 | 89.00—98·00 | 120·00 | 80.00 |
| 3 Dry Chillies | ..... | ... | 200·00—800 00 | 250·00—270·00 | 175·00—200·00 | 250·00 | ... | 280·00—300·00 | 250.00—300·00 | 150 00—320·00 | 275·00 | 240·00 |
| 4 Garlic | ..... | ... | 80·00—100 00 | 55·00—60·00 | 125 00—150 00 | 175·00 | ... | 80.00—100·00 | 100·00 | 147·00—150·00 | 83 00 | 80·00 |
| 5 Pepper | ..... | ... | 300·00—400·00 | 700.00—750 00 | 450·00 | 850·00 | ... | 850 00 | 400·00 | 350·00—420·00 | 800·00 | ... |
| 6 Cardamom | ..... | ... | 1,415·00—9,010·00 | ... | 160·00—200·00 | 1,200·00 | ... | 1,400 00—1,500·00 | 2,800·00 | ... | 1,500 | ... |
| XII Miscellaneous— | | | | | | | | | | | | |
| 1 Timber | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac | ... | ... | ... | ... | ... | ... | ... | - | ... | ... | | |
| 3 Seedlac | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| 5 Rubber | Raw | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 38·00 | 45·00—50·00 | 44·00—45·00 | 45.00 | ... | 44 00 | 45 00 | ... | ... |
| | (b) Medium | | 36·00 | 44·00—48 00 | ... | 41·00 | ... | 41·00 | 42·00 | ... | ... |
| | (c) Coarse | | 33·00 | 43·00 - 46 00 | ... | ... | .. | ... | . | ... | 89.00 |
| 3 Rice | (a) Fine | | 66 00 | 75·00—82·00 | 94·00—96·00 | 74·00 | 78·00 | 73·00 | 75 00 | 65 00 | 80 00 |
| | (b) Medium | | 61·00 | 70·00—75 00 | 77·00—78·00 | 66 50 | 67·00 | 65.00 | 60·00 | 64 00 | .. |
| | (c) Coarse | | 62 00 | 64·00—70·00 | 70·00 | .. | 64·00 | 60.00 | ... | | 65·00 |
| 8 Wheat | White | | 70·00 | 65·00—72·00 | 67·00—70·00 | 62 00 | ... | 70·00 | 62·00 | 60·00 | 44·00 |
| Wheat Flour | White | | 75·00 | 56·00—60·00 | 59·00—60 00 | ... | 62·00 | ... | 75.00 | 58.00 | 60·00 |
| 4 Jowar | White | | 48·00 | 45·00—51 00 | 44·00 | 49.00 | 46·80 | 45·00 | 48·00 | ... | .. |
| Bajra | ... | | .. | 40·00—42 00 | 42·00 | ... | .. | 41·00 | 38·00 | ... | ... |
| Barley | ... | | ... | | — | ... | ... | ... | ... | ... | ... |
| Maize | ... | | | 41·00—42·00 | 85·00 | ... | ... | .... | ... | . | ... |
| Ragi | ... | | 41·00 | ... | — | ... | — | — | ... | 44·00 | 41·00 |
| Other cereals | | | | | | | | | | | |
| (i) ..... | ... | | .. | ... | ... | .. | ... | ... | ... | ... | ... |
| (ii) ..... | ... | | ... | ... | ... | ... | .. | ... | . | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | 20·00 | ... | ... | .. | 30·00 | ... | 23·00 | 15·00 | 28·00 |
| (ii) Tapioca ... | ... | | ... | ... | ... | ... | .. | ... | .. | ... | 30·00 |
| iii) Papaya ... | ... | | ... | ... | ... | ... | 25·00 | ... | 15.00 | ... | 19 00 |
| (iv) Groundnut cake flour | | | ... | ... | ... | ... | 39.00 | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 75·00 | 60 00—63 00 | 60.00—61·00 | 6 ·00 | 57·00 | 53·00 | 58·00 | 55·00 | 75·00 |
| 2 Arhar (Tur) | ... | | 60·00 | 56 00—61·00 | 62·00—63·00 | 54·00 | 72·00 | 75·00 | 64·00 | 90·00 | 116·00 |
| 3 Mung ... | | | 80·00 | ... | 64·00—65·00 | ... | ... | 72.00 | 58·00 | 54 00 | 72·00 |
| 4 Urd ... | ... | | 75·00 | ... | 42·00—44·00 | ... | ... | 53·00 | 61.00 | 70 00 | 78·00 |
| 5 Masur ... | ... | | 68·00 | ... | 42·00—45·00 | ... | ... | | ... | ... | 78·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare ... | ... | | ... | 45·00—48·00 | 40·00—42·00 | ... | ... | | 48.00 | .. | 78·00 |
| (ii) Horsegram... | ... | | 41·00 | | 39·00 | ... | ... | | — | 45·00 | 42·00 |
| (iii) Cowpea ... | ... | | ... | ... | — | ... | ... | | ... | ... | ... |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | | 118 00 | 95·00—98·00 | 85·00—95·00 | | 78·00 | | 80·00 | 110·00 | 90·00 |
| | (b) Sort II ... | | 105·00 | 72·00—85.00 | 70·00—80·00 | | 69·00 | | ... | 80·00 | ... |
| 2 Sugar Refined | D. 24 ... | | ... | ... | 118 60 | ... | .. | | 118·00 | 128·00 | 124·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | | 70 00 | 74·00—76·00 | 78.00—79·00 | ... | 80·00 | 75·00 | 77.00 | ... | ... |
| | (b) Machine shelled. | | 126·00 | 101·00—108·00 | ... | ... | 110·00 | 115.00 | . | 105·00 | ... |
| Groundnut Oil | ... | | 214·00 | ... | 191·00—196·00 | 225.00 | 225·00 | 190·00 | 185.00 | 208·00 | 212.00 |
| Groundnut Oil-cake. | | | ... | 36.00—40·00 | 89 00—40·00 | ... | 39·00 | 45·00 | 87.00 | 43.00 | 46.00 |
| | | | | | 120·00 | | | | | | |
| 2 Sesamum ... | (a) White .. | | 145·00 | ... | | ... | ... | | 120 00 | 110.00 | ... |
| | (b) Black ... | | 135·00 | ... | 115.00 | ... | ... | | 115.00 | .. | ... |
| Sesamum Oil... | ... | | 320·00 | ... | ... | ... | ... | | — | 250 00 | ... |
| Sesamum Oil-cake. | ... | | 65 00 | ... | ... | ... | ... | | ... | 58·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| 3 Castor seed | — | — | | ... | | 68.00—74 00 | 66·00 | ... | ... | 69,00 | ... | |
| Castor Oil ... | | ... | | | ... | ... | ... | 142 00 | ... | 876,00 | ... | 287.00 |
| Castor Oilcake | ... | ... | | | ... | ... | ... | ... | ... | ... | ... | |
| 4 Rape and Mustard. | (a) Black ... | | | 126·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow ... | — | | 120·00 | ... | ... | ... | ... | ... | — | 120·00 | ... |
| Mustard Oil ... | | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oilcake. | — | — | | ... | ... | ... | ... | — | ... | 57.00 | ... | ... |
| 6 Linseed | (a) Brown bold | ... | | ... | ... | 78·00 | 61·00 | 78·00 | 75.00 | | ... | ... |
| | (b) Brown small | | | ... | ... | | ... | ... | — | ... | ... | ... |
| Linseed Oil ... | | — | | — | | ... | ... | — | ... | ... | | ... |
| Linseed Oilcake | ... | ... | | ... | ... | ... | ... | ... | ... | | ... | ... |
| 5 Toria ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Cocoanut ... | (a) Nuts — | (Per thousand) | | 827·00 | 250 00—230.00 | 260·00 | 250·00 | 240·00 | 280·00 | 250·00 | 250 00—315·00 | 320 00 |
| | (b) Copra | | | 315·00 | 200·00—215·00 | 250,00 | ... | 215 00 | 280·00 | 195·00 | 150 00—178·00 | 450.00 |
| Cocoanut Oil ... | | per Quintal | | 828·00 | 295·00—300.00 | 325 00 | 350·00 | 309·00 | 305·00 | 375.00 | 337·00 | 312·00 |
| Cocoanut Oilcake | | ... | | | ... | ... | ... | | ... | | 90·00 | 66.00 |
| 8 Other Oil seeds | (i) Nigerseed... | — | | 88 00 | ... | | 64,00 | | 82·00 | | ... | |
| | (ii) Nigar Oil ... | ... | | — | | ... | ... | | ... | | | |
| 9 Vegetable Oil | (i) Vanaspathi | — | | 380·00 | ... | ... | 325 00 | | 312.00 | | ... | |
| | (ii) Refined oil | — | | — | ... | ... | ... | | ... | | ... | |
| | iii) Safflower Oil | ... | | — | ... | | ... | | ... | | | |
| 10 Other Oils ... | | | | | | | | | | | | |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | per gross | | — | ... | ... | — | ... | | ... | ... | |
| 2 Plantains ... | ... | Do ... | | 6·00 | 5·00—5.50 | 6·50 | 5·00 | 12 00 | 8 50 | 6 00 | 4 00 | 8·00 |
| 3 Oranges ... | — | Do ... | | — | ... | ... | ... | 280·00 | | 12 00 | 7.00 | 12·00 |
| 4 Dates ... | ... | ... | | 185·00 | ... | ... | ... | ... | 300 00 | ... | 180.00 | |
| 5 Cashew kernels, etc. | ... | | | 635·00 | ... | ... | ... | ... | ... | | 552.00 | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | per quintal | ... | | 62·00 | 35 40 | 55·00—60.00 | | | | | 45 00 | 78. 0 |
| 2 Onions ... | ... | ... | | 28 00 | 17,23 | 25·00—29·00 | | | | | 20.00 | 45 00 |
| 3 Beans ... | ... | ... | | — | ... | ... | | ... | | | | |
| 4 Tomatoes ... | ... | ... | | — | ... | ... | | ... | | | | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | | ... | ... | ... | | ... | | | | 630·00 |
| 2 Arecanuts ... | ... | ... | | ... | 440·00—445.00 | ... | | 500·00 | 454.00—463.00 | | | 630. 00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | | ... | ... | 230.00—250.00 | | ... | 278.00 | | ... | |
| | (b) Lint ... | ... | | ... | ... | 107·00 | | ... | 102·00 | | ... | |
| | (c) Seed ... | ... | | 44.00 | ... | 35·00—40.00 | | ... | 38.00 | | ... | |
| 2 Jute :—Loose | (a) White | | | | | | | | | | | |
| | (i) Top ... | ... | | ... | ... | ... | | ... | ... | | ... | |
| | (ii) Middle ... | ... | | ... | ... | ... | | ... | ... | | ... | |
| | (iii) Bottom ... | ... | | ... | ... | ... | | ... | ... | | ... | |
| | (b) Tossa— | | | | | | | | | | | |
| | (i) Top | ... | | ... | ... | ... | | ... | ... | | ... | |
| Pucca Baled Jute, | (ii) Middle ... | ... | | ... | ... | ... | | ... | ... | | ... | |
| | (iii) Bottom ... | ... | | ... | ... | ... | | ... | ... | | ... | |
| | (i) Lightings... | Per bale | | ... | ... | ... | | ... | | | ... | |
| | (ii) First Mills | ... | | ... | ... | ... | | ... | ... | | ... | |
| | (iii) First Exports, | ... | | ... | ... | ... | | ... | ... | | ... | |
| | ... | ... | | ... | ... | ... | | ... | ... | | ... | |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | |
| | (i) Leaf | | | | 485 00 | | | 500.00 | 450'00 | 800'00 | 600·00—650·00 | | 600 | |
| | (ii) Pulab | | | | | | | 400.00 | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | | |
| | (i) Leaf | | | | 500'00 | | | 400,00 | | | 600.00—600.00 | | | |
| | (ii) Pulab | | | | | | | 450.00 | 602,00 | | 600,00—700'00 | | | |
| VIII. Livestock.— | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | | 420·00 | 300·00—400·00 | 500.00—750·00 | | 500·00 | 800.00 | 844·00 | | | | |
| | (b) Class II | Do | | 320·00 | 200·00—260·00 | 200.00—400.00 | | 125·00 | 200.00 | 295·00 | | | | |
| (ii) Buffalo bulls | (a) Class I | Do | | 190·00 | 100·00—150 00 | 300·00 | | | 150.00 | 455 00 | | | | |
| | (b) Class II | Do | | | 200·00—300·00 | 100 00—150·00 | | | 100·00 | 350·00 | | | | |
| 3 Milch cattle— | | | | | | | | | | | | | | |
| (i) Cows | (a) Class | Do | | 190.00 | 180·00—250.00 | 150.00—250.00 | | 275,00 | 125 00 | 185·00 | 500·00 | | | |
| | (b) Class | Do | | 175·00 | 150·00—250·00 | 200.00—250.00 | | 60·00 | 75·00 | 142 00 | 150·00 | | | |
| (ii) Buffaloes | (a) Class I | Do | | 865.00 | 250.00—250·00 | 250·00—275·00 | | 350,00 | 250·00 | 450·00 | 300·00 | | | |
| | (b) Class II | Do | | 315·00 | 200·00—300·00 | 100.00—150·00 | | 150 10 | 100 00 | 275·00 | 250·00 | | | |
| 6 Sheep | | Do | | 40·00 | | 38·00—40·00 | | 85·00 | 50·000 | 48.00 | 45 00—75·00 | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | Per kg. | | | | | | | | | | | | |
| | (b) | Do | | | | | | | | | | | | |
| 3 Hides— | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | Do | | 1.50 | 1·37 | | | | | | | | | |
| | (b) | Do | | 1·00 | 1·00 | | | | | | | | | |
| Tanned | (a) | Do | | 6 75 | 4·50 | | | | 5 50 | | 5.00 | | 3·75 | |
| | (b) | Do | | 4·50 | 3·75 | | | | | | 4.50 | | | |
| (ii) Buffalo hides— Raw. | (a) | Do | | 2·15 | 2·00 | | | | | | | | | |
| | (b) | Do | | 1·25 | 1·50 | | | | | | | | | |
| Tanned | (a) | Do | | 9.00 | 5·00 | | | | 5 00 | | 4.75 | | 3·50 | |
| | (b) | Do | | 7.50 | 4·50 | | | | | | 4.50 | | | |
| 8 Skins— | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) | Do | | 4·50 | 5·00 | | | | | | 4 00 | | | 8 50 |
| | (b) | Do | | | | | | | | | | | | |
| Tanned | (a) | Do | | 6.00 | | | | | | | 10.00 | | | |
| | (b) | Do | | 4·00 | | | | | | | | | | 9 50 |
| (ii) Sheepskins— Raw. | (a) White | Do | | 4.00 | 4·50 | | | | | | 3.00 | | | |
| | (b) Black | Do | | 3.50 | | 4·00 | | | | | | | | |
| Tanned | (a) | Do | | 7·00 | | | | | | | 10.00 | | | |
| | (b) | Do | | 5·00 | | | | | | | | | 7·50 | |
| 4 Ghee | (a) Agmark | Do | | 6.62 | 7.20 | | | | | | 7.00 | | 6 00 | |
| | (b) Ungraded | Do | | 5·25 | | 4·12 | | | 5·50 | | | 12·00 | | |
| X. Fodder.— | | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | | | | | | | | | | | | |
| | (b) Paddy | Per cart-load | | | | | | | | | | 25·00 | | 4 50 |
| 3 Straw | (a) Ragi | Do | | | | | | | | | | | | |
| | (b) | | | | | | | | | | | | | |
| 8 Stalks | (a) Jola | Per quintal | | | | 32·00 | | | | | | | | |
| | (b) | | | | | | | | | | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 175 00 | 140.00—190.00 | 175 00 | 201.00 | ... | 60. 0—90.00 | 170·00 | 93.00 | 820 00 |
| 2 | Tamarind ... | ... | ... | 75·00 | 80·00—85 00 | 65·00 | ... | 85 00 | 77,00 | 72·00 | 85 00 | 90·00 |
| 3 | Dry Chillies ... | ... | ... | 280·00 | 150·00—250 00 | 240·00 | 276.00 | 260·00 | 235 00 | 203 00 | 300.00 | 300·00 |
| 4 | Garlic ... | ... | ... | 100·00 | 44·00—52·00 | 68·00 | ... | 70·00 | 45.00—60·00 | 68 00 | 80·00 | 180·00 |
| 5 | Pepper ... | ... | ... | 329·00 | ... | ... | | 350·00 | 375·00 | ... | 296·00 | 885·00 |
| 6 | Cardamom ... | ... | ... | 955 00 | ... | ... | ... | 2000 | 1,700,00 | ... | 1 200·00 | 1,000·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F. | ... | ... | ... | ... | ... | ... | .. | | |
| 2 | Sticklac ... | ... | ... | ... | ... | ... | .. | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4 | Shellac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... | ... | ... | ... | .. | ... | ... | ... | ... | | |
| 6 | Myrobalan ... | ... | ... | ... | ... | — | ... | .. | ... | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | ... | — | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES.

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 16th March 1964.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | | 2·9 | 4 | ... | 3·1 | ... | 1·5 | ... | ... | 1·8 | 2·5 |
| 2 Rice ... | Do ... | ... | 1·4 | 1·75 | 1·5 | 1·7 | ... | 2·2 | 1.1—1.3 | 1·5 | 1·5 | 1·8 |
| 3 Wheat ... | White ... | ... | 2·8 | 2·1 | 2 | 2·2 | ... | 2.2 | 2·1 | 2 | 2·8 | 1·6 |
| 4 Wheat Flour... | Do ... | ... | 2 | 1·75 | 1·8 | 1·9 | ... | 2·1 | ... | ... | 1·2 | 1·8 |
| 5 Jowar ... | Do ... | ... | 3·4 | 2·5 | 2·5 | 2·4 | ... | ... | 2·29 | 2 3 | 2·5 | 1 9 |
| 6 Bajra ... | ... | ... | 2·1 | ... | 2·2 | ... | ... | 7·0 | ... | ... | ... | 2·2 |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 8 Maize ... | ... | ... | 2·8 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | ... | 2·5 | 2·5 | 2·7 | 2·4 | ... | 2·3 | 2·2—2·5 | 2·5 | 2·8 | 2·6 |
| 0 Other cereals... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 2·8 | 3·75 | 2·8 | ... | ... | 2·5 | | 2·8 | 3·7 | 3 |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·8 | ... |
| ( Papaya ... | ... | ... | 2·1 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv Groundnut cake Soup. | ... | ... | ... | ... | ... | 2·5 | ... | ... | ... | ... | ... | ... |
| II — | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 2·1 | 1.75 | 1·3 | 1·6 | ... | 1·4 | 1·1—1·2 | 1·5 | 1·8 | |
| | (b) Split (without skin) | ... | ... | 1·25 | ... | 1·2 | ... | 1·2 | 1·2 | 1·3 | 1·5 | 1·8 |
| | (c) Flour ... | ... | ... | 1·1 | ... | ... | ... | 1·2 | 1·1 | 1·4 | | |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1·3 | ... | 1·3 | ... | ... | 1·3 | ... | 2·3 | ... | 1·2 |
| | (b) Split (without skin). | ... | 1 | ·9 | ... | ·9 | ... | ·9 | ·9 | 1 | ... | ... |
| 3 Moong ... | (a) Whole ... | ... | 1·3 | 1·2 | 1·4 | 1.2 | ... | 1·2 | 1.2 | ... | 0·9 | 9 |
| | (b) Split (without skin). | ... | 9 | 8 | ... | ,7 | ... | ·9 | ·8 | ... | 1·5 | 1·5 |
| 4 Urd ... | (a) Whole ... | ... | 1·3 | 1·25 | 1·2 | 1,1 | ... | 1·2 | 1—1·1 | 1·1 | 1·2 | ... |
| | (b) Split (without skin). | ... | 9 | ·8 | 9 | ,9 | ... | ·9 | ·8 | 9 | 1.2 | |
| 5 Masur ... | (a) Whole ... | ... | ... | ... | ... | ... | ... | ... | 1—1.1 | ... | 0·9 | 8 |
| | (b) Split (without skin). | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| 6 Other pulses.— | | | | | | | | | | | ... | ... |
| (i) Avare ... | (a) Whole ... | ... | 1·7 | 1.5 | 1·4 | ... | ... | 1·2 | 1·2 | ... | | |
| | (b) Split (without skin). | ... | ... | 1 | ... | 1,1 | ... | ... | 1·1 | ... | 1·1 | ... |
| (ii) Horsegram | ... | ... | 2·8 | 2·5 | 2·8 | 2.5 | ... | 2·5 | 2—2.2 | 2·5 | 2·8 | 2·3 |
| (iii) Cowpea ... | ... | ... | 1·2 | 1·75 | 1.5 | ... | ... | 1·2 | 1·1 | ... | 1.2 | 1·5 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 1,2 | 1·2 | 1 | 1.4 | ... | ·6 | ·7 | 8·00 | 1·0 | 1.1 |
| 2 Sugar refined | (b) Sort II ... | ... | 1 1 | 1·5 | 1,2 | ... | ... | 1·1 | ·8 | 1·00 | 1·8 | 1.8 |
| | D. 24 ... | ... | 1·3 | ... | ... | 866 | ... | 9·25 | 8.22 | 7.50 | 7·50 | 8.25 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | - | Per kg | 5 00 | 5·00 | 5 00 | 5.00 | ... | 4·00 | 5·00 | 7·00 | 5·00 | 5·00 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 00 | ... | ... | 8 00 |
| 3 Castor oil ... | | ... | 5·60 | 4,00 | 5·65 | 5.00 | ... | 5·00 | 6,00 | 5 00 | 4·00 | 5 00 |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | ... | ... | 2·78 | 3.30 | 2 65 | 3.33 | ... | ... | 0 266 | 3·00 | 2.55 | 2·70 |
| Vanaspati ... | ... | ... | ... | ... | 2·75 | 3.21 | ... | 0·250 | 0·850 | 3.50 | 2.50 | 2.70 |
| 8 Other oils— | | | | | | | | | | | | |
| (i) Refined oil | - | ... | ... | ... | ... | ... | ... | ... | ... | 1·25 | ... | ... |
| (ii) ..... | - | ... | ... | ... | ... | ... | ... | ... | ... | 3·00 | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Plantains ... | | | 05·0—0·75 | 25 75 | 75 00—81·00 | 1.00—1.50 | ... | 81·00—75·0 | 0 90 | 1·25 | 1·00 | 56·00 |
| 3 Oranges ... | | D | 1·50—3.50 | 2·8 | 1·t0—2.50 | 3.00—3·50 | ... | 1·50—3·00 | 2.25 | 3 00 | 2 50 | 2 00 |
| 4 Dates ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Cashew kernels | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | ... | 2.00 | 1·85 | 1·05 | 2.00 | ... | 2·00 | 2·0 | | 1·5 | 1·5 |
| 2 Onions ... | | ... | 3.00 | 3·00 | 2 08 | 2.00 | ... | 2·5 | 2·8 | | 2·8 | 2,8 |
| 3 ..... | | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | 1·25 | ... | ... | ... | 0·166 | | ... | 1.60 |
| 2 Arecanuts ... | | ... | ... | 1 25 | ... | ... | ... | 0.160 | 0·111 | | ... | 0·85 |
| VI. Tobacco ... | Leaf | — Per s ... | ... | ... | ... | ... | ... | ... | ... | 5.00 | ... | 8.00 |
| II. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 0·70—1.10 | 1·00 | 0.62—0·75 | 1·25 | ... | 0·60—0 65 | 0 90 | 0 75 | 0·75 | 0·80 |
| 2 Ghee ... | (a) Agmark | ... | 1·83 | 1·80 | ... | ... | ... | ... | 0 125 | ... | ... | ... |
| | (b) Ungraded ... | ... | 1·00 | 1·60 | ... | ... | ... | ... | 0·145 | ... | 0·146 | 0 155 |
| 3 Eggs ... | (i) A Grade | Per Dozen | 3·60 | 3·00 | 2·50 | 3.50 | ... | 2·00 | 2 85 | 2·80 | 2 8 | 2·28 |
| | (ii) B Grade | Do | 2·50 | 2·50 | 1.50 | 3 00 | ... | 1·70 | 2·20 | 2 75 | 1 75 | 2 00 |
| | (iii) C Grade | Do | 1·75 | 2·00 | 0 75 | ... | ... | 1 50 | 2·00 | 2·65 | 1 62 | 1 85 |
| 4 Mutton ... | ... | ... | 2·51 | 3·00 | 3 88 | 2.50 | ... | 0 250 | 0·833 | 3·00 | 0·280 | ·840 |
| 5 Beef ... | — | — | 4.00 | ... | ... | ... | ... | ... | ... | ... | ... | .550 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | 6 00 | 3 00 | 0·05 | 0·05 | - | 6·5 | 0.4 | 0·4 | 0 5 | 0,5 |
| 2 Tamarind ... | ... | ... | 1 00 | 1 00 | 1 08 | 1·02 | ... | 1 5 | 1 00 | 1·8 | 0 8 | 1·00 |
| 3 Dry chillies ... | ... | ... | 2·54 | 3·60 | 5 00 | 3 88 | ... | 0 888 | 0 840 | 0·800 | 0·400 | 4·50 |
| 4 Garlic ... | ... | ... | 1 00 | 1 25 | 5 00 | ... | ... | 0 9 | 1 00 | 0 18 | 1 00 | 1·00 |
| 5 Pepper ... | ... | ... | 2·50 | 1 25 | 1·66 | 2 50 | ... | 0 250 | 2·50 | 0 800 | ·860 | 2·50 |
| 6 Cardamom ... | ... | ... | 0·50 | ... | 3·62 | 0·16 | ... | 0·50 | 0·85 | ... | 0·56 | ... |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | Per Quintal | 9 00 | 10 00 | 9 00 | 8·00 | ... | 10·00 | 10·00 | 10 00 | 10·00 | 10·00 |
| 2 Kerosene oil ... | ... | Per Litre | 4 00 | 0 60 | 0 87 | ... | ... | 0 50 | 0 18 | 0 50 | 0 50 | 0·87 |
| 3 Firewood/ Charcoal. | — | Quintal | 5·00—6·00 | 6 00—8·00 | 6 00—7.50 | ... | ... | 8·25 | 4.00—5 25 | 5.25—6·00 | 6.00 | 5·75 |
| 4 Coarse cloth ... | ... | Per metre | 1·65 | 2·30 | ... | ... | ... | 1.10—1·80 | 1.2' | — | 1·62 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | | Coorg | |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | | 22 | |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | | kg. gr. | |
| I Cereals— | | | | | | | | | | | | | |
| 1 Paddy ... | Coarse ... | ... | ... | 2·5 | ... | ... | ... | 1,4 | 2·7 | 2·9 | | 2·5 | |
| 2 Rice ... | Do ... | ... | 1·8 | 1·5 | 1·2 | 1 2 | 1·6 | 1,8 | 1·5 | 1.5 | | 1·5 | |
| 3 Wheat ... | White ... | ... | 1·8 | 1.5—1·75 | 1·8 | 1·2 | 2·8 | 1·3 | 1·2 | 1.4 | | 2·0 | |
| 4 Wheat Flour... | Do ... | ... | 1·4 | ... | 1.25 | ... | ... | 2,1 | ·2 | 1.5 | | 1·8 | |
| 5 Jowar ... | Do ... | ... | 2·8 | 1·75—2 | 2·1 | 1·8 | 2·0 | 2·8 | ·2 | ... | | ... | |
| 6 Bajra ... | ... | ... | ... | 2·5 | 2·2 | ... | 2·1 | | 2·2 | ... | | ... | |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | | | ... | | ... | |
| 8 Maize ... | ... | ... | ... | 2·5 | 2·5 | ... | ... | | ... | ... | | ... | |
| 9 Ragi ... | ... | ... | ·2 | 2 25 | ... | ... | ... | | ... | ·9 | | 1·2 | |
| 10 Other cereals... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | | ... | |
| 11 Subsidiary Food Crops — | | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | — | | | — | | 2 8 | ... | | | | 8·4 | |
| (ii) Tapioca ... | ... | ... | ... | | ... | | | ... | | | | ·4 | |
| (iii) Papaya ... | ... | ... | ... | | ... | | ... | ... | | | | | |
| (iv) Groundnut cake flour | ... | ... | ... | | ... | | 2·2 | | | | | | |
| II. Pulses — | | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1.8 | 1·4 | 1·4 | | 1·7 | — | | | | 1·2 | |
| | (b) Split (without skin). | ... | 1·1 | 1.2 | 1 2 | | 1·2 | 1·8 | | | | 1·2 | |
| | (c) Flour ... | ... | 1 8 | ... | ... | ... | ... | ... | | | | ... | |
| 2 Arhar (Tur) ... | (a) Whole ... | ... | 1 5 | 1·4 | 1.5 | ... | 1·5 | ... | | | | 0·8 | |
| | (b) Split (without skin). | ... | 1·2 | ·9 | ... | 1·1 | 1·0 | ·1 | | | | 0 7 | |
| 3 Moong ... | (a) Whole ... | ... | 1·1 | 1·5 | 1·5 | 1·2 | ... | ... | | | | 1·2 | |
| | (b) Split (without skin). | ... | 0·3 | 1·1 | ... | 0 9 | 1·2 | 1·1 | | | | ... | |
| 4 Urd ... | (a) Whole ... | ... | 1·1 | 1.2 | ... | ... | 1·5 | ... | | | | ·1 | |
| | (b) Split (without skin). | ... | 0·8 | ... | ... | | ·1 | ·1 | | | | 0 8 | |
| 5 Masur ... | (a) Whole ... | ... | 1.8 | 2·2 | ... | 0·8 | 1,5 | ... | | ... | | 0.9 | |
| | (b) Split (without skin). | ... | | ... | ... | 1·2 | 1·1 | 1.1 | | ... | | ... | |
| 6 Other pulses— | | | | | | | | | | | | | |
| (i) Avare ... | (a) Whole ... | | | ... | 2.2 | ... | ... | | ... | ... | | ... | |
| | (b) Split (without skin). | | | ... | ... | ... | ... | | ... | ... | | ... | |
| (ii) Horsegram | ... | | 2·2 | ... | 2 2 | — | ... | | ... | 2.2 | | 2·2 | |
| (iii) Cowpea ... | ... | | — | ... | — | — | ... | | ... | ... | | ... | |
| III Sugar and Gur— | | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | | ·8 | 1·0 | 1.2 | | | 1·1 | 1·1 | .8 | | ·1 | |
| | (b) Sort II ... | | .9 | | 1.8 | | | 1.8 | ... | 1.1 | | ... | |
| 2 Sugar refined | D. 24 ... | | | | 0.8.0 | | | .800 | .925 | ·760 | | ·600 | |
| IV. Oils.— | ... | | | | | | | | | | | | |
| 1 Groundnut oil | ... | | | | ... | | ·6 | .6 | ·6 | ·4 | | ·8 | |
| 2 Sesamum oil | ... | | | | ... | | | | ... | ·8 | | ... | |
| 3 Castor oil ... | ... | | ... | | ... | | ·6 | | ... | | ... | ·3 | |
| 4 Mustard oil ... | ... | | ... | | ... | | ... | | ... | | ... | ... | |
| 5 Linseed oil ... | ... | | ... | | ... | | | | ... | | ... | ... | |
| 6 Cocoanut oil ... | ... | | | .296 | ·285 | | .4 .300 | | ·860 | ·307 ·879 | | ·250 | |
| 7 Vanaspati ... | Dalda | | | .2·5 | ... | | ... | | ... | | | ... | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| | (ii) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | | Per Dozen | | ... | ... | ... | | | | | |
| 2 | Plantains | | Do | 0·47 | 50·56 | 50·62 | 37·00—50·00 | ... | 0·62 | 0·75 | 0·50 | 19·25 | 55·00—65·00 |
| 3 | Oranges | | Do | 2·25 | ... | ... | ... | | 1·50 | 3·00 | 1·25 | 1·00 | 1·12 |
| 4 | Dates | | ... | 0·4 | ... | ... | ... | | ·467 | ... | ... | ·666 | ... |
| 5 | Cashew kernels | | ... | 1·65 | ... | ... | ... | ... | ... | ... | ... | ·151 | ... |
| 6 | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) | Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | | ... | 1·3 | 2·0 | 1·3 | 1·7 | | 2·6 | 1·06 | 1·04 | 1·05 | 1·03 |
| 2 | Onions ... | | ... | 3·2 | 2·7 | 3·00 | 3 02 | | 4·00 | 4·00 | 4·10 | 4 00 | 2·00 |
| 3 | ... | | ... | ... | ... | ... | ... | | 1·00 | ... | ... | ... | ... |
| (iii) | Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | | ... | 1·66 | ... | ... | ... | | 1·80 | ... | ... | ... | ... |
| 2 | Arecanuts ... | | ... | ... | ... | 1·60 | ... | | 0·60 | ... | ... | ... | ... |
| VI. | Tobacco ... | Leaf ... | Per kg | 5·59 | ... | 2·62 | ... | ... | ... | 3·00 | 6 25 | 6 50 |
| VII. | Live-stock products— | | | | | | | | | | | |
| 1 | Milk ... | Per litre ... | ... | 1·25 | | 0·85 | 0·65 | 0·50 | ... | 0·88 | 0·90 | ... |
| 2 | Ghee ... | (a) Agmark ... | ... | ... | ... | ... | ... | ... | | 1·29 | 1·25 | 1·25 | ... |
| | | (b) Ungraded ... | ... | 1·86 | ... | ... | 1·85 | ... | | 1·42 | ... | ... | ... |
| 3 | Eggs ... | (i) A Grade | Per Dozen | 2,75 | ... | 2·25 | 2·00 | 1·60 | | 2 50 | 2·00 | 2 00 | 2·50 |
| | | (ii) B Grade | Do | 2 50 | ... | 1·62 | 1·75 | 1·25 | | 2 25 | 1·85 | 1 75 | 2·25 |
| | | (iii) C Grade | Do | 1·75 | ... | 0·87 | 1·50 | 1·00 | | 2·00 | 1,75 | 1·60 | 2 00 |
| 4 | Mutton | ... | ... | 3·33 | 3 07 | 4 80 | 3 07 | 3·50 | ... | | 3·00 | 2 22 | ... |
| 5 | Beef ... | ... | ... | | ... | 2·30 | ... | 5 00 | ... | | 3·00 | 6·66 | ... |
| VIII. | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 1·05 | 0·06 | 5·09 | 5·00 | 6·00 | | | 5·00 | 4·00 | 3·03 |
| 2 | Tamarind ... | ... | ... | 1·02 | 1·00 | 1·00 | 1·2 | 1·01 | | | 1·00 | 1·01 | 1 00 |
| 3 | Dry chillies ... | ... | ... | 3 63 | 5·00 | 3 80 | 3·80 | 3·00 | | | 3·00 | 3 22 | 3 00 |
| 4 | Garlic ... | ... | ... | 1·00 | 1·00 | 3·00 | 0·8 | 1 00 | | | 1·00 | 1·01 | 0·08 |
| 5 | Pepper ... | ... | ... | 2·00 | ... | ... | ... | 2·50 | | | ... | 3.33 | 2·50 |
| 6 | Cardamom ... | ... | ... | 0·33 | ... | ... | 0·55 | 0·60 | | | ... | 0·60 | 0·35 |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | 3 00 | ... | 3·00 | 3 00 | 0 09 | 0·10 | 10 00 | 10·00 | 3·00 |
| 2 | Kerosene oil ... | ... | Per Litre | 0·62 | ... | 0·50 | 0·50 | 0·45 | 0·46 | 3,·00 | 09·5) | 0·60 |
| 3 | Firewood/ Charcoal | ... | Quintal ... | | ... | ... | ... | 3·00 | 3·00 | 0·00 | 7 50 | 6·50 |
| 4 | Coarse cloth ... | ... | Per Metre | 1·00 | ... | ... | ... | ... | 1·50 | 0·88 | 0·87 | 0·62 |

.....

For *Chief Marketing Officer.*

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, DECEMBER 23, 1965 (PUSHYA 2, SAKA ERA 1887) | No. 50

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 24th November 1965.

| No. of rainy days in the Week | Rainfall in Millimeters | | | | Condition of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | Water Supply | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | (From 30-9-1965 | | | | |
| 1. *Bangalore District.* | | | | | | | | | |
| 4.0 | 8.7 | 24.1 | 188.9 | | Crops were withering for want of rains through out the dist. | | ... Scarcity for fodder was felt in most of the taluks. | Inadequate (1) water supply was felt in Ramanagaram and Devanahalli Tqs. | |
| 2. *Kolar District.* | | | | | | | | | |
| 4.5 | 12.5 | 24.0 | 181.2 | | Crops were reported to be failed in some taluks and withering for want of rain in some parts. | | ... Available except in some parts of Malur Chickballapur Srinivasapur Taluks. | Adequate (2) except in Chickballapur and Srinivasapur taluks. | |
| 3. *Tumkur District.* | | | | | | | | | |
| 5.4 | 7.8 | 46.8 | 179.5 | | Dry crops were withering in most of the taluks for want of rains. | | ... Scarcity for fodder was felt except in Madhugiri. Sira, Kunigal Taluks and in some parts of Pavagad Tq. | Water supply was adequate except in some parts of Turuvekere Tumkur and Koratagere Taluks | |
| 4. *Mysore District.* | | | | | | | | | |
| 3.1 | 9.8 | 40.8 | 197.7 | | Crops were reported to be not fair and withering in almost all the taluks of the district for want of rain. | | ... Available except in Kollegal and Hunsur Taluks where scarcity for fodder was felt. | Inadequate (3) water supply was felt in Yelandur, Periapatna, Kollegal and T. Narsipur Tqs. | |
| 5. *Mandya District.* | | | | | | | | | |
| 6.7 | 9.2 | 31.5 | 191.5 | | Crops were reported to be not fair in dry lands for want of rains. | Good | ... Scarcity for fodder was felt except in Malavalli and Srirangapatna Tqs. | Inadequate (4) water supply was felt except in Malavalli and Srirangapatna Taluks. | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| | 6. *Hassan District.* | | | | | | | | |
| | 9.3 | 10.7 | 47.2 | 206.6 | Crops were affected for want of rains throughout the district, | Good | ... Available except in some parts of Holenarasipur, Arsikere, Hassan and Arkalgud Taluks. | Water supply was not adequate throughout the district except in Alur tq. | |
| | 7. *Chickmagalur District.* | | | | | | | | |
| 1 | 16.5 | 8.1 | 47.1 | 212.2 | Crops were reported to be not fair throughout the district for want of rains. | Good | ... Insufficiency for fodder was felt in Kadur and Tarikere Taluks. | Inadequate (5) water supply was felt in Kadur, Tarikere and Mudigere tqs. | |
| | 8. *Shimoga District* | | | | | | | | |
| | 5.8 | 25.6 | | 173.8 | Crops were withering and not up to the mark for want of rains in most of the taluks. | Good | ... Scarcity for fodder was felt in Hosanagar Sagar and Channagiri tqs. | Inadequate (6) water supply felt in most of the Taluks. | |
| 9 | *Chitradurga District.* | | | | | | | | |
| | 6.2 | 13 1 | | 148.3 | In dry lands crops were withering for want of rains throughout the district. | Good | ... Available except in Molakalmur and Hiriyur Taluks. | Water supply (7) was in sufficient throughout the district except in some parts of Chitradurga and Challakere Taluks. | |
| | 10. *Bellary District.* | | | | | | | | |
| Nil | Nil | N.A. | Nil | N.A. | Crops were reported to be not fair for want of rains in most of the taluks. | Good | ... | Inadequate (8) water supply was felt in Kudligi Tq. | |
| | 11. *Bijapur District.* | | | | | | | | |
| | N.A. | Nil | | N.A. | Crops were withering for want of rains in major part of the district. | Good | ... Scarcity for fodder was felt in Indi and Jamkhandi Taluks. | Adequate (9) | |
| | 12. *Belgaum District.* | | | | | | | | |
| | N.A. | 10.9 | | N.A | Crops were reported to be not fair except in Belgaum, Hukkeri and Chikkodi taluks for want of rains. | Good | ... Available except in Gokak and Athani Taluks. | Adequate except in some parts of Gokak Ramdurg and Parasgad tqs. | |
| | 13. *Dharwar District,* | | | | | | | | |
| | N.A. | 13.4 | | N.A. | Crops were reported to be not fair for want of rains throughout the district, | Good | Scarcity for fodder was felt in Mundargi and Hirekerur Taluks. | Adequate (10 except in Hirekerur and Shirahatti Taluks. | |
| | 14. *North Kanara District.* | | | | | | | | |
| | N.A. | 21 5 | | N.A. | Crops were withering for want of rains in most of the taluks. | Good | ... Available except in Sirsi Taluk. | Adequate. (11) | |
| | 15. *Gulbarga District.* | | | | | | | | |
| Nil | Nil | N.A. | 6.0 | N.A | Crops were affected for want of rains in most of the taluks. | Good | ... | Inadequate (12 water supply was felt in Yadagir and Gulbarga Tqs. | |
| | 16. *Raichur District.* | | | | | | | | |
| | N.A. | 0.4 | | N.A. | Crops were affected for want of rains in most of the taluks. | Good | ... Scarcity for fodder was felt in Deodurg Taluk. | Adequate (13) except in Deodurg Tq. | |

| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|
| | 17 *Bidar District* | | | | | | | |
| Nil | Nil N.A. | Nil | N.A | Crops were reported to be below normal for want of rains. | Good ... | Available ... | Adequate except in Bhalki Taluk. | |
| | 18. *South Kanara District* | | | | | | | |
| | N.A. | 44.5 | N.A. | Fair except in some parts of Mangaloro Taluk | Good ... | Available except in Udipi Taluk. | Water supply was not sufficient in Belth, angadi Puttur-Udipi and Bantwal Tqs. | |
| | 19. *Coorg District.* | | | | | | | |
| 1 | 22.4 N.A. | 114.2 | N.A. | Fair | ... Good | ... Available | ... Adequate | |

Remarks :—(1) Refers to 7 Taluks. (2) Refers to 9 Taluks. (3) Refers to 9 Taluks. (4) Refers to 6 Taluks. (5) Refers to 6 Taluks. (6) Refers to 8 Taluks. (7) Refers to 8 taluks. (8) Refers to 4 Taluks. (9) Refers to 7 Taluks. (10) Refers to 14 Taluks. (11) Refers to 10 Taluks. (12) Refers to 7 Taluks. (13) Refers to 7 Taluks.

SYED MAHMOOD, for *Director of Statistics*.

## Statement showing of General Weekly Summary Report for the Week ending Wednesday, the 24th November 1965.

(a) Denotes :—Rainfall.
(b) ,, Sowing/Transplantation.
(c) ,, Condition of Standing Crops.
(d) ,, Harvest.
(e) ,, General Progress of Agricultural Operations.
(f) ,, Water Supply.
(g) ,, Fodder and Pasture.
(h) ,, Condition of Cattle.

1 Bangalore District.—
(a) Light showers in Nelamangala, Kanakapura, Bangalore South and Hoskote taluks.
(b) Nil.
(c) Crops were withering want of Rain in most of the taluks.
(d) Harvesting of Ragi in Nelamangala and Hoskote taluks, was in progress.
(e) Heldup for want of rains in most of the taluks.
(f) Sufficient except in Ramanagaram and Devanahalli Taluks.
(g) Available except in Nelamangala, Ramanagaram, Devanahalli, and Hoskote Taluks.
(h) Generally healthy.

2 Kolar District.—
(a) Light showers in Mulbagal, Chikkaballapur, and Chintamani Taluks.
(b) Nil.
(c) Dry crops were dried up in most of the Taluks due to non-receipt of rains.
(d) Harvesting of Ragi, G. nut in Bagepalli taluk was in progress.
(e) Heldup for want of rains in most of the Taluks.
(f) Sufficient except in Chickballapur, Srinivasapur and Chintamani Taluks.
(g) Available except in Malur, Chickballapur, Srinivasapur and Chintamani Taluks.
(h) Generally healthy.

3 Tumkur District.—
(a) Light showers in Gubbi, Turuvekere, and Kuniga Taluks.
(b) Nil.
(c) Dry crops were dried up in most of the taluks due to non-receipt of rains
(d) Harvesting of Ragi in C. N. Halli, Kunigal and Gubbi taluks was in progress.
(e) Heldup for want of rains in most of the taluks.
(f) Sufficient except in Turuvekere, C. N. Halli and Tumkur Taluks.
(g) Available except in Gubbi and C. N. Halli Taluk
(h) Generally healthy

4 Mysore District.—
(a) No rainfall during the week except in K. R. Nagar Taluks.
(b) Nil.
(c) Standing Crops were withering for want of rains in most of the taluks.
(d) Harvesting of Ragi in Yelandur taluk was in progress.
(e) Heldup for want of rains in most of the taluks.
(f) Sufficient except in Kollegal and T. Narasipur taluks.
(g) Available except in T. Narasipur and Kollegal Taluks
(h) Generally healthy.

5 Mandya District.—
(a) Slight rainfall in Mandya, Nagamangala and Srirangapatna Taluks.
(b) Nil.
(c) Fair except in Malavalli, Nagamangala and Maddur taluks, where dry crops were withering for want of rains.
(d) Sugarcane was being harvested in most of the Taluks.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Mandya, Nagamangala and Maddur Taluks.
(g) Available except in Nagamangala taluk.
(h) Generally healthy.

6 Hassan District.—
(a) Slight rainfal in Belur, Arkalgud Manjarabad and Channarayapatna taluks.
(b) Nil
(c) Standing Crops were withering for want of rains in most of the taluks.
(d) Harvesting of Paddy in Belur Taluk, Sugarcane, Ragi in Channarayapatna Taluk, was in progress.
(e) Heldup for want of rains in most of the Taluks.
(f) Insufficiency was felt in most of the Taluks.
(g) Insufficieny was felt in most of the taluks
(h) Generally Healthy.

7 Chickmagalur District.—
(a) Slight rainfall in Mudigere, Sringeri Tarikere Kadur and Chickamagalur Taluks.
(b) Nil.
(c) Crops improved to some extent due to recent rains.
(d) Harvesting of Areca in Koppa Taluk, Jowar in Tarikere Taluk Cardamom, Arecca and Paidy in Mudigere Taluk was in progress
(e) Progress was fair in 4 Taluks.

(f) Sufficient except in Kadur, Tarikere and Mudigere Taluks.
(g) Available except in Kadur and Tarikere Taluks.
(h) Generally healthy.

8 Shimoga District.—
(a) No rainfall during the week except in Channagiri and Hosanagar Taluks, where slight rainfall has occurred.
(b) Nil.
(c) Corps were affected due to non-receipt of timely rains.
(d) Harvesting of Paddy, Jowar and Ragi in Honnali Taluk, Paddy in Sorab, Shikaripur and Bhadravathi Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Shikaripur and Channagiri taluks.
(g) Available except in Channagiri Taluk.
(h) Generally healthy.

9 Chitradurga District.—
(a) Slight rainfall in Hosadurga and Hiriyur Taluks.
(b) Nil.
(c) Standing crops were affected due to non-receipt of rains
(d) Harvesting of Bajara, Navane in Challakere, Harihar, Davangere, Holalkere, Hosadurga, and and Hiriyur Taluks, was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient except in Molakalmuru, Harihar, Davanagere, Holalkere, Hosadurga and Hiriyur Taluks.
(g) Available except in Molakalmuru and Hiriyur Taluks.
(h) Generally healthy.

10 Bellary District.—
(a) No rainfall during the week.
(b) Nil.
(c) Crops were not fair due to non-receipt of rains.
(d) Harvesting of Jowar, Sajje, Ragi and G. nut in Kudligi, Bellary and Mallapuram Taluks was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) General Halthy.

11 Bijapur District.—
(a) No rainfall during the week.
(b) Nil.
(c) Rabi Crops were in need of Urgent rains in most of the taluks.
(d) Harvesting of Kharif Crops in Muddebihal. Sindagi, Jamkhandi Badami and Bagewadi taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient
(g) Available except in Indi taluk.
(h) Generally Healthy.

12 Belgaum District.—
(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops like R. Jowar, Cotton were withering for want of Rains.
(d) Harvesting of Cotton and Sugarcane in Raibagh taluk. paddy in Sampagaon, and Belgaum tqs., Chillies and G. nut in Hukkori and Ramdurg taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Gokak taluk.
(g) Available except in Gokak and Ramdurg taluk.
(h) Generally Healthy.

13 Dharwar District.—
(a) Light showers in Hanagal, Hirekerur, and Byadgi taluks.
(b) Nil.
(c) Standing Rabi Crops were in need of urgent rains.
(d) Harvesting of G. nut and other Kharif Crops was in progress in most of the taluks.
(e) Progress was fair in 10 taluks.
(f) Sfficient except in Shirahatti taluk.
(g) Available except in Hirekerur and Mundargi taluk.s
(h) Generally Healthy.

14 North Kanara District.—
(a) No rain fall during the week except in Supa taluk.
(b) Nil.
(c) Standing Crops were in need of urgent rains.
(d) Harvesting of paddy and Areca in Yellapur, Siddapur, and Sirsi taluks was in progress.
(e) Progress was fair in 4 taluks.
(f) Adequate.
(g) Available.
(h) Generally Healthy.

15 Gulbarga District.—
(a) No Rainfall during the week.
(b) Nil.
(c) Standing Crops were badly in need of urgent rains.
(d) Harvesting of K. Jowar and G. nut was in Progress in most of the taluks.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Gulbarga taluk.
(g) Available.
(h) Generally Healthy.

16 Raichur District.—
(a) Light Showers in Gangavathi taluk.
(b) Nil.
(c) Standing Crops were in need of urgent rains.
(d) Harvesting of K. Crops in Gangavathi, Kushtagi, Sindhanur and Lingsugur Taluks was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient except in Deodurga and Gangavathi Taluks.
(g) Available except in Deodurg Taluk.
(h) Generally Healthy.

17 Bidar District.—
(a) No Rainfall during the week.
(b) Nil.
(c) Crops were in need of urgent rains.
(d) Harvesting of Kharif Crops was in progress.
(e) Progress was fair in 1 taluk.
(f) Sufficient.
(g) Available,
(h) Generally Healthy.

18. South Kanara District.—
(a) Light shewers in Karkal, Mangalore and Udipi taluks.
(b) Transplantation of II Crop paddy in Udipi taluk was in progress,
(c) Fair except in some taluks where Crops were badly in need of urgent rains.
(d) Harvesting of paddy in Udipi taluk was in progress.
(e) Progress was fair in 3 taluks.
(f) Sufficient except in Puttur, Udipi and Bantwal taluks.
(g) Available except in Udipi taluk.
(h) Generally Healthy.

19 Coorg District.—
(a) Light showers in Mercara, Virajpet and Somwarpet Taluks.
(b) Nil.
(c) Crops were fair.
(d) Harvesting of Cardamom in Virajpet Taluk was in progress.
(e) Progress was fair in 2 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally Healthy.

SYED MAHMOOD, *For Director.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

## WHOLESALE PRICES.

Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 31st March 1964.

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P |
| I. Cereals,— | | | | | | | | | | | | |
| 1 Paddy | (a) Fine | Per Quintal | 44·00—46·00 | 32·00—35·00 | ... | 35·00—39·00 | 40·00 | 45·00 | 44·00—48·00 | ... | 45·00 | 42·00 |
| | (b) Medium | ... | 40·00—42·00 | 26·00—30·00 | 48·00 | 23·00—25·00 | 39·00 | 44·00 | 43·00—46·00 | ... | 44·00 | 39·00 |
| | (c) Coarse | ... | ... | 22·00—25·00 | ... | 28·00—32·00 | 38·00 | 40·00 | | ... | ... | 35·00 |
| 2 Rice | (a) Fine | ... | 76.00—94.00 | 75·00—78·00 | 72·00 | 70·00—73·00 | 90·00—100 | 67.00—70·00 | 72·00—74·00 | 74·00 | 76·00 | 76·00 |
| | (b) Medium | ... | 67.00—76.00 | 64·00—68·00 | 66·00 | 65·00—70·00 | 80·00—90·00 | 66·00 | 62·00—68·00 | 70·00 | 68·00 | 74·00 |
| | (c) Coarse | ... | 64·00 | 56·00—60·00 | 64·00 | 56.00—60·00 | 70 00—75·00 | 64·00 | 58·00—64·00 | 66·00 | 62·00 | 73·00 |
| 3 Wheat | White | ... | 44.00 | 44·00—45·00 | 42·00—52·00 | 45·00 | 4 ·00 | 42.00 | 42·00—44·00 | 46·00 | 46·00 | 10 00 |
| Wheat Flour | " | ... | ... | 55·00—60·00 | ... | ... | 42·00 | 45·00 | ... | 60·00 | 35·00 | ... |
| 4 Jowar | " | ... | 38.00 | 38·00—39·00 | 42.00—46·00 | 41·00 | 40·00 | 45 00—46·00 | 40.00—46 00 | 39 00 | 39·00 | 47·00 |
| 5 Bajra | ... | ... | ... | ... | 37.00 | ... | 40·00 | ... | ... | ... | ... | 39·00 |
| 6 Barley | ... | ... | ... | ... | ... | ... | ... | 150·00—160·00 | ... | ... | ... | ... |
| 7 Maize | ... | ... | 59·00 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 Ragi | ... | ... | 38.00—40.00 | 39·00—40·00 | 36·00—37·00 | 40 00 | 38 00 | 40·00—41·00 | 40·00—45·00 | 36·00 | 38.00 | |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) ..... | ... | ... | ... | ... | | ... | ... | | ... | | ... | |
| 10 Subsidiary Food Crops,— | | | | | | | | | | | | |
| (i) Sweet potatoes. | ... | ... | 25·00—40·00 | ... | 25 00—35·00 | ... | 30·00 | 40·00 | 35·00 | 27·00 | 26.00 | 26·00 |
| (ii) Tapioca | ... | ... | | ... | | ... | | | ... | ... | 32.00 | ... |
| (iii) Papaya | ... | ... | 50·00—60·00 | ... | 45·00 | | 25·0 | ... | ... | ... | 48.00 | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | | 42 00 | | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram | ... | ... | 65·00—66·00 | 60 00—65·00 | 75 00 | 60 65 | 70·00 | 70 00—72·00 | 68·00—70·00 | 66·00 | 57·00 | 74 00 |
| 2 Arhar (Tur.) | ... | ... | 68·00—72·00 | ... | 60·00 | 105·00—802·00 | ... | 65·00—70·00 | 105·00—108 00 | 50·00 | ... | 98.00 |
| 3 Mung | ... | ... | ... | 70·00—75·00 | 62·00 | 75·00—80 00 | 80·00 | 78·00—80·00 | 85·00—98·00 | 51·00—58·00 | 63.00 | 80.00 |
| 4 Urd | ... | ... | 78·00—80·00 | 75·00—80·00 | 49 00 | 85·00—90·00 | 80·00 | 95·00 | 90·00—91·00 | 75·00—77·00 | 88·00 | ... |
| 5 Masur | ... | ... | ... | ... | ... | ... | ... | ... | 92 00—95·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | ... | ... | 68.00—74.00 | 55·00—60·00 | 65·00 | 89 00—92·00 | 70·00 | 75·00—85·00 | 60·00—70·00 | ... | ... | ... |
| (ii) Horsegram | ... | ... | 38 00—40·00 | 40·00—41·00 | 35·00 | 38·00—42·00 | 86·00 | 38·00—40 00 | 38·00—40·00 | 44 00 | 38·00 | 34·00 |
| (iii) Cowpea | ... | ... | 59.00—90.00 | 50·00—58·00 | 50·00—60·00 | ... | 59.00 | 80.00—90·00 | 70·00—72·00 | ... | 66·00 | 57·00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a Sort I | ... | 77·00 | 76.00—85·00 | 110·00 | 70.00—72·00 | 80·00 | 115.00 | 100·00 | 93·00 | 70·00 | 85·00 |
| | (b) Sort II | ... | 69·00 | 70.00—75 00 | 90 00 | ... | 70·00 | 80.00 | 96·00 | 88 00 | 46·00 | 65·00 |
| 2 Sugar refined | D 24 | ... | 125·00 | 125.00 | ... | 121.00 | 123 00 | ... | 120·00 | 120·00 | 120·00 | 120·00 |

5—B

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled | Per quintal | ... | 80·00—84·00 | ... | 75.00—80·00 | 70 00 | 80·00 | 75.00—90.00 | 64.00 | 76·50 | 74·00 |
| | (b) Machine shelled | ... | ... | 90·00—97·00 | | 125·00 | 100·00 | ... | 80·00—100·00 | ... | 89·00 | 96·00 |
| Groundnut Oil | ... | ... | 196·00—200·00 | 200·00—210·00 | 180.00—210.00 | 200·00 | 2·0·00 | 270·00—225·00 | 200·00—205·00 | 240·00 | 188 00 | 193·00 |
| Groundnut Oil-cake. | ... | | ... | ... | 38.00 | 48·00 | 42 00 | 45·00 | ... | ... | 42 00 | 38·00 |
| 2 Sesamum ... | (a) White | ... | ... | ... | ... | 125·00 | | ... | ... | | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | | ... | 100·00 | ... | | 93 00 | |
| Sesamum Oil... | .. | ... | ... | ... | ... | ... | ... | ... | 80·00 | | .. | |
| Sesamum Oil-cake. | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3 Castor Seed ... | ... | ... | | ... | 58·00—59.00 | ... | ... | 75.00—80 00 | 72·00—75 00 | . | 60.00 | |
| Castor Oil ... | .. | ... | 180·00—200·00 | 200·00—225·00 | 175.00—185.00 | 200·00 | 160·00 | 190·00 | 200·00—205·00 | 174 00 | 180·00 | ... |
| Castor Oilcake | | ... | ... | ... | ... | ... | .. | | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black | ... | ... | ... | ... | ... | 120·00 | ... | .. | ... | | |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Mustard Oil ... | | ... | ... | ... | ... | ... | | ... | .. | | | |
| Mustard Oil-cake. | ... | .. | | ... | ... | ... | ... | | | | | |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | | | ... | | ... | | ... | |
| | (b) Brown small | | | ... | | ... | ... | ... | | ... | | |
| Linseed Oil ... | ... | .. | ... | ... | | .. | | | .. | ... | ... | |
| Linseed Oil-cake. | .. | | .. | .. | ... | ... | ... | ... | .. | | | |
| 6 Teria ... | ... | ... | ... | ... | ... | ... | ... | ... | 72·00—75·00 | ... | ... | ... |
| 7 Coconut ... | Nuts .. | (Per (thousand) | 150·00—289 00 | 300·00—350·00 | 380·00 | 150·00—295·00 | 180·00—300.00 | 220.00—300·00 | 250·00—250·00 | 285·00 | 315·00 | 225·00 |
| | (b) Copra | quintal | 250·00—260·00 | 320·00—340·00 | 250·00—270·00 | 350·00 | 270·00 | 260·00—270·00 | 300·00—400.00 | 302·00 | 255·00 | 245·00 |
| Coconut Oil... | ... | ... | 330·00—350·00 | 330.00—330 00 | 350·00 | 350.00—400·00 | 292·00 | 340 00—360.00 | 3 0·00—400.00 | 280 00 | 350·00 | 358·00 |
| Coconut Oil-cake. | ... | .. | ... | ... | ... | ... | | ... | ... | | | |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | .. | 80·00 | 70·00—80·00 | ... | | |
| | (ii) Niger oil | ... | ... | ... | ... | ... | .. | ... | | | | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350·00 | ... | 292.00 | ... | 330·00 | 260 00 | 305·00 | 320·00 |
| 10 Other Oils ... | (ii) Refined | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... |
| V. Fruits, Vegetables and Nuts.— | ... | ... | ... | ... | ... | ... | ... | ... | .. | .. | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per gross | ... | .. | ... | ... | ... | ... | | ... | ... | ... |
| 2 Plantains ... | | Do | | 8.00—8.00 | 6 00—7.00 | | ... | 4·00—8·00 | 10·00—12·00 | 8·00 | 10·00 | 5 00 |
| 3 Oranges ... | | Do | ... | ... | 18 00—25.00 | 16.00—18·00 | ... | 20·00—45·00 | 24 00—30·00 | 16 00 | 26 00 | ... |
| 4 Dates ... | | ... | ... | ... | 150.00—200.00 | | ... | ... | ... | | ... | |
| 5 Cashew Kernels, etc. | | quintal | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | 25.00—38.00 | 60·00—65·00 | 65.00—75·00 | 45·00—50 00 | 48.00 | 40·00—45·00 | 35 00— 8.00 | 60·00 | 60·00 | 45·00 |
| 2 Onions ... | ... | ... | 23.00—25.00 | 80·00—82·00 | 20·00—30.00 | 30.00—35·00 | 80.00 | 25 00—30·00 | 24·00—27·00 | 27·00 | 80·00 | 27·00 |
| 3 ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | .. | ... | ... |
| 4 ..... | ... | .. | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | ... | | ... | 600·00 | .. | ... | |
| 2 Arecanuts ... | ... | ... | ... | 600.00—620.00 | 760·00—800·00 | ... | 700·00—890 00 | 750.00—8·0·00 | 930·00—1000.00 | 650·00—670·00 | 700·00 | 768·00 |
| VI. Fibres.— | | | | | | | | | | | | |
| 1 Cotton ... | (a) Kapas ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | 250 00 |
| | (b) Lint | ... | | ... | 100 00 | | | ... | | ... | | 98·00—100·00 |
| | (c) Seed ... | ... | 40·00—42.00 | | 42.00 | | | ... | | ... | | 84·00 |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Locse ... | (a) White— | | | | | | | | | | | | | | |
| | (i) Top ... | | | | | | | | | | | | | | |
| | (ii) Middle ... | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | |
| | (b) Mossa— | | | | | | | | | | | | | | |
| | (i) Top ... | | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | |
| 3 Jute Baled Jute, | (i) Lightings | Per bale | | | | | | | | | | | | | |
| | (ii) First Mills, | | | | | | | | | | | | | | |
| | (iii) First Exports | | | | | | | | | | | | | | |
| Sann Hemp ... | ... | | | | | | | | | | | | | | |
| 4 Mesta ... | (i) Top | | | | | | | | | | | | | | |
| | (ii) Middle ... | | | | | | | | | | | | | | |
| | (iii) Bottom ... | | | | | | | | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | |
| | (i) Leaf ... | | ... | ... | | | | | | 850·00—450·00 | | 500·00 | ... | | 238·00 |
| | (ii) Bulab ... | | ... | ... | | | | | | ... | | ... | | | 105·00 |
| | (b) Virginia | | | | | | | | | 500·00 | | ... | | | |
| | (i) Leaf ... | | ... | .. | | | .. | | | ... | | ... | ... | ... | |
| | (ii) Bulab ... | | | ... | ... | ... | ... | ... | | | | ... | ... | | |
| VIII. Livestock— | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 450·00—750·00 | ... | 500.00 | 525·00 | ... | 365·00—500.00 | 210·00—300·00 | 160.00—220.00 | 425·00—525·00 | | | | 250.00 |
| | (b) „ II ... | Do ... | 300·00—500·00 | | 400.00 | 470·00 | ... | 250·00—330·00 | 150.00—250.00 | 120.00—180·00 | 320·00—415·00 | | | | 220·00 |
| (ii) Buffalo bulls. | (a) „ I ... | Do ... | 250·00—350·00 | ... | 100.00—150.00 | 350·00 | — | 30·00—40·00 | ... | ... | ... | | | | 100.00 |
| | (b) „ II ... | Do ... | 180·00—250·00 | ... | 125.00—150.00 | ... | ... | 28.00—45.00 | 150·00—225·00 | ... | ... | | | | 80·00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 250·00—280·00 | ... | 100.00—150.00 | 250·00 | ... | 160·00—205·00 | 250.00—400.00 | 160.00—350·00 | 295·00—410·00 | | | | 95·00 |
| | (b) Class II ... | Do ... | 150·00—200·00 | ... | 80.00—100.00 | 200·00 | ... | 80·00—125·00 | 150.00—225·00 | 130.00—2.0,00 | 210·00—300·00 | | | | 70·00 |
| (ii) Buffaloes ... | (a) Class I ... | Do ... | 200·00—250·00 | | 200·00—300.00 | 250·00 | ... | 175·00—300·00 | 250·00—500·00 | 250.00—500·00 | 260·00—350·00 | | | | 130.00 |
| | (b) Class II .. | Do ... | 190·00—220·00 | ... | 150.00—250,00 | 225·00 | ... | 135·00—160·00 | 200·00—300.00 | 200·00—350·00 | 180·00—250·00 | | | | 95.00 |
| 3 Sheep ... | ... | Do ... | 40·00—80·00 | ... | 60.00 | 60·00 | ... | 28·00—35·00 | 70,00—90.00 | 40.00—55.00 | 40·00—5··00 | | | | 40.00 |
| IX. Livestock produce.— | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ... | Per kg. ... | — | — | ... | ... | ... | 2.25 | 4·00 | ... | | | | | |
| | (b) ... | Do ... | ... | ... | ... | ... | ... | 1.40 | 1·60 | | | | | | |
| 2 Hides.— | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ... | Do ... | 3·00—4·00 | ... | ... | ... | ... | 1·65 | 1·08 | ... | | | | | 3·08 |
| | (b) ... | Do ... | 3 25—3·50 | ... | ... | ... | ... | — | 1.00 | | | | | | ... |
| Tanned ... | (a) ... | Do ... | ... | ... | ... | ... | ... | 4·75 | 4·12 | | | | | | 4·00 |
| | (b) ... | Do ... | ... | ... | ... | ... | ... | ... | 4·00 | | | | | | ... |
| (ii) Buffalo hides— Raw. | (a) ... | Do ... | 4·00—5·03 | ... | ... | — | ... | 1.85—2·75 | 1.05 | | | | | | 3 40 |
| | (b) ... | Do ... | 3·75—4·00 | ... | | ... | ... | ... | 1 50 | | | | | | |
| Tanned ... | (a) ... | Do ... | ... | ... | | ... | ... | 4·50 | 3·50 | | | | | | 4·40 |
| | (b) ... | Do ... | ... | ... | | ... | ... | ... | 3 40 | | | | | | |
| 3 Skins.— | | | | | | | | | | | | | | | |
| Goatskins— Raw | (a) ... | Per each | 5·00—6.00 | ... | | ... | 5·60 | 3.80—4·60 | 4.00—5.00 | 4·00—4·50 | | | | | 4·75 |
| | (b) ... | Per kg. | 4,50—4 75 | ... | | ... | ... | ... | ... | 3·50—4·00 | | | | | ... |
| | | | ... | | | | | | | | | | | | 6 9) |
| Tanned ... | (a) ... | Do ... | | ... | | ... | ... | 3·50 | ... | | | | | | .. |
| | (b) ... | Do ... | ... | ... | | ... | ... | | | | | | | | 4·00 |
| (ii) Sheepskins— Raw. | (a) ... | Per each | 6·00—7 00 | ... | | ... | 5·00 | 3.60—4·00 | 4·20—6·00 | 3·50—4·00 | | | | | |
| | (b) ... | Per kg. | 5·60—5·80 | ... | | | ... | ... | ... | 3·00—3·30 | | | | | |
| Tanned ... | (a) ... | Do ... | ... | ... | | ... | ... | 12·50 | ... | ... | | | | | ... |
| | (b) ... | Do ... | | | | ... | ... | ... | | | | | | | ... |
| 4 Horn | (a) Agmark | Do ... | 7·52 | 7·00—8·00 | | ... | ... | | | | | | | | 6 50 |
| | (b) Ungraded | Do ... | 6·00 | 6·00—7·00 | | ... | ... | ... | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... | ... | ... | ... | ... | 26·00—28.00 | ... | ... | ... | 32.00 |
| | (b) Paddy ... | Cart load | ... | ... | ... | ... | ... | 16,00—18,00 | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | ... | ... | ... | ... | ... | ... | 38·00 | ... | 35·00 |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | Per quintal | 120·00—140·00 | 300·00—330·00 | 175 00—200·00 | 180.00 | 180·00 | 160·00—180·00 | 200·00—230·00 | 160·00—170·00 | 180.00 | 170·00 |
| 2 Tamarind ... | ..... | ... | 40·00—100·00 | 92·00—95·00 | 55·00—75·00 | 60.00—80.00 | 80·00—85·00 | 60 00—80·00 | 60·00—70·00 | 90.00—93·00 | 125·00 | 70.00 |
| 3 Dry Chillies ... | ..... | ... | 200·00—300·00 | 250·00—270·00 | 250·00 | 250·00—300·00 | 250·00—260·00 | 250·00—300·00 | 250.00—300·00 | 160 00—330·00 | 280·00 | 250·00 |
| 4 Garlic ... | ..... | ... | 60·00 | 55·00—60·00 | 125·00 | ... | ... | 80.00—100·00 | 100·00 | 146·00—149·00 | 65·00 | 89·00 |
| 5 Pepper ... | ..... | ... | 330·00 | ... | 450·00 | 350·00—400·00 | 300·00—350·00 | 350 00 | 400·00 | 300·00—400·00 | 300·00 | ... |
| 6 Cardamom ... | ..... | ... | 1,600·00—2,000·00 | ... | 150·00—200·00 | 1,200—1,500 | ... | 1,400·00—1,500·00 | 2,500·00 | ... | 1,500 | ... |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Sticklac ... | ..... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| 3 Seedlac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Rubber ... | Raw ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Myrobalan ... | ..... ... | ... | ... | ... | ... | ... | ... | ... | .. | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40°, 10 oz. | Per 100 yds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Sacking B. Twills. | Per 100 bags. | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| I. Cereals,— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 41·00 | 46·00—48·00 | 47·00—48·00 | 46.00 | 47·00 | ... | 45·00 | ... | ... |
| | (b) Medium | | 39·00 | 43·00—45·00 | ... | 44·00 | ... | 45·00 | .. | ... | .. |
| | (c) Coarse | | 36·00 | 42·00—44 00 | ... | 42·00 | .. | ... | 41·00 | ... | 42.00 |
| 2 Rice | (a) Fine | | 73·00 | 80·00—85·00 | 97·00—98·00 | 75·00 | 74·00 | 86·00 | 72·00 | ... | 82·00 |
| | (b) Medium | | 67·00 | 73·00—80·00 | 78·00—80·00 | 67·50 | 68·00 | 75.00 | 69·00 | | .. |
| | (c) Coarse | | 62 00 | 65·00—70·00 | 74·00 | 65·00 | 63·00 | 60.00 | ... | | 65·00 |
| 3 Wheat | White | | 70·00 | 65·00—72·00 | 67·00—68·00 | 68 00 | ... | 65·00 | 68·00 | ... | 48·00 |
| Wheat Flour | White | | 72·09 | 60·00—62·00 | 59·00 | ... | ... | ... | . | ... | 86·00 |
| 4 Jowar | White | | 50·00 | 44·00—48 00 | 45·00—47 00 | 50.00 | 49 80 | 45·00 | 48·00 | ... | . |
| Bajra | | | ... | 39·00—41·00 | 40·00 | ... | ... | 42·00 | 42·00 | ... | ... |
| Barley | | | ... | | ... | ... | ... | ... | ... | ... | ... |
| Maize | | | ... | 40·00—42·00 | 87·00 | ... | ... | ... | ... | ... | ... |
| Ragi | | | 45·00 | 41·00—44.00 | ... | ... | ... | ... | ... | ... | ... |
| Other cereals | | | | | | | | | | | |
| (i) ..... | | | ... | ... | ... | ... | ... | ... | ... | ... | .. |
| (ii) ..... | | | ... | ... | ... | ... | ... | ... | . | ... | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | | | 18·00 | ... | ... | ... | 30·00 | ... | 21·00 | ... | 21·00 |
| (ii) Tapioca | | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| iii) Papaya | | | ... | ... | ... | ... | ... | ... | 36.00 | ... | ... |
| (iv) Groundnut cake flour | | | ... | ... | ... | ... | 41·00 | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | | | 72·00 | 59·00—62·00 | 60.00—61·00 | 63·00 | 54·00 | | 59·00 | ... | 75·00 |
| 2 Arhar (Tur) | | | 65·00 | ... | 63·00—64·00 | 58·00 | 69·00 | | ... | ... | 116·00 |
| 3 Mung | | | 80·00 | ... | 64·00 | ... | .. | | ... | ... | 60·00 |
| 4 Urd | | | 78 00 | ... | 45·00—44·00 | ... | 61·00 | | ... | ... | 96·00 |
| 5 Masur | | | ... | ... | 45·00—45·00 | ... | 64.00 | | ... | ... | 72·00 |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | | | ... | 46·00—49 00 | 40·00—42·00 | ... | ... | | ... | ... | 90·00 |
| (ii) Horsegram | | | 42·00 | | 99·00 | ... | ... | | | ... | 44·00 |
| (iii) Cowpea | | | ... | ... | ... | ... | ... | | ... | ... | ... |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 115 00 | 88 00—90·00 | 85·00—95·00 | | 68·00 | | 68·00 | ... | 90·00 |
| | (b) Sort II | | 108·00 | 70·00—87.00 | 70·00—85·00 | | 62·00 | | ... | ... | ... |
| 2 Sugar Refined | D. 24 | | ... | ... | 118 50 | ... | ... | | 121·00 | ... | 124·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 72 00 | 77·00—75·00 | 75.00—76·00 | ... | 78·00 | 190 00 | 79.00 | ... | ... |
| | (b) Machine shelled. | | 127·00 | 101·00—108·00 | 77·00—78.00 | ... | ... | 50.00 | | .. | ... |
| Groundnut Oil | | | 210·00 | 195·00—200·00 | 88·00—192·00 | 200.00 | 200·00 | 121·00 | 200.00 | ... | 312.00 |
| Groundnut Oil-cake. | | | ... | 36.00—40·00 | 88 00—40·00 | ... | 41·00 | | 45.00 | ... | 80.00 |
| 2 Sesamum | (a) White | | 140·00 | ... | 125·00 | ... | ... | | ... | ... | ... |
| | (b) Black | | 180·00 | ... | 115.00 | ... | ... | | ... | ... | ... |
| Sesamum Oil | | | 320·00 | ... | ... | ... | ... | | ... | ... | ... |
| Sesamum Oil-cake. | | | ... | ... | ... | ... | ... | | ... | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| 3 | Castor seed | ... | ... | ... | ... | 64·00 | 57·00 | ... | 57·00 | 68,00 | ... | ... |
| | Castor Oil | ... | ... | ... | ... | ... | ... | 140,00 | ... | ... | ... | 237.00 |
| | Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard. | (a) Black ... | ... | 127·00 | ... | ... | ... | ... | ... | ... | ... | 125·00 |
| | | (b) Yellow ... | ... | 120·00 | ... | 100·00 | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mustard Oilcake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (b) Brown small | ... | ... | ... | 73·00—74·00 | ... | 71·00 | 74.00 | 67·00 | ... | ... |
| | Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oilcake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | Coconut ... | (a) Nuts .. | (Per thousand) | 325·00 | 250·00—280.00 | 265·00 | 250·00 | 250·00 | 250 00 | 230·00 | ... | 300 00 |
| | | (b) Copra ... | | 327·50 | 210·00—215·... | 260,00 | ... | 230 00 | 240·00 | 260·00 | ... | 200.00 |
| | Coconut Oil ... | ... | per Quintal | 330 00 | 295·00—300.00 | 325·00 | 550·00 | 300·00 | 310·00 | 425.00 | ... | 76·00 |
| | Coconut Oilcake | ... | | ... | ... | ... | ... | ... | ... | ... | ... | 66,00 |
| 9 | Other Oil seeds | (i) Nigerseed... | ... | 30·00 | ... | ... | ... | ... | 70·00 | ... | ... | ... |
| | | (ii) Nigar Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 30·00 |
| | Vegetable Oil | (i) Vanaspathi | ... | 315·00 | ... | ... | ... | ... | ... | ... | ... | ... |
| | | (ii) Refined oil | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | iii) Safflower Oil | | | | | | | | | | ... |
| 10 | Other Oils ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. | Arable, Vegetables and Fruits.— | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | |
| 1 | Mangoes | ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains ... | ... | Do ... | 7·25 | 5·00—5,00 | 6·50 | 5·00 | ... | 6 00 | 4·00 | ... | 7·00 |
| 3 | Oranges | ... | Do ... | ... | ... | ... | ... | 18·00 | ... | ... | ... | ... |
| 4 | Dates | | ... | 185·00 | ... | ... | ... | 260·00 | 230·00 | 120·00 | | |
| 5 | Cashew kernels, etc. | ... | | 640·00 | ... | ... | ... | ... | ... | ... | | |
| (ii) | Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | per quintal | ... | 2·00 | 30·00—33·00 | 32·00—58.00 | | | | | | 73·00 |
| 2 | Onions ... | ... | | 28,00 | 26·00—28·00 | 23·00—25·00 | | | | | | 25·00 |
| 3 | Beans ... | ... | ... | ... | ... | ... | | | | | | |
| 4 | Tomatoes ... | ... | ... | ... | ... | ... | | | | | | ... |
| (iii) | Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | ... | ... | ... | | | | | | ... |
| 2 | Arecanuts ... | ... | ... | 467·00 | ... | 455·00 | | | | | | 700.00 |
| VI. | Fibres.— | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | ... | ... | ... | 925·00 | | | | 278.00 | ... | |
| | | (b) Lint ... | | ... | ... | 100.00—104 00 | | | | 180·00 | ... | |
| | | (c) Seed ... | ... | 47.00 | ... | 89·00—40.00 | | | | 87.00 | ... | |
| 2 | Jute :—Loose | (a) White— | | | | | | | | | | |
| | | (i) Top ... | ... | ... | ... | ... | | | | | ... | |
| | | (ii) Middle ... | ... | ... | ... | ... | | | | | ... | |
| | | (iii) Bottom ... | ... | ... | ... | ... | | | | | ... | |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i) Top | ... | ... | ... | — | | | | | ... | |
| | Pucca baled Jute | (ii) Middle ... | ... | ... | ... | ... | | | | | ... | |
| | | (iii) Bottom ... | ... | ... | ... | ... | | | | | ... | |
| | | (i) Lightings... | Per bale | ... | | ... | | | | | ... | |
| | | (ii) First Mills | ... | ... | | ... | | | | | ... | |
| | | (iii) First Exports | ... | ... | | ... | | | | | ... | |
| | | | ... | ... | | | | | | | ... | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Mesta | (i) Top | | | | ... | | | ... | | | | | |
| | (ii) Middle | | | | ... | | | ... | | | | | |
| | (iii) Bottom | | | | | | | ... | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | |
| | (i) Leaf | | 475.00 | | ... | ... | | 400.00 | | | | | |
| | (ii) Pulah | | — | | | | | 800.00 | | | | | |
| | (b) Virginia— | | | | | | | | | | | | |
| | (i) Leaf | | 497.00 | | ... | | | ... | | | | | |
| | (ii) Pulah | | — | | | ... | | .. | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | Per head | 425·00 | 300·00—400·00 | 475.00—750·00 | | | 475·00 | 275.00 | 345·00 | | | |
| | (b) Class II | Do | 380·00 | 200·00—250·00 | 200.00—400.00 | | | 300·00 | 200.00 | 293·00 | ... | | |
| (ii) Buffalo bulls | (a) Class I | Do | 195·00 | 100·00—150·00 | 300·00 | | | 300·00 | 175.00 | 450·00 | ... | | |
| | (b) Class II | Do | ... | 200·00—300·00 | 100·00—150·00 | | | 275·00 | 100·00 | 354·00 | ... | | |
| 2 Milch cattle— | | | | | | | | | | | | | |
| (i) Cows | (a) Class I | Do | 195.00 | 200·00—250.00 | 150.00—250.00 | | | 100·00 | 125·00 | 186·00 | ... | | |
| | (b) Class II | Do | 360·00 | 175·00—225·00 | 200.00—250.00 | | | ... | 80·00 | 141·00 | ... | | |
| (ii) Buffaloes | (a) Class I | Do | 360.00 | 250.00—350·00 | 250·00—275·00 | | | 200·00 | 200·00 | 450·00 | ... | | |
| | (b) Class II | Do | 325·00 | 225·00—350·00 | 100.00—150·00 | | | 125·00 | 150·00 | 275·00 | ... | | |
| 3 Sheep | ... | Do | 40·00 | ... | 35·00—39·00 | | | 35·00 | 45·00 | | ... | | |
| IX. Livestock products.— | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per kg. | | ... | | | | | | | | | |
| | (b) ..... | Do | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) ..... | Do | 1.75 | .. | | | | | ... | .... | ... | ... | |
| | (b) ..... | Do | 1·26 | ... | | | | | ... | | | | |
| Tanned | (a) ..... | Do | 7·00 | ... | | | | | ... | | ... | ... | |
| | (b) ..... | Do | 6·25 | ... | | | | | | .. | | | |
| (ii) Buffalo hides— Raw. | (a) ..... | Do | 3·50 | 1·50—2·00 | | | | | ... | — | ... | ... | |
| | (b) ..... | Do | 2·00 | 1·25—1·50 | | | | | ... | ... | ... | ... | |
| Tanned | (a) ..... | Do | 8.00 | 4·50—5·00 | | | | | ... | ... | ... | ... | |
| | (b) ..... | Do | 7.50 | 6·00—4·50 | | ... | | | ... | ... | ... | ... | |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins— Raw | (a) ..... | Do | 6·00 | 5.50—5·00 | | ... | | 7.00 | 4 00 | ... | ... | | 3·50 |
| | (b) ..... | Do | 4.50 | ... | | ... | | 5 50 | ... | ... | ... | | |
| Tanned | (a) ..... | Do | ... | ... | | ... | ... | | 12.00 | ... | ... | | |
| | (b) ..... | Do | ... | ... | | ... | ... | ... | ... | ... | ... | | |
| (ii) Sheepskins— Raw. | (a) White | Do | 5.50 | 4·00—4·50 | | ... | | 6.00 | 3.50 | ... | ... | | 4 00 |
| | (b) Black | Do | 4.75 | ... | | ... | | 5 25 | ... | ... | ... | | |
| Tanned | (a) ..... | Do | ... | ... | ... | ... | ... | | 10.00 | ... | ... | | ... |
| | (b) ..... | Do | ... | .. | ... | ... | ... | ... | ... | ... | ... | | |
| 4 Ghee | (a) Agmark | Do | 5.50 | | | ... | | | 7.00 | ... | ... | | 5·60 |
| | (b) Ungraded | Do | 4·75 | | 4·00—4·25 | | 5·05 | | 6.00 | ... | ... | | 3·50 |
| X. Fodder.— | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | Per quintal | ... | | | ... | | ... | ... | ... | ... | | |
| | (b) Paddy | Per cart-load | ... | ... | ... | ... | | ... | ... | ... | ... | | |
| 2 Straw | (a) Ragi | Do | ... | ... | | ... | | ... | ... | ... | ... | | |
| | (b) ..... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | | |
| 3 Stalks | (a) Jola | Per quintal | ... | ... | 82·00 | ... | | ... | ... | ... | ... | | |
| | (b) ..... | | ... | | ... | ... | | ... | ... | ... | ... | | |

| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | |
| 1 | Turmeric ... | ... | 177 00 | 150.00—200.00 | 165·00—170.00 | ... | 121.00 | 65.00 | ... | ... | 250·00 |
| 2 | Tamarind ... | ... | 75·00 | 80·00—85 00 | 60·00—62.00 | 85·00 | 66 00 | 72,00 | .. | – | 90·00 |
| 3 | Dry Chillies ... | ... | 267·00 | 200·00—250 00 | 170·00—240.00 | 276·00 | 228·00 | 250 00 | ... | ... | 300·00 |
| 4 | Garlic ... | ... | 96·00 | 44·00—50·00 | 65.00—68·00 | ... | 80·00 | 60·00 | ... | ... | 100·00 |
| 5 | Pepper ... | ... | 363·00 | ... | ... | | 880·00 | 875·00 | ... | ... | 239·00 |
| 6 | Cardamom ... | ... | 1091·00 | ... | .. | ... | 1500 | 1,700,00 | ... | ... | 1,000·00 |
| XII | Miscellaneous— | | | | | | | | | | |
| 1 | Timber ... | ... Per C.F. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Sticklac ... | ... ... | ... | ... | ... | .. | ... | ... | ... | ... | ... |
| 3 | Seedlac ... | ... ... | ... | ... | ... | ... | ... | ... | ... | – | |
| 4 | Shellac ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 | Rubber ... | Raw ... ... | ... | ... | – | ... | ... | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... ... | ... | ... | ... | ... | ... | – | ... | ... | ... |
| 7 | Jute manufactures. | (a) Hessian 40", 10 oz. Per 100 yds. | ... | ... | ... | ... | | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. Per 100 bags. | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 8 | ..... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | ..... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES.

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending of 31st March 1964

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| Cereals— | | | | | | | | | | | | |
| 1 Paddy | Coarse | | ... | 4 | ... | 3·1 | 2.5 | 2·8 | ... | ... | 1·8 | 2·7 |
| Rice | Do | | 1·4 | 1 75 | ... | 1·7 | 1.2 | 1·5 | 1,8 | 1·6 | 1·6 | 1·4 |
| 3 Wheat | White | | 1·8 | ·2 | 2 | 2·2 | 2,5 | 2.2 | 2·2 | 2 | 2·2 | 1 7 |
| 4 Wheat Flour | Do | | 2 | 1·75 | 1·8 | 1·9 | 2.8 | 2·1 | .. | 1,8 | 1 2 | 1 9 |
| 5 Jowar | Do | | 2 2 | 2·5 | 2 | 2·4 | 2 5 | 2.1 | 2·2 | 2 8 | 2·5 | 2·0 |
| 6 Bajra | | | 2·3 | ... | 2 7 | ... | 2,5 | | ... | ... | | 2·2 |
| 7 Barley | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 8 Maize | | | | - | ... | ... | ... | | ... | .. | ... | .. |
| 9 Ragi | | | 2·5 | 2·5 | 2·7 | 2·4 | 2,5 | 3·8 | 2·2 | 2 6 | 2·5 | 2·6 |
| 10 Other cereals | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | . |
| (i) | | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) | | | ... | ... | ... | ... | ... | ... | | .. | ... | ... |
| Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | | | ... | ... | | ... | 3 | 2·2 | | | 3·7 | 3 |
| (ii) Tapioca | | | ... | ... | | ... | ... | ... | ... | ... | 2·8 | 1 |
| (iii) Papaya | | | ... | ... | | | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | | | ... | | | ... | ... | ... | ... | ... | ... | ... |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram | (a) Whole | | ... | 1.75 | 1·8 | 1·6 | 1.4 | 1·8 | 1·3 | 1·5 | 1·8 | ... |
| | (b) Split (without skin). | | ... | 1·25 | ... | 1·2 | 1.2 | 1·2 | 1·2 | 1·3 | 1·6 | 1·8 |
| | (c) Flour | | ... | 1·1 | ... | ... | 1.2 | 1·2 | 1·1 | 1·4 | | 1·2 |
| 2 Arhar (Tur) | (a) Whole | | 1·6 | ... | 1·6 | ... | ... | 1·4 | .. | ... | 1,1 | ... |
| | (b) Split (without skin). | | 1 | ·9 | ... | ·9 | ·9 | ·9 | ·9 | ... | ·1 | 9 |
| 3 Moong | (a) Whole | | 1·5 | 1·2 | 1·5 | 1.2 | 1.2 | 1·2 | 1,1 | ... | 1·3 | 1·4 |
| | (b) Split (without skin). | | 9 | 8 | ... | ·7 | ·9 | ·8 | ·8 | ... | | |
| 4 Urd | (a) Whole | | 1·3 | 1·25 | ... | 1.1 | 1.5 | ·1 | 1·1 | 1·2 | ... | ... |
| | (b) Split (without skin). | | 3 | ·8 | .. | .9 | .9 | ·9 | ·8 | 1.9 | 9 | 8 |
| 5 Masur | (a) Whole | | 1.2 | ... | ... | ... | ... | | 1 | ... | ... | ... |
| | (b) Split (without skin). | | 1 | ... | ... | ... | ... | ... | 1,1 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare | (a) Whole | | 1·7 | 1.5 | 1·5 | ... | ... | 1·2 | 1·5 | ... | ... | ... |
| | (b) Split (without skin). | | ... | 1 | ... | 1.1 | .1 | 1.1 | 1·1 | | 1·1 | ... |
| (ii) Horsegram | | | 2·8 | 2·5 | 2·8 | 2.5 | 2.7 | 2·4 | 2,8 | 2·6 | 2·8 | 2·3 |
| (iii) Cowpea | | | 1·2 | 1·75 | 1.5 | ... | 1.75 | 1·1 | 1·3 | | 1.2 | 1·5 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 1.0 | 1·25 | ·800 | 1.4 | 1.1 | 888 | 7·98 | 8 00 | 1·2 | 1.1 |
| 2 Sugar refined | (b) Sort II | | 1·1 | 1·5 | 1,0 | . | 3.2 | 1·1 | 8,22 | 1·1 | 1·5 | 1.8 |
| | D. 24 | | ... | 8·00 | ... | ... | .800 | ... | 8 00 | 7.00 | 7·50 | 8.25 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| IV Oils.— | | | | | | | | | | | | |
| 1 Groundnut Oil | | Per kg | 5·65 | 4 50 | 4·45 | 5.00 | ·500 | 4 84 | 3 38 | 5 00 | 5·00 | 5 00 |
| 2 Sesamum oil ... | | | — | ... | ... | | ... | — | 2 60 | | ... | 2·60 |
| 3 Castor oil ... | | | 5·00 | 8,00 | 5·00 | 5.00 | ... | 5·00 | 4 90 | 5 00 | 4·00 | 5 00 |
| 4 Mustard oil ... | | .. | — | ... | | ... | ... | ... | ... | ... | | ... |
| 5 Linseed oil ... | | | — | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil ... | | | 2·79 | 8.30 | 2 85 | 3.80 | ·800 | | 0 888 | 8 00 | 2.55 | 2·70 |
| Vanaspati ... | | ... | ... | ... | ... | 3.20 | ... | ·250 | | | 2.50 | ... |
| 8 Other oils.— | | | | | | | | | | | | |
| (i) Refined oil | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | | ... | ... | ... | — | ... | ... | .. | ... | ... | ... | ... |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per Dozen | ... | ... | ... | ... | ... | ... | | | ... | ... |
| 2 Plantains ... | | No | 62·00—75.00 | 25 75 | 75 00—81·00 | 1.00—1.50 | ·75 | 31·00—7·50 | 80 00 | 90·00 | 1·35 | 56·00 |
| 3 Oranges ... | | Do | 1·50—8.25 | ... | 2 50—8.00 | ... | ... | 2 00—4·56 | 2—2.50 | 2 50 | 2 75 | 3 00 |
| 4 Dates ... | | — | ... | — | ·985 | | ... | | ... | ... | ... | |
| 5 Cashew kernels | | ... | — | ... | ... | ... | ... | ... | ·166 | ... | ... | ... |
| 6 ..... | | ... | — | — | ... | ... | ... | ... | | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | | — | ... | | 1·09 | | 2 5 | 2·00 | 2·0 | | 1·5 | 1·7 |
| 2 Onions ... | | ... | ... | | 2 C8 | | 3·00 | 2·5 | 2·3 | | 2·8 | 2.3 |
| 3 ..... | | ... | ... | ... | ... | | ... | ... | ... | | — | — |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | | ... | ... | ... | 1·25 | | 1·40 | 7 00 | ·166 | | ... | 1 60 |
| 2 Arecanuts ... | | ... | ... | 1 25 | ... | | ... | 0.125 | ·111 | | ... | 0 90 |
| VI. Tobacco ... | Leaf ... | Per kg ... | — | ... | ... | | ... | ... | ... | 5.00 | ... | 3.00 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 0 75 1.15 | 1·00 | 0.62—0·75 | 0·80 | 0·62 | 0·50—0 75 | 0·80—0 95 | 0 75 | 0 65 | 0·82 |
| 2 Ghee ... | (a) Agmark ... | ... | | 1·30 | ... | ... | ... | ... | 125 | ... | 0·95 | ... |
| | (b) Ungraded ... | ... | ... | 1·60 | ... | ... | ... | ... | ·160 | ... | ·146 | ·160 |
| 3 Eggs | (i) A Grade | Per Dozen | 3·65 | 3·00 | 2·50 | 3·50 | ... | 2·00 | 2·50 | 3·00 | 2.25 | 2·28 |
| | (ii) B Grade | Do | 2·50 | 2·50 | 1.75 | 3·80 | ... | 1·75 | 2·25 | 2·65 | 1 75 | 2 01 |
| | (iii) C Grade | Do | 1·50 | 2·00 | 1 00 | 2.50 | 2 00 | 1 50 | 2·00 | 2·50 | 1.62 | 1·7 |
| 4 Mutton ... | ... | ... | ·285 | 3·80 | ·838 | ·275 | ·805 | 2·50 | 3·83 | ·820 | 2·80 | ·880 |
| 6 Beef ... | ... | ... | .400 | ... | ... | | ... | | ... | | ... | .550 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·8 | 3 00 | 5·00 | 5·00 | 0·06 | 0 5 | 0.4 | ·4 | 0 6 | .5 |
| 2 Tamarind ... | ... | ... | 1·00 | 1·00 | 1·08 | 1·02 | 1·02 | 1·5 | 1·01 | 1·4 | 0 8 | 1 01 |
| 3 Dry chillies ... | ... | ... | ·285 | ... | ·400 | ·833 | ·850 | ·833 | 4·00 | ·800 | 4·00 | ·540 |
| 4 Garlic ... | ... | ... | 1 00 | ·1·5 | 1·00 | ... | ... | 0.91 | 1·00 | 9 | 1 00 | 1·00 |
| 5 Pepper ... | ... | ... | ·286 | ... | ·322 | 2·50 | ·800 | ·274 | 3·50 | ·800 | ·860 | 2 25 |
| 8 Cardamom ... | ... | ... | 0·56 | ... | 0·62 | 0·66 | ... | 0·50 | 0·85 | ... | 0·56 | 0·80 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | Per Quintal | 10 00 | 0·10 | 8 00 | 8·08 | 10·00 | 10·08 | 10·00 | 10·00 | 10 00 | 10·00 |
| 2 Kerosene oil ... | ... | Per Litre | 0·40 | 0 60 | 0·87 | ... | 0.50 | 0 50 | 0·55 | 0·50 | 0·50 | 0·87 |
| 3 Firewood/ Charcoal, | ... | Quintal | 5·00—6·00 | 7·00—9·00 | 6 00—7·50 | ... | ... | 8·25 | 5.00—6·00 | 5.80—6·00 | 6 00 | 6 00 |
| 4 Coarse cloth ... | ... | Per metre | 1·70 | ·80 | ... | ... | ... | 1·80 | 1.40 | ... | 1·65 | 1·05 |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals.— | | | | | | | | | | | |
| 1 Paddy | Coarse | | ... | ... | ... | ... | ... | — | .. | ... | ... |
| 2 Rice | Do | | 1·1 | 1·3 | 1·2 | 1 2 | 1·5 | 1·3 | 1·5 | ... | 1·4 |
| 3 Wheat | White | | 1·8 | 1·8 | 1·8 | 1·2 | 1·5 | 1·4 | 1·5 | ... | 2·0 |
| 4 Wheat Flour | Do | | 1·8 | ... | 1·7 | ... | ... | ... | 0·2 | ... | 1·1 |
| 5 Jowar | Do | | 1·8 | 1·7 | 2·2 | 1·9 | 2·0 | 2·1 | 0·2 | ... | |
| 6 Bajra | ... | | — | 2·3 | 2·3 | ... | 2·3 | 2·2 | 2·2 | ... | ... |
| 7 Barley | ... | | — | ... | ... | ... | ... | ... | | ... | ... |
| 8 Maize | ... | | ... | 2·8 | 2·9 | ... | ... | ... | | ... | ... |
| 9 Ragi | ... | | 0·2 | 2·4 | ... | ... | ... | ... | | ... | 0·2 |
| 10 Other cereals... | | | — | ... | ... | ... | ... | ... | | ... | |
| (i) ..... | ... | | ... | ... | ... | ... | ... | ... | | ... | ... |
| (ii) ..... | — | | — | ... | ... | ... | ... | ... | | ... | — |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | |
| (i) Sweet potatoes. | — | | | | ... | ... | | ... | 0 4 | ... | 8·4 |
| (ii) Tapioca ... | | | | | ... | ... | | ... | | ... | |
| (iii) Papaya ... | — | | | | ... | ... | | ... | | ... | 0·4 |
| (iv) Groundnut cake flour | ... | | | | ... | ... | | | | ... | |
| II. Pulses — | | | | | | | | | | | |
| 1 Gram | (a) Whole | | | | 1·4 | 1 9 | 1·3 | 1·5 | 1·2 | ... | 1·2 |
| | (b) Split (without skin). | | | | 1·2 | 1·3 | 0·1 | 1 2 | 0·7 | ... | |
| | (c Flour | | | | ... | ... | ... | ... | 0 1 | ... | ... |
| 2 Arhar (Tur) | (a) Whole | | | | 1·4 | 1,9 | 1·2 | 1·3 | 0·2 | ... | 0·8 |
| | (b) Split (without skin). | | | | 0·9 | 1·2 | 0·1 | 0·1 | 0.1 | ... | 0 7 |
| 3 Moong | (a) Whole | | | | 1·6 | 1·1 | 1·7 | ... | 1·7 | ... | 1·2 |
| | (b) Split (without skin). | | | | 0·1 | 0·9 | ... | 1·6 | 0·1 | ... | 0·9 |
| 4 Urd | (a) Whole | | | | 1·5 | ... | 1·5 | ... | 1·5 | ... | 1·1 |
| | (b) Split (without skin). | | | ... | ... | 0·8 | 0·1 | 0.1 | 0 7 | ... | 0.8 |
| 5 Masur | (a) Whole | | ... | ... | ... | ... | 1,8 | ... | ... | ... | 0·1 |
| | (b) Split (without skin). | | — | ... | ... | 1·2 | 0·1 | 0.1 | 0·1 | ... | ... |
| 6 Other pulses— | | | | | | | | | | | |
| (i) Avare | (a) Whole | | — | ,22 | 2,3 | ... | | ... | ... | ... | ... |
| | (b) Split (without skin). | | ... | ... | ... | ... | | ... | ... | ... | ... |
| (ii) Horsegram | ... | | 2·2 | ... | 2 3 | ... | | ... | ... | ... | 1·7 |
| (iii) Cowpea | ... | | .. | ... | ... | — | | ... | ... | ... | ... |
| III Sugar and Gur— | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 8·06 | 1·1 | 0·1 | 9·00 | 1·2 | 1·1 | 1· | ... | 2 2 |
| | (b) Sort II | | 8·83 | 1,2 | 1,2 | 1·0 | 1·5 | 1·8 | 1 6 | ... | |
| 2 Sugar refined | D 24 | | ... | ... | 8·40 | ... | ... | ... | ,830 | ... | 8·00 |
| IV. Oils.— | | | | | | | | | | | |
| 1 Groundnut oil | — | | 5·38 | 5·00 | 4·83 | 5·30 | 4·50 | 5·00 | 4·50 | ... | 5·63 |
| 2 Sesamum oil | | | 8·07 | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor oil | | | ... | 4·50 | ... | ... | 5·00 | ... | 2·60 | ... | 8 88 |
| 4 Mustard oil | — | | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed oil | | | .. | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Cocoanut oil | | | 2·5 | 2·75 | 2·86 | ... | 2·00 | ... | 2·85 | ... | 3·50 |
| 7 Vanaspati | Dolda | | ... | ... | ... | ... | ... | ... | 3·00 | ... | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) ... ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ... ... ... | | ... | | ... | ... | ... | ... | ... | ... | ... | ... |
| V | Fruits, Vegetables and Nuts— | | | | | | | | | | | |
| (i) | Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | | Per Dozen | ... | 50·00 | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains ... | | Do | 47·00 | 60 00 | 0·60—5 60 | 0·87 | 8·7 | 70·00 | ... | ... | 55·00—65·00 |
| 3 | Oranges ... | | Do | 2·75 | 2·10 | ... | ... | 1·50 | 4 00 | ... | ... | ... |
| 4 | Dates ... | | ... | ... | ... | ... | ... | ·875 | ·830 | ... | ... | ... |
| 5 | Cashew kernals | | ... | 1·25 | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 | ..... ..... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) | Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | | ... | 1·1 | 2·2 | 1·5 | 1·7 | 2·0 | 1·05 | 2·00 | ... | 1·08 |
| 2 | Onions ... | | ... | 3·2 | 2·7 | 3·00 | 3 02 | 4·00 | 2 05 | 4·.0 | ... | 2·05 |
| 3 | ..... ..... | | ... | ... | ... | ... | ... | 1·00 | ... | ... | ... | ... |
| (iii) | Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts | | ... | ·166 | ... | ... | ... | 1·25 | ... | ... | ... | ... |
| 2 | Arecanuts | | ... | ... | ... | 1·50 | ... | 5·00 | 4·50 | ... | ... | 1·25 |
| VI | Tobacco ... | Leaf ... | Per kg | 5·00 | ... | 2·62 | ... | | ... | 3 00 | ... | 6 50 |
| VII | Live-stock products— | | | | | | | | | | | |
| 1 | Milk ... | Per litre ... | ... | | | 0·85 | 0·50 | 0·56 | 0 70 | 0·88 | ... | 0·65 |
| 2 | Ghee | (a) Agmark ... | ... | | ... | ... | ... | 1·00 | 1·00 | ... | ... | ... |
| | | (b) Ungraded ... | ... | | ... | ... | 1 85 | 1·25 | ... | ... | ... | ... |
| 3 | Eggs | (i) A Grade | Per Dozen | 2,75 | ... | 2·50 | 2·25 | 1·20 | 2 28 | 2 25 | ... | ... |
| | | (ii) B Grade | Do | 2 47 | ... | 1·62 | 1 50 | 1·00 | 2·00 | 1·50 | ... | ... |
| | | (iii) C Grade | Do | 2·00 | ... | 0·87 | 0·95 | 0·80 | 1·80 | 1,60 | ... | ... |
| 4 | Mutton ... | ... | ... | ·800 | 8 00 | 4·80 | 3 07 | ·825 | ... | 4 00 | ... | ... |
| 5 | Beef ... | | ... | ... | ... | | | ... | ... | | ... | ... |
| VIII | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | 0 05 | ... | | 5·00 | 5 00 | ... | 5 00 | ... | 3 00 |
| 2 | Tamarind ... | ... | ... | 1·01 | ... | | 1·2 | 1·02 | | 1·05 | ... | 1 00 |
| 3 | Dry chillies ... | ... | ... | 3 68 | 3·68 | | 3·80 | ·880 | | 3·50 | ... | 3·63 |
| 4 | Garlic | ... | | 1·00 | 1·08 | | 0·8 | 1 00 | | ... | ... | ... |
| 5 | Pepper | | ... | 2·10 | ·285 | ... | ... | 2·50 | | ... | ... | 3·50 |
| 6 | Cardamom | ... | ... | 0·88 | ... | ... | 0·55 | 0·62 | ... | ... | ... | 0·85 |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt | ... | ... | 8·00 | 10·0 | 8·00 | 7 00 | 0·10 | 0·10 | 0·10 | ... | 0·08 |
| 2 | Kerosene oil | | Per Litre | 0·62 | ·45 | 0·50 | 0·45 | 0·45 | 0·46 | 0,4( | ... | 0 60 |
| 3 | Firewood/ Charcoal | ... | Quintal | ... | 5 50—6·00 | ... | 8·00 | 8 00 | 6·00 | ·00 | ... | 6 50 |
| 4 | Coarse cloth ... | ... | Per Metre | 1·25 | ... | ... | ... | ... | 1 50 | 1·88 | ... | 0·62 |

.....

For *Chief Marketing Officer.*

187--40 a

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Dated 7th December 1965.

NOTE ON THE STATE OF PUBLIC-HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, THE 27TH NOVEMBER 1965.

**No. TR/48-6/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks and nil deaths and nil attacks with nil deaths respectively.

A total of 35 attacks with 14 deaths from Small-pox was reported from the entire State, *viz.*, from the Towns of Shimoga, Kunigal. Tumkur and Madhugiri and from the taluks of Mangalore, Tumkur, Turuvekere, Malur, Gangavathi *as against* nil attacks with nil deaths reported during the corresponding week of the previous year.

A total of 13 attacks with 7 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Madhugiri, Kudligi and Chitradurga during the week, *as against* 8 attacks with 5 deaths reported during the corresponding week of the last year.

A total of one attack with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 3 attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow Fever, Relapsing Fever, Infectious, Hepatitis and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 283 (93 in hospitals) for the week *as against* 271 (103 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.3 (10.3 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.9 (9.2 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 12 were due to Small-pox, 5 due to other fevers, 20 due to Dysentery and Diarrhœa, 4 due to Consumption and 242 due to all other causes, *as against* 2 were due to other fevers, 19 due to Dysentery and Diarrhœa, 15 due to Consumption and 235 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 53 (22 in hospitals. for the week *as against* 79 (26 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.7 (6.2 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 16.1 (10.7 excluding hospital deaths) for the corresponding week of the last year.

Classified according to causes of deaths, one was due to Small-pox, one due to Typhoid, 11 due to other fevers, 13 due to Dysentery and Diarrhœa, one due to Consumption and 26 due to all other causes, *as against* 1 was due to Typhoid, 15 due to other fevers, 4 due to Dysentery and Diarrhoea. 4 were due to Consumption and 55 due to all others causes, reported during the corresponding week of the previous year.

The report for K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 14 (nil in hospitals) for the week *as against* 54 (32 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.2 (5.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 20.6 (9.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Consumption and 13 due to all other causes, *as against* 1 was due to Malaria, 1 due to other fevers, 2 due to Dysentery and Diarrhœa, 4 due to Conusmption and 45 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 7 (nil in hospitals) for the week *as against* 31 (14 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 2.4 (2.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.7 (5.9 exeluding Hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Dysentary and Diarrhœa, and 6 were due to all other causes, *as against* 31 due to all other causes, reported during the corresponding week of the previous year.

## OFFICE OF THE DEPUTY COMMISSIONER, MANGALORE (S. K.)

Dated 3rd December 1965.

Statement showing the Wholesale Prices of various commodities for the Week ending 3rd December 1965 at Mangalore

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | | Maskathi | 100 kg. | 81 | 00 |
| II Sort | ... | Guddu | " | 80 | 00 |
| III Sort | | Suggi | " | 78 | 00 |
| Rice – I Sort | ... | Maskathi | " | 138 | 00 |
| II Sort | ... | Guddu | " | 135 | 00 |
| III Sort | | Suggi | " | 132 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | - | I Sort | 100 kg. | 55 | 00 |
| " | ... | II Sort | " | 53 | 00 |
| Cocoanuts | .. | Unhusked | 1000 Nuts | 560 to 650 | 00 |
| " | ... | Husked | " | 460 to 670 | 00 |
| Copra | ... | ... | 100 kg. | 825 to 860 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 60 | 40 |
| | | II Class | " | 58 | 40 |
| Cashew Kernels | ... | | | | |
| Cashew Nuts | ... | | 100 kg. | No Stocks | |
| Cardamoms | ... | Mysore | 10 kg. | 260 to 300 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | | 50 kg. | No Stocks | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 25 to 46 | 00 |
| " | ... | Husked Old | 50 kg. | 345 to 382 | 00 |
| " | ... | " New | " | 212 to 316 | 00 |
| Chillies | ... | Kumpta | | ... | |
| " | ... | Local | 10 kg. | 40 to 45 | 00 |
| " | ... | Kasaragod | " | ... | |

RETAIL PRICES.

| | | | | | |
|---|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | | 7 | 00 |

CATTLE FOOD.

| | | | | | |
|---|---|---|---|---|---|
| Groundnut Oil Cake | ... | Bag of 69·92 kg. | 80 to 82 | 00 |
| Cotton Seeds | ... | ... | " 64·00 kg. | 15 to 29 | 00 |
| Horsegram | ... | ... | " 98·07 kg. | 70 to 75 | 00 |

.....

*Dy. Commr.*

Dated 10th December 1965.

Statement showing the Wholesale Prices of various commodities for the week ending 10th December 1965 at Mangalore.

| Commodity | | Variety | Unit of weight | Price Rs. | P. |
|---|---|---|---|---|---|
| Paddy—I Sort | ... | Maskathi | 100 kg. | 81 | 00 |
| II Sort | ... | Guddu | " | 80 | 00 |
| III Sort | ... | Suggi | " | 78 | 00 |
| Rice—I Sort | ... | Maskathi | " | 188 | 00 |
| II Sort | ... | Guddu | " | 185 | 00 |
| III Sort | ... | Suggi | " | 181 | 00 |
| Ragi | ... | ... | Moora of 89·14 kg. | ... | |
| Cane Jaggery | ... | I Sort | 100 kg. | 65 | 00 |
| " | ... | II Sort | " | 55 | 00 |
| Cocoanuts | ... | Unhusked | 1000 Nuts | 560 to 650 | 00 |
| " | ... | Husked | " | 550 to 670 | 00 |
| Copra | ... | ... | 100 kg. | 825 to 860 | 00 |
| Cocoanut Oil | ... | I Class | 10 kg. | 60 to 40 | 00 |
| " | ... | II Class | " | 58 to 40 | 00 |
| Cashew Kernels | ... | ... | | | |
| Cashew Nuts | ... | ... | 100 kg. | No Stock | |
| Cardamams | ... | Mysore | 10 kg. | 250 to 300 | 00 |
| " | ... | Coorg | " | 240 to 290 | 00 |
| Malabar Black Pepper | ... | ... | 50 kg. | No Stock | |
| Tobacco | ... | Chewing | 100 kg. | 400 to 640 | 00 |
| " | ... | Snuff | " | 760 to 800 | 00 |
| " | ... | Beedi | " | 860 to 900 | 00 |
| Arecanuts | ... | Unhusked | 1000 Nuts | 25 to 46 | 00 |
| " | ... | Husked Old | 50 kg. | 345 to 382 | 00 |
| " | ... | " New | " | 212 to 316 | 00 |
| Chillies | ... | Kumpta | | | |
| " | ... | Local | 10 kg. | 40 to 45 | 00 |
| " | ... | Kasaragod | " | ... | |

RETAIL PRICES.

| | | | | | |
|---|---|---|---|---|---|
| Tobacco | ... | Chewing | Per 1 kg. | 4 to 5 | 00 |
| | | Snuff | " | 5 to 7 | 00 |
| | | Beedi | " | 7 | 00 |

CATTLE FOOD.

| | | | | | |
|---|---|---|---|---|---|
| Groundnut Oil Cake | | Bag of 69·92 kg. | 80 to 82 | 00 |
| Cotton Seeds | ... | " 64 kg. | 15 to 29 | 00 |
| Horsegram | ... | " 98·07 kg. | 70 to 75 | 00 |

.....

*Dy. Commr.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

Registered No. BG 202

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, DECEMBER 30, 1965 (PUSHYA 9, SAKA ERA 1887) | No. 51

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

### PART IV —WEATHER AND CROP REPORT.

### Weekly Weather and Crop Report for the week ending Wednesday the 1st December 1965.

| No of rainy days in the week | Rainfall in Millimeters: During the week — Actual | Rainfall in Millimeters: During the week — Normal | Rainfall in Millimeters: Since the beginning of the season — Actual | Rainfall in Millimeters: Since the beginning of the season — Normal | Condition of | | Water Supply | Remarks |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 |
| | | | | | (From 30—9—1965) | | | |
| **1. Bangalore District.** | | | | | | | | |
| 42.4 | 200.0 | Crops were improving by recent rain which was occurred throughout the District. | | | Good | ... Scarcity for fodder was felt in major part of the District. | Inadequate water supply was felt in Ramanagaram and Devanahalli taluks. | (1) |
| **2. Kolar District.** | | | | | | | | |
| 42.4 | 189.4 | Crops were reported to be imporving by the recent rains in all the taluks except Gowribidanur taluk. | | | Good | ... Available except in some parts of Malur Gudibanda and Chickballapura taluks. | Adequate except in some taluks of Chickaballapur taluk. | (2) |
| **3. Tumkur District.** | | | | | | | | |
| 77.0 | 186.2 | Crops were reported to be fair except in Sira, Madhugiri Turuvekere and Koratagere taluks, where crops were dried up for want of timely rains. | | | Good | ... Fodder scarcity was felt in some parts of Tiptur Chicknayakanhalli, Turuvekere, and Koratagere taluks. | Indequate water supply was felt in Gubbi taluk. | |
| **4. Mysore District.** | | | | | | | | |
| 44.0 | 208.6 | Crops were withering and reported to be dried up in most of the taluks for want of timely rains. | | | Good | ... Fodder was available except in some parts of Mysore, Kollegal, T. Narasipur, Hunsur and Gundlupet taluks | Inadequate water supply was felt in major parts of the District. | |
| **5. Mandya District.** | | | | | | | | |
| 3.9 | 208.4 | Dry crops were reported to be failed and withering in most of the taluk for want of rains. | | | Good except for the prevalence of cattle disease in 8 villages of Maddur taluk. | Scarcity for fodder was felt in Mandya, Maddur and Nagamangala taluks. | Adequate except in some parts of Mandya, Maddur and Nagamangala taluks. | (3) |
| **6. Hassan District.** | | | | | | | | |
| 35.1 | 228.2 | Crops were reported to be not fair for want of timely rains throughout the District except in Belur taluk. | | | Good | ... Fodder was available except in some parts of Arasikere, Arkalgud and Hassan taluks. | Inadequate water supply was felt throughout the District. | (4 |

| No. of rainy days in the week. | Rainfall in Millimeters | | | | Conditions of | | | | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | During the week | | Since the beginning of the season | | | | | | |
| | Actual | Normal | Actual | Normal | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | **7. Chickmagalur District.** | | | | |
| | | | 64.1 | 214.0 | Standing crops were withered for want of timely rains throught the District except in Tarikere and Mudigere taluks. | Good | ... Available except in Tarikere and Kadur, taluks. | Adequate except in some parts of Tarikere, Kadur, Mudigere and Chickmagalur Tqs. | |
| | | | | | **8. Shimoga District.** | | | | |
| | | | 40.7 | 177.0 | Standing crops were fair except in Bhadravathi, Channagiri, Hosanagar, and Sagar taluks. | Good | ... Scarcity for fodder was felt in Channagiri Hosanagar and Sagar taluks. | Inadequate water supply was felt in Shikaripur, Channagiri, Hosanagar, and Sagar, taluks. | |
| | | | | | **9. Chitradurga District.** | | | | |
| | | | 89.2 | 154.1 | Crops were dried up in most of the taluks for want of timely rains. | Good | ... Available except in Hiriyur taluks. | Adequate except in some parts of Davanagere and Holalkere taluk. | |
| | | | | | **10. Bellary District.** | | | | |
| 1 | 10.3 | N.A. | 10.2 | N.A. | Crops were reported to be failed in most of the Tqs. and thriving well in Kudligi taluk, by recent rains. | Good | ... Adequate | | |
| | | | | | **11. Bijapur District.** | | | | |
| — | 2.7 | N.A. | 3.2 | N.A. | Crops were reported to be not fair throughout the Distr ct and needs the urgent rains. | Good | ... Scarcity for fodder was for felt in Indi taluk. | Adequate | |
| | | | | | **12. Belgaum District.** | | | | |
| 1 | 7.5 | N.A. | 21.1 | N.A. | Dry crops were withering for want of rains in most of the taluks except in Hukkeri taluk. | Good | ... Available except in Athani, Gokak, Ramdurga and Chikkodi taluks. | Adequate except in some parts of Gokak, Parasgad and Ramdurga taluks, | (7) |
| | | | | | **13. Dharwar District.** | | | | |
| 1 | 5.0 | N.A. | 18.3 | N-A. | Crops were reported to be not fair in dry lands for want of rains throughout the District. | Good | ... Available except in Hirekerur and Mundargi taluks. | Adequate exceptin some parts of Shirahatti and Hirekerur Tqs. | (8) |
| | | | | | **14. North Kanara District.** | | | | |
| — | 3.5 | N.A. | 25.9 | N A. | Fair except in Yallapur and Sirsi taluk where crops were reported to be affected for want of rains. | Good | ... Available | | |
| | | | | | **15. Gulbarga District** | | | | |
| | | | 7.0 | N.A. | Standing crops were withering for want of rains throughout the District. | Good | | | |
| | | | | | **16. Raichur District.** | | | | |
| | | | 0.6 | N.A. | Standing crops were withering for want of rains throughout the District. | Good | ... Available except in Raichur and Deodurg taluks. | Adequate except in Deodurg taluk. | (11) |
| | | | | | **17 Bidar District** | | | | |
| Nil | Nil | N.A | Nil | N.A. | Crops were reported to be below normal for want of rains. | Good | ... Available | ... Adequate except in Bhalki Taluk. | (12) |
| | | | | | **18. South Kanara District.** | | | | |
| 1 | 13.1 | N.A. | 64.9 | N.A. | Fair | ... Good | ... Available except in Udipi Belthangady taluks. | Inadequate except in water supply was felt except in Coondapur and Karkal taluks. | (13) |
| | | | | | **19. Coorg District.** | | | | |
| 1 | 25.4 | N.A. | 159.4 | N.A. | Fair | ... Good | ... Available | ... Adequate | (14) |

REMARKS.— (1) Refers to 9 Taluks. (2) Refers to 9 Taluks. (3) Refers to 6 Taluks (4) Refers to 6 Taluks (5) Refers to 4 Taluks, (6) Refers to 6 Taluks (7) Refers to 9 Taluks. (8) Refers to 15 Taluks. (9) Refers to 10 Taluks (10) Refers to 6 Taluks. (11) Refers to 5 Taluks (12) Refers to 6 Taluks. (13) Refers to 6 taluks, (14) Refers to 9 Taluks.

SYED MAHMOOD, *For Director.*

## Statement showing Weather and Crop Report for the Week ending 1st December 1965.

Note.—(a) Denotes Conditions of Rainfall
(b) ,, Sowing and Transplantation.
(c) ,, Standing Crops.
(d) ,, Harvest.
(e) ,, Fodder and Pasture.
(f) ,, Cattle.
(g) ,, Fooder and Pasture
(h) ,, Cattle
(i) ,, Remarks.

1 Bangalore District.—

(a) Slight rrinfall in most of the taluks.
(b) Nil.
(c) Crops were improved due to recent rains.
(d) Harvesting of Ragi in Nelamangala and Hoskote taluks was in progress.
(e) Held up in most of the taluks due to failure of rains.
(f) Sufficient except in Ramanagaram and Devanahalli taluk.
(g) Available exbept in Ramanagaram, Nelamangala and Devanahalli taluks.
(h) Generally healthy.
(i) .. ...

2 Kolar District.—

(a) Beneficial to crops in most of the taluks.
(b) Nil
(c) Crops were improved due to recent rains.
(d) Harvesting of dry crops in Mulabagal and Bagepally taluks was in progress.
(e) Held up in most of the taluks due to failure of rains.
(f) Sufficient except in Gudibanda and Bagepally taluks.
(g) Available except in Malur, Gudibanda and Chickaballapur taluks.
(h) Generally healthy.
(i) .....

3 Tumkur District.—

(a) Beneficial to the Agricultural operations.
(b) Nil.
(c) Ragi, Paddy and other dry crops were dried up due to failure of rains.
(d) Harvesting of G. Nut, Ragi and Paddy in Pavagada and C. N. Halli, taluks was in progress.
(e) Progress was fair in Tiptur, C. N. Halli Tumkur and Turuvekere talaks.
(f) Sufficient except in C. N. Halli, Gubbi and Tumkur taluks.
(g) Available except in Tiptur, C. N. Halli, Tumkur and Gubbi Taluks
(h) Generally healthy.
(i) .....

4 Mysore District.—

(a) Slight rainfall in Nanjangud, Chamarajanagar, Kollegal Yelandur and Hunsur taluks.
(b) Nil.
(c) Standing crops were withering for want of rains in most of the taluks.
(d) Harvesting of Ragi, Paddy, in Mysore taluk, Ragi in Yelandur taluk was in progress.
(e) Held up due to failure of rains.
(f) Insufficiency was felt in most of the taluks.
(g) Available except in Mysore, Kollegs and T. Narasipur taluks.
(h) Generally healthy
(i) .....

5 Mandya District.—

(a) Light showers in most of the taluks.
(b) Sowing of Bengalgram and Jola in Nagamangala taluk was in progress.
(c) Standing crops like Ragi and Horsegram were withering for want of rains.
(d) Harvesting of Paddy in Manbya taluk and Sugarcane in Maddur taluk was in progress.
(e) Nil.
(f) Sufficient except in Mandya, Maddur and Nagamangala taluks.
(g) Available except in Nagamangala taluk.
(h) Good except for the prevalence of cattle disease at 8 villages of Maddur taluk.
(i) .....

6 Hassan District

(a) Beneficial to the crops.
(b) Nil.
(c) Crops were withering in Hassan and Arkalgud taluks.
(d) Harvesting of Paddy in Belur and Arsikere taluks was in progress.
(e) Held up due to failure of rainf.
(f) Sufficient except in Belur, Arsikere, Arkalgud, Hassan and Manjarabad taluks.
(g) Available except in Arsikere, Arkalgud, and Hassan taluks.
(h) Generally healthy.
(i) .....

7 Chickmagalur District.—

(a) Beneficial to the crops.
(b) Nil.
(c) The condition of standing crops were improved to some extent due to recent rains.
(d) Harvesting of Paddy in N. R. Pura and Koppa taluks Areca and Cardamum in Mudigere talak was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient except in Kadur, Tarikere, and Mudigere taluks.
(g) available except in Kadur taluk.
(h) Generally healthy.
(i) .....

8 Shimoga District.—

(a) Slight rainfall in most of the taluks except in Sorab taluk where there was no rainfall.
(b) Nil.
(c) Standing crops were withering for want of sufficient rains.
(d) Harvesting of Paddy and Areca in Thirthahally taluk Paddy and Jower in Honnali taluk was in progress.
(e) Nil.
(f) Sufficient except in Shikaripur and Channagiri taluks.
(g) Available except in Channagiri taluk.
(h) Generally healthy.
(i) .....

9 Chitradurga District.—

(a) Slight rainfall in most of the taluks.
(b) Sowing of White Jola in Hosadurga, Chitradurga and Holalkere taluks was in progress.
(c) Standing crops were improving due to recent rains.
(d) Harvesting of Paddy and Jola in Harihar, Davangere, Hiriyur, Challakere and Chitradurga taluks was in progress.
(e) Held up due to non receipt of timely rains.
(f) Sufficient except in Harihar, Davangere and Holalkere taluks.
(g) Available except in Hiriyur, Hosadurga and Molakalmur taluks.
(h) Generally healthy.
(i) .....

10 Bellary District.—

(a) Slight rainfall in most of the taluks.
(b) Nil.
(c) Standing crops were fair due to timely rains.
(d) Harvesting of Jowar, Navane, Ragi and G. Nut in Kudligi taluks. Sugarcane and in Hospet and Mallapuram, taluks was in progress.
(e) Ryots were engaged in harvesting operations.
(f) Sufficient.
(g) Available.
(g) Generally healthy.
(i) .....

11 Bijapur District.—

(a) Light showers in Bagewadi and Muddebihal taluks,
(b) Nil,
(c) Crops were withering for want of rains in most of he taluks.
(d) Harvesting of Kharif Jower, Bajra and G. Nut was in progress in Badami, Muddebihal, Hungud and Bagewadi taluks.
(e) Progress was in 6 taluks.
(f) Sufficient.
(g) Available except Indi taluk.
(h) Generally healthy.
(i) ... ..

12 Belgaum District.—

(a) Light showers in Gokak, Hukkeri and Ramdurg taluks,
(b) Nil,
(c) Crops were affected due to non receipt of rains,
(d) Harvesting of Kharif crops was in progress in Hukkeri, Raibagh and Ramdurg taluks.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Gokak and Ramdurg taluks.
(g) Available except Gokak and Ramdurg taluks.
(h) Generally healthy.
(i) .....

13 Dharwar District.—

(a) Slight rainfal in Dharwar, Byadgi, Haveri, Hangal, Shiggaon, Hirikerur and Navalgund taluks.
(b) Nil,
(c) Rabi crops were withering for want of rains in most of the taluks.
(d) Harvesting of Kharif crops was in progress in all the taluks.
(f) Sufficient except in Shirahatti taluk.
(g) Available.
(h) Generally healthy
(i) .....

14 North Kanara District—

(a) Light showers in Siddapur, Mundgod and Haliyal taluks.
(b) Nil,
(c) Rabi crops were badly in need of urgent rains.
(d) Harvesting of paddy in Yellapur, Supa, Mundgod, Siddapur and Sirsi taluks was in progress.
(e) Progress was fair in 5 taluks.
(f) Sufficient,
(g) Available,
(h) Generally healthy.
(i) .....

15 Gulbarga District—

(a) No rainfall during the week,
(b) Nil,
(c) Rabi crops were badly in need of urgent rains.
(d) Harvesting of Kharif Jowar and G. Nut in Y Ir. Chittapur, Aland, Chincholi, Sedam and Shorapur talu
(e) Pregress was fair in 5 taluks.
(f) Sufficient.
(g) Available except in Sedam taluk.
(h) Generally healthy.
(i) .....

10 Raichur District—

(a) Slight rainfall in Gangawathi taluk.
(d) Nil.
(c) Rabi crops were badly in need of urgent rains.
(d) Harvesting of Kharif Jowar in Sindhanur and Kushtagi taluks was in progress.
(e) Progress was fair in Sindhanur, Gangawathi and Kushtagi taluks.
(f) Sufficient except in Deodurg taluks.
(g) Available except in Raichur and Deodurg taluks.
(h) Generally healthy.
(i) .....

17 Bidar District—

(a) No rainfall during the week.
(b) Nil.
(c) Rabi crops were withering for want of rain in most of the taluks.
(d) Harvesting of Kharif Jower, G. Nut and Sugarcane in Humnabad taluks was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.
(i) .....

18 South Kanara District—

(a) Slight rainfall in Karkal, Bantwal, Udipi and Puttur taluks.
(b) Nil.
(c) Generally fair.
(d) Harvesting of paddy was commenced in Udipi taluk.
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Bantwal, Puttur and Belthangadi taluks.
(g) Available except in Udipi and and Belthangadi taluks.
(h) Generally healthy.
(i) .....

19 Coorg District—

(a) Slight rainfall in Somwarpe and Virajpet taluks.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Cardamum and Coffee was in progress in Virajpet taluk
(e) Progress was fair in 2 taluk
(f) Sufficient.
(g) Available.
(h) Generally healthy.
(i).....

SYED MAHMOOD
For *Director of Statistics.*

OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE

## WHOLESALE PRICES.

Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending of 15th April 1964

Prices are in rupees per Quintal or 100 Kilograms unless otherwise stated. When there is no reference to any quality, *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. | Rs. P. Rs. P |
| I. Cereals.— | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | Per Quintal | 42·00—45 00 | 32·00—35 00 | 42·00 | 38·00—41·00 | 45·00 | 45·00 | 47·00 | ... | 47·00 | 42·00 |
| | (b) Medium ... | ... | 40·00—42·00 | 26 00—32·00 | 36·00 | 30.00—35·00 | 44·00 | 42·00 | 46·00 | ... | 42·00 | 38·00 |
| | (c) Coarse ... | ... | 39·00—40·00 | 22·00—25 00 | ... | 25 00—32·00 | 48·00 | 40·00 | | .. | ... | 35.00 |
| 2 Rice ... | (a) Fine ... | ... | 72.00—75.00 | 75·00—79·00 | 73·00—75·00 | 75·00—82·00 | 95·00 | 67.00—69·00 | 71 00—72·00 | 80·00 | 76·00 | 75 00 |
| | (b) Medium .. | ... | 68.00—70.00 | 64·00—68·00 | 67·00 | 70·00—75·00 | 90 00—92·00 | 66·00 | 70·00 | 73·00 | 68·00 | 73·00 |
| | (c) Coarse ... | ... | 63·00—66·00 | 55·00—63·00 | 65 00—65·00 | 62.00—68·00 | 85·00—86·00 | 63 00—64 00 | 66·00—67·00 | 68 00 | 62·00 | 71·00 |
| 3 Wheat ... | White ... | ... | .. | 42·00—45·00 | 42·00—52·00 | 45·00 | 40·00 | 42.00 | ... | 48·00 | 46·00 | 68 00 |
| Wheat Flour | " | ... | ... | 55·00—60·00 | .. | ... | 42·00 | 45·00 | 60·00 | 62 00 | 86·00 | ... |
| 4 Jowar ... | " .. | ... | 40·00—54·00 | 38·00—39·00 | 44.00—46·00 | 41·00—44·00 | 40·00 | 45 00—46·00 | 43 00 | 43 00 | 89·00 | 46·00 |
| 5 Bajra ... | — | ... | ... | . | 37·00—38 00 | ... | 40·00 | ... | ... | ... | ... | 35·00 |
| 6 Barley .. | — | ... | ... | ... | | ... | ... | 150·00—160·00 | ... | ... | ... | ... |
| 7 Maize ... | — | ... | | ... | .. | | ... | | ... | ... | .. | ... |
| 8 Ragi ... | — | ... | 38.00—40 00 | 39·00—40·00 | 38·00—39·00 | 35 00—40 00 | 37 00 | 39·00—43 00 | 38·00—42·00 | 38·00 | 38,00 | |
| 9 Other cereals— | | | | | | | | | | | | |
| (i) .....— ... | — | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... |
| 10 Subsidiary Food Crops.— | | | | | | | | | | | | |
| (i) Sweet potatoes | — | .. | ... | — | 30 00—40·00 | ... | ... | 35·00 | ... | 28·00 | 26,00 | 28 00 |
| (ii) Tapioca | ... | ... | | ... | | | ... | .. | .. | ... | 32,00 | ... |
| (iii) Papaya | .. | ... | 45·00—55·00 | ... | 25 00—50·00 | 35·00—46·00 | | .. | 50·00—60·00 | ... | 48.00 | ... |
| (iv) Ground-nut cake flour. | | ... | ... | ... | ... | ... | 43 00 | | ... | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | | |
| 1 Gram ... | | — | 68·00—65·00 | 50 00—55·00 | 75 00 | 60 00 - 65 00 | 70·00 | 70 00—72·00 | 65·00 | 58·00 | 57·00 | 70 00 |
| 2 Arhar (Tur.) ... | | ... | 68·00—72·00 | ... | 65·00 | 112·00—115 00 | ... | 65·00—70·00 | 120 00 | 52·00 | ... | 100.00 |
| 3 Mung ... | | ... | 65·00—80·00 | 70·00—75·00 | 66·00—67·00 | 75·00—80 00 | 75·00 | 80·00—90·00 | 78·00 | 54 00—56·00 | 63.00 | ... |
| 4 Urd ... | | ... | 75·00—80·00 | 75·00—80·00 | 50 00 | 90·00—95·00 | 75·00 | 80 00—90·00 | 85·00 | ... | 84·00 | ... |
| 5 Masur ... | | ... | ... | ... | . | ... | 70·00 | .. | 90·00 | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | |
| (i) Avare ... | | — | 62.00—72.00 | 55 00—60·00 | 65·00 | 85 00—97·00 | 70·00 | 70·00—80·00 | 72·00 | ... | ... | .. |
| (ii) Horsegram | | .. | 36 00—42·00 | 40·00—42·00 | 35·00 | 35·00—45·00 | 85·00 | 58 00—40 00 | 85·00 | 45 00 | 88·00 | 35 00 |
| (iii) Cowpea ... | | ... | 50.00—95.00 | 50·00—89·00 | 70·00 | ... | 65.00 | 85.00—90·00 | 66·00 | ... | 65·00 | 58 00 |
| III. Sugar and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a Sort I | — | 78·00 | 76.00—84·00 | 115 00 | 72.00—75·00 | 70·00 | 115.00 | 110·00 | 95·00 | 75·00 | 80·00 |
| | (b) Sort II | ... | 68·00 | 70.00—75 00 | 90 00 | 65·00—70·00 | 65·00 | 80.00 | 100·00 | 90 00 | 60·00 | 60 00 |
| 2 Sugar refined | D 24 | ... | 124·00—126·00 | 125.00 | ... | 121.00 | 123 00 | ... | 126·00 | 120·00 | 120·00 | 120·00 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled... | Per quintal | ... | 80·00—85·00 | ... | 75.00—80·00 | 72 00 | ... | ... | 65.00 | 70 00 | 74·00 |
| | (b) Machine shelled | ... | ... | 90·00—95·00 | ... | 115·00—125·00 | 100·00 | ... | | ... | 90·00 | 95·00 |
| Groundnut Oil | ... | ... | 196·00—200·00 | 200·00—210·00 | 180.00—210.00 | 196·00—200·00 | 210·00 | 200·00—210·00 | 205·00 | 240·00 | 188 00 | 195·00 |
| Groundnut Oil-cake. | ... | ... | ... | ... | 88.00 | ... | 41·00 | ... | 40·00 | ... | 42·00 | 88·00 |
| 2 Sesamum ... | (a) White ... | ... | ... | ... | ... | 125·00 | ... | ... | ... | ... | ... | ... |
| | (b) Black ... | ... | ... | ... | ... | | ... | 100·00 | 95·00 | ... | 93 00 | ... |
| Sesamum Oil... | ... | ... | ... | ... | ... | 275 00—030·00 | ... | ... | ... | ... | .. | ... |
| Sesamum Oil-cake. | ... | ... | ... | ... | ... | 25·00 | ... | ... | ... | ... | ... | .. |
| 3 Castor Seed ... | ... | ... | ... | ... | 58·00—60.00 | ... | ... | 70 00 | ... | | 60.00 | ... |
| Castor Oil ... | ... | ... | 180·00—200·00 | 200·00—225·00 | 170.00—190.00 | 180·00—200·00 | 160·00 | 190·00 | 150·00 | 174 00 | 150·00 | ... |
| Castor Oilcake | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape and Mustard. | (a) Black ... | ... | ... | ... | ... | ... | 120·00 | ... | ... | ... | ... | ... |
| | (b) Yellow | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard Oil-cake. | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Linseed Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Coconut ... | (a) Nuts ... | (Per (thousand) | 185·00—285·00 | 320·00—330·00 | 280·00 | 125·00—250·00 | 180·00—300.00 | 220.00—250·00 | 200·00—250·00 | 840·00 | 250·00 | 220·00 |
| | (b) Copra ... | quintal | 300·00—330·00 | 300·00—340·00 | 250·00 | ... | 250·00 | 280·00 | 300·00 | 300·00 | 260·00 | 245·00 |
| Coconut Oil... | ... | ... | 300·00—320·00 | 300.00—330.00 | 350·00 | 300.00—350·00 | 280·00 | 350·00—360.00 | 320·00 | 280·00 | 360·00 | 325·00 |
| Coconut Oil-cake. | ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... |
| 8 Other Oilseeds | (i) Nigerseed | ... | ... | ... | ... | ... | ... | 80·00 | | ... | ... | ... |
| | (ii) — | ... | ... | ... | .. | ... | ... | ... | | ... | ... | ... |
| 9 Vegetable Oil | (i) Vanaspathi | ... | ... | ... | 350·00 | 300·00 | 250.00 | ... | | 260 00 | 300 00 | 320·00 |
| 10 Other Oils ... | (ii) ... | ... | ... | ... | ... | ... | ... | ... | | ... | | ... |
| V. Fruits, Vegetables and Nuts.— | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | | Per gross | ... | ... | ... | ... | | ... | | ... | ... | ... |
| 2 Plantains ... | | Do | 6·00—12·00 | 8.00—8.00 | 6·00—7.00 | 8.00—10·00 | | 4·00—8·00 | 4·00—10·00 | 8·00 | 10·00 | 4 50 |
| 3 Oranges ... | | Do | ... | ... | 25·00—84.00 | ... | | 20·00—44·00 | 36·00 | 16 00 | 76 00 | ... |
| 4 Dates ... | | | ... | ... | 150·00—200.00 | | | ... | 820 00 | ... | ... | ... |
| 5 Cashew Kernals, etc. | | quintal | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | | 20.00—35.00 | 60·00—65·00 | 60.00—70·00 | 45·00—50 00 | 37.00 | 45·00 | 35 00 | 60·00 | 60·00 | 45 00 |
| 2 Onions ... | ... | | 22.00—28·00 | 80·00—88·00 | 25·00—35.00 | 25.00—30·00 | 27.00 | 35·00 | 23·00 | 27·00 | 30·00 | 26·00 |
| 3 ..... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 ..... | ... | | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iii) Nuts.— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | | ... | ... | ... | | | ... | ... | ... | | 760·00 |
| 2 Arecanuts ... | ... | | 600·00—650·00 | 600.00—620.00 | 650 00—600 00 | | | 750.00—820·00 | 745 00—750.00 | 450·00—560·00 | | |
| VI. Fibres.— | | | | | | | | | | | | 95 00 |
| 1 Cotton ... | (a) Kapas ... | | ... | ... | 110 00—118·00 | | | | - | | | ... |
| | (b) Lint | | | ... | | | | | | | | 86·00 |
| | (c) Seed ... | | 40·00—42.00 | | 42.00—44·00 | | | | 45·00 | | | |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Jute Loose ... | (a) White— | | | | | | | | | | | | | | | |
| | (i) Top ... | — | | | — | | | | | | | | | | | |
| | (ii) Middle ... | — | | | | | | | | | | | | | | |
| | (iii) Bottom ... | — | | | — | | | — | | | | | | | | |
| | (b) Tossa— | | | | | | | | | | | | | | | |
| | (i) Top ... | — | | | | | | | | | | | | | | |
| | (ii) Middle ... | — | | | — | | | | | | | | | | | |
| | (iii) Bottom ... | | | | | | | | | | | | | | | |
| Pucca Baled Jute. | (i) Lightings | Per bale | | | — | | | | | | | | | | | |
| | (ii) First Mills. | — | | | — | | | | | | | | | | | |
| | (iii) First Exports. | — | — | | | — | | — | | | | | | | | |
| 3 Sann Hemp — Mesta ... | — ... | ... | | | — | | | | | | | | | | | |
| | (i) Top ... | — | — | | | | | | | | | | | | | |
| | (ii) Middle ... | ... | .. | | | | | | | | | | | | | |
| | (iii) Bottom ... | — | — | | | | | | | | | | | | | |
| VII. Tobacco ... | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf ... | — | ... | | — | | | | | | | 500·00—700·00 | | 800·00 | ... | 240·00 |
| | (ii) Pulah ... | — | — | | — | | | — | | | | 500.00 | | ... | | ... |
| | (b) Virginia | | — | | — | | | | | | | 600.00 | | | | |
| | (i) Leaf ... | | ... | | — | | | | | | | | | | | |
| | (ii) Pulah ... | — | — | | — | | | | | | | | | | | |
| VIII. Livestock— | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I ... | Per head | 400·00—700·00 | | — | 500.00 | | 520·00 | | | 850·00—500.00 | | 150.00—280.00 | 400·00—550·00 | | 288.00 |
| | (b) ,, II ... | Do ... | 300·00—500·00 | | — | 300.00 | | 470·00 | | | 250·00—880·00 | | 120.00—185 00 | 820·00—400·00 | | 200·00 |
| (ii) Buffalo bulls. | (a) ,, I ... | Do ... | 260·00—310·00 | | — | 100.00—200.00 | | 850·00 | | | 30·00—40·00 | | ... | ... | | 90.00 |
| | (b) ,, II ... | Do ... | 150·00—240·00 | | — | 125.00—150.00 | | ... | | | 30.00—50 00 | | ... | ... | | 70 00 |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I ... | Do ... | 220·00—360·00 | | — | 150.00—200.00 | | 260 00 | | | 160·00—250·00 | 180.00 | 160.00—300·00 | 290·00—415·00 | | 95·00 |
| | (b) Class II ... | Do ... | 170·00—210·00 | | — | 100.00—150.00 | | 200·00 | | | 80·00—180·00 | 100.00 | 120.00—220,00 | 235·00—295·00 | | 70·00 |
| (ii) Buffaloes... | (a) Class I ... | Do ... | 270·00—320·00 | | — | 800.00 | | 250·00 | | | 170·00—300·00 | ... | 280.00—500.00 | 265·00—385·00 | | 130.00 |
| | (b) Class II ... | Do ... | 160·00—250·00 | | — | 150.00—200,00 | | 225·00 | | | 130·00—150·00 | .. | 220·00—350·00 | 160·00—270·00 | | 98.00 |
| 3 Sheep ... | ..... | Do ... | 85·00—80·00 | | — | 40·00—75.00 | | 80·00 | | | 28·00—80·00 | 35,00—40.00 | 49.00—75.00 | 42·00—57·00 | | 40.00 |
| IX. Livestock products.— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties). | (a) ..... | Per kg. | ... | | — | ... | | — | | | 2.20 | ... | ... | ... | | ... |
| | (b) ..... | Do | ... | | — | | | — | | | 1.50 | ... | | | | |
| 2 Hides.— | | | | | | | | | | | | | | | | |
| (i) Cowhides— Raw. | (a) ..... | Do ... | 3·00—4·50 | | — | ... | | — | | | 1·65 | ... | ... | ... | | 3·00 |
| | (b) ..... | Do ... | ... | | — | ... | | — | | | 1,50 | ... | ... | .. | | 2.50 |
| Tanned ... | (a) ..... | Do ... | ... | | — | ... | | — | | | 4 75 | 5·00 | ... | ... | | 4·00 |
| | (b) ..... | Do ... | ... | | — | ... | | — | | | 4·50 | 4·75 | ... | ... | | ... |
| (ii) Buffalo hides— Raw. | (a) ..... | Do ... | 4·00—5·50 | | — | ... | | — | | | 1.50—2·75 | ... | ... | ... | | 3 50 |
| | (b) ..... | Do ... | ... | | — | . | | — | | | 1 50 - 2 00 | ... | ... | ... | | 3.25 |
| Tanned ... | (a) ..... | Do ... | ... | | — | ... | | — | | | 4·50 | 5·25 | | ... | | 4·50 |
| | (b) ..... | Do ... | ... | | — | ... | | — | | | 4 25 | 5·00 | ... | ... | | ... |
| 3 Skins.— | | | | | | | | | | | | | | | | |
| Goatskins— Raw. | (a) ..... | Per each | 5·00—6.00 | | — | | | — | | 5·50 | 3.50—4·25 | | 4·00—4 50 | 5·50 | | 2·00 |
| | (b) ..... | Per kg. | ... | | — | — | | — | | 5·25 | 3·50—4.00 | .. | 3·00—4·00 | 5.00 | | ... |
| Tanned ... | (a) ..... | Do ... | ... | | — | — | | — | | ... | 8 50 | 22 00 | ... | ... | | 3·10 |
| | (b) ..... | Do ... | ... | | — | — | | — | | — | 7.75 | 15.00 | .. | ... | | ... |
| (ii) Sheepskins— Raw. | (a) ..... | Per each | 6·00—7 00 | | — | — | | — | | 5·00 | 3 60—4·00 | | 4 00—4·75 | 3·50 | | 3·25 |
| | (b) ..... | Per kg. | ... | | — | | | — | | 4·75 | 3·25—3·75 | ... | 3·00—3·75 | 3.25 | | ... |
| Tanned ... | (a) ..... | Do ... | ... | | — | — | | — | | | 12·50 | 20.00 | ... | | | 4.25 |
| | (b) ..... | Do ... | ... | | — | — | | — | | | 12.00 | 18.00 | ... | | | ... |
| Ghee — | (a) Agmark | Do ... | 7·50 | 7·00—8·00 | | — | | — | | | ... | 7·50 | 8·00 | | | ... |
| | (b) Ungraded | Do ... | 6·00 | 6·00—7·00 | | — | | — | | | ... | 7.75 | ... | | | 6·50 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. |
| X Fodder.— | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat ... | Quintal | ... – | ... | ... | ... | ... | 26·00—28.00 | ... | ... | ... | 32.00 |
| | (b) Paddy ... | Cart load | ... – | ... | ... | ... | ... | 16,00—18,00 | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi ... | ... | ... – | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) ..... | ... | ... | | - | | ... | | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola ... | ... | ... – | ... | ... | ... | ... | ... | ... | ... | ... | 25·00 |
| | (b) ..... | | ... ... | ... | ... | ... | ... | ... | ... | 89·00 | .. | |
| XI Condiments and Spices.— | | | | | | | | | | | | |
| 1 Turmeric ... | ..... | Per quintal | 120·00—140·0 | 180·00—185 00 | 175 00—250·00 | 160.00—180.00 | 160·00 | 180·00 | 180·00 | 166·00—170·00 | 180.00 | 170·00 |
| 2 Tamarind ... | ..... | ... | 40·00—100·00 | 90·00—91·00 | 50·00—75·00 | 50.00—50.00 | 70 00 | 80·00 | 80·00 | 83.00—95·00 | 123·00 | 68.00 |
| 3 Dry Chillies ... | ..... | ... | 200·00—800 00 | 252·00—272·00 | 250·00 | 250·00—300·00 | 240·00 | 250·00—290·00 | 250·00 | 160 00—300·00 | 280·00 | 280·00 |
| 4 Garlic ... | ..... | | 60·00—70.00 | 55·00—62·00 | 100.00—160 00 | ... | 85·00 | 80.00—100·00 | 70·00 | 146·00—148·00 | 80 00 | 85·00 |
| 5 Pepper ... | ..... | .. | 330·00—350,00 | ... | 46·00 | 300·00—400·00 | 360 00 | 350 00—400·00 | 450·00 | 350·00—460·00 | 300·00 | |
| 6 Cardamom ... | ..... | ... | 1,600·00—2,000·00 | ... | 1600·00 2000·00 | 1,200·00—1,500 | 1900 00 | 1,600 00—1,700·00 | 2,200·00 | .. | 1,500 | |
| XII. Miscellaneous— | | | | | | | | | | | | |
| 1 Timber ... | ..... | Per C.F. | – | | – | ... | – | ... | ... | ... | .. | ... |
| 2 Sticklac ... | ... | ... | ... | ... | ... | ... | ... | | . | ... | .. | .. |
| 3 Seedlac ... | ..... | – | – | – | ... | ... | – | – | ... | ... | ... | ... |
| 4 Shellac ... | ..... | ... | ... | – | ... | | – | | .. | ... | ... | |
| 5 Rubber ... | Raw ... | ... | – | ... | | ... | ... | ... | – | ... | ... | ... |
| 6 Myrobalan | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Jute manufactures. | (a) Hessian 40", 10 oz. | Per 100 yds. | – | ... | ... | – | | ... | ... | ... | ... | |
| | (b) Sacking B. Twills. | Per 100 bags. | | ... | – | – | – | ... | ... | ... | ... | ... |
| 8 ..... | ..... | ... | | ... | ... | – | ... | ... | ... | ... | ... | ... |
| 9 ..... | ..... | ... | ... | | | ... | ... | ... | ... | ... | ... | ... |

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| I. Cereals.— | | | | | | | | | | | |
| 1 Paddy | (a) Fine | | 42·00 | 47·00—50·00 | 47·00—48·00 | 47.00 | ... | ... | 44 00 | . | ... |
| | (b) Medium | | 38·00 | 45·00—46 00 | ... | 43·00 | ... | 44·00 | 40·00 | 46 00 | .. |
| | (c) Coarse | | 35·00 | 43·00—44 00 | ... | ... | .. | 40·00 | .. | ... | 43 00 |
| 2 Rice | (a) Fine | | 72·00 | 75 00—80·00 | 95·00—96·00 | 76·00 | 71·00 | 88·00 | 72 00 | 76.00 | 82·00 |
| | (b) Medium | | 9·00 | 70·00—74·00 | 78·00—77·00 | 68·00 | 67·00 | ... | 66·00 | 72·00 | .. |
| | (c) Coarse | | 65 00 | 67·00—69·00 | 73·00 | | 60·00 | 65.00 | ... | 69 00 | 65·00 |
| 3 Wheat | White | | 65·00 | 70·00—73·00 | 68·00—69·00 | 64 00 | 56·00 | 70·00 | 65·00 | 50 00 | 49·00 |
| Wheat Floor | White | | 70·00 | 58·00—62·00 | 58·00 | ... | ... | ... | | 48·00 | 87·00 |
| 4 Jowar | White | | 50·00 | 48·00—53 00 | 47·00—49 00 | 51.00 | 52·00 | 46 00 | 49·00 | ... | . |
| Bajra | ... | | - | 39 00—40·00 | 40·00 | ... | . | 42·00 | 38·00 | ... | ... |
| Barley | ... | | ... | | ... | ... | ... | ... | ... | ... | ... |
| Maize | ... | | . | | 37·00 | ... | ... | ... | ... | ... | .. |
| Ragi | ... | | 45·00 | 42·00—43.00 | ... | ... | .. | | ... | 44·00 | 45 00 |
| Other cereals— | | | | | | | | | | | |
| (i) ..... | ... | | ... | .. | ... | .. | .. | ... | ... | | |
| (ii) ..... | ... | | ... | ... | ... | ... | | | . | ... | ... |
| 10 Subsidiary Food Crops— | | | | | | | | | | | |
| (i) Sweet Potatoes | ... | | 18·00 | ... | .. | .. | 40·00 | | 21·00 | ... | ... |
| (ii) Tapioca ... | ... | | ... | — | ... | ... | | | ... | ... | |
| iii) Papaya ... | ... | | ... | | ... | ... | 30·.0 | | ... | | ... |
| (iv) Groundnut cake flour | | | ... | 26·00—28·00 | ... | ... | 41·00 | | ... | ... | ... |
| II. Pulses (Whole pulses).— | | | | | | | | | | | |
| 1 Gram | ... | | 72·00 | 59·00—63·00 | 53.00—55·00 | 64·00 | 56 00 | 60·00 | 61·00 | 68 00 | 83·00 |
| 2 Arhar (Tur) | ... | | 62·00 | 56·00—60·00 | 62·00—68·00 | 56·00 | 69·00 | 72·00 | 62 00 | 83·00 | 116·00 |
| 3 Mung | ... | | 78·00 | ... | 60·00—65·00 | 70·00 | .. | 64·00 | 63·00 | 84 00 | 80·00 |
| 4 Urd | ... | | 70 00 | | 42·00—44·00 | 85·00 | 56·00 | 60·00 | ... | 71·00 | 96·00 |
| 5 Masur | ... | | ... | ... | ... | ... | 63.00 | 80·00 | ... | .. | ... |
| 6 Other pulses | | | | | | | | | | | |
| (i) Avare | ... | | ... | 41·00—42 00 | 40·00—42·00 | .. | .. | | ... | 85 00 | .. |
| (ii) Horsegram | ... | | 40·00 | | 39·00—41·00 | ... | ... | | | 41 00 | 44·00 |
| (iii) Cowpea | ... | | ... | ... | | | ... | | ... | ... | .. |
| III. Sugar and Gur | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 100 00 | 80·00—85·00 | 84 00—93·00 | | 68·00 | | 70·00 | 110.00 | 80 00 |
| | (b) Sort II | | 90·00 | 60·00—75.00 | 70·00—78·00 | | 61·00 | | 60·00 | 80·00 | ... |
| 2 Sugar Refined | D. 24 | | ... | ... | 118 00 | .. | ... | | 121·00 | 180·00 | 124·00 |
| IV. Oilseeds, Oils and Oilcake.— | | | | | | | | | | | |
| 1 Groundnut | (a) Unshelled | | 75 00 | 72·00—74·00 | 78.00—79·00 | ... | 78·00 | 76 00 | 75.00 | 80·00 | |
| | (b) Machine shelled. | | 120·00 | 100·00—101·00 | 190·00—195.00 | ... | ... | 100·00 | | 102 00 | ... |
| Groundnut Oil | ... | | 215 00 | 195·00—220·00 | ... | 200.00 | 205 00 | 190·00 | 200.00 | 312·00 | 212.00 |
| Groundnut Oil-cake. | | | 50 00 | — | 89 00—40·00 | — | 40 00 | 55·00 | 41.00 | 40 00 | 46.00 |
| | | | | | 125·00 | | | | | | |
| 2 Sesamum | (a) White | | 180·00 | ... | ... | ... | ... | 122 00 | ... | . | ... |
| | (b) Black | | 120·00 | ... | 115.00 | ... | ... | | ... | 115·00 | ... |
| Sesamum Oil | ... | | 385·00 | — | .. | ... | ... | ... | | 380·00 | ... |
| Sesamum Oil-cake. | ... | | ... | ... | ... | ... | ... | ... | ... | 74·00 | ... |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. | Rs. P. Rs. P. | Rs. P. |
| 3 | Castor seed | — | — | ... | — | 62·00—63 00 | 58·00 | ... | 58·00 | ... | ... | — |
| | Castor Oil ... | ... | ... | ... | ... | — | ... | 144 09 | ... | ... | ... | 285·00 |
| | Castor Oilcake | ... | ... | — | | — | ... | ... | ... | ... | ... | ... |
| 4 | Rape and Mustard. | (a) Black ... | — | 117·00 | ... | | ... | ... | ... | ... | 130·00 | 125·20 |
| | | (b) Yellow ... | | 110·00 | ... | | ... | ... | ... | ... | ... | ... |
| | Mustard Oil ... | ... | — | ... | ... | | ... | | ... | ... | ... | — |
| | Mustard Oil-cake. | ... | — | ... | ... | ... | ... | | ... | ... | ... | ... |
| 5 | Linseed ... | (a) Brown bold | ... | ... | | — | ... | ... | — | ... | ... | ... |
| | | (b) Brown small | .. | — | — | 70·.0 | ... | 74·00 | 74 00 | ... | ... | ... |
| | Linseed Oil ... | | — | ... | | ... | ... | ... | ... | ... | ... | ... |
| | Linseed Oil-cake | ... | — | ... | ... | ... | ... | ... | ... | ... | ... | |
| 6 | Toria ... | — | ... | ... | - | 265·00 | ... | ... | ... | . | ... | ... |
| 7 | Cocoanut ... | (a) Nuts ... | (Per | 285·00 | 230 00—250.00 | 265·00 | 250·00 | 230·00 | 250 00 | 220·00 | 340·00 | 310·00 |
| | | (b) Copra ... | thousand) | 295·00 | 210·00—215·00 | 325 00 | ... | 260 00 | 320·00 | 215 00 | 180·00 | ... |
| | Cocoanut Oil ... | — | per Quintal | 327·00 | 285·00—300.00 | 350 00 | 350·00 | — | 303·00 | 425.00 | 275·60 | 300·00 |
| | Cocoanut Oil-cake | ... | — | - | — | | ... | | ... | .. | 52·00 | 66.00 |
| 8 | Other Oil seeds | (i) Nigerseed... | — | 80·00 | .. | | 66·00 | ... | 75·00 | ... | ... | ... |
| | | (ii) Nigar Oil ... | ... | - | — | | ... | ... | .. | ... | | ... |
| 9 | Vegetable Oil | (i) Vanaspathi | — | 320·00 | ... | | ... | ... | ... | ... | 322·00—330·00 | ... |
| | | (ii) Refined oil | - | ... | ... | | ... | ... | ... | ... | ... | ... |
| | | iii) Safflower Oil | ... | - | — | | ... | ... | ... | | | ... |
| 10 | Other Oils | | | | | | | | | | | |
| V. | Fruits, Vegetables and Nuts.— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | — | Per gross | - | ... | ... | — | ... | ... | ... | ... | ... |
| 2 | Plantains ... | ... | Do ... | 7·00 | 4·00—6.00 | 7·00 | 4·0) | 5·00 | ... | 4·00 | 2 00—3·50 | 66·00—7·00 |
| 3 | Oranges | | Do ... | | ... | ... | — | 22·00 | | .. | ... | - |
| 4 | Dates ... | — | | ... | ... | ... | — | 260·00 | 240·00 | 120·00 | .. | ... |
| 5 | Cashew kernels, etc. | ... | | 625·00 | ... | — | — | ... | — | ... | 500·00—675·00 | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | per quintal | — | 60·00 | 30·00—40·00 | 55·00—60.00 | | | | | 45·00 | 45.00 |
| 2 | Onions ... | | | 28.00 | 19·00—28·00 | 22·00—28·00 | | | | | 20·00 | 30 00 |
| 3 | Beans ... | | ... | .. | ... | ... | | — | | ... | ... | — |
| 4 | Tomatoes ... | .. | ... | - | ... | ... | | — | | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | — | - | ... | - | | ... | | ... | 575·00—674·00 | ... |
| 2 | Arecanuts ... | ... | ... | 326·00 | ... | 455 00—460 00 | | 650·00 | | ... | ... | 700.00 |
| VI | Fibres.— | | | | | | | | | | | |
| 1 | Cotton ... | (a) Kapas ... | — | — | ... | 103·00—106·00 | | ... | | 1 0.00 | ... | ... |
| | | (b) Lint ... | — | — | ... | ... | | ... | | ... | ... | ... |
| | | (c) Seed ... | — | 46.00 | ... | 87·00—88·00 | | ... | | 87.00 | ... | ... |
| 2 | Jute :—Loose | (a) White - | | | | | | | | | | |
| | | (i) Top ... | — | ... | ... | ... | | ... | | ... | ... | ... |
| | | (ii) Middle ... | ... | — | — | ... | | ... | | ... | ... | ... |
| | | (iii) Bottom ... | ... | — | — | ... | | ... | | ... | ... | ... |
| | | (b) Tossa— | | | | | | | | | | |
| | | (i) Top | ... | ... | ... | | | ... | | ... | ... | ... |
| | Pucca baled Jute | (ii) Middle ... | .. | — | ... | | | ... | | ... | ... | ... |
| | | (iii) Bottom ... | — | — | ... | .. | | ... | | ... | ... | ... |
| | | (i) Lightings... | Per bale | — | ... | | | ... | | | ... | ... |
| | | (ii) First Mills | — | — | | ... | | — | | ... | ... | ... |
| | | (iii) First Exports | ... | | | | | .. | | ... | ... | ... |
| | | | ... | — | | ... | | ... | | ... | - | ... |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meats | (i) Top | | | | | | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | | | | | | |
| | (i) Leaf | | | 480.00 | | | | | | | | | | | | | | | |
| | (ii) Pulab | | | | | | | | | | | | | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | | | | | | | |
| | (i) Leaf | | | 510.00 | | | | | | | | | | | | | | | |
| | (ii) Pulab | | | | | | | | | | | | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | | Per head | 890·00 | 800·00—400·00 | 475.00—750·00 | | | | | | | | | | | | | |
| | (b) Class II | | Do | 850·00 | 100·00—250·00 | 200.00—400.00 | | | | | | | | | | | | | |
| (ii) Buffalo bulls | (a) Class I | | Do | 200·00 | 100·00—150 00 | 800·00 | | | | | | | | | | | | | |
| | (b) Class II | | Do | | 200·00—800·00 | 100·00—150·00 | | | | | | | | | | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | | | | |
| (i) Cows | (a) Class | | Do | 185.00 | 200·00—250.00 | 150.00—200.00 | | | | | | | | | | | | | |
| | (b) Class | | Do | 170·00 | 175·00—225·00 | 200.00—250.00 | | | | | | | | | | | | | |
| (ii) Buffaloes | (a) Class I | | Do | 850.00 | 250.00—850 00 | 200·00—275·00 | | | | | | | | | | | | | |
| | (b) Class II | | Do | 260·00 | 225·00—800·00 | 100.00—150·00 | | | | | | | | | | | | | |
| 3 Sheep | | | Do | 89·00 | | 95·00—97·00 | | | | | | | | | | | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | | Per kg. | | | | | | | | | | | | | | | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | | Do | | | | | | 1·15 | | | | | | | | | | |
| | (b) | | Do | | | | | | 0·75 | | | | | | | | | | |
| Tanned | (a) | | Do | | | | | | 4·50 | | | | | | | | | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) | | Do | | | | | | 4·44 | | | | | | | | | | |
| | (b) | | Do | | | | | | 1·00 | | 6·50 | | | | | | | | |
| Tanned | (a) | | per each | | | | | | 0 80 | | | | | | | | | | |
| | (b) | | per k.g. | | | | | | 4·75 | | | | | | | | | | |
| 3 Skins— | | | | | | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) | | Do | | | | | | 4·40 | | | | | | | | | | |
| | (b) | | Do | | | | | | 3·25 | | 6·50 | | | | | | | | |
| Tanned | (a) | | Do | | 6·00 | | | | | | | | | | | | | | |
| | (b) | | Do | | 5.00 | | | | | | | | | | | | | | |
| (ii) Sheepskins— Raw. | (a) | | per each | | | 4·50 | | | | | | | | | | | | | |
| | (b) | | Do | | | | | | 4 00 | | | | | | | | | | |
| Tanned | (a) | | Do | | 6.00 | | | | | | | | | | | | | | |
| | (b) | | Do | | 4.75 | | | | | | | | | | | | | | |
| 4 Ghee | (a) Agmark | | Do | | 5.75 | | | | | | | | | | | | | | |
| | (b) Ungraded | | Do | | 4·87 | 7·50 | | | | | 6·75 | | | | | | | | |
| X. Fodder.— | | | | | | | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | | Per quintal | | | | | | | | | | | | | | | | |
| | (b) Paddy | | Per cart-load | | | | | | | | | | | | | | | | |
| 2 Straw | (a) Ragi | | Do | | | | | | | | | | | | | | | | |
| | (b) | | | | | | | | | | | | | | | | | | |
| 3 Stalks | (a) Jola | | Per quintal | | | | | | 85·00 | | | | | | | | | | |
| | (b) | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 Meats | (i) Top | | | | | | | | | | | | | | | | | | |
| | (ii) Middle | | | | | | | | | | | | | | | | | | |
| | (iii) Bottom | | | | | | | | | | | | | | | | | | |
| VII. Tobacco | (a) Country— | | | | | | | | | | | | | | | | | | |
| | (i) Leaf | | | | | | | | 500.00 | | | | | | | | 600.00 | | 600 |
| | (ii) Pulab | | | | | | | | 400.00 | | | | | | | | | | |
| | (b) Virginia— | | | | | | | | | | | | | | | | | | |
| | (i) Leaf | | | | | | | | | | | | | | | | 810.00 | | |
| | (ii) Pulab | | | | | | | | | | | | | | | | | | |
| VIII. Livestock.— | | | | | | | | | | | | | | | | | | | |
| 1 Work cattle— | | | | | | | | | | | | | | | | | | | |
| (i) Work bullocks. | (a) Class I | | Per head | | | | | | 500·00 | | 200.00 | | 845·00 | 250,00—800.00 | | | | | |
| | (b) Class II | | Do | | | | | | 400·00 | | 150.00 | | 295 00 | 175.00—200.00 | | | | | |
| (ii) Buffalo bulls | (a) Class I | | Do | | | | | | | | 175.00 | | 450·00 | 120.00—150.00 | | | | | |
| | (b) Class II | | Do | | | | | | 200·00 | | 85·00 | | 865·00 | 80.00—100·00 | | | | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | | | | |
| (i) Cows | (a) Class | | Do | | | | | | 180·00 | | 100·00 | | 185·00 | 200.00—310.00 | | | | | |
| | (b) Class | | Do | | | | | | 40.00 | | 75·00 | | 145·00 | 150.00—200.00 | | | | | |
| (ii) Buffaloes | (a) Class I | | Do | | | | | | 800·00 | | 175·00 | | 450·00 | 250 00—350.00 | | | | | |
| | (b) Class II | | Do | | | | | | 150·00 | | 100 00 | | 275·00 | 200 00—300.00 | | | | | |
| 3 Sheep | | | Do | | | | | | 80·00 | | 85·00 | | | 40.00—70.00 | | | | | |
| IX. Livestock products.— | | | | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) | | Per kg. | | | | | | | | | | | | | | | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | | | | | | | |
| (i) Cow hides— Raw. | (a) | | Do | | | | | | | | | | | | | | 2.75 | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| Tanned | (a) | | Do | | | | | | | | 5 00 | | | | | | 4.86 | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| (ii) Buffalo hides— Raw. | (a) | | Do | | | | | | | | | | | | | | | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| Tanned | (a) | | per each | | | | | | | | 5 00 | | | | | | 6.00 | | |
| | (b) | | per k.g. | | | | | | | | | | | | | | | | |
| 3 Skins— | | | | | | | | | | | | | | | | | | | |
| (i) Goatskins— Raw. | (a) | | Do | | | | | | | | 4·00 | | | | | | | | 8·50 |
| | (b) | | Do | | | | | | | | 8.75 | | | | | | | | |
| Tanned | (a) | | Do | | | | | | | | 10.00 | | | | | | | | |
| | (b) | | Do | | | | | | | | | | | | | | 6 00 | | 8 80 |
| (ii) Sheepskins— Raw. | (a) | | per each | | | | | | | | 3.50 | | | | | | | | |
| | (b) | | Do | | | | | | | | 5·00 | | | | | | | | |
| Tanned | (a) | | Do | | | | | | | | 10.00 | | | | | | | | |
| | (b) | | Do | | | | | | | | | | | | | | | | |
| 4 Ghee | (a) Agmark | | Do | | | | | | | | | | | | | | 7.00—7.50 | | |
| | (b) Ungraded | | Do | | | | | | | | | | | | | | 6.00—6.50 | | |
| X. Fodder.— | | | | | | | | | | | | | | | | | | | |
| 1 Bran | (a) Wheat | | Per quintal | | | | | | | | | | | 15.00 | | | 16.00 | | |
| | (b) Paddy | | Per cart-load | | | | | | | | | | 8.00 | | | | 9.00 | | 10·00 |
| 2 Straw | (a) Ragi | | Do | | | | | | | | | | | | | | 28.00 | | |
| | (b) | | | | | | | | | | | | | | | | | | |
| 3 Stalks | (a) Jola | | Per quintal | | | | | | | | | | | 18.00 | | | | | |
| | (b) | | | | | | | | | | | | | | | | | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| XI | Condiments and Spices.— | | | | | | | | | | | |
| 1 | Turmeric ... | | ... | 180 00 | 150.00—200.00 | 175.00 | 200·00 | 111.00 | 85.00 | ... | 150.00 | 220 00 |
| 2 | Tamarind ... | | ... | 75·00 | 80·00—85 00 | 63·00—62.00 | 70 00 | 71 00 | 70,00 | | 70.00 | 100·00 |
| 3 | Dry Chillies ... | | ... | 105·00 | 180·00—220 00 | 180·00—225.00 | 275·00 | 220·00 | 230 00 | ... | 200—270 | 325·00 |
| 4 | Garlic ... | | ... | 260·00 | 86·00—64·00 | 65.00—68·00 | ... | 60·00 | 45·00 | ... | 70 00—80.00 | 70·00 |
| 5 | Pepper ... | | ... | 366·00 | ... | ... | | 860·00 | 875·00 | ... | 360·00—360·00 | 350·00 |
| 6 | Cardamom ... | | ... | 1072·00 | ... | | ... | 2000·00 | 1,000,00 | ... | 1860 00 | 1,020·00 |
| XII | Miscellaneous— | | | | | | | | | | | |
| 1 | Timber ... | ... | Per C.F | ... | ... | ... | ... | ... | ... | .. | | |
| 2 | Sticklac ... | .. | ... | ... | ... | ... | | ... | ... | ... | ... | |
| 3 | Seedlac ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4 | Shellac ... | ... | ... | ... | ... | ... | - | | ... | | ... | |
| 5 | Rubber ... | Raw ... | ... | ... | ... | - | ... | .. | ... | ... | ... | ... |
| 6 | Myrobalan ... | ... | ... | ... | ... | ... | ... | .. | | ... | .. | .. |
| 7 | Jute manufactures | (a) Hessian 40", 10 oz. | Per 100 yds. | ... | ... | ... | .. | .. | ... | ... | ... | ... |
| | | (b) Sacking B. Twills. | Per 100 bags. | ... | - | - | ... | ... | ... | | ... | |
| 8 | ..... | ... | | ... | ... | ... | ... | ... | ... | | ... | ... |
| | ..... ... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | |

## RETAIL PRICES.

Fortnightly return of retail prices prevailing in important markets on the last day of the fortnight ending 15th April 1964.

Prices in Kilograms and Grams per rupee unless otherwise stated. When quality is not specified *fair average quality* is implied.

| Commodities | Variety/Quality | Unit | Centres | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Bangalore | Chikmagalur | Chitradurga | Hassan | Kolar | Mandya | Mysore | Shimoga | Tumkur | Bellary |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. | kg. gr | kg. gr. |
| I Cereals— | | | | | | | | | | | | |
| Ragi | Coarse ... | | 2·8 | 4 | ... | 3·1 | 2.2 | 2·8 | ... | ... | 1·8 | 2·7 |
| 2 Rice | Do ... | ... | 1·4 | 1 75 | 1·4 | 1·7 | 1,8 | 1·5 | 1.5 | 1·2 | 1·5 | 1·2 |
| 3 Wheat | White ... | ... | 19 | 2 | 2·6 | 2·2 | 2,5 | 2.2 | 2·2 | 2 | 2·3 | 1 7 |
| 4 Wheat flour | Do ... | ... | ... | 1·75 | 1·8 | 1·9 | 2.8 | 2 2 | 1·7 | 1.8 | 2 5 | 1 9 |
| 5 Jowar | Do ... | ... | 2·8 | 2 5 | 2·2 | 2·4 | 2 5 | 2.1 | 2 8 | 2 8 | 2·5 | ·2 |
| 6 Bajra | ... | ... | 2·5 | ... | 2·7 | ... | 2,5 | .. | ... | ... | ... | 2·8 |
| 7 Barley | ... | ... | ... | ... | ... | ... | ... | ·7 | ... | ... | ... | ·9 |
| 8 Maize | ... | ... | ... | .. | .. | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi | ... | ... | 2·6 | 2·5 | 2·7 | 2·4 | 2,5 | 2·4 | ... | 2 5 | 2·5 | 2·5 |
| 10 Other cereals... | ... | ... | ... | - | | ... | ... | ... | ... | ... | ... | ... |
| (i) ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ..... | ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| 11 Subsidiary Food Crops— | | | | | | | | | | | | |
| (i) Sweet potatoes. | - | - | ... | ... | | ... | ... | 2 8 | ... | 2·4 | 3·7 | 3 |
| (ii) Tapioca ... | | ... | ... | ... | ... | .. | ... | ... | ... | ... | 2 9 | ... |
| (iii) Kapasa ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| II Pulses— | | | | | | | | | | | | |
| 1 Gram ... | (a) Whole ... | ... | 1·4 | 1.75 | 1·8 | 1·7 | 1.3 | 1·3 | 1·5 | 1·4 | 1·9 | ... |
| | (b) Split (without skin). | ... | 1·8 | 1·25 | ... | 1 2 | ... | 1·1 | 1·3 | 1·2 | 1·4 | 1·3 |
| | (c) Flour ... | ... | 1·2 | 1·1 | ... | — | ... | 1·1 | .. | 1·4 | ... | 1·2 |
| 8 Arhar (Tur) ... | (a) Whole ... | ... | 1·4 | ... | 1.1 | ... | ... | 1 3 | .. | ... | ... | ... |
| | (b) Split (without skin). | ... | ·9 | ·9 | ... | ·9 | ... | ·9 | ·8 | 1 | ·9 | ·9 |
| 3 Moong | (a) Whole ... | ... | 1·2 | 1·2 | 1·5 | 1.2 | 1.2 | 1·1 | 1,3 | ... | 1·5 | 1·5 |
| | (b) Split (without skin). | ... | ·8 | ·8 | ... | .7 | ... | ·9 | 9 | ... | 1·2 | ... |
| 4 Urd ... | (a) Whole ... | ... | 1·2 | 1 25 | ... | 1.1 | ... | 1·2 | 1·2 | 1·2 | 1·2 | ... |
| | (b) Split (without skin). | ... | ·3 | ·7 | .. | 9 | ... | ·9 | ·9 | .9 | ·9 | ·8 |
| Kulthi | (a) Whole ... | ... | ... | ... | ... | | ... | — | ... | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | | | | ... | ... | 1.1 | | ... | ... |
| 6 Other pulses. | | | | | | | | | | | | |
| (i) Avare | (a) Whole ... | ... | 1·7 | 1.5 | 1·4 | | 1.4 | 1·3 | 1·4 | ... | ... | ... |
| | (b) Split (without skin). | ... | ... | 1 | — | | ... | 1.1 | ... | ... | 1·1 | ... |
| (ii) Horsegram | — | ... | 2·8 | 2.5 | 2 8 | | 2.7 | 2·4 | 2.9 | 2·5 | 2 9 | 2·8 |
| (iii) Cowpea | ... | ... | 1·2 | 1·75 | 1.3 | | 1.4 | 1·1 | 1·5 | ... | 1. | 1·6 |
| III. Gur and Gur— | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | ... | 1,1 | 1·25 | ·800 | | 1,2 | 883 | ·909 | ·800 | 1·2 | 1.1 |
| 2 Sugar refined | (b) Sort II ... | ... | 1·2 | 1·5 | 1 | | 1.3 | 1·2 | ·953 | 1 | 1·5 | 1 4 |
| | D. ... | ... | ... | ... | | | .800 | ... | ·800 | ·700 | ·750 | ·825 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV Oils.— | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. kg. gr. | kg. gr. |
| 1 Groundnut Oil | ... | P r kg | ·552 | ·450 | ·555 | ·500 | ·500 | ·484 | ·476 | ... | ·550 | 5 00 |
| 2 Sesamum oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2·60 |
| 3 Castor oil ... | ... | ... | ·500 | ·300 | ·526 | ·500 | ·800 | ·500 | ·686 | ·500 | ·400 | ... |
| 4 Mustard oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5 Linseed oil ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 6 Cocoanut oil ... | ... | ... | ·.79 | ·880 | ·285 | ·380 | ... | ... | 0 288 | 3·00 | ·265 | 2·70 |
| Vanaspati ... | ... | ... | ... | | ·285 | ·80 | ... | ·200 | | ·350 | ·250 | 2 75 |
| 8 Other oils— | | | | | | | ... | | | | | |
| (i) Refined oil | ... | ... | ... | ... | ... | | ... | ... | ... | ·400 | ... | |
| (ii) ..... ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | |
| V Fruits, Vegetables and Nuts— | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | |
| 1 Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | | ... | | | | |
| 2 Plantains ... | ... | Do | 58 62 | 25 75 | 56 00—81·00 | 1·00—1·50 | | 31·00—75 00 | ·60—1.05 | 80 60 | | 58·00 |
| 3 Oranges ... | ... | Do | ... | ... | 1·80—2·00 | ... | | 2 00—4·50 | 3—8.50 | 2 60 | | 3 00 |
| 4 Dates ... | ... | ... | ... | ... | ·500 | | | | ·807 | ... | | |
| 5 Cashew kernels | ... | ... | ... | ... | ... | ... | | ... | ... | ... | | |
| 6 ..... | ... | ... | ... | ... | ... | ... | | | | ... | | |
| (ii) Vegetables— | | | | | | | | | | | | |
| 1 Potatoes ... | ... | ... | | | 2 00 | | | | 2·5 | | | 1 6 |
| 2 Onions ... | ... | ... | | | 2 00 | | | | 4·0 | | | 2.8 |
| 3 ..... | ... | ... | ... | ... | ... | | ... | | ... | | | |
| (iii) Nuts— | | | | | | | | | | | | |
| 1 Cashewnuts ... | ... | ... | ... | ... | ... | | | ... | ·167 | | | ·160 |
| 2 Arecanuts ... | ... | ... | ... | ·125 | 1·25 | | | 0.125 | ·139 | | | ... |
| VI. Tobacco ... | Leaf ... | Per kg. ... | ... | ... | ... | | | ... | 5.00 | | | 3.00 |
| VII. Live-stock products— | | | | | | | | | | | | |
| 1 Milk ... | ... | Per Litre | 0 80—1.15 | 1·00 | 0·50 | 0·75 | 0·62 | 0 70 | 0.75 | 0·80 | | 0·82 |
| 2 Ghee ... | (a) Agmark ... | ... | ... | ·180 | ... | ... | ... | ... | ·119 | ... | | |
| | (b) Ungraded ... | ... | ... | ·160 | ... | ... | ... | ... | ... | ... | | ·160 |
| 3 | (i) A Grade | Per Dozen | 9·65 | 8·00 | 2·50 | 3·50 | 2.25 | 2·50 | 2·25 | 3 70 | | 3·40 |
| | (ii) B Grade | Do | 8·00 | 2·50 | 1.75 | 3·25 | 2·00 | 1·50 | 2·00 | 2·50 | | 2·16 |
| | (iii) C Grade | Do | 2·65 | 2·00 | 1 00 | 3.00 | 1 88 | 1 60 | 1·88 | 2·25 | | 2 00 |
| 4 Mutton ... | ... | ... | ·285 | 3·50 | ·333 | ·2.5 | ·295 | ·250 | ·250 | ·330 | | ·300 |
| 5 Beef ... | ... | ... | 400 | ... | ... | | ... | | | ... | | ·550 |
| VIII. Condiments and spices— | | | | | | | | | | | | |
| 1 Turmeric ... | ... | ... | ·8 | 8 00 | 5·00 | 5·00 | ... | 0·5 | 0.5 | ·4 | 0 3 | ·5 |
| 2 Tamarind ... | ... | ... | 1·00 | 1·00 | 1·03 | 1·02 | | 1 5 | 0·01 | 1·5 | 0 8 | 1 01 |
| 3 Dry chillies ... | ... | ... | ·285 | ... | ·400 | ·833 | | ·333 | 4·00 | ... | ·400 | ·480 |
| 4 Garlic ... | ... | ... | 1 00 | 1·2 | 1·00 | ... | | 0 09 | 1 00 | 9 | 1 00 | 1·07 |
| 5 Pepper ... | ... | ... | ·286 | ... | ·167 | ·250 | | ·375 | 2 10 | 300 | ·880 | ·295 |
| 6 Cardamom ... | ... | ... | 0·66 | ... | 0·62 | 0·66 | ... | 7·50 | 0·50 | ... | 0·56 | 0·60 |
| IX. Miscellaneous— | | | | | | | | | | | | |
| 1 Salt ... | ... | Per Quintal | 0·95 | 0·10 | 8·00 | 8·03 | ... | ·0·05 | 10·00 | ·0 03 | 10 00 | 10·00 |
| 2 Kerosene oil ... | ... | Per Litre | 0 40 | 0 60 | 0·87 | | | 0 60 | 0·50 | 0 50 | 0·50 | 0 44 |
| 3 Firewood/ Charcoal. | ... | Quintal | 5·00—6·00 | 7·00—9·00 | 6 00—7·50 | ... | | 8·25 | 5 50 | 5.40—6 00 | 6 00 | 5·50 |
| 4 Coarse cloth ... | ... | Per metre | 1·75 | ·80 | | | ... | 1·20—1·80 | 1 21 | | 1·55 | 1 03 |

| Commodities | Variety/Quality | Unit | Centres: North Kanara | Belgaum | Bijapur | Dharwar | Bidar | Gulbarga | Raichur | South Kanara | Coorg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| I Cereals.— | | | | | | | | | | | |
| 1 Paddy | Coarse | | | 3.2 | | | | 1·4 | | | 2.4 |
| 2 Rice | Do | | 1·8 | 1·3 | 1·2 | 1 2 | 1·4 | 1·8 | 1·5 | 4.8 | 1·5 |
| 3 Wheat | White | | 1·8 | 1·3 | 1·3 | 1·3 | 1·7 | | 1·4 | | 1·7 |
| 4 Wheat Flour | Do | | 1·2 | 1.8 | | | | | 0·4 | | |
| 5 Jowar | Do | | 1·6 | 1·7 | 2·0 | 2·0 | 2·0 | 1·1 | 0·2 | 1.7 | 1·8 |
| 6 Bajra | | | | | 2·8 | | 2·2 | 2·2 | 0·2 | | |
| 7 Barley | | | | | | | | | | | |
| 8 Maize | | | | | 3·7 | | | | | | |
| 9 Ragi | | | 0·2 | 2·3 | | | | | | | |
| 10 Other cereals... | | | | | | | | | | | |
| (i) | | | | | | | | | | | |
| (ii) | | | | | | | | | | | |
| 11 Subsidiary Food Crops.— | | | | | | | | | | | 0 2 |
| (i) Sweet potatoes. | | | | | | | 2 0 | | | 0.4 | 3·4 |
| (ii) Tapioca | | | | | | | | | | | 0·4 |
| (iii) Papaya | | | | | | | | | | 2 2 | |
| (iv) Groundnut cake flour | | | | | | | 2·2 | | | | |
| II. Pulses.— | | | | | | | | | | | |
| 1 Gram | (a) Whole | | | | 1·5 | | 1·8 | 1·7 | 1·2 | | 1·1 |
| | (b) Split (without skin). | | | | 1 8 | | 1·1 | 1 2 | 0 7 | | |
| | (c) Flour | | | | | | | | 0·1 | | |
| 2 Arhar (Tur) | (a) Whole | | | | | | 1·8 | 1·6 | | | 0·5 |
| | (b) Split (without skin). | | | | 1·0 | | 0·1 | 0·1 | 0.1 | | |
| 3 Moong | (a) Whole. | | | | | | | | | | |
| | (b) Split (without skin). | | | | 1.2 | | | 1·5 | 1·7 | | |
| 4 Urd | (a) Whole | | | | 0·9 | | | 1·2 | 0·1 | | |
| | (b) Split (without skin). | | | | 0 8 | | 1.3 | 1.5 | 1·5 | | |
| 5 Masur | (a) Whole | | | | | | 0·1 | 0.1 | 0 7 | | 0.9 |
| | (b) Split (without skin). | | | | 1·2 | | 1.8 | 1.2 | | | |
| 6 Other pulses— | | | | | | | 0·1 | | | | |
| (i) Avare | (a) Whole | | | | | | | | | 0.1 | |
| | (b) Split (without skin). | | | | 2,2 | | | | | | |
| (ii) Horsegram | | | | | | | | | | 2.2 | 2 2 |
| (iii) Cowpea | | | 3·0 | 0.2 | 3 2 | | | | | | |
| III. Sugar and Gur— | | | | | | | | | | | |
| 1 Gur | (a) Sort I | | 8·38 | 1·1 | 0·1 | 9·00 | 1·2 | 1·2 | 1· | 1.1 | 1 1 |
| | (b) Sort II | | 1·00 | 1.4 | 1,2 | 1·0 | 1·5 | ·8 | 1 5 | 1.8 | 1.2 |
| 2 Sugar refined | D 94 | | | | ·810 | | | | ·925 | ·769 | ·850 |
| IV. Oils.— | | | | | | | | | | | |
| 2 Groundnut oil | | | ·484 | ·500 | ·495 | 5·00 | ·500 | ·560 | ·459 | .485 | 1 60 |
| 3 Sesamum oil | | | 2·56 | | | | | | | .893 | |
| 5 Castor oil | | | | ·460 | | | | | | | ·888 |
| 4 Mustard oil | | | | | | | | | | | |
| 6 Linseed oil | | | | | | | | | | | |
| 7 Coconut oil | | | 2·96 | ·285 | ·286 | ·275 | 250· | ·695 | ·985 | ·925 | ·950 |
| 8 Vanaspati | Double | | | | | | | 3·50 | ·806 | | |

| | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. | kg. gr. |
| 8 | Other oils— | | | | | | | | | | | |
| | (i) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V | Fruits, Vegetables and Nuts— | | | | | | | | | | | |
| | (i) Fruits— | | | | | | | | | | | |
| 1 | Mangoes ... | ... | Per Dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | Plantains ... | ... | Do | 44·00 | 75·00 | 76·00 | 35·0 | 50·00 | 60·00 | 87·00 | ... | 25·00—65·00 |
| 3 | Oranges ... | ... | Do | .. | ... | ... | ... | 2·00 | ... | ... | 87·00 | ... |
| | Dates ... | ... | ... | ... | ... | ... | ... | ·400 | ·800 | ... | ... | ... |
| 5 | Cashew kernels | ... | ... | 1·55 | ... | ... | ... | ... | ... | ... | ·149 | ... |
| 6 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (ii) Vegetables— | | | | | | | | | | | |
| 1 | Potatoes ... | ... | ... | 1·3 | 2·0 | 4 4 | ·7 | 2·0 | 1·06 | 2·00 | ... | 1·08 |
| 2 | Onions ... | ... | ... | 8·2 | 8·8 | 5·60 | 8·02 | 4·00 | 4·00 | 4 0 | 4·00 | 3·06 |
| 3 | ... ... ... | ... | ... | ... | ... | ... | ... | ... | | ... | ... | ... |
| | (iii) Nuts— | | | | | | | | | | | |
| 1 | Cashewnuts ... | ... | ... | 1·66 | ... | ... | ·162 | | | ... | ... | ... |
| 2 | Arecanuts ... | ... | ... | ... | ... | 1·60 | ... | ... | | ... | ... | 1·88 |
| VI. | Tobacco ... | Leaf ... | Per kg. | 5·57 | ... | ... | 5·50 | 4·50 | 8·00 | 6·0—7·50 | 6·50 | ... |
| VII. | Live-stock products— | | | | | | | | | | | |
| 1 | Milk ... | Per litre ... | ... | 1 25 | ... | 0·80 | | 0·62 | 1 09 | ... | 1 00 | 0·65 |
| 2 | Ghee ... | (a) Agmark ... | ... | ... | ... | ... | | ... | ·100 | ... | ·115 | ... |
| | | (b) Unbranded ... | ... | ·160 | ·183 | ... | | ·150 | ·120 | ... | ·175 | ... |
| 3 | Eggs ... | (i) A Grade | Per Dozen | 2,57 | 2·25 | 2·25 | | 1·20 | 3·00 | | 2 55 | 3 00 |
| | | (ii) B Grade | Do | 2·40 | 2 10 | 1·75 | | 1·00 | 2·75 | | 2 00 | 2·75 |
| | | (iii) C Grade | Do | 2·09 | 1 80 | 1·00 | | 0·80 | 2·50 | | 1·75 | 2·50 |
| 4 | Mutton ... | ... | ... | ·809 | ·823 | ·460 | | | | | ·235 | ... |
| 5 | Beef ... | ... | ... | | ... | | | | | | | ... |
| VIII. | Condiments and Spices— | | | | | | | | | | | |
| 1 | Turmeric ... | ... | ... | ·5 | ... | | 3·50 | | 0·5 | 5·00 | ·5 | 0·4 |
| 2 | Tamarind ... | ... | ... | 1 01 | 1·8 | | 1·2 | 1·62 | 1·01 | 1·65 | ·1 | ·1 |
| 3 | Dry chillies ... | ... | ... | ... | 3·63 | | ·203 | ·300 | ·363 | ·30 | ·3.7 | ·255 |
| 4 | Garlic ... | ... | ... | 0 08 | 1·65 | | 0·8 | 1 09 | 1·08 | ... | ·1 | 1·28 |
| 5 | Pepper ... | ... | ... | ·166 | ... | | | 2·50 | ·185 | ... | ·222 | ... |
| 6 | Cardamom ... | ... | ... | 9·71 | ... | | 0·45 | 9·50 | 0·87 | ... | 9 62 | ... |
| IX. | Miscellaneous— | | | | | | | | | | | |
| 1 | Salt ... | ... | ... | 8·00 | ... | | 6·00 | 0 08 | 0·10 | 0·08 | 0·10 | 0·08 |
| 2 | Kerosene oil ... | ... | Per Litre | 0·62 | ... | | 0·50 | 0·45 | 0·46 | 0.43 | 0·62 | 0·60 |
| 3 | Firewood/ Charcoal | ... | Quintal | ... | ... | ... | ... | 8·00 | 8·50 | 6·00 | 15 0 | 6 50 |
| 4 | Coarse cloth ... | ... | Per Metre | 1·25 | ... | ... | ... | 1·60 | 1·50 | 1·88 | 1·20 | |

.....

For *Chief Marketing Officer.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

No. STR. 24-6—SPH dated 9th December 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE

FORTNIGHT ENDING SAUTRDAY THE 27TH NOVEMBER 1965.

The state remained free from Plague during the fortnight as in the previous fortnight. Comparative figures for the corresponding fortnight during 1964 and 1963 were nil attacks nil deaths and nil attacks with nil deaths respectively.

A total of 29 attacks with 6 deaths from Smallpox was reported for the entire State, *viz.*, from the towns of Tumkur, Kunigal, Madhugiri and Shimoga from the taluks of Mangalore, Tumkur, Turuvekere, Malur, Gangavathi, Bagewadi, Srirangapatna, Malavalli, and Bantwal, *as against* nil attacks with 3 deaths reported during the corresponding fortnight of the previous year.

A total of, 16 attacks with 10 deaths from Cholera was reported for the entire State, *viz.*, from the taluks of Madhugiri, Kudligi, Chitradurga and Hiriyur during the fortnight *as against* 21 attacks with 11 deaths reported during the corresponding fortnight of the last year.

A total of one attack with nil deaths from K. F. Disease was reported from Shimoga District, *as against* attacks with nil deaths reported during the corresponding fortnight of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatit s and Influenza in epidemic form *as against* nil attacks with nil deaths during the corresponding fortnight of the previous year.

The total mortality for Bangalore Corporation amounted to 609 (224 in hospitals) for the fortnight *as against* 449 (180 in hospitals) during the corresponding fortnight of the previous year, giving a calcu ated death rate of 16. 5 (10. 4 excluding hospital deaths)per mile of population (mid-year estimated) *as against* 12. 3 (7 4 excluding hospital deaths), for the corresponding fortnight of last year. Classified according to causes of deaths 17 were due to Smallpox, 5 due to other fevers, 44 due to dysentery and Diarrhoea, 10 due to consumption and 433 due to all other causes, *as against* 3 were due to small pox 5 due to other fevers, 30 due to Dysentery and Diarrhoea, 19 due to consumption and 392 due to all other causes reported during the corresponding fortnight of the previous year.

The total mortality for Mysore City amounted to 91 (53 in hospitals for the fortnight *as against* 139(56 in hospitals) during the corresponding fortnight of the

previous year, giving a calculated death rate of 9.2 (3'8 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 14.1 (8'4 excluding hospitals deaths) for the corresponding fortnight of last year. Classi fiedaccording to causes of deaths, 1 was due to Small pox 1 due to Typhoid, 12 due to other fevers, 22 due to Dysentery and Diarrhoea, 3 due to to consumption, and 82 due to all other causes, *as against* 2 were due to Typhoid 20 due to other fevers, 6 due to Dysentery and Diarrhoea. 10 due to Consumption and 101 due to al other causes. reported during the corresponding fortnight of the previous year.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 30 (nil in hospitals) for the fortnight *as against* 97 (63 in hospital) during the corresponding fortnight of the previous year, giving a calculated death rate of 5 7 (5. 7 excluding hospital deaths) per mille of population mid-year estimated) *as against* 18'5 (6'5 excluding hospital deaths) for the corresponding fortnight of the last year. Classified according to causes of deaths, 1 was due to other fevers, 3 due to Consumption and 26 due to all other causes *as against* 1 was due to Malaria, 1 due to other fevers, 5 due to Dysentery and Diarrhoea 5 due to consumption, and 85 due to all other causes, reported during the corresponding fortnight of the previous year .

The total mortality for Mangalore City amounted to 18 (nil in hospitals) for the fortnight *as against* 59 (25 in hospitals) during the corresponding fortnight of the previous year, giving a calculated death rate of 3'0 (3'0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10.2 (5. 9 excluding hospital deaths) for the corresponding fortnight of the last year. Classified according to causes of deaths, 1 was due to Dysentery and Diarrhoea, 17 due to all other causes, *as against* 2 were due to consumption and 57 due to all other causes reported during the corresponding fortnight of the previous year.

192 ..... ..... *Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

## OFFICE OF THE CHIEF INSPECTOR OF FACTORIES AND BOILERS IN MYSORE, BANGALORE.

Statement showing the Cotton Pressed in Bales in all the Factories of Mysore State for the Week ending every Friday 20th July 1962, and 27th July 1962.

**Weekly Cotton Press Return.**

Under Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the adoption of the existing Indian Law and Order, 1957.

(Unit: 392 lbs or 180 Kg/Bale)

| Division with Districts. Variety (Trade Description) | During the week | | During the last year | | Since 1st September 1961 | | During the same period in the last year | |
|---|---|---|---|---|---|---|---|---|
| | R. bales | S. bales | R. bales | S. bales | R. bales | S. bales | R. bales | S. bales |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| **Old Mysore including Bellary District.—** | | | | | | | | |
| **For the week ending Friday, 20th July 1962.** | | | | | | | | |
| 1 Jayadhar ... ... | 200 | 200.0 | ... | ... | 6933 | 8321.1 | ... | ... |
| 2 Lakshmi ... ... | 86 | 86.0 | ... | ... | 11763 | 11481.0 | ... | ... |
| 3 Kumpta ... ... | ... | ... | 233 | 233 | 8281 | 8401.9 | 12963 | 12168 |
| 4 Miscellaneous ... ... | 185 | 185.0 | 610 | 6.0 | 10156 | 10.85.0 | 19789 | 19823 |
| Total ... | 471 | 471.0 | 843 | 841 | 83951 | 83343.0 | 82151 | 82016 |
| Cotton Waste ... ... | ... | ... | ... | ... | ... | ... | ... | ... |
| **Hyderabad, Raichur, Gulbarga and Bidar Districts.—** | | | | | | | | |
| **For the week ending Friday, 20th July 1962.** | | | | | | | | |
| 1 Jayadhar ... ... | ... | ... | ... | ... | 8080 | 8105.6 | ... | ... |
| 2 Lakshmi ... ... | 553 | 553.0 | 775 | 775 | 27926 | 28006.2 | 8967 | 8928 |
| 3 Kumpta ... ... | ... | ... | ... | ... | 836 | 842.7 | ... | ... |
| 4 Miscellaneous ... ... | ... | ... | 100 | 100 | 13370 | 18494.8 | 19770 | 19874 |
| Total ... | 553 | 553.0 | 875 | 875 | 41712 | 41939.3 | 5 737 | 51737 |
| Cotton Waste ... ... | ... | ... | ... | ... | ... | ... | ... | ... |
| **Bombay, Belgaum, Dharwar and Bijapur Districts.—** | | | | | | | | |
| **For the week ending Friday, 20th July 1962.** | | | | | | | | |
| 1 Jayadhar ... ... | 882 | 887.0 | 1291 | 1 67 | 45151 | 43578.9 | 44662 | 83935 |
| 2 Lakshmi ... ... | 628 | 675.0 | 1187 | 12.0 | 60317 | 58218 7 | 58841 | 64920 |
| 3 Kumpta ... ... | ... | ... | ... | ... | 4721 | 4190.4 | 285 | 297 |
| 4 Miscellaneous ... ... | 1 4 | 124 0 | 700 | 696 | 27807 | 27518·1 | 28143 | 87819 |
| Total ... | 1640 | 1.6:6 | 8168 | 8163 | 138925 | 13:761.0 | 141894 | 13:941 |
| Cotton Waste ... ... | ... | ... | ... | ... | 15 2 | 1812.0 | 1811 | 1357 |
| Grand Total ... | 2668 | 26 0 0 | 4865 | 4831 | 21:6:8 | 21.0438 | 8 (272 | 216754 |
| **Old Mysore including Bellary District —** | | | | | | | | |
| **For the week ending Friday, 27th July 1962.** | | | | | | | | |
| 1 Jayadhar ... ... | 108 | 105.0 | ... | ... | 8975 | 8421.1 | ... | ... |
| 2 Lakshmi ... ... | 185 | 256.0 | ... | ... | 12037 | 11770.0 | ... | ... |
| 3 Kumpta ... ... | ... | ... | ... | ... | 3282 | 840 .9 | 19362 | 19189 |
| 4 Miscellaneous .. ... | 85 | 85.5 | 573 | 575 | 102.0 | 10165.0 | 20862 | 20418 |
| Total ... | 478 | 474 0 | 573 | 575 | 814 4 | 838817.0 | 82724 | 82591 |
| Cotton Waste ... ... | ... | ... | ... | ... | ... | ... | ... | ... |
| **Hyderabad, Raichur, Gulbarga and Bidar Districts.—** | | | | | | | | |
| **For the week ending Friday, 27th July 1962.** | | | | | | | | |
| 1 Jayadhar ... ... | ... | ... | ... | | 8030 | 8107.6 | ... | ... |
| 2 Lakshmi ... ... | 1103 | 1103.0 | 1189 | 1189 | 290 6 | 25 15.2 | 33156 | 33112 |
| 3 Kumpta ... ... | ... | ... | ... | ... | 886 | 882.7 | ... | ... |
| 4 Miscellaneous ... ... | 714 | 727.0 | 956 | 963 | 14084 | 14341.8 | 20726 | 20884 |
| Total ... | 1823 | 1836·0 | 2145 | 2149 | 46535 | 46775·3 | 53882 | 53946 |
| Cotton Waste ... ... | ... | ... | ... | ... | ... | ... | ... | ... |
| **Bombay, Belgaum, Dharwar and Bijapur Districts.—** | | | | | | | | |
| **For the week ending Friday, 27th July 1962.** | | | | | | | | |
| 1 Jayadhar ... ... | 824 | 767.0 | 1148 | 1133 | 46975 | 44275.8 | 45805 | 47078 |
| 2 Lakshmi ... ... | 1235 | 1160.0 | 4.22 | 61.7 | 61183 | 4913 ·7 | 62463 | 59367 |
| Kumta ... ... | ... | ... | ... | ... | 4720 | 4450.4 | 295 | 207 |
| 4 Miscellaneous ... ... | 163 | 160·0 | 918 | 911 | 27967 | 27678.1 | 89061 | 85760 |
| Total ... | 2219 | 2107.0 | 6183 | 6 81 | 141141 | 1858 63·0 | 147 :67 | 139122 |
| Cotton Waste ... ... | 180 | 180 0 | 138 | 140 | 2993 | 1992 0 | 1479 | 1497 |
| Grand Total ... | 4315 | 4417.0 | 8901 | 8905 | 523188 | 2164.6:.8 | 234173 | 525659 |

..... *Chief Inspector.*

## OFFICE OF THE DEPUTY COMMISSIONER, SOUTH KANARA DISTRICT, MANGALORE-1.

Notification dated 13th December 1965.

Section 15 of the Madras Cultivating Tenants' (Payment of Fair Rent ) Act, 1956, Market Prices of the important Articles for the months of April, May and June 1965, at the Taluk Headquarters of South Kanara District.

| Sl. No. | Name of the Foodgrains | Mangalore | | | Udipi | | | Coondapur | | | Karkal | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | April | May | June | April | May | June | April | May | June | April | May | June |
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| | The price fixed in Government order No. 252 FFP 64, dated 24th November 1964 as amended in G. O. No. R. D. 21(A) F.F P. 65, dated 10th February 1965. | | | | | | | | | | | | |
| 1 | Paddy I Sort per quintal). | ... | ... | 63 00 | ... | ... | 65 00 | ... | ... | 60 00 | ... | ... | 46 00 |
| 2 | Paddy II Sort per quintal | ... | ... | 65 00 | ... | ... | 64 00 | ... | ... | 60 00 | ... | ... | 45 00 |
| 3 | Paddy III Sort per quintal. | ... | ... | 62 00 | ... | ... | 64 00 | ... | ... | 48 00 | ... | ... | 41 00 |
| 4 | Rice I Sort per quintal. | ... | ... | 110 00 | .. | ... | 110 00 | ... | ... | 103 00 | ... | ... | 80 00 |
| 5 | Rice II Sort per quintal. | ... | ... | 90 00 | ... | ... | 102 00 | ... | ... | 97 00 | ... | ... | 79 00 |
| 6 | Rice III Sort per quintal. | ... | ... | 70 00 | ... | ... | 102 00 | ... | ... | 95 00 | ... | ... | 77 00 |
| 7 | Cane Jaggery I sort per kg. | 0 70 | 0 70 | 0 70 | 0 78 | 0 73 | 0 78 | 0 90 | 0 80 | 0 75 | 0 75 | 0 75 | 0 80 |
| 8 | Cane Jaggery II Sort . per kg. | 0 65 | 0 65 | 0 65 | 75 00 | 0 75 | 00 75 | 0 80 | 0 70 | 0 60 | 0 60 | 0 60 | 0 65 |
| 9 | Coconut per 100 | 50 00 | 50 00 | 50 00 | 65 00 | 50 00 | 50 00 | 40 00 | 45 00 | 55 00 | 40 00 | 45 00 | 50 00 |
| 10 | Chillies per kilogram. | 2 25 | 2 25 | 2 25 | 1 62 | 1 50 | 1 50 | 2 50 | 2 50 | 2 75 | 2 00 | 2 00 | 2 00 |
| 11 | Horsegram per quintal). | 60 00 | 60 00 | 60 00 | 55 00 | 57 00 | 53 00 | 58 00 | 59 00 | 63 50 | 63 00 | 61 00 | 61 00 |
| 12 | Blackgram per quintal) | 80 00 | 80 00 | 80 00 | 75 00 | 75 00 | 75 00 | 67 00 | 67 00 | 72 00 | 75 00 | 78 00 | 80 00 |
| 13 | Greengram per quintal). | 115 00 | 115 00 | 115 00 | 105 00 | 100 00 | 90 00 | 100 00 | 105 00 | 108 00 | 95 00 | 100 00 | 100 00 |
| 14 | Cashewnut per quintal, | 70 00 | 70 00 | 70 00 | 77 00 | 78 00 | 73 00 | 77 00 | 73 00 | 73 00 | 93 00 | 93 00 | 90 00 |
| 15 | Arecanut per 50 kilograms. | 876 00 | 876 00 | 878 00 | 830 00 | 830 00 | 833 00 | 883 00 | 883 00 | 933 00 | 925 00 | 825 00 | 825 00 |

| Sl. No. | Name of the Foodgrains | Puttur | | | Buntwal | | | Coondapur | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | April | May | June | April | May | June | April | May | June |
| | | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. | Rs. P. |
| | The price fixed in Government order No. 251 FFP. 64, dated 24th November 1964 as amended in G. O. No. R. D. 21(A) F.F.P. 65 dated 10th February 1965. | | | | | | | | | |
| 1 | Paddy I Sort per quintal). | ... | ... | 71 00 | ... | ... | 75 00 | ... | ... | 46 00 |
| 2 | Paddy II Sort per quintal. | ... | ... | 68 00 | ... | ... | 70 00 | ... | ... | 45 00 |
| 3 | Paddy III Sort (per quintal). | ... | ... | 69 00 | ... | ... | 65 00 | ... | ... | 54 00 |
| 4 | Rice I Sort (per quintal). | ... | ... | 150 00 | ... | ... | 140 00 | ... | ... | 77 00 |
| 5 | Rice II Sort (per quintal). | ... | ... | 115 00 | ... | ... | 135 00 | ... | ... | 75 00 |
| 6 | Rice III Sort (per quintal). | ... | ... | 115 00 | ... | ... | 133 00 | ... | ... | 74 00 |
| 7 | Cane Jaggery I Sort (per kg). | 0 60 | 0 75 | 0 75 | 0 75 | 0 70 | 0 65 | 0 55 | 0 55 | 0 55 |
| 8 | Cane Jaggery II Sort (per kg.) | 0 60 | 0 60 | 0 60 | 0 50 | 0 45 | 0 40 | 0 50 | 0 50 | 0 50 |
| 9 | Coconut per 100 | 50 00 | 54 00 | 55 00 | 60 00 | 55 00 | 55 00 | 85 00 | 86 00 | 89 00 |
| 10 | Chillies (per kg.) | 2 00 | 2 00 | 2 00 | 2 00 | 2 00 | 2 25 | 2 00 | 2 00 | 2 00 |
| 11 | Horsegram (per quintal). | 60 00 | 60 00 | 90 00 | 70 00 | 65 00 | 50 00 | 60 00 | 60 00 | 65 00 |
| 12 | Blackgram (per quintal) | ... | ... | ... | 72 00 | 72 00 | 72 00 | 65 00 | 90 00 | 90 00 |
| 13 | Greengram (per quintal). | 120 00 | 120 00 | 120 00 | 120 00 | 100 00 | 95 00 | 110 00 | 115 00 | 120 00 |
| 14 | Cashewnut (per quintal). | 90 00 | 80 00 | 60 00 | 92 00 | 85 00 | 75 00 | 60 00 | 65 00 | 70 00 |
| 15 | Arecanut (per 50 kilograms). | 240 00 | 250 00 | 280 00 | 292 00 | 812 00 | 912 00 | 200 00 | 950 00 | 800 00 |

.....

For *Deputy Commissioner.*